



2015

MARK TWAIN LAKE

WATER QUALITY

REPORT



U.S. ARMY CORPS OF ENGINEERS, ST. LOUIS DISTRICT
ENVIRONMENTAL QUALITY SECTION – WATER QUALITY

Table of Contents

Water Quality Report-Mark Twain Lake

Section and Page No.

1.0 GENERAL OVERVIEW.....	pg. 1
2.0 WATER QUALITY ASSESSMENT CRITERIA.....	pg. 4
3.0 SUMMARY OF MONITORING RESULTS.....	pg. 9
4.0 PLANNED 2016 STUDIES	pg. 12

List of Figures & Tables

Figure 1: Lake Map.....	pg. 3
Table 2.1 State of Missouri - Water Quality Standards	pg. 4

Appendix

Appendix A: Data	
Lab Data.....	pg. A1-A11
Field Data.....	pg. A12-A17

Appendix B: Laboratory Data Graphs

Fecal Coliform	pg. B1
Metals (Iron & Manganese)	pg. B2
Nitrogen (NH ₃ -N & NO ₃ -NO ₂).....	pg. B3-B4
Orthophosphate & Total Phosphate.....	pg. B5-B6
Chlorophyll & Pheophytin.....	pg. B7
Pesticides.....	pg. B8-B9
TSS & VSS	pg. B10-B11
TOC.....	pg. B12-B13

Appendix C: Field Data Graphs

Temperature & DO	pg. C1-C10
pH.....	pg. C11-C15
Redox & Conductivity	pg. C16-C20
Secchi.....	pg. C21
2015 TW & Re-reg DO.....	pg. C22-C24

Appendix D: Lakes of Missouri Volunteer Program (LMVP) Data.....pg. D1-D2

Appendix E: United Water Services, Clarence Cannon WTP Datapg. E1-E16

Appendix F: Beach Data & Graphs

Beach Data	pg. F1
Spalding (east)	pg. F2
Spalding (west)	pg. F3
Indian Creek.....	pg. F4
State Park Beach Data.....	pg. F5

Executive Summary

The purpose of this report is to provide an annual analysis of the water quality in the lake for the past year. Mark Twain Lake is located in northeastern Missouri in the Salt River Basin on the Salt River. Clarence Cannon Dam and the Reregulation Dam are located in Ralls County at Salt River miles 63.0 and 53.5, respectively. The purpose of this project was to provide flood control, hydroelectric power generation, water supply, fish and wildlife conservation, recreation and water quality enhancement. The Mark Twain watershed comprises 2,318 square miles, with an additional 29 square miles draining into the Reregulation Pool. Major tributaries are the North Fork, Middle Fork, Elk Fork, and South Fork. The watershed consists of a gently rolling plain in the upstream portion and more hilly in the downstream reaches. High rock bluffs border the stream and lake at various locations. Hickory and oak forests are scattered among crop and grazing lands.

The water of Mark Twain Lake and the downstream river channel is generally good. The lake is a medium depth reservoir nestled in the Salt River Basin. The lake tends to stratify during the summer months.

All sampling sites met the appropriate state standards during 2015 except the phosphorous levels. Phosphorous levels have exceeded the state standard on a routine basis. Generally the tailwater levels are lower than the incoming tributary flows, which indicates that the lake is sinking the phosphorous. This is also occurring with nitrogen. The project area has little pollution potentials at present time, no major form of degradation to the lake or streams is apparent. Constant water quality monitoring will continue to check future degradation of the watershed.

WATER QUALITY MONITORING PROGRAM

1.0 GENERAL OVERVIEW

This report summarizes water quality activities of the St. Louis District for Fiscal Year 2015 in accordance with ER 1110-2-8154 Water Quality & Environmental management for Corps Civil Works Projects and ETL 1110-2-362 Environmental Engineering Initiatives for Water Management. According to the U.S. Environmental Protection Agency (USEPA) poor lakeshore habitat is the biggest problem in our nation's lakes, followed by nutrients. Shoreline vegetation provides shelter for aquatic wildlife, reduces sediment and nutrient movement. The biology of a lake is characterized by the diversity if it's organisms. The number and kinds of plant and animal species present is a direct measure of a lake's well-being. Water quality at Mark Twain Lake is directly assessed using stream and river data from 10 site locations.

Water quality monitoring remains one of the Sections major responsibilities. The objective is to maintain a reasonable environmental monitoring program for the Mississippi River and the 5 lakes under the St. Louis District's control. The District's reservoirs consist of Mark Twain and Wappapello Lakes in Missouri, and Shelbyville, Carlyle and Rend Lakes in Illinois. Water quality sampling is conducted within the lakes and their tributaries to establish trend analysis and to maintain water quality at or above state and federal regulations.

The main objective is to provide technical expertise of an environmental nature to all Corps elements requesting assistance in accordance with ER 1110-2-8154. This would include updating the water quality management priorities for the district's projects to ensure water quality meets the state and federal regulations, for protection of human health and the environment, and for the safety and economic welfare of those at Corps projects. Ongoing goals include ensuring that downstream water quality meets all state and federal regulations, is suitable for aquatic and human life; and to continue to evaluate trend analysis in relation to baseline conditions at all projects.

Water quality data is provided to the Missouri Department of Natural Resources (MDNR) to be used as a screening mechanism for the Missouri Water Quality Report which is required every two years by the Clean Water Act Sections 303(d) and 305(b). MDNR does not routinely monitor Mark Twain Lake. However, the Lakes of Missouri Volunteer Program (LMVP) in cooperation with the University of Missouri-Columbia has been taking samples at 3 sites since 1989. The LMVP only analyze for Nutrients and Chlorophyll. In 2015, the LMVP took eight samples at 3 locations at the lake. See appendix D for data.

The National Water Quality Inventory Report to Congress (305(b) report) is the primary vehicle for informing Congress and the public about general water quality conditions in the United States. This document characterizes our water quality, identifies widespread water quality problems of national significance, and describes various programs implemented to restore and protect our waters.

Under Section 303(d) of the 1972 Clean Water Act, states, territories and authorized tribes are required to develop a list of water quality limited segments. These waters on the list do not meet water quality standards, even after point sources of pollution have installed the minimum required levels of pollution control technology. The law requires that these jurisdictions establish priority rankings for water on the lists and develop action plans, called as Total Maximum Daily Loads (TMDL), to improve water quality.

The 2015 water quality report compiled by the Missouri Department of Natural Resources has listed the Salt River below the Cannon Dam and Mark Twain Lake as impaired. The Salt River is impaired by low Dissolved Oxygen and Mercury. Mark Twain Lake is impaired by Mercury. Mark Twain Lake is listed as eutrophic. Continued monitoring of the lake and its tributaries is vital in assisting the future assessment of the lake for these and other possible impairments. The water quality monitoring program represents the single metric that encompasses the overall health of the watershed as it is a direct measure of how well the environmental stewardship programs are working.

1.1 INTRODUCTION

Mark Twain Lake is located in northeast Missouri. The land surrounding the lake is used predominately for agriculture. The main agricultural contaminants into the watershed include pesticides and fertilizers. Also a concern is the high sediment loading into the lake and the colloidal characteristic of the sediments as well as low dissolved oxygen levels related to turbine generation. The lake is also susceptible to fish kills due to algal decay in the lake arms.

The operating purposes for Mark Twain Lake are fish/wildlife, hydroelectric power, flood control, recreation, navigation and water supply. The water quality management program for the lake includes monitoring of baseline parameters, ecological trends and investigation of problem areas to keep the lake within state and federal standards.

Water quality monitoring was conducted during 2015 to assure safe conditions for human recreation, wildlife and aquatic life as maintained and managed within the lake system. The 2015 water quality monitoring program was funded to conduct three sampling events. The sampling sites include the following: Site 1 (MTL-1) Spillway, Site 5 (MTL-5) South Fork at Hwy D, Site 8 (MTL-8) Elk Fork at Hwy 15, Site 9 (MTL-9) Middle Fork at Hwy 15, Site 11 (MTL-11) North Fork at Hwy 36, Site 12 (MTL-12) below re-regulation dam, Site 22 (MTL-22) old river channel 1mile up lake from dam, Site 33 (MTL-33) Lick Creek at Hwy J, Site 66 (MTL-66) South Fork at Hwy 107 bridge, and Site 77 (MTL-77) North Fork at Hwy 107 bridge. During the sampling event one site was selected for quality control duplication and denoted as MTL-15. In 2015, it was decided to replace a couple of sites with locations closer to the lake. Sites MTL-5, MTL-8, and MTL-11 were scheduled to be replaced by MTL-88, MTL-41, and MTL-25 respectively. However, the new sites did not meet all tributary requirements. Therefore, we reverted back to the old sample sites. In June MTL-8 was replaced by MTL-13. MTL-13 provides a safer and easier access point. The locations of the ten sampling sites are depicted on the lake map in Figure 1.

As mentioned above, LMVP collects samples at Mark Twain Lake. This year they conducted 8 sampling events at 3 sites. Their data is in Appendix D. We have also included data from the United Water Services Clarence Cannon WTP in Appendix E.

Clarence Cannon Dam & Mark Twain Lake




Figure 1
Sample Locations

2.0 WATER QUALITY ASSESSMENT CRITERIA

2.1 Water Quality

The water quality assessment criteria, which have been generally accepted criteria for sustaining adequate aquatic plant and animal growth were based upon the State of Missouri regulatory limits for certain contaminants. The samplings and analysis which were conducted at the Mark Twain Lake sites reflect the minimal set of parameters needed to analyze the current status of water quality for the Mark Twain Lake system.

The following parameters were analyzed in the Fiscal Year 2015 sampling at Mark Twain Lake: Total Organic Carbon (TOC), iron, manganese, ammonia-nitrogen, nitrate-nitrogen, orthophosphate, total phosphate, Total Suspended Solids (TSS), Total Volatile Suspended Solids (TVSS), escherichia coliform (E. coli), pH, temperature, dissolved oxygen, specific conductance, oxidation-reduction potential (ORP), chlorophyll, pheophytin-a, atrazine and alachlor,

The Missouri Department of Natural Resources, Code of State Regulations, Division 20, Chapter 7 classifies water quality criteria based on designated usage. These standards are used to determine the aquatic water quality of the lake. Table 2.1 provides a listing of the regulatory limits where a limit has been established for the parameters analyzed.

**TABLE 2.1
State of Missouri
Water Quality Standards**

PARAMETER	LIMIT
Temperature	20.5°C - 33°C (68°F - 90°F)
Ammonia Nitrogen	< 15 mg/L
Nitrate Nitrogen	10 mg/L
Iron	1.0 mg/L (Aquatic Life)
Manganese	0.05 mg/L (Drinking Water & GW)
Phosphorous as Phosphate	0.05 mg/L
E. Coli	Missouri standard is 235 E. coli per 100ml for single sample or 126 for geometric mean
pH	Range: 6.5 to 9.0
DO	> 5.0 mg/L
Atrazine	3ug/L ¹ , 82ug/L ² , 9ug/L ³
Alachlor	2ug/L ¹
Conductivity	1,700 uS/cm≈TDS of 1,000 mg/L
Total Suspended Solids (TSS)	116mg/L (streams); ≥12mg/L Lakes
Chlorpyrifos	10ug/L ¹
Cyanazine	370ug/L ² ; 30ug/L ³
Metolachlor	1.7mg/L ²
Metribuzin	200ug/L ¹ 91ug/L HRL
Pendimethalin (PROWL)	70ug/L HBSL, 20ug/L ¹
Simazine	4.0ug/L ¹

Trifluralin	26ug/L ² ; 1.1ug/L ³
-------------	--

¹ Drinking Water

² Acute

³ Chronic

Health Based Screening Level (HBSL)

Health Reference Level (HRL)

Nitrogen is an essential component of proteins, genetic material, chlorophyll, and other key organic molecules. All organisms require nitrogen in order to survive. Nitrogen exists in several forms. These forms include gaseous nitrogen (N₂), nitrites (NO₂), nitrate (NO₃), ammonia nitrogen (NH₃-N), and ammonium (NH₄). Ammonia can be toxic to fish and other aquatic organisms at certain levels. Unlike ammonia, ammonium (NH₄) is not toxic to aquatic organisms and is readily available for uptake by plankton and macrophytes. Nitrogen levels have increased as human activities have accelerated the rate of fixed nitrogen being put into circulation. High nitrogen levels can cause eutrophication. Eutrophication increases biomass of phytoplankton, decreases water transparency, and causes oxygen depletion. Ammonia nitrogen is monitored so that the effects on fish spawning, hatching, growth rate and pathologic changes in gills, liver and kidney tissue can be related to the detected levels of ammonia nitrogen. Nitrate-nitrogen degrades to nitrite or produces ammonia which has a detrimental effect on aquatic life and, therefore, has been monitored to assure levels are below the regulatory "safe" limit.

Phosphate has been analyzed as phosphorus and has been monitored due to the potential for uptake by nuisance algae. Levels of phosphate can indicate the potential for rapid growth of algae (algae bloom), which can cause serious oxygen depletion during the algae decay process. Phosphorous is typically the limiting nutrient in a water body. Therefore, addition of phosphorous to the ecosystem stimulates the growth of plants and algae. Phosphorous is delivered to lakes and streams by way of storm water runoff from agricultural fields, residential property, and construction sites. Other sources of phosphorous are anaerobic decomposition of organic matter, leaking sewer systems, waterfowl, and point source pollution. The general standard for phosphorous in lake water is 0.05mg/L. Dissolved phosphorous also called ortho-phosphorous is generally found in much smaller concentrations than total phosphorous and is readily available for uptake. For this reason dissolved phosphorous concentrations are variable and difficult to use as an indicator of nutrient availability.

The metals manganese and iron are nutrients for both plants and animals. Living organisms require trace amounts of metals. However, excessive amounts can be harmful to the organism. Heavy metals exist in surface waters in three forms, colloidal, particulate, and dissolved. Water chemistry determines the rate of adsorption and desorption of metals to and from sediment. Metals are desorbed from the sediment if the water experiences increases in salinity, decreases in redox potential, or decreases in pH. Metals in surface waters can be from natural or human sources. Currently human sources contribute more metals than natural sources. Metals levels in surface water may pose a health risk to humans and the environment.

Photosynthetic activity can be hindered by the levels of total suspended solids. Total suspended solids concentrations, which cause the photosynthetic activity to be reduced by more

than 10% from the seasonably established norm, can have a detrimental effect on aquatic life. Soil particles, organic material, and other debris comprise suspended solids in the water column. Secchi disk measurements are inverse to suspended solid measurements. As total suspended solids (TSS) increases, the secchi disk depth or water transparency decreases. Total suspended solids can be an important indicator of the type and degree of turbidity. TSS measurements represent a combination volatile suspended solids (VSS), that consist of organic material and nonvolatile suspended solids (NVSS) which is comprised of inorganic mineral particles in the water. In order to more accurately determine the types and amounts of suspended solids, volatile suspended solids (VSS) are analyzed. VSS concentration represents the organic portion of the total suspended solids. Organic material often includes plankton and additional plant and animal debris that are present in water. Total volatile solids indicate the presence of organics in suspension; and therefore, show additional demand levels of oxygen. Missouri does not currently have a standard for TSS or TVSS. However, literature suggests that NVSS above 15mg/L could highly impair recreational lake use. A NVSS of 3 to 7mg/L might cause slight impairment.

Chlorophyll and pheophytin *a* are monitored to provide indicators of algae growth and, therefore, potential oxygen depletion activity. Chlorophyll is measured in lakes to estimate the type and amount of algal productivity in the water column. Chlorophyll *a* is present in green algae, blue-green algae, and in diatoms. Chlorophyll *a* is often used to indicate the degree of eutrophication. Chlorophyll *b* and *c* are used to estimate the extent of algal diversity and productivity. Chlorophyll *b* is common in green algae and is used as an auxiliary pigment for photosynthesis. Chlorophyll *c* is most common in diatom species and serves as an auxiliary pigment. Algal productivity and diversity can be determined by the concentrations of the individual pigments. For example high concentrations of chlorophyll *a* and *b* would indicate that green algae is abundant. High concentrations of chlorophyll *a* would indicate abundance of blue-green algae and concentrations of chlorophyll *a* and *c* would indicate diatoms are the dominant species. Chlorophyll production is currently being connected with hypoxia.

Fecal coliform bacteria is monitored for the protection of human health as it relates to full body contact of recreational waters. People can be exposed to disease-causing organisms, such as bacteria, viruses and protozoa in beach and recreational waters mainly through accidental ingestion of contaminated water or through skin contact. These organisms, called pathogens, usually come from the feces of humans and other warm-blooded animals. If taken into the body, pathogens can cause various illnesses and on rare occasions, even death. Waterborne illnesses include diseases resulting from bacteria infection such as cholera, salmonellosis, and gastroenteritis, viral infections such as hepatitis, gastroenteritis, and intestinal diseases, and protozoan infections such as ameobic dysentery and giardiasis. The most commonly monitored recreational water indicator organisms are fecal coliform, Escherichia coli, (*E. coli*) and enterococci. Fecal coliform are bacteria that live in the intestinal tracts of warm-blooded animals. The Missouri standard for fecal coliform is less than 200 colonies per 100ml of sample water calculated as a geometric mean. Fecal coliform was originally recommended in 1968 by the Federal Water Pollution Control Administration (predecessor to EPA) as an effective water quality indicator organism for recreational waters. Recent studies indicate that fecal coliform show less correlation to illness than other indicator organisms such as *E. coli* and enterococci. The Environmental Protection Agency (EPA) currently recommends *E. coli* or enterococci as an

indicator organism for fresh waters. Since 2009 the St. Louis District has been using E. coli as the standard indicator.

Atrazine and Alachlor herbicides are commonly used agricultural chemicals which can be readily transported by rainfall runoff. Both compounds are suspected of causing cancer; and therefore, were monitored for the protection of human and aquatic health. Organic compounds include many pesticides. A pesticide can be any substance that is intended to prevent, destroy, repel, or mitigate any pest. This includes insecticides, herbicides, fungicides, fumigants, algaecides and other substances. Herbicides which are pesticides used to kill vegetation are the most widely used and sampled. Ten of the most frequently used herbicides detected in water are Atrazine, Metolachlor, Alachlor, 2,4-D, Trifluralin, Glyphosate, Dicamba, Cyanazine, Simazine, and 2,4,5-T. Two of the most widely used pesticides are Atrazine and Alachlor. Atrazine is a preemergence or postemergence herbicide use to control broadleaf weeds and annual grasses. Atrazine is most commonly detected in ground and surface water due to its wide use, and its ability to persist in soil and move in water. Alachlor is a Restricted Use Pesticide (RUP) due to the potential to contaminate groundwater. The drinking water standard for Atrazine is 0.003mg/L and 0.002 mg/L for Alachlor.

Temperature, dissolved oxygen and pH are monitored for the protection of aquatic life. Temperature is important because it controls several aspects of water quality. Colder water hold more dissolved oxygen which is required by aquatic organisms. Plants grow more rapidly and use more oxygen in warmer water. Decomposition of organic matter which uses oxygen is accelerated in warmer water. Temperature can also determine the availability of toxic compounds such as ammonia. Since aquatic organisms are cold blooded, water temperature regulates their metabolism and ability to survive. The number and kinds of organisms that are found in streams or lakes is directly related to temperature. Certain organisms require a specific temperature range, such as trout, which require water temperatures below 20°C. Most aquatic organisms require a minimum concentration of dissolved oxygen to survive. In spring, surface waters of the lake mix with the water below through wind and thermal action. This mixing diminishes as the upper layer of water becomes warmer and less dense. Solar insulation during the summer months stratifies the lake into three zones. The upper warmer water zone is called the epilimnion and the lower cooler water zone is called the hypolimnion. The epilimnion and the hypolimnion zones are divided by a transition zone known as the metalimnion. The thermocline located within the metalimnion exhibits a rapid change in water temperature. During the summer months the hypolimnion may become anaerobic. In this anaerobic zone, chemical reduction of iron and manganese, or the production of methane and sulfides can occur. Iron rapidly oxidizes in aerobic environments, but manganese oxidizes slowly and can remain in the reduced state for long distances down stream even in aerobic environments. The degree of acidity of water is measured by a logarithmic scale ranging from 0 to 14 and is known as the pH scale. A reading of 7 indicates neutrality and readings below seven are acidic and above are alkaline. Most Missouri lakes range from 6 to 9 on the pH scale. The buffering capacity of water is the ability to neutralize acid better known as alkalinity. A high alkalinity concentration indicates an increased ability to neutralize pH and resist changes; whereas a low alkalinity concentration indicates that a water body is vulnerable to changes in pH.

Conductivity is a measure of water's ability to conduct an electrical current. The ability

to carry a current is often driven by the dissolved materials present in a water column. These materials can include dissolved ions and other materials in the water and thus are directly proportional to the concentration of total dissolved solids (TDS) present in the water column. Typically TDS concentrations represent 50-60% of the conductivity measurements. Conductivity is also affected by water temperature. The warmer the water, the higher the conductivity. Conductivity in streams and rivers is affected by the geology of the area. Streams running through granite areas tend to have lower conductivity due to granite being composed of inert material, materials that do not ionize or dissolve into ionic compounds in water. On the other hand streams that run through areas of limestone or clay soils tend to have higher conductivity readings because of the presence of materials that ionize. Conductivity is useful as a general measure of water quality. A stream tends to have a relatively constant range of conductivity that once establish can be used as a baseline. Significant changes, either high or low, might indicate a source of pollution has been introduced into the water. The pollution source could be a treatment plant, which raises the conductivity; or an oil spill, which would lower the conductivity.

Redox or Oxidation-Reduction Potential (ORP) is a measure of a water system's capacity to either release or gain electrons. Oxidation involves an exchange of electrons between 2 atoms. The atom that loses an electron is oxidized and the one that gains an electron is reduced. ORP sensors measure the electrochemical potential between the solution and a reference electrode. Readings are expressed in millivolts. Positive readings indicate increased oxidizing potential and negative readings increased reduction. The ORP probe is essentially a millivolt meter, measuring the voltage across 2 electrodes with the water in between. ORP values are used much like pH values to determine water quality. While pH readings characterize the state of a system relative to the receiving or donating hydrogen ions (base or acid), ORP readings characterize the relative state of losing or gaining electrons. The conversion of ammonia (NH_3) requires an oxidizing environment to convert it into nitrites (NO_2) and nitrates (NO_3). Ammonia levels as low as 0.002mg/L can be harmful to fish. Generally ORP readings above 400mV are harmful to aquatic life. However, ORP is a non-specific measurement, which is a reflection of a combination of effects of all the dissolved materials in the water. Therefore, the measurement of ORP in relatively clean water has only limited utility unless a predominant redox-active material is known to be present.

Water clarity is intuitively used by the public to judge water quality. Secchi depth has been used for many years as a limnological characterization tool for characterizing water clarity. Secchi depth is a measure of light penetration into a waterbody and is a function of the absorption and scattering of light in the water. There are three characteristics of water which affect the penetration of light: (1) color of water, (2) amount of phytoplankton in the water column, and (3) amount of inorganic material in the water column. Secchi depth integrates the combined impacts of all three of these factors. Water transparency was measured using a Secchi disk. Secchi disk readings were taken at all lake sites.

2.2 Sediment

In accordance with EM-1110-2-1201, sediment samples should be taken to monitor and assess potential impacts to aquatic and human health. To assess ecological risk, sample values were compared against toxicity information published in the National Oceanic Atmospheric

Administrations (NOAA) Screening Quick Reference Tables (SQRT) or similar references for ecological receptors in freshwater sediment. Without standards or other widely applicable numerical tools, NOAA scientists found it difficult to estimate the possible toxicological significance of chemical concentrations in sediment. Therefore, numerical sediment quality guidelines (SQG's) were developed as informal, interpretive tools. The SQGs were not promulgated as regulatory standards, but rather as informal, non-regulatory guidelines for interpreting chemical data from analyses of sediments. For potential ecological risk from inorganic contaminants, seven metals are typically of "most concern" with regards to fish and wildlife: Arsenic, Copper, Cadmium, Selenium, Mercury, Lead, and Zinc. Avian species are thought to be particularly sensitive to arsenic, and is also considered a carcinogenic, mutagenic, and teratogenic contaminant in a variety of species in elevated doses over time. Avian species are also known to be particularly sensitive to lead in the environment with effects ranging from mortality, reduced growth and reproductive output, behavior changes, blood chemistry alterations, and lesions of major organs. Finally, the embryo stages in fish and avian species are known to be the most sensitive to selenium affecting reproductive success.

For potential human health risk, there are no known values in Missouri for sediments. While not a direct correlation, sample results are compared against Missouri Risk Based Corrective Action (MRBCA) lowest default target levels for all soil types and exposure pathways for soils.

3.0 SUMMARY OF MONITORING RESULTS

3.1 Water Quality Summary

The monitoring program for Mark Twain Lake during Fiscal Year 2015 revealed good water quality when compared to limits established by the MDNR for general use, secondary contact, and indigenous aquatic life. Agricultural nutrient runoffs were primary concerns for the lake's water quality. Better land management practices, erosion control and buffering zones are methods used to reduce such contaminants from entering the lake. The St. Louis District personnel are available to work with lake personnel, area communities, and other agencies in the implementation of educational programs and planning to bring about the use of better management techniques to improve the lake's water quality.

E. coli were sampled at the marinas to ensure that the marina areas are not being contaminated by boats with restroom facilities. Bacteria levels for both marinas were well below the Missouri standard of 235. We currently do not take enough samples in a month to calculate a geometric mean, so we mainly look at a high reading of 235/100ml of sample to trigger additional investigations. E. coli beach sample results for the Corps beaches were received from the project office, and data for the state beach was received from MDNR were incorporated into this report. Beach samples were taken weekly during the recreation season. No Corps beach samples were above the Missouri standard for beaches. **The state park beach did exceed the 235 limit on August 18.**

Total iron and total manganese are sampled above the dam near the bottom of the channel (MTL-22-15), below the re-regulation dam (MTL-12), and in the spillway area (MTL-1). As

was previously stated living organisms require trace amounts of metals, however excessive amounts can be harmful to the organism. Iron cycling is a function of oxidation-reduction processes. Iron oxidizes relatively rapidly (minutes to hours); therefore any iron released through the spillway will normally be oxidized in a short period of time. Iron did exceed the state standard at MTL-12 on June 23. Manganese oxidizes slower and can persist in the reduced state long distances downstream even in aerobic environments. Missouri's standard for manganese is for drinking water and groundwater. Missouri does not have a manganese standard for aquatic life.

Nitrogen and phosphates are sampled at all sites. All lake sites exceeded the total phosphorous 0.05 mg/l standard at least once during the sampling period. Phosphorous levels were higher in the upper reaches of the lake (MTL-66 & 77, 15 is a duplicate of 66). Levels were higher in April than in June or August. Precipitation did occur prior to sampling in April, which may be the cause of the elevated levels. Phosphorous levels are lowest near and below the dam. Phosphorous levels at site 5 in June were much higher than the other tributary sites during that time frame. This may have been the result of fertilizer applications in the watershed along with precipitation events prior to and on June 12. Total Phosphates are used or locked up as water travels down the lake. Because phosphorous in water is not considered directly toxic to humans and animals no drinking water standards have been established for phosphorous. However, phosphorous can cause health threats through the stimulation of toxic algal blooms and the resulting oxygen depletion. Nitrates can pose a threat to human and animal health. Nitrate in water is toxic at high levels and has been linked to toxic effects of livestock and to blue baby disease (methemoglobinemia) in infants. The Maximum Contaminant Level (MCL) for nitrate-N in drinking water is 10mg/L to protect babies 3 to 6 months of age. The Missouri Water Quality Standard for ammonia nitrogen ($\text{NH}_3\text{-N}$) is 15mg/L. Nitrate-Nitrogen did not exceed the 10mg/L standard at any site. The highest value recorded was 1.3mg/L at site 77 (North Fork Arm). Ammonia-Nitrogen tends to be constant throughout the lake. The increased levels of phosphate in combination with nitrogen and other lake conditions, such as temperature, pH and stagnant lake conditions, can lead to increased algae growth. Eutrophication is currently the most widespread water quality problem in the U.S. and many other countries. Restoration of eutrophic waters requires the reduction of nonpoint inputs of phosphorous and nitrogen. The resulting detrimental effects of algae toxins and oxygen depletion could result in health problems for fish and other aquatic species as well as land animals utilizing the water supply. There were no signs of any of these effects during the site visits in 2012.

Chlorophyll *a* was sampled at 4 sites, MTL-22, MTL-33, MTL-66 and MTL-77. MTL-15 is a duplicate sample of MTL-66. Chlorophyll *a* is a green pigment found in plants. Missouri does not currently have a standard for chlorophyll. Chlorophyll *a* concentrations are an indicator of phytoplankton abundance and biomass. They can be an effective measure of trophic status, and used as a measure of water quality. High levels often indicate poor water quality and low levels suggest good conditions. However, elevated levels are not necessarily bad. It is the long term persistence of elevated levels that is the problem. It is natural for chlorophyll *a* levels to fluctuate over time. Chlorophyll *a* tends to be higher after storm events and during the summer months when water temperatures and light levels are elevated. Chlorophyll can reduce the clarity of the water and the amount of oxygen available to other organisms. Chlorophyll concentrations and cyanobacteria cell counts serve as proxies for the actual presence of algal

toxins. Exposure to cyanobacteria or their toxins may produce allergic reactions such as skin rashes, eye irritations, respiratory symptoms, and in some cases more severe health effects. Microcystin is currently believed to be the most common cyanotoxin in lakes. While EPA does not currently have water quality criteria for algal toxins, the World Health Organization (WHO) has established recreational exposure guidelines for Chlorophyll-a, cyanobacterial cell counts, and microcystin. Mark Twain Lake was in the moderate risk of exposure category for chlorophyll.

Seventy percent of the Mark Twain Lake watershed is used for agriculture and 50% of this is used for cropland. Atrazine and Alachlor are pesticides that were sampled at all sites. These chemicals are herbicides used to control weed growth. On June 12, 2015 MTL-5 and MTL-13 exceeded the state standard of 3.0ug/L for atrazine, and sites MTL-9 and MTL-11 had elevated levels (2.9ug/L). All other sites were below the state standard on this date and were below the state standards for the other sampling events. Stormwater runoff as a result of precipitation on June 9, 10 and 12 may attribute to the higher levels on this date. These substances can enter water bodies as a result of drift during spraying, surface runoff, and leaching through soil. Cyanizine, Metolachlor, Trifluralin and Simazine are also analyzed as part of the pesticide screening. In order to eliminate pesticide contamination of waters it is important for the public to be educated and institute best management practices when using these chemicals.

Total Suspended Solids (TSS) and Total Volatile Suspended Solids (TVSS) samples are collected at all sites. Solids can affect water quality by increasing temperature through the absorption of sunlight by the particles in the water, which also affects the clarity of the water. This can then affect the amount of oxygen in the water. Total Suspended Solids in the tributaries were highest at site MTL-5 (South Fork) on June 12 and in the lake at MTL-66 on April 17. Precipitation prior to these sampling events may have contributed to these higher readings. Missouri does not currently have a standard for TSS or TVSS. However, literature suggests that Nonvolatile Suspended Solids (NVSS) which is a subdivision of TSS above 15mg/L could highly impair recreational lake use and a NVSS of 3 to 7mg/L might cause slight impairment.

Total Organic Carbon (TOC) is collected at all sites. TOC is an indicator of the organic character of water. The larger the carbon or organic content, the more oxygen is consumed. TOC tends to be higher in the summer months which may be a result of plant material, which had grown all summer and begins to decay. TOC was fairly consistent within the lake ranging from 5 to 7mg/L. Missouri does not currently have a standard for TOC.

Temperature and dissolved oxygen levels were taken at all sites. Measurements were taken at 1 meter intervals at the lake sites. During the summer months the lake stratifies and a boundary is formed between the upper warmer water and the lower cooler water. This transition area is known as the thermocline, the area where the temperature drops significantly. Oxygen levels can also change drastically as a function of depth. This area where the oxygen level significantly drops is called the oxycline. The depth of the thermocline and oxycline can have an effect on the aquatic organisms. Occasionally the thermocline and oxycline are at or near the same depth. The DO graphs for the sondes at the tailwater and re-reg dam is located in appendix C on pages C23 to C24.

pH is taken at all sites and at 1 meter intervals at lake sites. All sites were within the 6 to 9 pH range, except MTL-41 on April 17. Variances in pH can be caused by a rainfall event.

Conductivity and redox are taken at all sites and at 1 meter intervals at lake sites. Recommended standard for conductivity is 1,700 μ S/cm. Missouri does not currently have a standard for redox.

Secchi disk readings at sites 22 (above dam) and 33 (Lick Creek Arm near Hwy J) indicate that these sites tend to have better water clarity than the rest of the lake. This would seem to be reasonable since these sites are located closer to the dam which allows solids time to settle out of the water column as they travel down the lake.

3.2 Sediment Summary

Sediment sampling was not conducted in 2015. Sediment sampling is normally conducted every 5 years if funding is available. Sediment sampling was last conducted in 2007.

It is recommended that the next round of sediment samples focus on organochlorines in freshwater sediment to assess potential chronic aquatic impacts (e.g. aldrin, chlordane, endrin, endosulfan, DDT, methoxychlor).

4.0 PLANNED 2016 STUDIES

The Mark Twain Lake water quality monitoring will continue in Fiscal Year 2016. Because of budgetary constraints the number of sampling events will remain at 3 for 2016. A restored number of sampling events would provide the ability to better evaluate water quality trends, better defend project operations (lake levels, releases, maintenance projects, construction projects, etc.), to better confirm that we meet state water quality standards, and to better confirm that human health and safety are adequately protected. The sampling events are planned to be conducted between April and August in 2016. Mark Twain Lake provides drinking water to many communities and is a high usage recreational lake. The monitoring of water quality is imperative to assure the water quality is within acceptable limits for the designated usage.

The sampling sites include the following: Site 1 (MTL-1) Spillway, Site 5 (MTL-5) South Fork at Hwy D, Site 13 (MTL-13) Elk Fork at 715, Site 9 (MTL-9) Middle Fork at Hwy 15, Site 11 (MTL-11) North Fork at Hwy 36, Site 12 (MTL-12) below re-regulation dam, Site 22 (MTL-22) old river channel 1 mile up lake from dam, Site 33 (MTL-33) Lick Creek at Hwy J, Site 66 (MTL-66) South Fork at Hwy 107 bridge, and Site 77 (MTL-77) North Fork at Hwy 107 bridge. This combination of sites effectively represents the incoming contaminants and their effects on the lake.

A remote sensor was installed several years ago in the spillway to allow the project as well as water quality personnel to remotely monitor temperature and oxygen readings to avoid fish kills. During low flow, water is discharged through the after bay. This water is low in

oxygen and can create a low oxygen area below the dam. The sensor will allow the project to track oxygen levels below the dam and make appropriate adjustments to avoid a possible fish kill. Normally allowing water to spill through the tainter gates will alleviate low oxygen levels below the dam. In 2009 a remote sensor was installed in the re-reg pool near the re-reg dam to monitor the lower portion of the re-reg pool. Water quality personnel will continue to maintain and monitor these probes.

Sediment sampling will be conducted if funding is available.

APPENDIX A

DATA

LAB DATA

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-1	5/19/2015	Alachlor	<	0.21	UG/L
MTL-1	6/23/2015	Alachlor	<	0.22	UG/L
MTL-1	8/6/2015	Alachlor	<	0.22	UG/L
MTL-11	5/19/2015	Alachlor	<	0.20	UG/L
MTL-11	6/23/2015	Alachlor	<	0.24	UG/L
MTL-11	8/6/2015	Alachlor	<	0.20	UG/L
MTL-12	5/19/2015	Alachlor	<	0.21	UG/L
MTL-12	6/23/2015	Alachlor	<	0.21	UG/L
MTL-12	8/6/2015	Alachlor	<	0.22	UG/L
MTL-13	5/19/2015	Alachlor	<	0.20	UG/L
MTL-13	6/23/2015	Alachlor	<	0.21	UG/L
MTL-13	8/6/2015	Alachlor	<	0.20	UG/L
MTL-15	5/19/2015	Alachlor	<	0.20	UG/L
MTL-15-0	6/23/2015	Alachlor	<	0.21	UG/L
MTL-15-0	8/6/2015	Alachlor	<	0.22	UG/L
MTL-22-0	5/19/2015	Alachlor	<	0.20	UG/L
MTL-22-0	6/23/2015	Alachlor	<	0.20	UG/L
MTL-22-0	8/6/2015	Alachlor	<	0.21	UG/L
MTL-30-0	5/19/2015	Alachlor	<	0.20	UG/L
MTL-33-0	6/23/2015	Alachlor	<	0.20	UG/L
MTL-33-0	8/6/2015	Alachlor	<	0.20	UG/L
MTL-5	5/19/2015	Alachlor	<	0.20	UG/L
MTL-5	6/23/2015	Alachlor	<	0.22	UG/L
MTL-5	8/6/2015	Alachlor	<	0.20	UG/L
MTL-66-0	5/19/2015	Alachlor	<	0.20	UG/L
MTL-66-0	6/23/2015	Alachlor	<	0.20	UG/L
MTL-66-0	8/6/2015	Alachlor	<	0.20	UG/L
MTL-77-0	5/19/2015	Alachlor	<	0.22	UG/L
MTL-77-0	6/23/2015	Alachlor	<	0.20	UG/L
MTL-77-0	8/6/2015	Alachlor	<	0.20	UG/L
MTL-9	5/19/2015	Alachlor	<	0.22	UG/L
MTL-9	6/23/2015	Alachlor	<	0.24	UG/L
MTL-9	8/6/2015	Alachlor	<	0.22	UG/L
MTL-1	5/19/2015	Ammonia Nitrogen		0.085	MG/L
MTL-1	6/23/2015	Ammonia Nitrogen		0.13	MG/L
MTL-1	8/6/2015	Ammonia Nitrogen		0.12	MG/L
MTL-11	5/19/2015	Ammonia Nitrogen		0.25	MG/L
MTL-11	6/23/2015	Ammonia Nitrogen		0.17	MG/L
MTL-11	8/6/2015	Ammonia Nitrogen		0.10	MG/L
MTL-12	5/19/2015	Ammonia Nitrogen		0.079	MG/L
MTL-12	6/23/2015	Ammonia Nitrogen		0.15	MG/L
MTL-12	8/6/2015	Ammonia Nitrogen		0.17	MG/L
MTL-13	5/19/2015	Ammonia Nitrogen		0.31	MG/L
MTL-13	6/23/2015	Ammonia Nitrogen		0.18	MG/L
MTL-13	8/6/2015	Ammonia Nitrogen		0.12	MG/L
MTL-15	5/19/2015	Ammonia Nitrogen		0.032	MG/L
MTL-15-0	6/23/2015	Ammonia Nitrogen		0.14	MG/L
MTL-15-0	8/6/2015	Ammonia Nitrogen		0.061	MG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-22-0	5/19/2015	Ammonia Nitrogen		0.13	MG/L
MTL-22-0	6/23/2015	Ammonia Nitrogen		0.12	MG/L
MTL-22-0	8/6/2015	Ammonia Nitrogen		0.083	MG/L
MTL-22-15	5/19/2015	Ammonia Nitrogen		0.11	MG/L
MTL-22-15	6/23/2015	Ammonia Nitrogen		0.12	MG/L
MTL-22-15	8/6/2015	Ammonia Nitrogen		0.086	MG/L
MTL-30-0	5/19/2015	Ammonia Nitrogen		0.13	MG/L
MTL-33-0	6/23/2015	Ammonia Nitrogen		0.11	MG/L
MTL-33-0	8/6/2015	Ammonia Nitrogen		0.41	MG/L
MTL-5	5/19/2015	Ammonia Nitrogen		0.31	MG/L
MTL-5	6/23/2015	Ammonia Nitrogen		0.21	MG/L
MTL-5	8/6/2015	Ammonia Nitrogen		0.19	MG/L
MTL-66-0	5/19/2015	Ammonia Nitrogen		0.039	MG/L
MTL-66-0	6/23/2015	Ammonia Nitrogen		0.16	MG/L
MTL-66-0	8/6/2015	Ammonia Nitrogen		0.057	MG/L
MTL-77-0	5/19/2015	Ammonia Nitrogen		0.064	MG/L
MTL-77-0	6/23/2015	Ammonia Nitrogen		0.13	MG/L
MTL-77-0	8/6/2015	Ammonia Nitrogen		0.052	MG/L
MTL-9	5/19/2015	Ammonia Nitrogen		0.26	MG/L
MTL-9	6/23/2015	Ammonia Nitrogen		0.15	MG/L
MTL-9	8/6/2015	Ammonia Nitrogen		0.13	MG/L
MTL-1	5/19/2015	Atrazine		0.52	UG/L
MTL-1	6/23/2015	Atrazine		1.3	UG/L
MTL-1	8/6/2015	Atrazine		0.59	UG/L
MTL-11	5/19/2015	Atrazine		9.6	UG/L
MTL-11	6/23/2015	Atrazine		0.58	UG/L
MTL-11	8/6/2015	Atrazine	<	0.20	UG/L
MTL-12	5/19/2015	Atrazine		0.47	UG/L
MTL-12	6/23/2015	Atrazine		0.40	UG/L
MTL-12	8/6/2015	Atrazine		0.53	UG/L
MTL-13	5/19/2015	Atrazine		14.3	UG/L
MTL-13	6/23/2015	Atrazine		0.57	UG/L
MTL-13	8/6/2015	Atrazine		0.20	UG/L
MTL-15	5/19/2015	Atrazine		0.25	UG/L
MTL-15-0	6/23/2015	Atrazine		0.50	UG/L
MTL-15-0	8/6/2015	Atrazine		0.64	UG/L
MTL-22-0	5/19/2015	Atrazine		0.25	UG/L
MTL-22-0	6/23/2015	Atrazine		1.0	UG/L
MTL-22-0	8/6/2015	Atrazine		0.54	UG/L
MTL-30-0	5/19/2015	Atrazine		1.0	UG/L
MTL-33-0	6/23/2015	Atrazine		1.3	UG/L
MTL-33-0	8/6/2015	Atrazine		0.66	UG/L
MTL-5	5/19/2015	Atrazine		12.3	UG/L
MTL-5	6/23/2015	Atrazine		1.7	UG/L
MTL-5	8/6/2015	Atrazine		0.35	UG/L
MTL-66-0	5/19/2015	Atrazine		0.26	UG/L
MTL-66-0	6/23/2015	Atrazine		0.40	UG/L
MTL-66-0	8/6/2015	Atrazine		0.50	UG/L
MTL-77-0	5/19/2015	Atrazine		0.49	UG/L
MTL-77-0	6/23/2015	Atrazine		0.59	UG/L
MTL-77-0	8/6/2015	Atrazine		0.50	UG/L
MTL-9	5/19/2015	Atrazine		14.3	UG/L
MTL-9	6/23/2015	Atrazine		0.27	UG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-9	8/6/2015	Atrazine	<	0.22	UG/L
MTL-15	5/19/2015	Chlorophyll a		6.0	MG/CU.M.
MTL-15-0	6/23/2015	Chlorophyll a	<	2.0	MG/CU.M.
MTL-15-0	8/6/2015	Chlorophyll a		3.5	MG/CU.M.
MTL-22-0	5/19/2015	Chlorophyll a	<	2.0	MG/CU.M.
MTL-22-0	6/23/2015	Chlorophyll a		2.0	MG/CU.M.
MTL-22-0	8/6/2015	Chlorophyll a		2.8	MG/CU.M.
MTL-30-0	5/19/2015	Chlorophyll a	<	2.0	MG/CU.M.
MTL-33-0	6/23/2015	Chlorophyll a		3.2	MG/CU.M.
MTL-33-0	8/6/2015	Chlorophyll a		2.6	MG/CU.M.
MTL-66-0	5/19/2015	Chlorophyll a		3.1	MG/CU.M.
MTL-66-0	6/23/2015	Chlorophyll a	<	2.0	MG/CU.M.
MTL-66-0	8/6/2015	Chlorophyll a		2.7	MG/CU.M.
MTL-77-0	5/19/2015	Chlorophyll a		2.0	MG/CU.M.
MTL-77-0	6/23/2015	Chlorophyll a	<	2.0	MG/CU.M.
MTL-77-0	8/6/2015	Chlorophyll a		3.4	MG/CU.M.
MTL-1	5/19/2015	Chlorpyrifos	<	0.21	UG/L
MTL-1	6/23/2015	Chlorpyrifos	<	0.22	UG/L
MTL-1	8/6/2015	Chlorpyrifos	<	0.22	UG/L
MTL-11	5/19/2015	Chlorpyrifos	<	0.20	UG/L
MTL-11	6/23/2015	Chlorpyrifos	<	0.24	UG/L
MTL-11	8/6/2015	Chlorpyrifos	<	0.20	UG/L
MTL-12	5/19/2015	Chlorpyrifos	<	0.21	UG/L
MTL-12	6/23/2015	Chlorpyrifos	<	0.21	UG/L
MTL-12	8/6/2015	Chlorpyrifos	<	0.22	UG/L
MTL-13	5/19/2015	Chlorpyrifos	<	0.20	UG/L
MTL-13	6/23/2015	Chlorpyrifos	<	0.21	UG/L
MTL-13	8/6/2015	Chlorpyrifos	<	0.20	UG/L
MTL-15	5/19/2015	Chlorpyrifos	<	0.20	UG/L
MTL-15-0	6/23/2015	Chlorpyrifos	<	0.21	UG/L
MTL-15-0	8/6/2015	Chlorpyrifos	<	0.22	UG/L
MTL-22-0	5/19/2015	Chlorpyrifos	<	0.20	UG/L
MTL-22-0	6/23/2015	Chlorpyrifos	<	0.20	UG/L
MTL-22-0	8/6/2015	Chlorpyrifos	<	0.21	UG/L
MTL-30-0	5/19/2015	Chlorpyrifos	<	0.20	UG/L
MTL-33-0	6/23/2015	Chlorpyrifos	<	0.20	UG/L
MTL-33-0	8/6/2015	Chlorpyrifos	<	0.20	UG/L
MTL-5	5/19/2015	Chlorpyrifos	<	0.20	UG/L
MTL-5	6/23/2015	Chlorpyrifos	<	0.22	UG/L
MTL-5	8/6/2015	Chlorpyrifos	<	0.20	UG/L
MTL-66-0	5/19/2015	Chlorpyrifos	<	0.20	UG/L
MTL-66-0	6/23/2015	Chlorpyrifos	<	0.20	UG/L
MTL-66-0	8/6/2015	Chlorpyrifos	<	0.20	UG/L
MTL-77-0	5/19/2015	Chlorpyrifos	<	0.22	UG/L
MTL-77-0	6/23/2015	Chlorpyrifos	<	0.20	UG/L
MTL-77-0	8/6/2015	Chlorpyrifos	<	0.20	UG/L
MTL-9	5/19/2015	Chlorpyrifos	<	0.22	UG/L
MTL-9	6/23/2015	Chlorpyrifos	<	0.24	UG/L
MTL-9	8/6/2015	Chlorpyrifos	<	0.22	UG/L
MTL-1	5/19/2015	Cyanazine	<	0.21	UG/L
MTL-1	6/23/2015	Cyanazine	<	0.22	UG/L
MTL-1	8/6/2015	Cyanazine	<	0.22	UG/L
MTL-11	5/19/2015	Cyanazine	<	0.20	UG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-11	6/23/2015	Cyanazine	<	0.24	UG/L
MTL-11	8/6/2015	Cyanazine	<	0.20	UG/L
MTL-12	5/19/2015	Cyanazine	<	0.21	UG/L
MTL-12	6/23/2015	Cyanazine	<	0.21	UG/L
MTL-12	8/6/2015	Cyanazine	<	0.22	UG/L
MTL-13	5/19/2015	Cyanazine	<	0.20	UG/L
MTL-13	6/23/2015	Cyanazine	<	0.21	UG/L
MTL-13	8/6/2015	Cyanazine	<	0.20	UG/L
MTL-15	5/19/2015	Cyanazine	<	0.20	UG/L
MTL-15-0	6/23/2015	Cyanazine	<	0.21	UG/L
MTL-15-0	8/6/2015	Cyanazine	<	0.22	UG/L
MTL-22-0	5/19/2015	Cyanazine	<	0.20	UG/L
MTL-22-0	6/23/2015	Cyanazine	<	0.20	UG/L
MTL-22-0	8/6/2015	Cyanazine	<	0.21	UG/L
MTL-30-0	5/19/2015	Cyanazine	<	0.20	UG/L
MTL-33-0	6/23/2015	Cyanazine	<	0.20	UG/L
MTL-33-0	8/6/2015	Cyanazine	<	0.20	UG/L
MTL-5	5/19/2015	Cyanazine	<	0.20	UG/L
MTL-5	6/23/2015	Cyanazine	<	0.22	UG/L
MTL-5	8/6/2015	Cyanazine	<	0.20	UG/L
MTL-66-0	5/19/2015	Cyanazine	<	0.20	UG/L
MTL-66-0	6/23/2015	Cyanazine	<	0.20	UG/L
MTL-66-0	8/6/2015	Cyanazine	<	0.20	UG/L
MTL-77-0	5/19/2015	Cyanazine	<	0.22	UG/L
MTL-77-0	6/23/2015	Cyanazine	<	0.20	UG/L
MTL-77-0	8/6/2015	Cyanazine	<	0.20	UG/L
MTL-9	5/19/2015	Cyanazine	<	0.22	UG/L
MTL-9	6/23/2015	Cyanazine	<	0.24	UG/L
MTL-9	8/6/2015	Cyanazine	<	0.22	UG/L
BJ MARINA	6/23/2015	E. Coliform	<	1.0	COL/100 ML
BJ MARINA	8/6/2015	E. Coliform		5.0	COL/100 ML
IC MARINA	6/23/2015	E. Coliform		18.0	COL/100 ML
IC MARINA	8/6/2015	E. Coliform		25.0	COL/100 ML
MTL-1	5/19/2015	Iron		0.64	MG/L
MTL-1	6/23/2015	Iron		0.32	MG/L
MTL-1	8/6/2015	Iron		1.1	MG/L
MTL-12	5/19/2015	Iron		0.77	MG/L
MTL-12	6/23/2015	Iron		5.0	MG/L
MTL-12	8/6/2015	Iron		1.6	MG/L
MTL-22-15	5/19/2015	Iron		0.66	MG/L
MTL-22-15	6/23/2015	Iron		0.33	MG/L
MTL-22-15	8/6/2015	Iron		0.77	MG/L
MTL-1	5/19/2015	Manganese		0.018	MG/L
MTL-1	6/23/2015	Manganese		0.012	MG/L
MTL-1	8/6/2015	Manganese		0.059	MG/L
MTL-12	5/19/2015	Manganese		0.064	MG/L
MTL-12	6/23/2015	Manganese		0.19	MG/L
MTL-12	8/6/2015	Manganese		0.14	MG/L
MTL-22-15	5/19/2015	Manganese		0.015	MG/L
MTL-22-15	6/23/2015	Manganese		0.0095	MG/L
MTL-22-15	8/6/2015	Manganese		0.016	MG/L
MTL-1	5/19/2015	Metolachlor		0.26	UG/L
MTL-1	6/23/2015	Metolachlor		0.93	UG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-1	8/6/2015	Metolachlor		1.1	UG/L
MTL-11	5/19/2015	Metolachlor		3.3	UG/L
MTL-11	6/23/2015	Metolachlor		1.3	UG/L
MTL-11	8/6/2015	Metolachlor	<	0.20	UG/L
MTL-12	5/19/2015	Metolachlor		0.28	UG/L
MTL-12	6/23/2015	Metolachlor		0.55	UG/L
MTL-12	8/6/2015	Metolachlor		1.0	UG/L
MTL-13	5/19/2015	Metolachlor		2.5	UG/L
MTL-13	6/23/2015	Metolachlor		0.50	UG/L
MTL-13	8/6/2015	Metolachlor	<	0.20	UG/L
MTL-15	5/19/2015	Metolachlor	<	0.20	UG/L
MTL-15-0	6/23/2015	Metolachlor		2.1	UG/L
MTL-15-0	8/6/2015	Metolachlor		1.2	UG/L
MTL-22-0	5/19/2015	Metolachlor		0.23	UG/L
MTL-22-0	6/23/2015	Metolachlor		0.78	UG/L
MTL-22-0	8/6/2015	Metolachlor		0.86	UG/L
MTL-30-0	5/19/2015	Metolachlor		0.31	UG/L
MTL-33-0	6/23/2015	Metolachlor		1.0	UG/L
MTL-33-0	8/6/2015	Metolachlor		0.99	UG/L
MTL-5	5/19/2015	Metolachlor		1.2	UG/L
MTL-5	6/23/2015	Metolachlor		1.3	UG/L
MTL-5	8/6/2015	Metolachlor		0.65	UG/L
MTL-66-0	5/19/2015	Metolachlor	<	0.20	UG/L
MTL-66-0	6/23/2015	Metolachlor		1.7	UG/L
MTL-66-0	8/6/2015	Metolachlor		0.94	UG/L
MTL-77-0	5/19/2015	Metolachlor		0.23	UG/L
MTL-77-0	6/23/2015	Metolachlor		1.9	UG/L
MTL-77-0	8/6/2015	Metolachlor		0.97	UG/L
MTL-9	5/19/2015	Metolachlor		2.9	UG/L
MTL-9	6/23/2015	Metolachlor		0.93	UG/L
MTL-9	8/6/2015	Metolachlor	<	0.22	UG/L
MTL-1	5/19/2015	Metribuzin	<	0.21	UG/L
MTL-1	6/23/2015	Metribuzin	<	0.22	UG/L
MTL-1	8/6/2015	Metribuzin	<	0.22	UG/L
MTL-11	5/19/2015	Metribuzin		0.45	UG/L
MTL-11	6/23/2015	Metribuzin	<	0.24	UG/L
MTL-11	8/6/2015	Metribuzin	<	0.20	UG/L
MTL-12	5/19/2015	Metribuzin	<	0.21	UG/L
MTL-12	6/23/2015	Metribuzin	<	0.21	UG/L
MTL-12	8/6/2015	Metribuzin	<	0.22	UG/L
MTL-13	5/19/2015	Metribuzin		1.1	UG/L
MTL-13	6/23/2015	Metribuzin	<	0.21	UG/L
MTL-13	8/6/2015	Metribuzin	<	0.20	UG/L
MTL-15	5/19/2015	Metribuzin	<	0.20	UG/L
MTL-15-0	6/23/2015	Metribuzin	<	0.21	UG/L
MTL-15-0	8/6/2015	Metribuzin	<	0.22	UG/L
MTL-22-0	5/19/2015	Metribuzin	<	0.20	UG/L
MTL-22-0	6/23/2015	Metribuzin	<	0.20	UG/L
MTL-22-0	8/6/2015	Metribuzin	<	0.21	UG/L
MTL-30-0	5/19/2015	Metribuzin	<	0.20	UG/L
MTL-33-0	6/23/2015	Metribuzin	<	0.20	UG/L
MTL-33-0	8/6/2015	Metribuzin	<	0.20	UG/L
MTL-5	5/19/2015	Metribuzin	<	0.20	UG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-5	6/23/2015	Metribuzin	<	0.22	UG/L
MTL-5	8/6/2015	Metribuzin	<	0.20	UG/L
MTL-66-0	5/19/2015	Metribuzin	<	0.20	UG/L
MTL-66-0	6/23/2015	Metribuzin	<	0.20	UG/L
MTL-66-0	8/6/2015	Metribuzin	<	0.20	UG/L
MTL-77-0	5/19/2015	Metribuzin	<	0.22	UG/L
MTL-77-0	6/23/2015	Metribuzin	<	0.20	UG/L
MTL-77-0	8/6/2015	Metribuzin	<	0.20	UG/L
MTL-9	5/19/2015	Metribuzin		0.47	UG/L
MTL-9	6/23/2015	Metribuzin	<	0.24	UG/L
MTL-9	8/6/2015	Metribuzin	<	0.22	UG/L
MTL-1	5/19/2015	Nitrate as Nitrogen		0.53	MG/L
MTL-1	6/23/2015	Nitrate as Nitrogen		0.83	MG/L
MTL-1	8/6/2015	Nitrate as Nitrogen		0.43	MG/L
MTL-11	5/19/2015	Nitrate as Nitrogen		2.0	MG/L
MTL-11	6/23/2015	Nitrate as Nitrogen		0.54	MG/L
MTL-11	8/6/2015	Nitrate as Nitrogen		0.046	MG/L
MTL-12	5/19/2015	Nitrate as Nitrogen		0.51	MG/L
MTL-12	6/23/2015	Nitrate as Nitrogen		0.61	MG/L
MTL-12	8/6/2015	Nitrate as Nitrogen		0.32	MG/L
MTL-13	5/19/2015	Nitrate as Nitrogen		1.3	MG/L
MTL-13	6/23/2015	Nitrate as Nitrogen		0.55	MG/L
MTL-13	8/6/2015	Nitrate as Nitrogen		0.17	MG/L
MTL-15	5/19/2015	Nitrate as Nitrogen		0.58	MG/L
MTL-15-0	6/23/2015	Nitrate as Nitrogen		1.1	MG/L
MTL-15-0	8/6/2015	Nitrate as Nitrogen		0.21	MG/L
MTL-22-0	5/19/2015	Nitrate as Nitrogen		0.49	MG/L
MTL-22-0	6/23/2015	Nitrate as Nitrogen		0.82	MG/L
MTL-22-0	8/6/2015	Nitrate as Nitrogen		0.27	MG/L
MTL-22-15	5/19/2015	Nitrate as Nitrogen		0.51	MG/L
MTL-22-15	6/23/2015	Nitrate as Nitrogen		0.92	MG/L
MTL-22-15	8/6/2015	Nitrate as Nitrogen		0.24	MG/L
MTL-30-0	5/19/2015	Nitrate as Nitrogen		0.48	MG/L
MTL-33-0	6/23/2015	Nitrate as Nitrogen		0.78	MG/L
MTL-33-0	8/6/2015	Nitrate as Nitrogen		0.18	MG/L
MTL-5	5/19/2015	Nitrate as Nitrogen		1.6	MG/L
MTL-5	6/23/2015	Nitrate as Nitrogen		0.57	MG/L
MTL-5	8/6/2015	Nitrate as Nitrogen		0.072	MG/L
MTL-66-0	5/19/2015	Nitrate as Nitrogen		0.56	MG/L
MTL-66-0	6/23/2015	Nitrate as Nitrogen		1.1	MG/L
MTL-66-0	8/6/2015	Nitrate as Nitrogen		0.20	MG/L
MTL-77-0	5/19/2015	Nitrate as Nitrogen		0.60	MG/L
MTL-77-0	6/23/2015	Nitrate as Nitrogen		1.3	MG/L
MTL-77-0	8/6/2015	Nitrate as Nitrogen		0.23	MG/L
MTL-9	5/19/2015	Nitrate as Nitrogen		2.6	MG/L
MTL-9	6/23/2015	Nitrate as Nitrogen		0.51	MG/L
MTL-9	8/6/2015	Nitrate as Nitrogen		0.32	MG/L
MTL-1	5/19/2015	Pendimethalin	<	0.21	UG/L
MTL-1	6/23/2015	Pendimethalin	<	0.22	UG/L
MTL-1	8/6/2015	Pendimethalin	<	0.22	UG/L
MTL-11	5/19/2015	Pendimethalin	<	0.20	UG/L
MTL-11	6/23/2015	Pendimethalin	<	0.24	UG/L
MTL-11	8/6/2015	Pendimethalin	<	0.20	UG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-12	5/19/2015	Pendimethalin	<	0.21	UG/L
MTL-12	6/23/2015	Pendimethalin	<	0.21	UG/L
MTL-12	8/6/2015	Pendimethalin	<	0.22	UG/L
MTL-13	5/19/2015	Pendimethalin	<	0.20	UG/L
MTL-13	6/23/2015	Pendimethalin	<	0.21	UG/L
MTL-13	8/6/2015	Pendimethalin	<	0.20	UG/L
MTL-15	5/19/2015	Pendimethalin	<	0.20	UG/L
MTL-15-0	6/23/2015	Pendimethalin	<	0.21	UG/L
MTL-15-0	8/6/2015	Pendimethalin	<	0.22	UG/L
MTL-22-0	5/19/2015	Pendimethalin	<	0.20	UG/L
MTL-22-0	6/23/2015	Pendimethalin	<	0.20	UG/L
MTL-22-0	8/6/2015	Pendimethalin	<	0.21	UG/L
MTL-30-0	5/19/2015	Pendimethalin	<	0.20	UG/L
MTL-33-0	6/23/2015	Pendimethalin	<	0.20	UG/L
MTL-33-0	8/6/2015	Pendimethalin	<	0.20	UG/L
MTL-5	5/19/2015	Pendimethalin	<	0.20	UG/L
MTL-5	6/23/2015	Pendimethalin	<	0.22	UG/L
MTL-5	8/6/2015	Pendimethalin	<	0.20	UG/L
MTL-66-0	5/19/2015	Pendimethalin	<	0.20	UG/L
MTL-66-0	6/23/2015	Pendimethalin	<	0.20	UG/L
MTL-66-0	8/6/2015	Pendimethalin	<	0.20	UG/L
MTL-77-0	5/19/2015	Pendimethalin	<	0.22	UG/L
MTL-77-0	6/23/2015	Pendimethalin	<	0.20	UG/L
MTL-77-0	8/6/2015	Pendimethalin	<	0.20	UG/L
MTL-9	5/19/2015	Pendimethalin	<	0.22	UG/L
MTL-9	6/23/2015	Pendimethalin	<	0.24	UG/L
MTL-9	8/6/2015	Pendimethalin	<	0.22	UG/L
MTL-15	5/19/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-15-0	6/23/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-15-0	8/6/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-22-0	5/19/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-22-0	6/23/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-22-0	8/6/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-30-0	5/19/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-33-0	6/23/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-33-0	8/6/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-66-0	5/19/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-66-0	6/23/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-66-0	8/6/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-77-0	5/19/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-77-0	6/23/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-77-0	8/6/2015	Pheophytin a	<	2.0	MG/CU.M.
MTL-1	5/19/2015	Phosphorus		0.045	MG/L
MTL-1	6/23/2015	Phosphorus		0.12	MG/L
MTL-1	8/6/2015	Phosphorus		0.14	MG/L
MTL-11	5/19/2015	Phosphorus		0.48	MG/L
MTL-11	6/23/2015	Phosphorus		1.1	MG/L
MTL-11	8/6/2015	Phosphorus		0.27	MG/L
MTL-12	5/19/2015	Phosphorus		0.092	MG/L
MTL-12	6/23/2015	Phosphorus		0.71	MG/L
MTL-12	8/6/2015	Phosphorus		0.20	MG/L
MTL-13	5/19/2015	Phosphorus		0.23	MG/L
MTL-13	6/23/2015	Phosphorus		0.85	MG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-13	8/6/2015	Phosphorus		0.13	MG/L
MTL-15	5/19/2015	Phosphorus		0.078	MG/L
MTL-15-0	6/23/2015	Phosphorus		0.31	MG/L
MTL-15-0	8/6/2015	Phosphorus		0.18	MG/L
MTL-22-0	5/19/2015	Phosphorus		0.050	MG/L
MTL-22-0	6/23/2015	Phosphorus		0.23	MG/L
MTL-22-0	8/6/2015	Phosphorus		0.15	MG/L
MTL-22-15	5/19/2015	Phosphorus		0.050	MG/L
MTL-22-15	6/23/2015	Phosphorus		0.057	MG/L
MTL-22-15	8/6/2015	Phosphorus		0.082	MG/L
MTL-30-0	5/19/2015	Phosphorus		0.054	MG/L
MTL-33-0	6/23/2015	Phosphorus		0.057	MG/L
MTL-33-0	8/6/2015	Phosphorus		0.067	MG/L
MTL-5	5/19/2015	Phosphorus		0.42	MG/L
MTL-5	6/23/2015	Phosphorus		0.59	MG/L
MTL-5	8/6/2015	Phosphorus		0.19	MG/L
MTL-66-0	5/19/2015	Phosphorus		0.078	MG/L
MTL-66-0	6/23/2015	Phosphorus		0.32	MG/L
MTL-66-0	8/6/2015	Phosphorus		0.13	MG/L
MTL-77-0	5/19/2015	Phosphorus		0.073	MG/L
MTL-77-0	6/23/2015	Phosphorus		0.21	MG/L
MTL-77-0	8/6/2015	Phosphorus		0.13	MG/L
MTL-9	5/19/2015	Phosphorus		0.61	MG/L
MTL-9	6/23/2015	Phosphorus		1.0	MG/L
MTL-9	8/6/2015	Phosphorus		0.82	MG/L
MTL-1	5/19/2015	Phosphorus, -ortho		0.025	MG/L
MTL-1	6/23/2015	Phosphorus, -ortho		0.029	MG/L
MTL-1	8/6/2015	Phosphorus, -ortho		0.060	MG/L
MTL-11	5/19/2015	Phosphorus, -ortho		0.095	MG/L
MTL-11	6/23/2015	Phosphorus, -ortho		0.10	MG/L
MTL-11	8/6/2015	Phosphorus, -ortho		0.020	MG/L
MTL-12	5/19/2015	Phosphorus, -ortho		0.036	MG/L
MTL-12	6/23/2015	Phosphorus, -ortho		0.18	MG/L
MTL-12	8/6/2015	Phosphorus, -ortho		0.069	MG/L
MTL-13	5/19/2015	Phosphorus, -ortho		0.064	MG/L
MTL-13	6/23/2015	Phosphorus, -ortho		0.18	MG/L
MTL-13	8/6/2015	Phosphorus, -ortho		0.040	MG/L
MTL-15	5/19/2015	Phosphorus, -ortho		0.028	MG/L
MTL-15-0	6/23/2015	Phosphorus, -ortho		0.12	MG/L
MTL-15-0	8/6/2015	Phosphorus, -ortho		0.058	MG/L
MTL-22-0	5/19/2015	Phosphorus, -ortho		0.022	MG/L
MTL-22-0	6/23/2015	Phosphorus, -ortho		0.026	MG/L
MTL-22-0	8/6/2015	Phosphorus, -ortho		0.043	MG/L
MTL-22-15	5/19/2015	Phosphorus, -ortho		0.016	MG/L
MTL-22-15	6/23/2015	Phosphorus, -ortho	<	0.010	MG/L
MTL-22-15	8/6/2015	Phosphorus, -ortho		0.020	MG/L
MTL-30-0	5/19/2015	Phosphorus, -ortho		0.019	MG/L
MTL-33-0	6/23/2015	Phosphorus, -ortho	<	0.010	MG/L
MTL-33-0	8/6/2015	Phosphorus, -ortho	<	0.010	MG/L
MTL-5	5/19/2015	Phosphorus, -ortho		0.14	MG/L
MTL-5	6/23/2015	Phosphorus, -ortho		0.24	MG/L
MTL-5	8/6/2015	Phosphorus, -ortho		0.018	MG/L
MTL-66-0	5/19/2015	Phosphorus, -ortho		0.016	MG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-66-0	6/23/2015	Phosphorus, -ortho		0.13	MG/L
MTL-66-0	8/6/2015	Phosphorus, -ortho		0.066	MG/L
MTL-77-0	5/19/2015	Phosphorus, -ortho		0.022	MG/L
MTL-77-0	6/23/2015	Phosphorus, -ortho		0.083	MG/L
MTL-77-0	8/6/2015	Phosphorus, -ortho		0.066	MG/L
MTL-9	5/19/2015	Phosphorus, -ortho		0.090	MG/L
MTL-9	6/23/2015	Phosphorus, -ortho		0.083	MG/L
MTL-9	8/6/2015	Phosphorus, -ortho		0.086	MG/L
MTL-1	5/19/2015	Solids, Total Suspended		3.8	MG/L
MTL-1	6/23/2015	Solids, Total Suspended		8.4	MG/L
MTL-1	8/6/2015	Solids, Total Suspended		4.6	MG/L
MTL-11	5/19/2015	Solids, Total Suspended		90.0	MG/L
MTL-11	6/23/2015	Solids, Total Suspended		564	MG/L
MTL-11	8/6/2015	Solids, Total Suspended		18.5	MG/L
MTL-12	5/19/2015	Solids, Total Suspended		18.0	MG/L
MTL-12	6/23/2015	Solids, Total Suspended		108	MG/L
MTL-12	8/6/2015	Solids, Total Suspended		14.7	MG/L
MTL-13	5/19/2015	Solids, Total Suspended		23.5	MG/L
MTL-13	6/23/2015	Solids, Total Suspended		286	MG/L
MTL-13	8/6/2015	Solids, Total Suspended		21.3	MG/L
MTL-15	5/19/2015	Solids, Total Suspended		4.0	MG/L
MTL-15-0	6/23/2015	Solids, Total Suspended		5.7	MG/L
MTL-15-0	8/6/2015	Solids, Total Suspended		8.0	MG/L
MTL-22-0	5/19/2015	Solids, Total Suspended		2.2	MG/L
MTL-22-0	6/23/2015	Solids, Total Suspended		5.8	MG/L
MTL-22-0	8/6/2015	Solids, Total Suspended		4.8	MG/L
MTL-22-15	5/19/2015	Solids, Total Suspended		3.4	MG/L
MTL-22-15	6/23/2015	Solids, Total Suspended		6.3	MG/L
MTL-22-15	8/6/2015	Solids, Total Suspended		4.0	MG/L
MTL-30-0	5/19/2015	Solids, Total Suspended		2.8	MG/L
MTL-33-0	6/23/2015	Solids, Total Suspended		6.1	MG/L
MTL-33-0	8/6/2015	Solids, Total Suspended		4.6	MG/L
MTL-5	5/19/2015	Solids, Total Suspended		3.0	MG/L
MTL-5	6/23/2015	Solids, Total Suspended		95.0	MG/L
MTL-5	8/6/2015	Solids, Total Suspended		16.6	MG/L
MTL-66-0	5/19/2015	Solids, Total Suspended		9.5	MG/L
MTL-66-0	6/23/2015	Solids, Total Suspended		6.3	MG/L
MTL-66-0	8/6/2015	Solids, Total Suspended		5.7	MG/L
MTL-77-0	5/19/2015	Solids, Total Suspended		4.5	MG/L
MTL-77-0	6/23/2015	Solids, Total Suspended		9.2	MG/L
MTL-77-0	8/6/2015	Solids, Total Suspended		6.2	MG/L
MTL-9	5/19/2015	Solids, Total Suspended		143	MG/L
MTL-9	6/23/2015	Solids, Total Suspended		930	MG/L
MTL-9	8/6/2015	Solids, Total Suspended		213	MG/L
MTL-1	5/19/2015	Solids, Volatile Suspended		1.7	MG/L
MTL-1	6/23/2015	Solids, Volatile Suspended		3.4	MG/L
MTL-1	8/6/2015	Solids, Volatile Suspended		1.3	MG/L
MTL-11	5/19/2015	Solids, Volatile Suspended		13.3	MG/L
MTL-11	6/23/2015	Solids, Volatile Suspended		42.0	MG/L
MTL-11	8/6/2015	Solids, Volatile Suspended		3.2	MG/L
MTL-12	5/19/2015	Solids, Volatile Suspended	<	3.3	MG/L
MTL-12	6/23/2015	Solids, Volatile Suspended		10.0	MG/L
MTL-12	8/6/2015	Solids, Volatile Suspended		2.1	MG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-13	5/19/2015	Solids, Volatile Suspended		3.2	MG/L
MTL-13	6/23/2015	Solids, Volatile Suspended		27.1	MG/L
MTL-13	8/6/2015	Solids, Volatile Suspended		3.8	MG/L
MTL-15	5/19/2015	Solids, Volatile Suspended	<	2.5	MG/L
MTL-15-0	6/23/2015	Solids, Volatile Suspended		1.1	MG/L
MTL-15-0	8/6/2015	Solids, Volatile Suspended		2.0	MG/L
MTL-22-0	5/19/2015	Solids, Volatile Suspended	<	2.0	MG/L
MTL-22-0	6/23/2015	Solids, Volatile Suspended		2.3	MG/L
MTL-22-0	8/6/2015	Solids, Volatile Suspended		1.6	MG/L
MTL-22-15	5/19/2015	Solids, Volatile Suspended	<	2.0	MG/L
MTL-22-15	6/23/2015	Solids, Volatile Suspended		2.0	MG/L
MTL-22-15	8/6/2015	Solids, Volatile Suspended		1.5	MG/L
MTL-30-0	5/19/2015	Solids, Volatile Suspended	<	2.0	MG/L
MTL-33-0	6/23/2015	Solids, Volatile Suspended		2.7	MG/L
MTL-33-0	8/6/2015	Solids, Volatile Suspended		2.0	MG/L
MTL-5	5/19/2015	Solids, Volatile Suspended	<	2.0	MG/L
MTL-5	6/23/2015	Solids, Volatile Suspended		10.5	MG/L
MTL-5	8/6/2015	Solids, Volatile Suspended		5.6	MG/L
MTL-66-0	5/19/2015	Solids, Volatile Suspended	<	2.5	MG/L
MTL-66-0	6/23/2015	Solids, Volatile Suspended		1.2	MG/L
MTL-66-0	8/6/2015	Solids, Volatile Suspended		1.8	MG/L
MTL-77-0	5/19/2015	Solids, Volatile Suspended	<	2.5	MG/L
MTL-77-0	6/23/2015	Solids, Volatile Suspended		2.0	MG/L
MTL-77-0	8/6/2015	Solids, Volatile Suspended		2.0	MG/L
MTL-9	5/19/2015	Solids, Volatile Suspended		20.7	MG/L
MTL-9	6/23/2015	Solids, Volatile Suspended		73.3	MG/L
MTL-9	8/6/2015	Solids, Volatile Suspended		22.0	MG/L
MTL-1	5/19/2015	Total Organic Carbon		6.0	MG/L
MTL-1	6/23/2015	Total Organic Carbon		6.6	MG/L
MTL-1	8/6/2015	Total Organic Carbon		6.3	MG/L
MTL-11	5/19/2015	Total Organic Carbon		10.0	MG/L
MTL-11	6/23/2015	Total Organic Carbon		9.5	MG/L
MTL-11	8/6/2015	Total Organic Carbon		5.6	MG/L
MTL-12	5/19/2015	Total Organic Carbon		5.9	MG/L
MTL-12	6/23/2015	Total Organic Carbon		8.3	MG/L
MTL-12	8/6/2015	Total Organic Carbon		6.6	MG/L
MTL-13	5/19/2015	Total Organic Carbon		10.0	MG/L
MTL-13	6/23/2015	Total Organic Carbon		11.0	MG/L
MTL-13	8/6/2015	Total Organic Carbon		6.4	MG/L
MTL-15	5/19/2015	Total Organic Carbon		6.5	MG/L
MTL-15-0	6/23/2015	Total Organic Carbon		7.5	MG/L
MTL-15-0	8/6/2015	Total Organic Carbon		6.6	MG/L
MTL-22-0	5/19/2015	Total Organic Carbon		6.1	MG/L
MTL-22-0	6/23/2015	Total Organic Carbon		6.7	MG/L
MTL-22-0	8/6/2015	Total Organic Carbon		6.6	MG/L
MTL-22-15	5/19/2015	Total Organic Carbon		6.1	MG/L
MTL-22-15	6/23/2015	Total Organic Carbon		6.6	MG/L
MTL-22-15	8/6/2015	Total Organic Carbon		6.8	MG/L
MTL-30-0	5/19/2015	Total Organic Carbon		6.1	MG/L
MTL-33-0	6/23/2015	Total Organic Carbon		8.2	MG/L
MTL-33-0	8/6/2015	Total Organic Carbon		6.5	MG/L
MTL-5	5/19/2015	Total Organic Carbon		10.0	MG/L
MTL-5	6/23/2015	Total Organic Carbon		8.8	MG/L

Site #	Collection		Flag	Reported Result	Units
	Date	Parameter			
MTL-5	8/6/2015	Total Organic Carbon		7.0	MG/L
MTL-66-0	5/19/2015	Total Organic Carbon		6.6	MG/L
MTL-66-0	6/23/2015	Total Organic Carbon		7.3	MG/L
MTL-66-0	8/6/2015	Total Organic Carbon		6.8	MG/L
MTL-77-0	5/19/2015	Total Organic Carbon		6.4	MG/L
MTL-77-0	6/23/2015	Total Organic Carbon		7.1	MG/L
MTL-77-0	8/6/2015	Total Organic Carbon		6.6	MG/L
MTL-9	5/19/2015	Total Organic Carbon		12.0	MG/L
MTL-9	6/23/2015	Total Organic Carbon		12.0	MG/L
MTL-9	8/6/2015	Total Organic Carbon		8.0	MG/L
MTL-1	5/19/2015	Trifluralin	<	0.21	UG/L
MTL-1	6/23/2015	Trifluralin	<	0.22	UG/L
MTL-1	8/6/2015	Trifluralin	<	0.22	UG/L
MTL-11	5/19/2015	Trifluralin	<	0.20	UG/L
MTL-11	6/23/2015	Trifluralin	<	0.24	UG/L
MTL-11	8/6/2015	Trifluralin	<	0.20	UG/L
MTL-12	5/19/2015	Trifluralin	<	0.21	UG/L
MTL-12	6/23/2015	Trifluralin	<	0.21	UG/L
MTL-12	8/6/2015	Trifluralin	<	0.22	UG/L
MTL-13	5/19/2015	Trifluralin	<	0.20	UG/L
MTL-13	6/23/2015	Trifluralin	<	0.21	UG/L
MTL-13	8/6/2015	Trifluralin	<	0.20	UG/L
MTL-15	5/19/2015	Trifluralin	<	0.20	UG/L
MTL-15-0	6/23/2015	Trifluralin	<	0.21	UG/L
MTL-15-0	8/6/2015	Trifluralin	<	0.22	UG/L
MTL-22-0	5/19/2015	Trifluralin	<	0.20	UG/L
MTL-22-0	6/23/2015	Trifluralin	<	0.20	UG/L
MTL-22-0	8/6/2015	Trifluralin	<	0.21	UG/L
MTL-30-0	5/19/2015	Trifluralin	<	0.20	UG/L
MTL-33-0	6/23/2015	Trifluralin	<	0.20	UG/L
MTL-33-0	8/6/2015	Trifluralin	<	0.20	UG/L
MTL-5	5/19/2015	Trifluralin	<	0.20	UG/L
MTL-5	6/23/2015	Trifluralin	<	0.22	UG/L
MTL-5	8/6/2015	Trifluralin	<	0.20	UG/L
MTL-66-0	5/19/2015	Trifluralin	<	0.20	UG/L
MTL-66-0	6/23/2015	Trifluralin	<	0.20	UG/L
MTL-66-0	8/6/2015	Trifluralin	<	0.20	UG/L
MTL-77-0	5/19/2015	Trifluralin	<	0.22	UG/L
MTL-77-0	6/23/2015	Trifluralin	<	0.20	UG/L
MTL-77-0	8/6/2015	Trifluralin	<	0.20	UG/L
MTL-9	5/19/2015	Trifluralin	<	0.22	UG/L
MTL-9	6/23/2015	Trifluralin	<	0.24	UG/L
MTL-9	8/6/2015	Trifluralin	<	0.22	UG/L

U Analyte was not detected

J Estimated value between Method Detection Limit (MDL) and Practical Quantitation Limit (PQL)

FIELD DATA

Site	Date	Depth	Water Temp (oC)	Redox (mv)	Cond (uS)	DO %	DO mg/l	pH	Time	Seechi (in)
MTL-1	5/19/15	3.3	18.21	380	240.2	89.1	8.44	8.07	945	
MTL-1	8/6/15	2.2	26.67	311	172	113	9.11	8.32	1025	
MTL-11	5/19/15	2.2	18.66	297	316.5	81.7	7.62	7.8	1120	
MTL-11	6/23/15	2.8	23.8	419	150	65.6	5.5	7.35	1135	
MTL-11	8/6/15	0.5	24.98	307	346	90.1	7.41	7.54	1140	
MTL-12	5/19/15	2.2	18.8	376	246.6	90.7	8.44	8	910	
MTL-12	6/23/15	2.185	23.48	-69.15	214.8	87.4	6.2	7.29	9:51	
MTL-12	6/23/15	1.7	27.08	379	1.9	100.6	8.05	7.2		
MTL-12	8/6/15	2.2	24.96	325	170	100	8.54	8.56	958	
MTL-13	5/19/15	2.1	18.77	293	381.2	80.3	7.44	7.64	1220	
MTL-13	6/23/15	2.3	23.91	384	198	78.9	6.6	7.38	1243	
MTL-13	8/6/15	0.2	25.83	322	354	116.7	9.5	7.77	1240	
MTL-22	5/19/15	2.5	19.6	364	242.9	95.6	8.76	8.12	1111	39
MTL-22		3.5	19.56	364	242.6	95.7	8.76	8.12	1112	
MTL-22		4.5	19.46	365	242.5	95.2	8.75	8.13	1113	
MTL-22		5.5	19.45	365	242.9	95.3	8.72	8.13	1114	
MTL-22		6.5	19.34	365	244.5	95.6	8.8	8.13	1115	
MTL-22		7.5	19.21	366	245.3	94.8	8.75	8.1	1116	
MTL-22		8.5	17.95	373	247.8	85	8.06	7.83	1117	
MTL-22		9.5	16.8	379	247.1	75.5	7.36	7.64	1118	
MTL-22	6/23/15	0.5	27	312	244	135	10.8	8.8		
MTL-22		1	26.54	313	247.1	118	9.46	8.65	11:50	48
MTL-22		2	26.32	318	250	98.5	7.89	8.38		
MTL-22		3	26.28	317	250	97.3	7.81	8.36		
MTL-22		4	26.22	321	251	91.6	7.17	8.14		
MTL-22		5	26.1	324	252.8	84	6.7	8.06		
MTL-22		6	25.92	326	251.9	78.8	6.34	7.94		
MTL-22		7	25.82	328	251.3	76.2	6.15	7.89		
MTL-22		8	24.49	340	236.2	33.1	2.72	7.31		
MTL-22		9	23.06	351	171	24.9	2.1	7.01		
MTL-22		10	22.12	357	174.6	24.8	2.15	6.81		
MTL-22		11	21.38	358	177	23	2.05	6.75		

Site	Date	Depth	Water Temp (oC)	Redox (mv)	Cond (uS)	DO %	DO mg/l	pH	Time	Seechi (in)
MTL-22	8/6/15	12	20	359	213.8	5.9	0.6	6.74	1135	36
MTL-22		13	18.29	358	246	10	0.93	6.76		
MTL-22		0.5	28.79	311	176.4	91.9	7.09	8.15		
MTL-22		2	28.14	316	175.9	91.4	7.14	8.2		
MTL-22		3	27.49	322	175.9	80.1	6.31	8.08		
MTL-22		4	27.4	327	175.7	76	6.01	8.02		
MTL-22		5	27.3	330	173.8	69.8	5.52	7.95		
MTL-22		6	27.21	335	172.9	63.8	5.23	7.87		
MTL-22		7	26.22	342	165.6	26.4	2.15	7.76		
MTL-22		8	24.85	345	164.8	0	0	7.69		
MTL-33	5/19/15	2.4	19.61	374	245.7	95.2	8.71	8.07	1045	3
MTL-33		3.4	19.59	374	245.7	95.3	8.71	8.09	1045	
MTL-33		4.4	19.6	373	245	95	8.7	8.11	1046	
MTL-33		5.4	19.58	373	245.3	94.7	8.68	8.11	1046	
MTL-33		6.4	19.57	373	244.9	94.4	8.65	8.11	1046	
MTL-33		7.4	19.55	373	244.8	94.3	8.65	8.1	1049	
MTL-33		8.4	19.5	373	244.1	93.7	8.6	8.1	1050	
MTL-33		9.4	19.32	375	244.1	91.6	8.43	8.06	1051	
MTL-33		10.4	16.52	386	242	70.2	6.83	7.65	1053	
MTL-33		11.4	15.73	391	240	63.7	6.31	7.52	1053	
MTL-33	6/23/15	0.5	26.7	294	245.3	114.4	9.11	8.59	10:24	46
MTL-33		1	26.61	291	245.3	114.9	9.17	8.57	11:03	
MTL-33		2	26.33	294	247	102	8.16	8.46		
MTL-33		3	26.29	295	247.5	98.6	7.88	8.4		
MTL-33		4	26.25	296	246.4	97.3	7.8	8.36		
MTL-33		5	26.24	296	245	97.1	7.79	8.36		
MTL-33		6	25.99	302	243	84.9	6.64	8.04		
MTL-33		7	25.84	307	243	79.2	6.34	7.91		
MTL-33		8.1	25.67	313	241.4	70.2	5.67	7.76		
MTL-33		9	23.23	328	178.4	28.6	2.33	7.2		
MTL-33		10	22.2	336	125	37	3.27	6.89		
MTL-33		11	21.89	342	113.1	40.1	3.49	6.7		
MTL-33		12	21.24	344	139	30.6	2.71	6.67		
MTL-33		13	19.46	344	214.6	0	0	6.66		
MTL-33		14	15.87	344	236.3	14.9	1.44	6.72		

Site	Date	Depth	Water Temp (oC)	Redox (mv)	Cond (uS)	DO %	DO mg/l	pH	Time	Seechi (in)
MTL-33		15	14.06	344	233.1	25.4	2.63	6.73		
MTL-33	8/6/15	0.5	28.16	321	191.1	74.3	5.85	8.14	1105	36
MTL-33		2	28.06	321	191.4	73.5	5.73	8.11	1105	
MTL-33		3	27.77	326	187.6	67.7	5.33	8.03	1106	
MTL-33		4	27.68	329	187.6	66.7	5.25	7.99	1106	
MTL-33		5	27.65	330	186	67.9	5.35	7.98	1107	
MTL-33		6	27.38	334	185.5	40.4	3.11	7.86	1107	
MTL-33		7	26.41	340	181.4	0	0	7.74	1108	
MTL-33		8	24.61	336	182.8	0	0	7.77	1108	
MTL-33		9	23.72	331	168.4	0	0	7.78	1109	
MTL-33		10	23.02	325	165.7	0	0	7.72	1109	
MTL-5	5/19/15	1.4	20.79	215	383.9	84.5	7.48	7.69	1255	
MTL-5	6/23/15	2.9	24.35	417	182	72.7	6.04	7.35	1315	
MTL-5	8/6/15	0.7	30.04	336	258	126.5	9.52	7.59	1316	
MTL-66	5/19/15	2.4	19.99	415	270.9	116.1	10.54	8.39	1209	27
MTL-66		3.4	19.66	411	272.9	110.6	10.12	8.32	1210	
MTL-66		4.4	19.54	410	273.1	108.2	9.82	8.23	1211	
MTL-66		5.3	19.5	409	274	106	9.73	8.21	1212	
MTL-66		6.3	19.32	411	276.3	101	9.19	8.04	1213	
MTL-66		7.3	188.82	415	270	90.9	8.46	7.84	1214	
MTL-66		8.4	18.11	417	270.4	85	8	7.73	1215	
MTL-66		9.4	16.2	424	265	68.7	6.53	7.53	1216	
MTL-66		10.4	14.74	426	263	47.6	4.8	7.31	1217	
MTL-66	6/23/15	0.5	26.64	381	175.7	66	5.25	7.04	12:44	26
MTL-66		1	25.97	377	187	63	5.12	6.99		
MTL-66		2	25.47	376	188	58	4.76	6.95		
MTL-66		3	25.19	376	179	52	4.29	6.86		
MTL-66		4	25.17	375	181	52.9	4.33	6.84		
MTL-66		5	25.15	374	178	52.8	4.3	6.83		
MTL-66		6	24.85	375	167	39	3.2	6.7		
MTL-66		7	24.64	375	169	30	2.5	6.65		
MTL-66		8	24.45	374	166	24	2.03	6.59		
MTL-66		9	24.2	373	168	7	0.69	6.54		
MTL-66		10	24	375	228	0	0	6.5		
MTL-66	8/6/15	0.5	28.43	378	166.4	93.6	7.26	7.87	1318	29

Site	Date	Depth	Water Temp (oC)	Redox (mv)	Cond (uS)	DO %	DO mg/l	pH	Time	Seechi (in)
MTL-66	5/19/15	2	28.64	368	166.1	94.5	7.31	7.93	1319	24
MTL-66		3	27.35	368	168.5	73.5	5.75	7.88	1319	
MTL-66		4	27.22	365	168.7	69.5	5.49	7.81	1320	
MTL-66		5	27.15	363	167.9	69	5.46	7.8	1320	
MTL-66		6	27.13	361	167.5	68.4	5.4	7.79	1321	
MTL-66		7	27.1	360	168.2	64.5	5.09	7.76	1321	
MTL-66		8	26.36	364	175.3	14.7	1.19	7.63	1322	
MTL-66		9	25.16	199	193.8	0	0	7.68	1323	
MTL-66		10	24.1	121	191.3	0	0	7.73	1324	
MTL-77		2.3	19.68	368	277.7	100.1	9.16	7.99	1154	
MTL-77	6/23/15	3.3	19.52	368	277.3	99	9.06	7.99	1155	10
MTL-77		4.4	19.39	370	280.4	95.7	8.79	7.94	1156	
MTL-77		5.3	19.11	373	273	91.1	8.4	7.86	1157	
MTL-77		6.3	18.45	376	267.5	86.6	8.11	7.73	1150	
MTL-77		7.3	18.03	377	264.4	86.1	8.15	7.72	1159	
MTL-77		8.3	17.7	378	262.1	85.4	8.13	7.71	1200	
MTL-77		9.3	16.6	383	264.9	71.5	6.88	7.53	1201	
MTL-77		10.3	14.38	389	254.2	61.4	6.09	7.37	1202	
MTL-77		0.5	25.9	381	205	70	5.6	7.3	12:21	
MTL-77		1	25.82	380	205	66	5.3	7.2		
MTL-77	8/6/15	2	25.79	379	203	63.2	5.12	7.31		10
MTL-77		3	25.39	378	204	59.5	4.85	7.07		
MTL-77		4	25.36	377	204.2	59.9	4.89	7.05		
MTL-77		5	25.38	376	204.3	60	4.89	7.04		
MTL-77		6	25.26	376	203	57	4.65	7		
MTL-77		7	25.16	377	202	50.7	4.12	6.95		
MTL-77		8	25.12	377	201	48.9	4	6.92		
MTL-77		9	24.75	378	199	34.6	2.85	6.84		
MTL-77		10	23.86	382	177	0	0	6.66		
MTL-77		11	22.17	381	217	0	0	6.65		
MTL-77		0.5	28.84	321	163.1	100.6	7.76	8.13	1259	
MTL-77		2	28.77	324	162.9	98.2	7.56	8.1	1259	
MTL-77		3	27.51	331	160.4	76.4	6.04	7.94	1300	
MTL-77		4	27.18	336	161.4	70.3	5.56	7.86	1300	
MTL-77		5	27.14	339	159.4	66.4	5.24	7.81	1301	

Site	Date	Depth	Water Temp (oC)	Redox (mv)	Cond (uS)	DO %	DO mg/l	pH	Time	Seechi (in)
MTL-77		6	27.05	341	159.4	63.4	5.05	7.77	1301	
MTL-77		7	27.04	343	159.7	63.8	5.08	7.74	1302	
MTL-77		8	26.45	349	151.3	11.1	0.86	7.61	1302	
MTL-77		9	24.72	344	23.76	0	0	7.69	1139	27
MTL-77		9	25.38	321	150.7	0	0	7.59	1303	
MTL-77		10	23.59	229	154.2	0	0	7.71	1304	
MTL-9	5/19/15	1.9	18.51	256	247.2	75.2	6.98	7.56	1200	
MTL-9	6/23/15	2.3	23.2	388	18	68	5.77	7.19	1213	
MTL-9	8/6/15	0.4	22.66	340	123	68.6	5.89	7.2	1215	

Marina Data


Marina	Date	Result	Qualifier	Units	Parameter
BJ MARINA	6/23/2015	1.0		COL/100 ML	E. Coliform
BJ-MARINA	8/6/2015	5.0	<	COL/100 ML	E. Coliform
IC MARINA	6/23/2015	18.0		COL/100 ML	E. Coliform
IC-MARINA	8/6/2015	25.0	<	COL/100 ML	E. Coliform


APPENDIX B

LAB DATA GRAPHS


E. coli at Marinas

STD: 235/100ml for single sample







Mark Twain Lake Ammonia Nitrogen & Nitrate Nitrogen





Mark Twain Tributary Ammonia Nitrogen & Nitrate Nitrogen






Mark Twain Tributary Phosphorous







Mark Twain Lake Pesticides





Mark Twain Tributary Pesticides




Mark Twain Lake Solids











APPENDIX C


FIELD DATA GRAPHS




C1




C2





C3





C4
























C12




C13














C17














C22




C23




C24




C25





Main Dam Spillway D.O.



Re-reg Sonde Dissolved Oxygen

APPENDIX D

Lakes of Missouri Volunteer Program (LMVP) Data

2015 Lakes of Missouri Volunteer Program (LMVP) Data

Site	Date	TempF	Secchi	TP	TN	TCHLa	CHLa	Pheo	ISS	OSS	TSS	Depth	Comments	Latitude	Longitude
1	4/26/15	53	33	88	860	10.8	9.5	3.2	4.4	1.7	6.1	74.5	We spent an additional hour on training on 4/25/15	39.524	-91.6478
2	4/26/15	53	31	97	1410	18.3	17.4	2.2	5.6	2.5	8.1	60		39.5395	-91.6972
5	4/26/2015	53	26	92	1410	14.1	13.4	1.7	5.4	2.1	7.5	38	Rained day before and poured right after we pulled 1st sample	39.5066	-91.7679
1	5/16/2015	64	56	40	1370	5.7	5.6	0.2	2.2	1.2	3.4	75		39.524	-91.6478
2	5/16/2015	65	57	42	1180	7.5	7.3	0.3	1.9	1.6	3.5	65		39.5395	-91.6972
5	5/16/2015	64	45	43	1220	7	6.8	0.5	2.8	1.4	4.2	40		39.5066	-91.7679
1	6/6/2015	72	54	35	1160	13.6	12.7	2.2	1.9	2.2	4.1	74	TSS 6-15 discarded	39.524	-91.6478
2	6/6/2015	72	67	23	1130	7.9	7.4	1.2	1.3	1.4	2.7	66		39.5395	-91.6972
5	6/6/2015	73	68	28	1210	15.7	14.6	2.8	2.2	2.1	4.3	32.5		39.5066	-91.7679
1	6/28/2015	70	48	40	1320	22	19.4	6.5	3.1	4.4	7.5	79		39.524	-91.6478
2	6/27/2015	71	51	36	1560	19.8	17.6	5.5	2.4	3.4	5.8	83		39.5395	-91.6972
5	6/27/2015	72	30	72	1760	12.4	10.8	4.1	5.6	3.6	9.2	84		39.5066	-91.7679
1	7/18/2015		22	83	1520	46	40.2	14.5	6.2	5.4	11.6	92	Rained from 9:30am - 12:30pm	39.524	-91.6478
2	7/18/2015	80	22	75	1130	34.2	31.9	5.8	3.6	5.9	9.5	73		39.5395	-91.6972
5	7/18/2015	80	15	144	1280	26.5	24.5	5.1	7.6	4.6	12.2	91		39.5066	-91.7679
1	8/8/2015	80	34	51	1310	22.7	20.1	7	3.7	4.4	8.1	39	Heavy overcast, 1mph breeze, calm	39.524	-91.6478
2	8/8/2015	83	30	46	760	34.2	30.2	10.7	5.7	4.2	9.9	60		39.5395	-91.6972
5	8/8/2015	82	26	65	810	38.7	35	10.1	6.2	4.7	10.9	39		39.5066	-91.7679
1	8/19/2015	72	33	51	890	23.6	22.4	2.8	3.6	8.4	12	40	Overcast day	39.524	-91.6478
5	8/19/2015	74	28	83	790	35.6	34.1	3.6	5.2	5.2	10.4			39.5066	-91.7679
2	8/19/2015	76	30	42	640	26.8	23.8	7.7	3.9	3.8	7.7			39.5395	-91.6972
1	9/19/2015	72	56	32	660	25.4	23.7	4.4	1.8	3	4.8	76	Training for Bryan and Rita by Mark and Suzanne	39.524	-91.6478
2	9/19/2015	72	60	28	620	20.8	18.6	5.5	2.1	2.4	4.5	65		39.5395	-91.6972
5	9/19/2015	72	53	33	630	22.9	20.9	4.8	2.9	2.3	5.2	50		39.5066	-91.7679

Site 1 - near dam

Site 2 - Indian Creek

Site 5 - Confluence of North Fork & South Fork

Parameter	Abreviation	Unit of Measure
Water Clarity (using Secchi disk)	Secchi	Inches (")
Total Phosphorus	TP	Micrograms per liter (ug/L) or parts per billion (ppb)
Total Nitrogen	TN	Micrograms per liter (ug/L) or parts per billion (ppb)
Chlorophyll A	TCHLA	Micrograms per liter (ug/L) or parts per billion (ppb) (uncorrected for pheophytin)
Chlorophyll A	CHLA	ug/L (pheophytin corrected)
Pheophytin	Pheo	ug/L
Inorganic Suspended Sediments	ISS	Milligrams per liter (mg/L), or parts per million (ppm)
Organic Suspended Solids	OSS	mg/L
Total Suspended Sediments	TSS	Milligrams per liter (mg/L), or parts per million (ppm)

Full report for all lakes in the LMVP can be found at <http://www.lmvp.org/lakes.htm>.

APPENDIX E

**United Water Services
Clarence Cannon WTP Data**

HIGH SERVICE
January 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2	Total Cl2	Hardness	Iron	Mn	NH3	NO2	TDS	Color (u)	Temp (°C)	Total Coliforms
1	4.11	7.82	106	0.06	0.09	3.75	157	0.016		0.14		241	0.0	7	
2	4.13	7.82	104	0.07	0.09	3.60	158	0.026		0.07		241	0.0	6	A
3	4.37	7.82	107	0.06	0.08	3.66	155	0.013		0.09		239	0.0	6	
4	4.28	7.88	107	0.06	0.09	3.49	161	0.008		0.09		243	0.0	7	
5	4.10	7.78	104	0.07	0.09	3.73	161	0.010		0.10		245	0.0	7	A
6	4.34	7.83	106	0.07	0.10	3.57	155	0.006		0.11		246	0.0	6	
7	4.32	7.94	110	0.06	0.08	3.37	160	0.006	0.021	0.11	0.004	232	0.0	7	A
8	4.15	7.91	113	0.06	0.08	3.51	161	0.018		0.21		236	0.0	4	
9	4.66	7.84	108	0.06	0.07	3.80	166	0.004		0.06		250	0.0	6	A
10	4.44	7.76	106	0.07	0.08	3.80	161	0.006		0.11		251	0.0	5	
11	4.76	7.81	107	0.07	0.09	3.80	160	0.008		0.06		249	0.0	5	
12	4.62	7.81	108	0.06	0.10	3.75	163	0.007		0.12		252	0.0	6	A
13	4.27	7.80	108	0.06	0.09	3.75	166	0.009		0.03		252	0.0	6	
14	4.63	7.82	108	0.07	0.08	3.74	159	0.008	0.016	0.06	0.007	239	0.0	5	A
15	4.23	7.79	107	0.08	0.09	3.80	162	0.007		0.06		240	0.0	6	
16	4.35	7.66	106	0.09	0.09	3.66	153	0.007		0.13		243	0.0	6	A
17	4.48	7.83	109	0.07	0.10	3.62	153	0.011		0.11		240	0.0	6	
18	4.25	7.95	108	0.06	0.09	3.58	148	0.001		0.11		234	0.0	7	
19	4.72	7.91	104	0.07	0.09	3.73	146	0.004		0.06		237	0.0	6	A
20	4.46	7.94	103	0.07	13.83	3.80	143	0.003		0.10		234	0.0	6	
21	4.06	7.92	104	0.05	0.07	3.65	149	0.002	0.018	0.09	0.004	228	0.0	8	A
22	3.98	7.78	100	0.05	0.08	3.74	144	0.007		0.09		226	0.0	7	
23	4.32	7.75	99	0.05	0.10	3.80	151	0.002		0.02		221	0.0	7	A
24	4.12	7.91	99	0.06	0.08	3.94	140	0.003		0.14		224	0.0	6	
25	4.23	7.89	98	0.06	0.08	3.84	140	0.002		0.02		220	0.0	6	
26	4.21	7.88	99	0.05	0.09	3.77	141	0.002		0.09		218	0.0	7	A
27	4.23	7.89	99	0.05	0.09	3.99	149	0.002		0.04		219	0.0	7	
28	4.14	7.83	94	0.06	0.09	3.83	152	0.004	0.009	0.05	0.004	225	0.0	6	A
29	3.89	7.86	95	0.06	0.09	3.84	143	0.005		0.06		226	0.0	7	
30	4.47	7.96	95	0.06	0.08	3.90	144	0.007		0.09		231	0.0	7	A
31	3.79	7.96	99	0.05	0.09	3.83	146	0.001		0.14		227	0.0	7	
AVG	4.29	7.85	104	0.06	0.53	3.73	153	0.007	0.016	0.09	0.005	236	0.0	6	
TOTAL	133.11														

HIGH SERVICE
February 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	3.85	7.88	99	0.05	0.10	3.69	149	0.002		0.14		195	0.0	6	
2	4.12	7.85	98	0.06	0.09	3.82	144	0.003		0.11		196	0.0	5	A
3	3.88	7.84	97	0.06	0.08	3.71	144	0.007		0.22		195	0.0	5	
4	4.34	7.80	99	0.06	0.09	3.65	151	0.008	0.014	0.18	0.012	207	0.0	6	A
5	3.79	7.81	100	0.06	0.10	3.69	149	0.016		0.11		198	0.0	5	
6	3.86	7.84	101	0.07	0.09	3.65	151	0.009		0.10		200	0.0	5	A
7	3.84	7.90	99	0.08	0.08	3.84	150	0.007		0.12		203	0.0	6	
8	4.12	7.95	99	0.08	0.10	3.87	150	0.017		0.09		204	0.0	5	
9	4.72	7.96	100	0.08	0.10	3.56	153	0.021		0.15		203	0.0	4	A
10	3.86	7.88	103	0.10	0.08	3.43	152	0.005		0.19		214	0.0	5	
11	3.78	7.73	106	0.10	0.09	3.36	155	0.004	0.009	0.10	0.005	212	0.0	5	A
12	4.05	7.63	108	0.13	0.09	3.52	165	0.008		0.09		217	0.0	6	
13	4.35	7.67	104	0.10	0.09	3.61	167	0.023		0.08		231	0.0	5	A
14	3.92	7.81	106	0.08	0.10	3.50	168	0.003		0.10		232	0.0	6	
15	4.24	7.93	103	0.07	0.09	3.51	171	0.010		0.10		234	0.0	5	
16	4.56	7.89	99	0.08	0.08	3.61	170	0.014		0.11		228	0.0	6	A
17	4.35	7.86	97	0.10	0.10	3.63	167	0.019		0.10		232	0.0	5	
18	4.06	7.85	100	0.09	0.09	3.43	172	0.014	0.015	0.12	0.007	225	0.0	6	A
19	4.17	7.89	97	0.09	0.10	3.53	171	0.011		0.17		230	0.0	4	
20	4.29	7.85	97	0.09	0.08	3.41	167	0.028		0.13		231	0.0	5	A
21	3.86	7.84	96	0.12	0.10	3.27	168	0.062		0.12		233	0.0	5	
22	4.72	7.79	96	0.11	0.12	3.70	167	0.048		0.13		233	0.0	5	
23	4.13	7.82	98	0.11	0.10	3.68	173	0.007		0.15		229	0.0	5	A
24	3.68	7.94	101	0.12	0.12	3.80	169	0.017		0.18		233	0.0	5	
25	4.90	7.98	100	0.12	0.11	3.70	157	0.006	0.020	0.12	0.004	230	0.0	5	A
26	4.06	7.97	100	0.10	0.10	3.80	167	0.045		0.13		234	0.0	5	
27	4.27	7.88	98	0.10	0.10	3.74	164	0.020		0.08		233	0.0	5	A
28	4.32	7.82	101	0.09	0.10	3.42	176	0.031		0.15		228	0.0	4	
AVG	4.15	7.85	100	0.09	0.10	3.61	161	0.016	0.014	0.13	0.007	219	0.0	5	
TOTAL	116.09														

HIGH SERVICE
March 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.25	7.85	99	0.08	0.09	3.49	169	0.009		0.12		228	0.0	5	
2	4.52	7.89	99	0.08	0.10	3.50	167	0.006		0.14		230	0.0	6	A
3	4.08	7.87	99	0.09	0.10	3.60	166	0.020		0.08		230	0.0	4	
4	4.67	7.93	101	0.09	0.11	3.48	170	0.024	0.004	0.24	0.007	238	0.0	4	A
5	4.13	7.95	102	0.10	0.09	3.59	171	0.017		0.23		237	0.0	4	
6	3.69	8.00	103	0.12	0.11	3.79	172	0.049		0.14		258	0.0	4	A
7	4.55	7.93	99	0.14	0.11	3.75	169	0.044		0.12		279	0.0	5	
8	4.12	7.77	100	0.10	0.11	3.71	170	0.026		0.13		277	0.0	5	
9	4.89	7.81	102	0.09	0.10	3.58	170	0.034		0.13		257	0.0	6	A
10	4.15	7.84	102	0.08	0.10	3.59	172	0.033		0.12		276	0.0	5	
11	4.36	7.94	101	0.10	0.10	3.58	164	0.024	0.020	0.11		253	0.0	6	A
12	4.16	7.90	99	0.12	0.11	3.63	176	0.046		0.10		256	0.0	6	
13	4.17	7.85	101	0.12	0.10	3.56	170	0.034		0.15		275	0.0	7	A
14	4.46	7.83	103	0.08	0.09	3.37	174	0.021		0.13		276	0.0	7	
15	3.79	7.93	103	0.06	0.10	3.45	171	0.015		0.12		270	0.0	7	
16	4.75	7.95	98	0.06	0.10	3.61	168	0.010		0.08		268	0.0	7	A
17	4.45	7.76	95	0.06	0.10	3.47	166	0.007		0.20		248	0.0	7	
18	3.88	7.88	99	0.06	0.10	3.37	171	0.008	0.028	0.12	0.006	257	0.0	7	A
19	4.09	7.95	100	0.07	0.09	3.37	167	0.005		0.15		260	0.0	7	
20	3.73	7.90	98	0.07	0.09	3.31	164	0.008		0.17		261	0.0	8	A
21	4.69	7.90	99	0.08	0.09	3.38	162	0.015		0.16		259	0.0	8	
22	3.97	7.85	98	0.07	0.09	3.62	165	0.009		0.12		258	0.0	8	
23	4.35	7.89	100	0.07	0.10	3.57	162	0.003		0.15		262	0.0	8	A
24	3.97	7.96	102	0.07	0.10	3.29	168	0.011		0.07		262	0.0	8	
25	3.96	7.96	98	0.07	0.09	3.57	157	0.005	0.009	0.08	0.004	260	0.0	8	A
26	4.06	7.90	97	0.07	0.09	3.50	161	0.010		0.07		261	0.0	8	
27	4.06	7.88	97	0.07	0.08	3.36	130	0.012		0.15		262	0.0	9	A
28	3.83	7.88	99	0.08	0.09	3.43	176	0.018		0.13		270	0.0	10	
29	3.97	7.84	100	0.08	0.09	3.42	170	0.011		0.06		273	0.0	10	
30	4.07	7.84	101	0.09	0.08	3.72	162	0.010		0.10		271	0.0	11	A
31	4.46	7.89	100	0.08	0.09	3.52	164	0.018		0.10		270	0.0	11	
AVG	4.20	7.89	100	0.08	0.10	3.52	167	0.018	0.015	0.13	0.006	259	0.0	7	
TOTAL	130.28														

HIGH SERVICE
April 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.08	7.86	96	0.08	0.09	3.28	162	0.016	0.017	0.05	0.009	270	0.0	12	A
2	4.12	7.79	98	0.10	0.11	3.45	164	0.018		0.07		269	0.0	12	
3	4.09	7.74	100	0.07	0.11	3.55	169	0.014		0.05		269	0.0	12	A
4	3.94	7.76	98	0.08	0.08	3.69	160	0.013		0.04		270	0.0	12	
5	4.35	7.89	97	0.07	0.08	3.64	158	0.010		0.04		270	0.0	12	
6	4.13	7.98	99	0.08	0.12	3.59	168	0.016		0.06		267	0.0	12	A
7	4.06	8.02	99	0.08	0.11	3.57	169	0.018		0.04		154	0.0	14	
8	3.87	8.02	99	0.08	0.09	3.64	160	0.015		0.05		163	1.0	15	A
9	3.96	7.96	100	0.08	0.07	3.68	159	0.017		0.05		148	0.0	14	
10	4.06	7.91	99	0.07	0.07	3.40	162	0.013		0.07		147	0.0	14	A
11	4.09	7.89	99	0.08	0.10	3.29	163	0.019		0.14		284	1.0	14	
12	4.22	7.82	97	0.09	0.10	3.35	162	0.017		0.09		285	0.5	14	
13	3.65	7.81	96	0.10	0.08	3.54	158	0.037		0.08		286	0.0	14	A
14	4.24	7.95	98	0.09	0.09	3.48	156	0.022		0.11		287	0.0	14	
15	3.85	7.92	97	0.09	0.08	3.40	166	0.111	0.024	0.04	0.010	285	1.0	15	A
16	4.23	7.87	98	0.09	0.07	3.39	162	0.023		0.18		286	0.5	15	
17	4.27	7.85	99	0.10	0.08	3.46	168	0.025		0.03		288	1.0	16	A
18	4.06	7.81	99	0.11	0.07	3.40	164	0.013		0.02		276	0.0	16	
19	4.01	7.78	97	0.11	0.07	3.45	163	0.029		0.04		275	0.0	16	
20	4.23	7.82	94	0.12	0.08	3.34	157	0.030		0.04		288	0.0	17	A
21	3.83	7.82	92	0.12	0.09	3.36	162	0.026		0.07		2991	2.0	17	
22	4.09	7.80	93	0.10	0.09	3.39	164	0.024	0.025	0.07	0.004	283	0.0	16	A
23	4.00	7.79	98	0.10	0.08	3.47	162	0.026		0.07		286	0.0	16	
24	4.56	7.84	98	0.09	0.07	3.48	160	0.014		0.00	0.080	289	0.0	15	A
25	4.20	7.80	102	0.09	0.07	3.41	167	0.021		0.07		293	0.0	15	
26	4.04	7.82	102	0.08	0.07	3.44	164	0.021		0.07		290	0.0	16	
27	4.36	7.89	100	0.09	0.07	3.53	159	0.025		0.06		289	0.0	15	A
28	4.14	7.88	100	0.09	0.07	3.49	160	0.022		0.08		283	0.0	15	
29	4.47	7.94	102	0.08	0.09	3.31	165	0.015	0.015	0.10	0.011	289	0.0	17	A
30	4.38	7.89	102	0.08	0.11	3.47	165	0.014		0.11		297	0.0	17	
AVG	4.12	7.86	98	0.09	0.08	3.46	163	0.023	0.020	0.06	0.023	355	0.2	14	
TOTAL	123.58														

HIGH SERVICE
May 2015

PLANT EFFLUENT

DATE	PLANT EFFLUENT														
	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.51	7.88	103	0.08	0.10	3.34	169	0.015		0.10		299	1.0	18	A
2	4.43	7.70	100	0.10	0.12	3.55	158	0.015		0.03		294	0.0	19	
3	4.24	7.53	99	0.09	0.13	3.58	162	0.014		0.06		289	0.0	18	
4	5.16	7.74	103	0.09	0.10	3.54	167	0.015		0.11		295	0.0	17	A
5	4.45	7.90	104	0.08	0.10	3.40	170	0.018		0.15		298	0.0	19	
6	4.63	7.88	100	0.09	0.09	3.52	162	0.016		0.09		296	0.0	18	A
7	4.18	7.90	101	0.10	0.08	3.53	161	0.013	0.020	0.05	0.005	297	0.0	18	
8	4.19	8.05	102	0.09	0.11	3.42	161	0.022		0.21		295	0.0	19	A
9	4.03	8.08	107	0.10	0.08	3.17	168	0.016		0.21		281	0.0	20	
10	3.98	7.88	106	0.09	0.10	3.23	168	0.010		0.19		282	0.0	20	
11	3.65	7.86	104	0.08	0.09	3.31	161	0.007		0.15		288	0.0	19	A
12	3.93	7.84	103	0.08	0.09	3.36	162	0.010		0.16		282	0.0	19	
13	4.68	7.82	102	0.07	0.10	3.42	164	0.020	0.011	0.07	0.009	281	0.0	20	A
14	3.91	7.74	102	0.05	0.10	3.44	168	0.011		0.02		288	0.0	18	
15	4.04	7.87	101	0.06	0.10	3.58	168	0.008		0.04		295	0.0	20	A
16	4.54	7.93	102	0.07	0.08	3.56	169	0.008		0.05		292	0.0	19	
17	4.16	7.91	103	0.06	0.08	3.59	170	0.006		0.05		282	0.0	18	
18	4.30	7.91	106	0.05	0.10	3.44	171	0.009		0.05		292	0.0	20	A
19	4.04	8.01	105	0.05	0.09	3.44	177	0.010		0.05		288	0.0	21	
20	4.24	8.03	106	0.07	0.08	3.45	178	0.008	0.019	0.04	0.009	299	0.0	20	A
21	4.46	7.77	107	0.07	0.08	3.48	174	0.008		0.04		302	0.0	19	
22	4.49	7.69	108	0.07	0.06	3.43	175	0.009		0.07		297	0.0	19	A
23	4.64	7.88	114	0.06	0.09	3.40	174	0.010		0.06		297	0.0	20	
24	4.56	7.96	112	0.05	0.09	3.38	179	0.009		0.06		299	0.0	20	
25	4.55	7.93	110	0.07	0.08	3.51	177	0.008		0.05		296	0.0	19	A
26	4.80	7.92	106	0.07	0.08	3.59	175	0.008		0.07		297	0.0	19	
27	4.44	7.90	112	0.05	0.10	3.48	176	0.005	0.010	0.04	0.005	297	0.0	21	A
28	4.92	7.84	112	0.05	0.08	3.36	178	0.006		0.03		298	0.0	21	
29	4.08	7.83	110	0.06	0.09	3.44	180	0.039		0.08		298	0.0	21	A
30	4.47	7.90	108	0.07	0.08	3.51	177	0.016		0.08		298	0.0	21	
31	4.25	8.04	110	0.08	13.57	3.46	180	0.009		0.08		296	0.0	21	
AVG	4.35	7.87	105	0.07	0.53	3.45	170	0.012	0.015	0.08	0.007	293	0.0	19	
TOTAL	134.95														

HIGH SERVICE
June 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.39	8.08	112	0.06	0.10	3.44	176	0.007		0.08		295	0.0	21	A
2	4.50	8.05	108	0.07	0.10	3.57	143	0.012		0.17		296	0.0	21	
3	4.19	7.77	106	0.08	0.10	3.57	174	0.009	0.002	0.05	0.004	243	0.0	21	A
4	4.31	7.74	106	0.08	0.09	3.45	173	0.009		0.07		290	0.0	21	
5	4.88	7.90	108	0.07	0.08	3.38	172	0.010		0.13		289	0.0	21	A
6	4.72	7.85	112	0.05	0.08	3.26	178	0.004		0.17		292	0.0	22	
7	4.82	7.81	113	0.06	0.08	3.12	179	0.005		0.13		292	0.0	23	
8	5.05	7.90	112	0.08	0.08	3.27	177	0.011		0.09		290	0.0	23	A
9	4.93	7.81	111	0.08	0.08	3.33	176	0.016		0.13		288	0.0	23	
10	5.29	7.79	114	0.10	0.10	3.25	177	0.016	0.015	0.10	0.006	283	1.0	23	A
11	5.37	7.71	112	0.07	0.09	3.26	178	0.009		0.13		279	0.0	22	
12	5.08	7.85	108	0.07	0.08	3.32	170	0.008		0.12		264	0.0	24	A
13	4.68	7.87	100	0.07	0.08	3.60	170	0.008		0.06		277	0.0	24	
14	4.20	7.78	95	0.06	0.09	3.47	164	0.006		0.06		272	0.0	24	
15	4.67	7.97	98	0.05	0.10	3.40	162	0.007		0.10		257	0.0	24	A
16	4.15	8.12	96	0.05	0.10	3.42	163	0.009		0.13		248	0.0	25	
17	3.79	8.14	91	0.07	0.09	3.48	153	0.008		0.13		242	1.5	25	A
18	4.08	8.11	91	0.07	0.08	3.54	155	0.009	0.002	0.11	0.004	240	0.0	25	
19	4.80	7.79	89	0.07	0.09	3.48	151	0.010		0.06		240	0.0	25	A
20	4.58	7.87	96	0.05	0.09	3.32	154	0.006		0.13		242	0.0	25	
21	4.34	7.95	99	0.05	0.08	3.32	157	0.007		0.09		245	0.0	24	
22	4.27	7.73	94	0.07	0.09	3.45	158	0.006		0.05		247	0.0	25	A
23	4.44	7.71	94	0.06	0.09	3.41	157	0.033		0.10		238	0.0	24	
24	4.13	7.84	95	0.05	0.09	3.22	153	0.014	0.009	0.15	0.008	246	0.0	24	A
25	4.47	7.79	94	0.06	0.08	3.29	155	0.011		0.14		242	0.0	24	
26	3.89	7.73	94	0.05	0.10	3.34	151	0.012		0.09		241	0.0	24	A
27	4.71	7.70	90	0.06	0.09	3.39	152	0.100		0.10		240	0.0	24	
28	4.18	7.90	90	0.07	0.09	3.55	150	0.095		0.10		236	0.0	24	
29	4.55	8.03	89	0.07	0.10	3.56	142	0.005		0.06		222	0.0	23	A
30	4.28	8.01	86	0.05	0.09	3.64	141	0.004		0.05		216	6.0	23	
AVG	4.52	7.88	100	0.07	0.09	3.40	162	0.015	0.007	0.10	0.006	260	0.3	23	
TOTAL	135.74														

HIGH SERVICE
July 2015

PLANT EFFLUENT

DATE	PLANT EFFLUENT														
	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.47	7.80	83	0.06	0.08	3.61	141	0.007	0.007	0.06	0.004	218	0.0	25	A
2	4.27	7.86	84	0.06	0.08	3.59	139	0.007		0.08		216	0.0	24	
3	4.93	7.85	86	0.06	0.07	3.47	144	0.017		0.09		218	0.0	24	A
4	4.47	7.80	95	0.06	0.07	3.33	146	0.004		0.05		217	0.0	24	
5	4.89	7.80	98	0.05	0.07	3.25	146	0.012		0.10		231	0.0	24	
6	4.22	7.80	95	0.07	0.08	3.37	143	0.013		0.09		234	0.0	24	A
7	4.62	7.75	93	0.07	0.08	3.34	142	0.046		0.08		230	0.0	24	
8	3.78	7.88	97	0.05	0.04	3.23	148	0.004	0.013	0.07	0.005	233	0.0	23	A
9	4.21	7.86	100	0.05	0.04	3.16	152	0.043		0.07		236	0.0	23	
10	4.37	7.84	95	0.05	0.05	3.46	149	0.007		0.05		233	1.0	23	A
11	4.34	7.81	93	0.07	0.06	3.45	148	0.004		0.06		234	0.0	23	
12	4.54	7.73	94	0.07	0.05	3.41	147	0.005		0.08		236	0.0	24	
13	4.76	8.15	100	0.06	0.06	3.55	151	0.005		0.11		231	0.0	26	A
14	4.48	7.92	101	0.05	0.05	3.44	146	0.010		0.09		231	0.0	25	
15	4.89	7.90	93	0.06	0.05	3.55	146	0.008	0.005	0.08	0.004	236	0.0	24	A
16	4.36	7.87	91	0.06	0.06	3.62	145	0.005		0.08		229	0.0	25	
17	4.96	7.97	92	0.06	0.05	3.82	138	0.019		0.05		228	0.0	26	A
18	4.54	7.94	99	0.05	0.06	3.30	141	0.004		0.07		225	0.0	26	
19	4.35	7.96	100	0.05	0.05	3.34	142	0.002		0.09		223	0.0	24	
20	3.87	7.97	97	0.06	0.04	3.45	140	0.008		0.06		226	0.0	24	A
21	4.72	7.90	95	0.05	0.04	3.47	139	0.009		0.05		225	0.0	24	
22	3.91	7.89	98	0.05	0.04	3.41	144	0.003	0.007	0.05	0.004	226	0.0	24	A
23	4.50	7.93	99	0.05	0.05	3.47	142	0.003		0.04		223	0.0	25	
24	4.25	8.00	95	0.05	0.05	3.46	143	0.019		0.01		229	0.0	24	A
25	4.49	7.92	95	0.06	0.04	3.40	145	0.032		0.03		230	0.0	24	
26	3.94	7.85	96	0.06	0.06	3.38	143	0.035		0.03		232	0.0	24	
27	4.44	7.84	95	0.06	0.05	3.37	139	0.012		0.08		230	0.0	25	A
28	4.74	7.80	93	0.06	0.05	3.42	139	0.006		0.04		227	0.0	25	
29	4.82	7.81	94	0.05	0.07	3.40	140	0.005	0.015	0.03	0.004	227	0.0	26	A
30	4.32	7.70	96	0.06	0.06	3.32	145	0.004		0.03		225	0.0	25	
31	3.96	7.77	96	0.06	0.06	3.27	139	0.003		0.05		225	0.0	26	A
AVG	4.43	7.87	95	0.06	0.06	3.42	144	0.011	0.009	0.06	0.004	228	0.0	24	
TOTAL	137.41														

HIGH SERVICE
August 2015

DATE	PLANT EFFLUENT													
	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)
1	4.32	7.75	98	0.04	0.05	3.28	142	0.004		0.09		225	0.0	25
2	4.13	7.84	98	0.04	0.06	3.29	146	0.003		0.10		220	0.0	26
3	4.37	7.92	95	0.06	0.05	3.47	139	0.006		0.07		220	0.0	25
4	5.10	7.91	93	0.06	0.05	3.48	137	0.003		0.09		225	0.0	25
5	4.21	7.87	94	0.05	0.05	3.29	144	0.007	0.014	0.07	0.005	220	0.0	25
6	4.20	7.87	90	0.05	0.05	3.20	137	0.006		0.06		225	0.0	25
7	4.18	7.92	90	0.05	0.07	3.28	137	0.005		0.05		222	0.0	25
8	4.19	7.84	91	0.07	0.05	3.41	137	0.005		0.08		220	0.0	25
9	4.05	7.82	90	0.07	0.05	3.34	136	0.006		0.06		221	0.0	25
10	4.26	7.83	93	0.05	0.06	3.29	141	0.005		0.10		221	0.0	26
11	4.31	7.87	89	0.06	0.07	3.26	148	0.004		0.07		222	0.0	25
12	4.03	7.94	91	0.06	0.06	3.39	138	0.022	0.014	0.06	0.009	224	0.0	26
13	4.39	7.93	90	0.07	0.05	3.40	137	0.006		0.05		223	0.0	26
14	4.20	7.85	91	0.07	0.06	3.52	134	0.006		0.07		225	0.0	26
15	4.54	7.83	94	0.05	0.06	3.40	140	0.005		0.11		226	0.0	26
16	4.33	7.83	98	0.05	0.05	3.21	141	0.007		0.14		219	0.0	26
17	4.35	7.87	94	0.06	0.06	3.40	138	0.006		0.12		220	0.0	26
18	3.98	7.79	94	0.06	0.06	3.31	138	0.009		0.16		223	0.0	26
19	3.85	7.81	96	0.05	0.05	3.19	146	0.004	0.005	0.15	0.005	226	0.0	25
20	4.31	7.86	98	0.05	0.05	3.23	143	0.004		0.18		226	0.0	25
21	3.79	7.78	96	0.06	0.05	3.22	147	0.001		0.16		217	0.0	25
22	4.15	7.77	91	0.06	0.07	3.39	145	0.004		0.09		225	0.0	24
23	4.02	7.86	93	0.06	0.06	3.52	144	0.005		0.09		228	0.0	24
24	4.09	7.94	100	0.05	0.05	3.42	143	0.007		0.12		223	0.0	24
25	3.88	8.03	98	0.06	0.06	3.34	148	0.006		0.05		217	0.0	23
26	4.27	7.91	94	0.07	0.06	3.35	138	0.050	0.017	0.09	0.008	220	0.0	24
27	4.14	7.79	95	0.08	0.07	3.40	143	0.075		0.10		219	0.0	24
28	3.90	7.74	97	0.07	0.05	3.33	140	0.045		0.14		228	0.0	24
29	3.86	7.74	98	0.05	0.05	3.35	142	0.005		0.18		222	0.0	23
30	4.49	7.72	98	0.05	0.05	3.34	146	0.001		0.16		223	0.0	24
31	4.19	7.77	98	0.06	0.05	3.49	141	0.003		0.14		225	0.0	24
AVG	4.20	7.84	94	0.06	0.06	3.35	141	0.010	0.013	0.10	0.007	222	0.0	25
TOTAL	130.08													

HIGH SERVICE
September 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.61	7.81	97	0.07	0.05	3.52	141	0.005		0.14		229	0.0	24	
2	4.10	7.78	99	0.05	0.07	3.66	148	0.005	0.013	0.11	0.004	228	0.0	25	A
3	4.29	7.77	100	0.05	0.07	3.63	148	0.008		0.10		223	0.0	25	
4	4.43	7.83	100	0.04	0.08	3.45	151	0.010		0.11		218	0.0	26	A
5	4.89	7.85	96	0.05	0.08	3.55	145	0.003		0.06		220	0.0	26	
6	4.36	7.82	96	0.05	0.08	3.65	141	0.003		0.09		221	0.0	26	
7	4.56	7.78	99	0.05	0.08	3.42	142	0.011		0.09		219	0.0	26	A
8	3.74	7.75	97	0.05	1.31	2.67	149	0.005		0.09		218	0.0	25	
9	4.60	7.80	92	0.06	2.62	3.05	139	0.007	0.002	0.03		218	0.0	26	A
10	3.33	7.76	92	0.06	2.79	3.22	144	0.005		0.01		216	0.0	26	
11	4.07	7.77	90	0.06	2.70	3.26	140	0.005		0.01		211	0.0	26	A
12	4.25	7.81	91	0.05	2.59	3.21	144	0.009		0.00		212	0.0	24	
13	4.35	7.71	90	0.05	2.68	3.33	144	0.015		0.00		230	0.0	23	
14	4.12	7.64	89	0.05	2.93	3.46	137	0.006		0.02		225	0.0	24	A
15	4.21	7.73	92	0.05	2.85	3.41	142	0.024		0.00		228	0.0	23	
16	4.23	7.88	95	0.04	2.69	3.34	151	0.005	0.014	0.00	0.004	235	0.0	23	A
17	4.60	7.81	98	0.04	2.83	3.42	152	0.005		0.00		238	0.0	24	
18	4.08	7.83	98	0.03	2.73	3.33	155	0.006		0.00		238	0.0	24	A
19	3.84	7.88	97	0.06	2.75	3.30	150	0.005		0.00		236	0.0	24	
20	4.33	7.90	97	0.06	2.86	3.42	150	0.008		0.00		235	0.0	24	
21	4.19	7.87	98	0.04	2.67	3.38	148	0.013		0.00		241	0.0	23	A
22	4.76	7.77	97	0.04	2.66	3.35	154	0.008		0.00		242	0.0	22	
23	4.37	7.77	99	0.05	2.68	3.28	151	0.005	0.004	0.00	0.004	243	0.0	23	A
24	4.36	7.83	98	0.06	2.73	3.40	150	0.005		0.00		246	0.0	24	
25	4.74	7.90	100	0.05	2.69	3.31	148	0.004		0.00		243	0.0	23	A
26	3.98	7.93	99	0.04	2.52	3.25	158	0.033		0.00		242	0.0	23	
27	4.37	7.80	96	0.04	2.60	3.28	154	0.013		0.00		239	0.0	23	
28	4.58	7.75	92	0.05	2.69	3.36	143	0.005		0.00		240	0.0	23	A
29	4.21	7.73	93	0.05	2.70	3.31	143	0.005		0.00	0.000	238	0.0	24	
30	4.06	7.78	91	0.05	2.73	3.27	145	0.005	0.003	0.00	0.002	235	0.0	23	A
AVG	4.29	7.80	96	0.05	2.05	3.35	147	0.008	0.007	0.03	0.003	230	0.0	24	
TOTAL	128.61														

HIGH SERVICE
October 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.45	7.75	92	0.05	2.62	3.24	144	0.009		0.00		237	0.0	22	
2	4.01	7.70	91	0.05	2.74	3.35	145	0.005		0.00		238	0.0	21	A
3	4.23	7.75	94	0.05	2.81	3.45	144	0.006		0.00		240	0.0	20	
4	3.88	7.77	95	0.05	2.79	3.42	143	0.005		0.00		243	0.0	20	
5	4.83	7.78	96	0.05	2.03	2.81	148	0.005		0.00		243	0.0	21	A
6	3.93	7.94	98	0.04	0.07	2.89	145	0.005		0.28		241	0.0	21	
7	4.44	7.94	99	0.06	0.47	3.44	144	0.005	0.009	0.23	0.004	241	0.0	20	A
8	4.58	7.84	100	0.10	0.05	3.24	148	0.005		0.25		240	0.0	21	
9	4.43	7.82	100	0.10	0.05	3.27	147	0.011		0.24		239	0.0	21	A
10	4.15	7.89	102	0.05	0.05	3.29	156	0.038		0.19		221	0.0	21	
11	4.30	7.77	102	0.05	0.05	3.27	149	0.006		0.22		219	0.0	20	
12	4.81	7.79	100	0.07	0.05	3.25	147	0.005		0.21		230	0.0	20	A
13	4.21	7.88	103	0.07	0.05	3.33	149	0.007		0.18		231	0.0	20	
14	3.39	7.89	100	0.04	0.06	3.41	152	0.006	0.015	0.10	0.005	224	0.0	20	A
15	4.43	7.85	105	0.06	0.07	3.50	153	0.006		0.08		225	0.0	20	
16	3.91	7.86	103	0.07	0.06	3.56	160	0.008		0.20		225	0.0	19	A
17	3.47	7.93	102	0.07	0.07	3.51	149	0.007		0.19		224	0.0	20	
18	4.92	7.87	102	0.05	0.08	3.47	146	0.007		0.09		224	0.0	19	
19	4.89	7.75	105	0.05	0.06	3.48	155	0.010		0.11		223	0.0	19	A
20	3.81	7.64	105	0.05	0.05	3.47	154	0.008		0.10		223	0.0	18	
21	4.25	7.65	102	0.10	0.07	3.52	149	0.006	0.012	0.07		223	0.0	19	A
22	4.33	7.80	98	0.11	0.07	3.57	143	0.006		0.08		223	0.0	19	
23	4.41	7.98	102	0.06	0.05	3.49	147	0.047		0.12		222	0.0	19	A
24	3.80	7.97	104	0.04	0.06	3.40	152	0.004		0.13		224	0.0	19	
25	4.21	7.87	104	0.05	0.06	3.35	151	0.008		0.12		222	0.0	18	
26	4.48	7.91	101	0.06	0.07	3.50	149	0.095		0.12		0	0.0	19	A
27	3.93	7.96	103	0.06	0.05	3.42	147	0.046		11.06		221	0.5	18	
28	4.00	7.93	104	0.04	0.06	3.46	150	0.004	0.017	0.11	0.004	222	0.0	19	A
29	4.18	7.81	102	0.04	0.06	3.51	149	0.005		0.11		220	0.0	18	
30	3.81	7.77	101	0.04	0.07	3.55	157	0.005		0.11		223	0.0	17	A
31	3.79	7.79	98	0.06	0.06	3.47	154	0.034		0.11		220	0.0	17	
AVG	4.20	7.83	100	0.06	0.48	3.38	149	0.013	0.013	0.48	0.004	221	0.0	19	
TOTAL	130.26														

HIGH SERVICE
November 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	4.01	7.84	101	0.06	0.05	3.43	140	0.007		0.11		224	0.0	18	
2	4.66	7.86	105	0.06	0.07	3.52	151	0.007		0.15		223	0.0	16	A
3	3.72	7.86	105	0.06	0.07	3.52	152	0.002		0.09		244	0.0	16	
4	3.89	7.86	101	0.07	0.08	3.73	147	0.005	0.010	0.09	0.004	225	0.0	17	A
5	3.93	7.82	102	0.07	0.06	3.70	149	0.005		0.08		226	0.0	17	
6	3.94	7.87	102	0.06	0.05	3.51	147	0.010		0.14		225	0.0	17	A
7	3.97	7.93	105	0.05	0.07	3.47	151	0.002		0.15		230	0.0	16	
8	3.92	7.92	104	0.04	0.06	3.40	151	0.004		0.16		228	0.0	16	
9	3.78	7.87	103	0.06	0.06	3.48	150	0.006		0.14		225	0.0	15	A
10	4.49	7.83	104	0.06	0.06	3.44	150	0.005		0.13		226	0.0	15	
11	3.81	7.83	105	0.04	0.07	3.34	156	0.006	0.020	0.13	0.004	230	0.0	16	A
12	4.03	7.78	106	0.04	0.07	3.30	154	0.004		0.18		231	0.0	15	
13	3.91	7.83	104	0.04	0.07	3.46	158	0.008		0.14		231	0.0	15	A
14	3.73	7.89	101	0.06	0.07	3.48	150	0.006		0.13		226	0.0	15	
15	4.36	7.82	100	0.06	0.06	3.47	152	0.007		0.10		252	0.0	15	
16	4.03	7.96	105	0.04	0.07	3.40	159	0.003		0.13		232	0.0	15	A
17	3.49	7.94	105	0.04	0.07	3.51	162	0.005		0.11		232	0.0	14	
18	4.14	8.01	101	0.05	0.06	3.55	153	0.005	0.014	0.11	0.000	224	0.0	14	A
19	3.70	8.04	105	0.06	0.07	3.40	152	0.006		0.11		220	0.0	15	
20	4.07	8.04	105	0.05	0.06	3.47	151	0.005		0.06		228	0.0	14	A
21	3.78	7.95	105	0.04	0.06	3.33	156	0.005		0.23		234	0.0	14	
22	4.03	7.85	107	0.04	0.07	3.34	157	0.002		0.19		238	0.0	13	
23	4.28	7.82	107	0.06	0.08	3.43	158	0.003		0.16		235	0.0	13	A
24	4.29	7.73	103	0.05	0.09	2.81	156	0.008		0.03		234	0.0	14	
25	3.89	7.75	101	0.04	0.09	2.92	156	0.004	0.015	0.09		236	0.0	14	A
26	4.00	7.80	103	0.06	0.08	3.31	151	0.005		0.10		236	0.0	14	
27	3.70	7.82	107	0.04	0.06	3.38	158	0.009		0.16		237	0.0	11	A
28	3.84	7.82	105	0.05	0.06	3.55	157	0.009		0.16		236	0.0	11	
29	4.45	7.86	101	0.06	0.07	3.54	155	0.004		0.14		232	0.0	11	
30	3.97	7.88	103	0.05	0.07	3.41	157	0.009		0.24		245	0.0	11	A
AVG	3.99	7.87	104	0.05	0.07	3.42	153	0.005	0.015	0.13	0.003	231	0.0	14	
TOTAL	119.81														

HIGH SERVICE
December 2015

PLANT EFFLUENT

DATE	Flow (mgd)	pH -	Alkalinity (mg/l)	Turbidity (NTU)	Free Cl2 (mg/l)	Total Cl2 (mg/l)	Hardness (mg/l)	Iron (mg/l)	Mn (mg/l)	NH3 (mg/l)	NO2 (mg/l)	TDS (mg/l)	Color (u)	Temp (°C)	Total Coliforms
1	3.32	7.92	99	0.04	0.07	3.49	160	0.004		0.09		247	0.0	12	A
2	4.06	7.92	96	0.04	0.07	3.59	155	0.004		0.09		242	0.0	12	
3	3.73	7.98	91	0.05	0.09	3.63	154	0.006		0.07		246	0.0	13	
4	3.91	7.81	88	0.04	0.09	3.88	165	0.011		0.03		253	0.0	12	A
5	4.16	7.64	90	0.04	0.09	3.58	163	0.015		0.06		255	0.0	12	
6	3.93	7.78	94	0.04	0.07	3.51	168	0.009		0.09		258	0.0	11	A
7	3.99	7.86	95	0.06	0.06	3.63	168	0.007		0.07		258	0.0	10	
8	3.41	7.66	94	0.06	0.08	3.77	159	0.048		0.06		253	0.0	11	A
9	4.01	7.66	96	0.04	0.10	3.72	163	0.003	0.016	0.10	0.005	249	0.0	11	
10	4.17	7.84	98	0.04	0.08	3.50	159	0.002		0.16		247	0.0	11	
11	3.61	7.88	101	0.05	0.08	3.49	166	0.015		0.15		248	0.0	12	A
12	4.22	7.84	94	0.06	0.09	3.74	168	0.018		0.05		248	0.0	14	
13	3.44	7.74	93	0.07	0.07	3.39	165	0.005		0.05		248	0.0	13	A
14	3.88	7.77	92	0.06	0.07	3.46	160	0.007		0.15		245	0.0	12	
15	3.64	7.93	90	0.05	0.08	3.64	161	0.008		0.13		244	0.0	11	A
16	3.47	7.82	85	0.07	0.57	3.78	155	0.004	0.028	0.11	0.004	243	1.5	13	
17	3.62	7.75	81	0.07	0.07	3.58	155	0.011		0.10		245	0.0	13	
18	4.20	7.75	82	0.07	0.07	3.84	151	0.023		0.06		235	0.0	13	A
19	3.61	7.86	89	0.05	0.06	3.60	157	0.006		0.08		237	0.0	12	
20	4.19	7.78	89	0.05	0.08	3.55	155	0.010		0.04		236	0.0	12	A
21	3.41	7.70	85	0.07	0.06	3.54	157	0.009		0.04		235	0.0	12	
22	4.00	7.77	87	0.06	0.07	3.51	159	0.008		0.01		233	0.0	12	A
23	4.06	7.86	84	0.05	0.09	3.69	159	0.005	0.020	0.00		233	0.0	13	
24	4.12	7.90	90	0.05	0.07	3.51	154	0.005		0.08		232	0.0	12	
25	3.89	7.77	84	0.05	0.06	3.42	149	0.005		0.09		232	0.0	11	A
26	3.37	7.72	83	0.05	0.08	3.76	155	0.007		0.11		232	0.0	10	
27	4.07	7.78	83	0.07	0.06	3.64	154	0.008		0.11		236	0.0	11	A
28	3.97	7.82	86	0.05	0.08	3.58	154	0.003		0.16		232	0.0	11	
29	3.90	7.85	89	0.04	0.07	3.49	154	0.001		0.11		232	0.0	10	A
30	3.72	7.80	88	0.05	0.08	3.59	159	0.004		0.06		239	0.0	10	
31	4.06	7.92	91	0.06	0.09	3.91	159	0.006		0.08		240	0.0	10	
AVG	3.84	7.81	90	0.05	0.09	3.61	159	0.009	0.021	0.08	0.005	242	0.0	11	
TOTAL	119.14														

APPENDIX F


Beach Data & Graphs

2015 Beach Data

Date	Bottle Number	Spalding East (E. Coli / 100 ml)	Bottle Number	Spalding West (E. Coli / 100 ml)	Bottle Number	Indian Creek (E. Coli / 100 ml)
5/11/2015	6091	<10	6092	<10	6093	10
5/18/2015	6460	0	6464	20	6467	10
5/26/2015	6470	10	6476	10	6480	160
6/1/2015	6500	0	6509	0	6510	0
6/8/2015	6566	<1	6566	<1	6571	<1
6/15/2015	6498	0	6525	0	6526	10
6/22/2015		Flooded		Flooded		Flooded
6/29/2015		Flooded		Flooded		Flooded
7/6/2015		Flooded		Flooded		Flooded
7/13/2015		Flooded		Flooded		Flooded
7/20/2015		Flooded		Flooded		Flooded
7/27/2015		Flooded		Flooded		Flooded
8/3/2015		Flooded		Flooded		Flooded
8/10/2015	6529	40	6530	40	6531	60
8/17/2015	6541	<10	6547	<10	6590	<30
8/24/2015	6588	10	6594	10	6596	10
8/31/2015	6648	40	6658	40	6661	10
9/8/2015	6631	10	6638	10	6662	10


Spalding East

STD: 235/100ml for single sample




Spalding West

STD: 235/100ml for single sample



Indian Creek



2015 Mark Twain State Park Beach Data

Park	SampleNumber	Date	Ecoli	Beach Location	Comments
Mark Twain SP	AC50802	18-May-15	240.0	Left	Public Beach - Left
Mark Twain SP	AC50803	18-May-15	488.4	Right	Public Beach - Right
Mark Twain SP	AC50927	27-May-15	31.1	Left	Public Beach - Left
Mark Twain SP	AC50929	27-May-15	71.2	Right	Public Beach - Right
Mark Twain SP	AC51004	01-Jun-15	7.5	Left	Public Beach - Left
Mark Twain SP	AC51005	01-Jun-15	12.1	Right	Public Beach - Right
Mark Twain SP	AC52216	08-Jun-15	74.9	Left	Public Beach - Left
Mark Twain SP	AC52217	08-Jun-15	53.8	Right	Public Beach - Right
Mark Twain SP	AC52343	15-Jun-15	>2419.6	Left	Public Beach - Left
Mark Twain SP	AC52344	15-Jun-15	1011.2	Right	Public Beach - Right
Mark Twain SP	AC53943	18-Jun-15	44.1	Left	Public Beach - Left
Mark Twain SP	AC53944	18-Jun-15	290.9	Left	Public Beach - Left - Duplicate
Mark Twain SP	AC53945	18-Jun-15	46.4	Right	Public Beach - Right
Mark Twain SP	AC53868	22-Jun-15	41.7	Left	Public Beach - Left
Mark Twain SP	AC53869	22-Jun-15	135.4	Left	Public Beach - Left - DUPLICATE
Mark Twain SP	AC53870	22-Jun-15	63.8	Right	Public Beach - Right
Mark Twain SP	AC53990	29-Jun-15	>2419.6	Left	Public Beach - Left
Mark Twain SP	AC53991	29-Jun-15	>2419.6	Right	Public Beach - Right
Mark Twain SP	AC55576	06-Jul-15	54.8	Left	Public Beach - Left
Mark Twain SP	AC55577	06-Jul-15	290.9	Right	Public Beach - Right
Mark Twain SP	AC55780	13-Jul-15	13.1	Left	Public Beach - Left
Mark Twain SP	AC55781	13-Jul-15	10.9	Right	Public Beach - Right
Mark Twain SP	AC57063	22-Jul-15	15.8	Left	Public Beach - Left
Mark Twain SP	AC57064	22-Jul-15	28.7	Right	Public Beach - Right
Mark Twain SP	AC56970	27-Jul-15	131.7	Left	Public Beach - Left
Mark Twain SP	AC56971	27-Jul-15	33.2	Right	Public Beach - Right
Mark Twain SP	AC57176	03-Aug-15	14.6	Left	Public Beach - Left
Mark Twain SP	AC57177	03-Aug-15	>2419.6	Right	Public Beach - Right
Mark Twain SP	AC58631	06-Aug-15	3.1		
Mark Twain SP	AC58632	06-Aug-15	4.1		
Mark Twain SP	AC58523	10-Aug-15	1.0	Left	Public Beach - Left
Mark Twain SP	AC58524	10-Aug-15	1.0	Right	Public Beach - Right
Mark Twain SP	AC58693	17-Aug-15	<1	Left	Public Beach - Left
Mark Twain SP	AC58694	17-Aug-15	1.0	Left	Public Beach - Left - DUPLICATE
Mark Twain SP	AC58695	17-Aug-15	2.0	Right	Public Beach - Right
Mark Twain SP	AC58841	24-Aug-15	<1	Left	Public Beach - Left
Mark Twain SP	AC58842	24-Aug-15	6.3	Right	Public Beach - Right
Mark Twain SP	AC59309	31-Aug-15	4.1	Left	Public Beach - Left
Mark Twain SP	AC59310	31-Aug-15	7.4	Right	Public Beach - Right
Mark Twain SP	AC50928	27-May-15			Duplicate sample was not received. Public Beach - Left - DUPLICATE Samples cancelled and resampled under order id 150722005. Public Beach - Left
Mark Twain SP	AC56832	22-Jul-15			Samples cancelled and resampled under order id 150722005. No duplicate in new kit collected. Public Beach - Left - DUPLICATE
Mark Twain SP	AC56833	22-Jul-15			Samples cancelled and resampled under order id 150722005. Public Beach - Right
Mark Twain SP	AC56834	22-Jul-15			

2015 Mark Twain State Park Beach E. coli

