ILLINOIS

WEST POINT LANDING

MAPLE ISLAND

PARKING AREA

DOGTOWN LANDING

241

240

LOCK & DAM 25

2 SUBMARINE CABLES (AT&T)

MISSOURI

N 1154000

N 1152000

N 1150000

N 1148000

N 1146000

N 1146000

E 454000

E 452000

E 446000

E 444000

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | DIXON LANDING | L & D 25 (LOWER) | L & D 25 (UPPER) |
|---|---|---|---|---|
| ZERO N.G.V.D | | 410.6 | 407.0 | 407.0 |
| MILE | | 228.3 | 241.2 | 241.5 |
| MIN. POOL | | 418.1 | 418.5 | 429.7 |
| | 05 OCT 2012 | 419.5 (08:00) | 419.9 (08:00) | X |
| | | 419.5 (14:00) | 419.9 (14:00) | |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL 154,000 C.F.S.!

Surveyed by: HANSON
Drawn by: RCA
Ckd by:
Reviewed by:
SUBMITTED:
Chief, Engr. Data Mngt. Sect.
APPROVED:
Chief, Geospatial Branch.
Survey Date: October 5, 2012
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS 800 FEET
120 0 120 400 0 400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESOURCES AS SURVEYED ON THE DATE INDICATED AND MAY NOT BE AS REPRESENTED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER

ILLINOIS

MISSOURI

BEACH LANDING

HASTINGS LANDING

SUBMARINE COMMUNICABLES (AT&T)

CREEK

DIKE 238.2(R)

DIKE 237.8(R)

DIKE 237.6(R)

238

237

N 1144000

N 1142000

N 1140000

N 1138000

N 1136000

N 1134000

E 446000

E 448000

E 450000

E 454000

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | DIXON LANDING | L & D 25 (LOWER) | ST. LOUIS |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 410.6 | 407.0 | 379.94 |
| MILE | | 228.3 | 241.2 | 179.6 |
| MIN. POOL | | 418.1 | 418.5 | 376.4 |
| | 05 OCT 2012 | 419.5 (08:00) | 419.9 (08:00) | |
| | | 419.5 (14:00) | 419.9 (14:00) | |

ELEVATIONS ARE REFERED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (14,000 C.F.S.)

Surveyed by: HANSON
Drawn by: RCA
Ckd by: RCA
Reviewed by:
APPROVED: Chief, Geospatial Branch
Survey Date: October 5, 2012
SUBMITTED: Chief, Engr. Data Mngt. Sect.
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
800 FEET
120 0 120 400 0 400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE BOUNDARIES AS SURVEYED. THE BOUNDARIES MAY CHANGE AS NATURAL FORCES ACT UPON THE LAND AND AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2 - 201.1

PLATE NUMBER

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

DIKE 237.3(L)
DIKE 236.9(L)
DIKE 236.6(L)
DIKE 236.3(L)
DIKE 235.8(L)
DIKE 235.4(L)
DIKE 237.4(R)
BRUSSELS LANDING
SUNSET LANDING
ILLINOIS
MISSOURI
237
236
E 458000
E 456000
E 454000
E 452000
N 1134000
N 1132000
N 1130000
N 1128000
N 1126000
N 1124000

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | DIXON LANDING | L & D 25 (LOWER) | ST. LOUIS |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 410.6 | 407.0 | 379.94 |
| MILE | | 228.3 | 241.2 | 179.6 |
| MIN. POOL | | 418.1 | 418.5 | 376.4 |
| | 05 OCT 2012 | 419.5 (08:00)<br>419.5 (14:00) | 419.9 (08:00)<br>419.9 (14:00) | |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (54,000 C.F.S.)

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN
MISSISSIPPI RIVER

Surveyed by: HANSON
Drawn by: RCA
Checked by: RCA
Reviewed by:
APPROVED: Chief, Geospatial Branch

Survey Date: October 5, 2012
SUBMITTED: Chief, Engr. Data Mngt. Sect.
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'

240 METERS
800 FEET
0 120 400
0 120 400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS PERFORMED BY THE ST. LOUIS DISTRICT AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER




PLATE NUMBER

120 0 120 240 METERS
400 0 400 800 FEET

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

| | | |
|---|---|---|
| Surveyed by: HANSON | | Survey Date: October 5, 2012 |
| Drawn by: RCA | Ckd by: RCA | SUBMITTED: |
| Reviewed by: | | Chief, Engr. Data Mngt. Sect. |
| APPROVED: | | File name: 241_201J0512.dgn |
| Chief, Geospatial Branch | | Plot date: October 8, 2012<br>Plot scale: 1"=400' |

GAGE RECORD

| | WATER SURFACE | DIXON LANDING | L & D 25 (LOWER) | ST. LOUIS |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 410.6 | 407.0 | 379.94 |
| MILE | | 228.3 | 241.2 | 179.6 |
| MIN POOL | | 418.1 | 418.5 | 376.4 |
| | | | | |
| | 05 OCT 2012 | 419.5 (08:00) | 419.9 (08:00) | |
| | | 419.5 (14:00) | 419.9 (14:00) | |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL 154,000 C.F.S.)

US Army Corps of Engineers
St. Louis District

ILLINOIS

MISSOURI

DIKE 233.0(L)

DIKE 232.8(L)

DIKE 232.5(L)

DIKE 232.2(L)

DIKE 233.4(R)

PERUQUE LANDING

PARKING AREA

1ST 100.8 INCHES

E 470000

E 466000

N 1108000

E 464000

N 1106000

E 462000

N 1104000

E 460000

N 1102000

E 458000

N 1100000

N 1098000

N 1096000

N 1094000

N 1092000

N 1090000

N 1088000

N 1086000

N 1084000

N 1082000

N 1080000

N 1078000

N 1076000

N 1074000

N 1072000

N 1070000

N 1068000

N 1066000

N 1064000

N 1062000

N 1060000

N 1058000

N 1056000

N 1054000

N 1052000

N 1050000

N 1048000

N 1046000

N 1044000

N 1042000

N 1040000

N 1038000

N 1036000

N 1034000

N 1032000

N 1030000

N 1028000

N 1026000

N 1024000

N 1022000

N 1020000

N 1018000

N 1016000

N 1014000

N 1012000

N 1010000

N 1008000

N 1006000

N 1004000

N 1002000

N 1000000

N 998000

N 996000

N 994000

N 992000

N 990000

N 988000

N 986000

N 984000

N 982000

N 980000

N 978000

N 976000

N 974000

N 972000

N 970000

N 968000

N 966000

N 964000

N 962000

N 960000

N 958000

N 956000

N 954000

N 952000

N 950000

N 948000

N 946000

N 944000

N 942000

N 940000

N 938000

N 936000

N 934000

N 932000

N 930000

N 928000

N 926000

N 924000

N 922000

N 920000

N 918000

N 916000

N 914000

N 912000

N 910000

N 908000

N 906000

N 904000

N 902000

N 900000

N 898000

N 896000

N 894000

N 892000

N 890000

N 888000

N 886000

N 884000

N 882000

N 880000

N 878000

N 876000

N 874000

N 872000

N 870000

N 868000

N 866000

N 864000

N 862000

N 860000

N 858000

N 856000

N 854000

N 852000

N 850000

N 848000

N 846000

N 844000

N 842000

N 840000

N 838000

N 836000

N 834000

N 832000

N 830000

N 828000

N 826000

N 824000

N 822000

N 820000

N 818000

N 816000

N 814000

N 812000

N 810000

N 808000

N 806000

N 804000

N 802000

N 800000

N 798000

N 796000

N 794000

N 792000

N 790000

N 788000

N 786000

N 784000

N 782000

N 780000

N 778000

N 776000

N 774000

N 772000

N 770000

N 768000

N 766000

N 764000

N 762000

N 760000

N 758000

N 756000

N 754000

N 752000

N 750000

N 748000

N 746000

N 744000

N 742000

N 740000

N 738000

N 736000

N 734000

N 732000

N 730000

N 728000

N 726000

N 724000

N 722000

N 720000

N 718000

N 716000

N 714000

N 712000

N 710000

N 708000

N 706000

N 704000

N 702000

N 700000

N 698000

N 696000

N 694000

N 692000

N 690000

N 688000

N 686000

N 684000

N 682000

N 680000

N 678000

N 676000

N 674000

N 672000

N 670000

N 668000

N 666000

N 664000

N 662000

N 660000

N 658000

N 656000

N 654000

N 652000

N 650000

N 648000

N 646000

N 644000

N 642000

N 640000

N 638000

N 636000

N 634000

N 632000

N 630000

N 628000

N 626000

N 624000

N 622000

N 620000

N 618000

N 616000

N 614000

N 612000

N 610000

N 608000

N 606000

N 604000

N 602000

N 600000

N 598000

N 596000

N 594000

N 592000

N 590000

N 588000

N 586000

N 584000

N 582000

N 580000

N 578000

N 576000

N 574000

N 572000

N 570000

N 568000

N 566000

N 564000

N 562000

N 560000

N 558000

N 556000

N 554000

N 552000

N 550000

N 548000

N 546000

N 544000

N 542000

N 540000

N 538000

N 536000

N 534000

N 532000

N 530000

N 528000

N 526000

N 524000

N 522000

N 520000

N 518000

N 516000

N 514000

N 512000

N 510000

N 508000

N 506000

N 504000

N 502000

N 500000

N 498000

N 496000

N 494000

N 492000

N 490000

N 488000

N 486000

N 484000

N 482000

N 480000

N 478000

N 476000

N 474000

N 472000

N 470000

N 468000

N 466000

N 464000

N 462000

N 460000

N 458000

N 456000

N 454000

N 452000

N 450000

N 448000

N 446000

N 444000

N 442000

N 440000

N 438000

N 436000

N 434000

N 432000

N 430000

N 428000

N 426000

N 424000

N 422000

N 420000

N 418000

N 416000

N 414000

N 412000

N 410000

N 408000

N 406000

N 404000

N 402000

N 400000

N 398000

N 396000

N 394000

N 392000

N 390000

N 388000

N 386000

N 384000

N 382000

N 380000

N 378000

N 376000

N 374000

N 372000

N 370000

N 368000

N 366000

N 364000

N 362000

N 360000

N 358000

N 356000

N 354000

N 352000

N 350000

N 348000

N 346000

N 344000

N 342000

N 340000

N 338000

N 336000

N 334000

N 332000

N 330000

N 328000

N 326000

N 324000

N 322000

N 320000

N 318000

N 316000

N 314000

N 312000

N 310000

N 308000

N 306000

N 304000

N 302000

N 300000

N 298000

N 296000

N 294000

N 292000

N 290000

N 288000

N 286000

N 284000

N 282000

N 280000

N 278000

N 276000

N 274000

N 272000

N 270000

N 268000

N 266000

N 264000

N 262000

N 260000

N 258000

N 256000

N 254000

N 252000

N 250000

N 248000

N 246000

N 244000

N 242000

N 240000

N 238000

N 236000

N 234000

N 232000

N 230000

N 228000

N 226000

N 224000

N 222000

N 220000

N 218000

N 216000

N 214000

N 212000

N 210000

N 208000

N 206000

N 204000

N 202000

N 200000

N 198000

N 196000

N 194000

N 192000

N 190000

N 188000

N 186000

N 184000

N 182000

N 180000

N 178000

N 176000

N 174000

N 172000

N 170000

N 168000

N 166000

N 164000

N 162000

N 160000

N 158000

N 156000

N 154000

N 152000

N 150000

N 148000

N 146000

N 144000

N 142000

N 140000

N 138000

N 136000

N 134000

N 132000

N 130000

N 128000

N 126000

N 124000

N 122000

N 120000

N 118000

N 116000

N 114000

N 112000

N 110000

N 108000

N 106000

N 104000

N 102000

N 100000

N 98000

N 96000

N 94000

N 92000

N 90000

N 88000

N 86000

N 84000

N 82000

N 80000

N 78000

N 76000

N 74000

N 72000

N 70000

N 68000

N 66000

N 64000

N 62000

N 60000

N 58000

N 56000

N 54000

N 52000

N 50000

N 48000

N 46000

N 44000

N 42000

N 40000

N 38000

N 36000

N 34000

N 32000

N 30000

N 28000

N 26000

N 24000

N 22000

N 20000

N 18000

N 16000

N 14000

N 12000

N 10000

N 8000

N 6000

N 4000

N 2000

N 0

E 470000

E 468000

E 466000

E 464000

E 462000

E 460000

E 458000

E 456000

E 454000

E 452000

E 450000

E 448000

E 446000

E 444000

E 442000

E 440000

E 438000

E 436000

E 434000

E 432000

E 430000

E 428000

E 426000

E 424000

E 422000

E 420000

E 418000

E 416000

E 414000

E 412000

E 410000

E 408000

E 406000

E 404000

E 402000

E 400000

E 398000

E 396000

E 394000

E 392000

E 390000

E 388000

E 386000

E 384000

E 382000

E 380000

E 378000

E 376000

E 374000

E 372000

E 370000

E 368000

E 366000

E 364000

E 362000

E 360000

E 358000

E 356000

E 354000

E 352000

E 350000

E 348000

E 346000

E 344000

E 342000

E 340000

E 338000

E 336000

E 334000

E 332000

E 330000

E 328000

E 326000

E 324000

E 322000

E 320000

E 318000

E 316000

E 314000

E 312000

E 310000

E 308000

E 306000

E 304000

E 302000

E 300000

E 298000

E 296000

E 294000

E 292000

E 290000

E 288000

E 286000

E 284000

E 282000

E 280000

E 278000

E 276000

E 274000

E 272000

E 270000

E 268000

E 266000

E 264000

E 262000

E 260000

E 258000

E 256000

E 254000

E 252000

E 250000

E 248000

E 246000

E 244000

E 242000

E 240000

E 238000

E 236000

E 234000

E 232000

E 230000

E 228000

E 226000

E 224000

E 222000

E 220000

E 218000

E 216000

E 214000

E 212000

E 210000

E 208000

E 206000

E 204000

E 202000

E 200000

E 198000

E 196000

E 194000

E 192000

E 190000

E 188000

E 186000

E 184000

E 182000

E 180000

E 178000

E 176000

E 174000

E 172000

E 170000

E 168000

E 166000

E 164000

E 162000

E 160000

E 158000

E 156000

E 154000

E 152000

E 150000

E 148000

E 146000

E 144000

E 142000

E 140000

E 138000

E 136000

E 134000

E 132000

E 130000

E 128000

E 126000

E 124000

E 122000

E 120000

E 118000

E 116000

E 114000

E 112000

E 110000

E 108000

E 106000

E 104000

E 102000

E 100000

E 98000

E 96000

E 94000

E 92000

E 90000

E 88000

E 86000

E 84000

E 82000

E 80000

E 78000

E 76000

E 74000

E 72000

E 70000

E 68000

E 66000

E 64000

E 62000

E 60000

E 58000

E 56000

E 54000

E 52000

E 50000

E 48000

E 46000

E 44000

E 42000

E 40000

E 38000

E 36000

E 34000

E 32000

E 30000

E 28000

E 26000

E 24000

E 22000

E 20000

E 18000

E 16000

E 14000

E 12000

E 10000

E 8000

E 6000

E 4000

E 2000

E 0

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | DIXON LANDING | L & D 25 (LOWER) | ST.LOUIS |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 410.6 | 407.0 | 379.94 |
| MILE | | 228.3 | 241.2 | 179.6 |
| MIN. POOL | | 418.1 | 418.5 | 376.4 |
| | 05 OCT 2012 | 419.5 (08:00) | 419.9 (08:00) | |
| | | 419.5 (14:00) | 419.9 (14:00) | |

ELEVATIONS ARE REFERED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (54,000 C.F.S.)

Survey Date: October 5, 2012

SUBMITTED:

Chief, Engr. Data Mngt. Sect.

File name: 241_20120502.dgn

Plot date: October 8, 2012

Plot scale: 1"=400'

Surveyed by: HANSON

Drawn by: RCA

Ckd by: RCA

Reviewed by:

APPROVED:

Chief, Geospatial Branch

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

249 METERS
800 FEET

THE NO CHANGE DEPICTED ON THIS MAP REPRESENTS THE RESURVEY OF THE CHANNEL AS SURVEYED AND SHOWN AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER

ILLINOIS

MISSOURI

BECKS LAND ING

TWO RIVERS ISLAND

MCCAMMON LAND ING

DIKE 230.1(R)

DIKE 230.0(R)

DIKE 229.8(R)

DIKE 229.6(R)

N 1108000

N 1106000

N 1104000

N 1102000

E 466000

E 468000

E 470000

E 472000

E 474000

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | DIXON LANDING | L & D 25 (LOWER) | ST. LOUIS |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 410.6 | 407.0 | 379.94 |
| MILE | | 228.3 | 241.2 | 179.6 |
| MIN. POOL | | 418.1 | 418.5 | 376.4 |
| | 05 OCT 2012 | 419.5 (08:00)<br>419.5 (14:00) | 419.9 (08:00)<br>419.9 (14:00) | |

ELEVATIONS ARE REFERED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (54,000 C.F.S.)

Survey Date: October 5, 2012
SUBMITTED:
Chief, Engr. Data Mngt. Sect.
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'

| Surveyed by: HANSON | Ckd by: RCA | APPROVED: |
|---|---|---|
| Drawn by: RCA | Reviewed by: | Chief, Geospatial Branch |

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN
MISSISSIPPI RIVER

240 METERS
120
0
0
400
800 FEET

SURVEY INFORMATION REPRESENTS THE CONDITIONS OF THE RIVER BOTTOM AT THE TIME OF SURVEY AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

ILLINOIS

MISSOURI

THOMAS LANDING

FRUITLAND LANDING

DIXON LANDING

TAYLORS LANDING

GOLDEN EAGLE FERRY

PILE ISLAND

DIKE 227.4(L)

DIKE 227.6(L)

DIKE 227.9(L)

DIKE 228.4(R)

DIKE 228.4(R) (PILE)

DIKE 228.1(R)

DIKE 227.8(R)

DIKE 227.5(R)

DIKE 229.4(R)

DIKE 229.1(R)

DIKE 228.8(R)

I-229

I-228

N 1110000

N 1108000

N 1106000

N 1104000

N 1102000

E 478000

E 480000

E 482000

E 484000

E 486000

N

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | GRAFTON, IL | DIXON LANDING | L & D 25(L) |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 403.8 | 410.6 | 407.0 |
| MILE | | 218.6 | 228.3 | 241.2 |
| MIN. POOL | | 418.0 | 418.1 | 418.5 |
| | 05 OCT 2012 | 419.4 (08:00)<br>419.4 (14:00) | 419.5 (08:00)<br>419.5 (14:00) | 419.9 (08:00)<br>419.9 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (14,000 C.F.S.)

Survey Date: October 5, 2012

SUBMITTED:

Chief, Engr. Data Mngt. Sect.

File name: 241_20120502.dgn

Plot date: October 8, 2012

Plot scale: 1"=400'

| | | | |
|---|---|---|---|
| Surveyed by: HANSON | Drawn by: RCA | Reviewed by: | APPROVED: Chief, Geospatial Branch |

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
120
0
800 FEET
400
0

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF A SURVEY PERFORMED ON THE DATE(S) SHOWN AND IS INTENDED TO BE USED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2 - 201.1

PLATE NUMBER

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

ILLINOIS

MISSOURI

MARKERS LANDING

JOHNSON LANDING

BROCK LANDING

SCHNEIDER LANDING

MILLAN LANDING

DIKE 227.6(L)

DIKE 227.4(L)

DIKE 226.0(L)

DIKE 225.8(L)

DIKE 225.6(L)

DIKE 225.4(L)

DIKE 226.1(R)

DIKE 226.3(R)

CHEVRON 225.7(R)

CHEVRON 225.5(R)

227

226

E 492000

E 494000

E 496000

N 1114000

N 1116000

N 1110000

N 1112000

N 1106000

N 1108000

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 2' below Min Pool
Depths shown in green are 1' below Min Pool
Depths shown in blue are at Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| WATER SURFACE | GRAFTON, IL | DIXON LANDING | ST. LOUIS |
|---|---|---|---|
| ZERO N.G.V.D. | 403.8 | 410.6 | 379.94 |
| MILE | 218.6 | 228.3 | 179.6 |
| MIN. POOL | 418.0 | 418.1 | 376.4 |
| 05 OCT 2012 | 419.4 (08:00) | 419.5 (08:00) | |
| | 419.4 (14:00) | 419.5 (14:00) | |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1958-37 MINIMUM POOL (54.000 C.F.S.)

Survey Date: October 5, 2012

SUBMITTED:
Chief, Engr. Data Mngt. Sect.
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'

Surveyed by: HANSON
Drawn by: RCA
Chkd by: RCA
Reviewed by:
APPROVED:
Chief, Geospatial Branch

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
800 FEET
0
120
400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE BEST AVAILABLE DATA AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2 - 201.1

PLATE NUMBER




OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.22 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.6 | -1.4 |
| 228.0 | 418.09 | 419.5 | -1.4 |
| 227.0 | 418.07 | 419.5 | -1.4 |
| 226.0 | 418.05 | 419.5 | -1.4 |
| 225.0 | 418.00 | 419.4 | -1.4 |
| 224.0 | 417.58 | 419.4 | -1.8 |
| 223.0 | 417.33 | 419.4 | -2.1 |
| 222.0 | 417.07 | 419.4 | -2.3 |
| 221.0 | 416.82 | 419.4 | -2.6 |
| 220.0 | 416.56 | 419.4 | -2.8 |
| 219.0 | 416.05 | 419.4 | -3.3 |
| 218.0 | 415.79 | 419.4 | -3.6 |
| 217.0 | 415.54 | 419.4 | -3.8 |
| 216.0 | 415.03 | 419.4 | -4.3 |
| 215.0 | 414.77 | 419.4 | -4.6 |
| 214.0 | 414.51 | 419.4 | -4.9 |
| 213.0 | 414.26 | 419.4 | -5.1 |
| 212.0 | 414.00 | 419.4 | -5.4 |
| 211.0 | 413.74 | 419.4 | -5.7 |
| 210.0 | 413.49 | 419.4 | -5.9 |
| 209.0 | 413.23 | 419.4 | -6.2 |
| 208.0 | 412.97 | 419.4 | -6.4 |
| 207.0 | 412.72 | 419.4 | -6.7 |
| 206.0 | 412.46 | 419.4 | -6.9 |
| 205.0 | 412.20 | 419.4 | -7.2 |
| 204.0 | 411.95 | 419.4 | -7.4 |
| 203.0 | 411.69 | 419.4 | -7.7 |
| 202.0 | 411.43 | 419.4 | -7.9 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 3, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

PLATE NUMBER

120 0 120 240 METERS
400 0 400 800 FEET

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN
MISSISSIPPI RIVER

| | | |
|---|---|---|
| Surveyed by: HANSON | | Survey Date: October 5, 2012 |
| Drawn by: RCA | Ckd by: RCA | SUBMITTED: |
| Reviewed by: | | Chief, Engr. Data Mngt. Sect. |
| APPROVED: | | File name: 241_201J0512.dgn |
| Chief, Geospatial Branch | | Plot date: October 8, 2012<br>Plot scale: 1"=400' |

GAGE RECORD

| | WATER SURFACE | GRAFTON, IL | DIXON LANDING | ST. LOUIS |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 403.8 | 410.6 | 379.94 |
| MILE | | 218.6 | 228.3 | 179.6 |
| MIN POOL | | 418.0 | 418.1 | 376.4 |
| | | | | |
| | 05 OCT 2012 | 419.4 (08:00) | 419.5 (08:00) | |
| | | 419.4 (14:00) | 419.5 (14:00) | |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL 134,000 C.F.S.)

US Army Corps of Engineers
St. Louis District


PRELIMINARY
Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012
Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool
OCTOBER 5, 2012
INTERPOLATED WATER SURFACE
MILE MIN POOL WS DIFF
241.0 418.49 419.9 -1.4
240.0 418.46 419.8 -1.4
239.0 418.43 419.8 -1.4
238.0 418.40 419.8 -1.4
237.0 418.37 419.7 -1.4
236.0 418.34 419.7 -1.4
235.0 418.31 419.7 -1.4
234.0 418.28 419.7 -1.4
233.0 418.25 419.7 -1.4
232.0 418.21 419.6 -1.4
231.0 418.18 419.6 -1.4
230.0 418.15 419.5 -1.4
229.0 418.12 419.5 -1.4
228.0 418.10 419.5 -1.4
227.0 418.09 419.5 -1.4
226.0 418.08 419.5 -1.4
225.0 418.07 419.5 -1.4
224.0 418.06 419.5 -1.4
223.0 418.05 419.4 -1.4
222.0 418.04 419.4 -1.4
221.0 418.02 419.4 -1.4
220.0 418.01 419.4 -1.4
219.0 418.00 419.4 -1.4
218.0 417.85 419.4 -1.5
217.0 417.39 419.4 -1.8
216.0 417.08 419.4 -2.3
215.0 416.82 419.4 -2.6
214.0 416.56 419.4 -2.8
213.0 416.31 419.4 -3.1
212.0 416.05 419.4 -3.3
211.0 415.80 419.4 -3.6
210.0 415.54 419.4 -3.9
209.0 415.28 419.4 -4.1
208.0 415.02 419.4 -4.4
207.0 414.77 419.4 -4.6
206.0 414.51 419.4 -4.9
205.0 414.25 419.4 -5.1
204.0 414.00 419.4 -5.4
203.0 413.74 419.4 -5.7
202.0 413.21 419.4 -6.2
DIKE 221.7(R)
DIKE 221.8(R)
DIKE 222.0(R)
DIKE 222.4(R)
DIKE 222.4(L)
DIKE 222.35(R)
DIKE 222.5(R)
DIKE 222.8(R)
DIKE 223.1(R)
DIKE 223.3(R)
ISLAND NO. 521
ENTERPRISE ISL (ISLAND NO. 518)
ROYAL LANDING
SQUAW
ILLINOIS
MISSOURI
221
220
GAGE RECORD
WATER SURFACE | GRAFTON, IL | DIXON LANDING | ST. LOUIS
ZERO N.G.V.D. | 403.8 | 410.6 | 379.94
MILE | 218.6 | 228.3 | 179.6
MIN POOL | 418.0 | 418.1 | 376.4
05 OCT 2012 | 419.4 (08:00) | 419.5 (08:00) | 419.5 (14:00) | 419.4 (14:00)
ELEVATIONS ARE REFERED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MMWM POOL (54,000 CFS)
U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI
UPPER MISSISSIPPI RIVER BASIN
MISSISSIPPI RIVER
Surveyed by: HANSON
Drawn by: RCA
Chkd by: RCA
Reviewed by:
APPROVED:
Chief, Geosptial Branch
Survey Date: October 5, 2012
SUBMITTED:
Chief, Engr. Data Mngt. Sect.
File name: 241-201012.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'
CHANNEL SURVEY
MILE: 241.2-201.1
120 0 120 240 NETERS
400 0 400 800 FEET
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME
PLATE NUMBER


DIKE 221.3(L)
DIKE 221.0(R)
DIKE 221.0(L)
W-DIKE 221.0(L)
DIKE 220.6(R)
DIKE 220.7(L)
DIKE 220.4(R)
DIKE 220.4(L)
DIKE 220.1(R)
DIKE 220.0(R)
DIKE 220.2(L)
DIKE 219.9(R)
DIKE 219.8(L)
DIKE 219.5(L)
DIKE 219.3(L)
PERRY ISLAND
MASON ISLAND
ISL NO. 525
MISSOURI
ILLINOIS
CALHOUN POINT
221
220
219
N
Channel Survey sounded by Hanson Professional Services Inc. October 5, 2012
Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool
OCTOBER 5, 2012 INTERPOLATED WATER SURFACE
MILE MIN POOL WS DIFF
PRELIMINARY
PLATE NUMBER
120 0 120 240 METERS
400 0 400 800 FEET
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME
CHANNEL SURVEY
MILE: 241.2-201.1
U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI
UPPER MISSISSIPPI RIVER BASIN
MISSISSIPPI RIVER
Surveyed by: HANSON
Drawn by: RCA
Ckd by: RCA
Reviewed by:
APPROVED:
Chief, Geospatial Branch
Survey Date: October 5, 2012
SUBMITTED:
Chief, Engr. Data Mngt. Sect.
File name: 241_20120512.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'
GAGE RECORD
WATER SURFACE | GRAFTON, IL | DIXON LANDING | ST. LOUIS
ZERO N.G.V.D | 403.8 | 410.6 | 379.94
MILE | 218.6 | 228.3 | 179.6
MIN POOL | 418.0 | 418.1 | 376.4
05 OCT 2012 | 419.4 (08:00) | 419.5 (08:00)
419.4 (14:00) | 419.5 (14:00)
ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL 134,000 C.F.S.)
US Army Corps of Engineers St. Louis District

ILLINOIS

MISSOURI

CITY OF GRAFTON 1-8"

DIKE 219.2(L)

DIKE 219.3(L)

DIKE 219.0(L)

DIKE 218.8(L)

DIKE 218.4(L)

DIKE 218.2(L)

DIKE 218.1(R)

DIKE 217.7(R)

DIKE 217.4(R)

DIKE 217.0(R)

1

218

216

N 1144000

N 1142000

N 1140000

N 1138000

N 1136000

E 524000

E 522000

E 520000

E 518000

E 516000

E 514000

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| WATER SURFACE | ALTON, IL | GRAFTON, IL | DIXON LANDING |
|---|---|---|---|
| ZERO N.G.V.D. | 400.00 | 403.8 | 410.6 |
| MILE | 203.0 | 218.6 | 228.3 |
| MIN. POOL | 414.0 | 418.0 | 418.1 |
| 05 OCT 2012 | | 419.4 (08:00)<br>419.4 (14:00) | 419.5 (08:00)<br>419.5 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL 154,000 C.F.S.!

Survey Date: October 5, 2012
SUBMITTED:
Chief, Engr. Data Mngt. Sect.
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'

Surveyed by: HANSON
Drawn by: RCA
Ckd by: RCA
Reviewed by:
APPROVED:
Chief, Geospatial Branch

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
800 FEET
120
0
0
120
400
400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE CONDITIONS AS SURVEYED. THE CONDITIONS ARE SUBJECT TO CHANGE AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER

ILLINOIS

MISSOURI

DIKE 217.7(R)

DIKE 217.4(R)

DIKE 217.0(R)

DIKE 216.7(R)

DIKE 216.2(R)

DIKE 216.1(R)

100

217

216

N 1138000

N 1136000

N 1134000

E 522000

E 524000

E 526000

E 528000

E 530000

E 532000

N

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps
of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | 201.1 | 203.0 | 218.6 |
| MIN. POOL | | 412.5 | 414.0 | 418.0 |
| | 05 OCT 2012 | 419.4 (08:00)<br>419.4 (14:00) | 419.4 (08:00)<br>419.4 (14:00) | 419.4 (08:00)<br>419.4 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1958-37 MINIMUM POOL (54,000 C.F.S.)

Surveyed by: HANSON
Survey Date: October 5, 2012
Drawn by: RCA
Ckd by: RCA
Reviewed by:
SUBMITTED: Chief, Engr. Data Mngt. Sect.
APPROVED: Chief, Geospatial Branch
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1" = 400'

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
800 FEET
120
400
0
0
120
400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESOURCES SURVEYED DURING THE SURVEY PERIOD AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE
NUMBER

ILLINOIS

MISSOURI

GULF CENTRAL PIPELINE

DIKE 214.7(R)

BULLNOSE DIKE 213.9(R)

WANSCH LANDING

PORTAGE DES SIOUX

ELSAH

ELBAR

N 1134000

N 1132000

N 1130000

N 1128000

E 542000

E 540000

E 538000

E 536000

E 534000

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | 201.1 | 203.0 | 218.6 |
| MIN. POOL | | 412.5 | 414.0 | 418.0 |
| | 05 OCT 2012 | 419.4 (08:00) | 419.4 (08:00) | 419.4 (08:00) |
| | | 419.4 (14:00) | 419.4 (14:00) | 419.4 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (14,000 C.F.S.)

Survey Date: October 5, 2012

SUBMITTED:
Chief, Engr. Data Mngt. Sect.

Surveyed by: HANSON
Drawn by: RCA
Ckd by: RCA
Reviewed by:
APPROVED:
Chief, Geospatial Branch

File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
800 FEET
120
400
0
0
120
400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESOURCES SURVEYED, AS INDICATED BY THE SURVEY DATE SHOWN, AND MAY NOT BE AN ACCURATE REPRESENTATION OF THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

ILLINOIS

MISSOURI

DIKE 212.7(L)

DIKE 212.3(L)

DIKE 212.0(L)

DIKE 211.6(L)

DIKE 211.3(L)

DIKE 211.2(L)

DIKE 212.9(R)

DIKE 212.4(R)

DIKE 212.2(R)

1-5" SUBMARINE COMM. CABLES

1-5" SUBMARINE COMM. CABLES

IL-100

100

N

E 554000

E 552000

E 550000

E 548000

E 546000

E 544000

E 542000

N 1130000

N 1128000

N 1126000

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | 201.1 | 203.0 | 218.6 |
| MIN. POOL | | 412.5 | 414.0 | 418.0 |
| 05 OCT 2012 | | 419.4 (08:00) | 419.4 (08:00) | 419.4 (08:00) |
| | | 419.4 (14:00) | 419.4 (14:00) | 419.4 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 SUMMER POOL (34,000 C.F.S.)

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

Surveyed by: HANSON
Survey Date: October 5, 2012
Drawn by: RCA
Ckd by: RCA
SUBMITTED:
Chief, Engr. Data Mngt. Sect.
Reviewed by:
File name: 241_20120512.dgn
APPROVED:
Plot date: October 8, 2012
Plot scale: 1"=400'
Chief, Geospatial Branch

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN
MISSISSIPPI RIVER

240 METERS
800 FEET
0 120 400
120 400

THE MAP INFORMATION REPRESENTED ON THIS MAP REFLECTS THE CONDITIONS AT THE TIME OF THE SURVEY AND IS SUBJECT TO CHANGE AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER

IL-100

ILLINOIS

N

DIKE 211.3(L)

DIKE 211.2(L)

DIKE 210.0(L)

DIKE 209.2(L)

DIKE 209.3(L)

DIKE 209.2 (R)

N 1130000

N 1128000

N 1126000

N 1124000

E 552000

E 554000

E 556000

E 558000

E 560000

E 562000

PIASA ISLAND

EAGLES NEST ISLAND

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | 201.1 | 203.0 | 218.6 |
| MIN. POOL | | 412.5 | 414.0 | 418.0 |
| | 05 OCT 2012 | 419.4 (08:00) | 419.4 (08:00) | 419.4 (08:00) |
| | | 419.4 (14:00) | 419.4 (14:00) | 419.4 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1958-37 MINIMUM POOL (14,000 C.F.S.)

Survey Date: October 5, 2012

SUBMITTED:

Chief, Engr. Data Mngt. Sect.

File name: 241_20120502.dgn

Plot date: October 8, 2012

Plot scale: 1"=400'

Surveyed by: HANSON

Drawn by: RCA

Ckd by: RCA

Reviewed by:

APPROVED:

Chief, Geospatial Branch

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
800 FEET

THE INFORMATION REPRESENTED ON THIS MAP REPRESENTS THE RESULTS OF A SURVEY CONDUCTED ON THE DATE AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER




PLATE NUMBER

120 0 120 240 METERS
400 0 400 800 FEET

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

| | | | |
|---|---|---|---|
| Surveyed by: HANSON | | Survey Date: October 5, 2012 | |
| Drawn by: RCA | Ckd by: RCA | SUBMITTED: | |
| Reviewed by: | | Chief, Engr. Data Mngt. Sect. | |
| APPROVED: | | File name: 241_20120512.dgn | |
| Chief, Geospatial Branch | | Plot date: October 8, 2012<br>Plot scale: 1"=400' | |

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | 201.1 | 203.0 | 218.6 |
| MIN POOL | | 412.5 | 414.0 | 418.0 |
| | | | | |
| | 05 OCT 2012 | 419.4 (08:00) | 419.4 (08:00) | 419.4 (08:00) |
| | | 419.4 (14:00) | 419.4 (14:00) | 419.4 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (54,000 C.F.S.)

US Army Corps of Engineers St. Louis District

ILLINOIS

MISSOURI

DIKE 205.5(L)

DIKE 205.2(L)

DIKE 207.2 (R)

DIKE 206.8(R)

DIKE 206.4(R)

DIKE 205.9(R)

DIKE 205.6(R)

207

206

205

BRICK HOUSE SLOUGH

LANDING

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

N 1120000
N 1118000
N 1116000
N 1114000
E 564000
E 572000
E 580000
E 588000
E 596000

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | 201.1 | 203.0 | 218.6 |
| MIN. POOL | | 412.5 | 414.0 | 418.0 |
| 05 OCT 2012 | | 419.4 (08:00) | 419.4 (08:00) | 419.4 (08:00) |
| | | 419.4 (14:00) | 419.4 (14:00) | 419.4 (14:00) |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1956-57 MANUAL POOL (54,000 CFS)

US Army Corps of Engineers
St. Louis District

Surveyed by: HANSON
Survey Date: October 5, 2012
Drawn by: RCA
Ckd by: RCA
Submitted: Chief, Engr. Data Mngt. Sect.
Reviewed by:
File name: 241_20120502.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'
APPROVED: Chief, Geospatial Branch

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

240 METERS
800 FEET
120
400
0
0
120
400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE MISSISSIPPI RIVER AS SURVEYED ON THE DATE INDICATED AND IS INDICATIVE OF THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2 - 201.1

PLATE NUMBER

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

ILLINOIS

MISSOURI

TRAIL DIKE 204.4(R)

204

205

208

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

E. 592000
N. 1112000
N. 1110000
E. 588000
N. 1108000
E. 586000
E. 582000
E. 584000
N. 1114000
E. 580000

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | | 203.0 | 218.6 |
| MIN. POOL | | 412.5 | 414.0 | 418.0 |
| | 05 OCT 2012 | 419.4 (08:00) | 419.4 (08:00) | X |
| | | 419.4 (14:00) | 419.4 (14:00) | |

ELEVATIONS ARE REFERRED TO N.G.V.D. - CONTOURS ARE BELOW 1958-37 MINIMUM POOL (54,000 C.F.S.)

Surveyed by: HANSON
Drawn by: RCA
Ckd by: RCA
Reviewed by:
APPROVED:
Survey Date: October 5, 2012
SUBMITTED:
Chief, Engr. Data Mngt. Sect.
File name: 241_20120512.dgn
Plot date: October 8, 2012
Plot scale: 1"=400'
Chief, Geospatial Branch

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN
MISSISSIPPI RIVER

240 METERS
800 FEET
120 0 120 400
0 400

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS PERFORMED BY THE ST. LOUIS DISTRICT AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2 - 201.1

PLATE NUMBER

ILLINOIS

MISSOURI

DIKE 202.0(L)

DIKE 202.5(R)

DIKE 202.3(R)

ELLIS ISLAND

ALTON SLOUGH

SKINNY

CLARK HIGHWAY BRIDGE

BRIDGE PIER

MEL PRICE LOCK & DAM

201

202

203

143

67

N

E 600000

N 1106000

N 1104000

N 1102000

N 1100000

N 1098000

N 1096000

N 1094000

N 1092000

N 1090000

N 1088000

N 1086000

N 1084000

N 1082000

N 1080000

N 1078000

N 1076000

N 1074000

N 1072000

N 1070000

N 1068000

N 1066000

N 1064000

E 598000

E 596000

E 594000

E 592000

E 590000

E 588000

E 586000

E 584000

E 582000

E 580000

E 578000

E 576000

E 574000

E 572000

E 570000

E 568000

E 566000

E 564000

E 562000

E 560000

E 558000

E 556000

E 554000

E 552000

E 550000

E 548000

E 546000

E 544000

E 542000

E 540000

E 538000

E 536000

E 534000

E 532000

E 530000

E 528000

E 526000

E 524000

E 522000

E 520000

E 518000

E 516000

E 514000

E 512000

E 510000

E 508000

E 506000

E 504000

E 502000

E 500000

E 498000

E 496000

E 494000

E 492000

E 490000

E 488000

E 486000

E 484000

E 482000

E 480000

E 478000

E 476000

E 474000

E 472000

E 470000

E 468000

E 466000

E 464000

E 462000

E 460000

E 458000

E 456000

E 454000

E 452000

E 450000

E 448000

E 446000

E 444000

E 442000

E 440000

E 438000

E 436000

E 434000

E 432000

E 430000

E 428000

E 426000

E 424000

E 422000

E 420000

E 418000

E 416000

E 414000

E 412000

E 410000

E 408000

E 406000

E 404000

E 402000

E 400000

E 398000

E 396000

E 394000

E 392000

E 390000

E 388000

E 386000

E 384000

E 382000

E 380000

E 378000

E 376000

E 374000

E 372000

E 370000

E 368000

E 366000

E 364000

E 362000

E 360000

E 358000

E 356000

E 354000

E 352000

E 350000

E 348000

E 346000

E 344000

E 342000

E 340000

E 338000

E 336000

E 334000

E 332000

E 330000

E 328000

E 326000

E 324000

E 322000

E 320000

E 318000

E 316000

E 314000

E 312000

E 310000

E 308000

E 306000

E 304000

E 302000

E 300000

E 298000

E 296000

E 294000

E 292000

E 290000

E 288000

E 286000

E 284000

E 282000

E 280000

E 278000

E 276000

E 274000

E 272000

E 270000

E 268000

E 266000

E 264000

E 262000

E 260000

E 258000

E 256000

E 254000

E 252000

E 250000

E 248000

E 246000

E 244000

E 242000

E 240000

E 238000

E 236000

E 234000

E 232000

E 230000

E 228000

E 226000

E 224000

E 222000

E 220000

E 218000

E 216000

E 214000

E 212000

E 210000

E 208000

E 206000

E 204000

E 202000

E 200000

E 198000

E 196000

E 194000

E 192000

E 190000

E 188000

E 186000

E 184000

E 182000

E 180000

E 178000

E 176000

E 174000

E 172000

E 170000

E 168000

E 166000

E 164000

E 162000

E 160000

E 158000

E 156000

E 154000

E 152000

E 150000

E 148000

E 146000

E 144000

E 142000

E 140000

E 138000

E 136000

E 134000

E 132000

E 130000

E 128000

E 126000

E 124000

E 122000

E 120000

E 118000

E 116000

E 114000

E 112000

E 110000

E 108000

E 106000

E 104000

E 102000

E 100000

E 98000

E 96000

E 94000

E 92000

E 90000

E 88000

E 86000

E 84000

E 82000

E 80000

E 78000

E 76000

E 74000

E 72000

E 70000

E 68000

E 66000

E 64000

E 62000

E 60000

E 58000

E 56000

E 54000

E 52000

E 50000

E 48000

E 46000

E 44000

E 42000

E 40000

E 38000

E 36000

E 34000

E 32000

E 30000

E 28000

E 26000

E 24000

E 22000

E 20000

E 18000

E 16000

E 14000

E 12000

E 10000

E 8000

E 6000

E 4000

E 2000

E 0

N 1108000

N 1106000

N 1104000

N 1102000

N 1100000

N 1098000

N 1096000

N 1094000

N 1092000

N 1090000

N 1088000

N 1086000

N 1084000

N 1082000

N 1080000

N 1078000

N 1076000

N 1074000

N 1072000

N 1070000

N 1068000

N 1066000

N 1064000

N 1062000

N 1060000

N 1058000

N 1056000

N 1054000

N 1052000

N 1050000

N 1048000

N 1046000

N 1044000

N 1042000

N 1040000

N 1038000

N 1036000

N 1034000

N 1032000

N 1030000

N 1028000

N 1026000

N 1024000

N 1022000

N 1020000

N 1018000

N 1016000

N 1014000

N 1012000

N 1010000

N 1008000

N 1006000

N 1004000

N 1002000

N 1000000

N 998000

N 996000

N 994000

N 992000

N 990000

N 988000

N 986000

N 984000

N 982000

N 980000

N 978000

N 976000

N 974000

N 972000

N 970000

N 968000

N 966000

N 964000

N 962000

N 960000

N 958000

N 956000

N 954000

N 952000

N 950000

N 948000

N 946000

N 944000

N 942000

N 940000

N 938000

N 936000

N 934000

N 932000

N 930000

N 928000

N 926000

N 924000

N 922000

N 920000

N 918000

N 916000

N 914000

N 912000

N 910000

N 908000

N 906000

N 904000

N 902000

N 900000

N 898000

N 896000

N 894000

N 892000

N 890000

N 888000

N 886000

N 884000

N 882000

N 880000

N 878000

N 876000

N 874000

N 872000

N 870000

N 868000

N 866000

N 864000

N 862000

N 860000

N 858000

N 856000

N 854000

N 852000

N 850000

N 848000

N 846000

N 844000

N 842000

N 840000

N 838000

N 836000

N 834000

N 832000

N 830000

N 828000

N 826000

N 824000

N 822000

N 820000

N 818000

N 816000

N 814000

N 812000

N 810000

N 808000

N 806000

N 804000

N 802000

N 800000

N 798000

N 796000

N 794000

N 792000

N 790000

N 788000

N 786000

N 784000

N 782000

N 780000

N 778000

N 776000

N 774000

N 772000

N 770000

N 768000

N 766000

N 764000

N 762000

N 760000

N 758000

N 756000

N 754000

N 752000

N 750000

N 748000

N 746000

N 744000

N 742000

N 740000

N 738000

N 736000

N 734000

N 732000

N 730000

N 728000

N 726000

N 724000

N 722000

N 720000

N 718000

N 716000

N 714000

N 712000

N 710000

N 708000

N 706000

N 704000

N 702000

N 700000

N 698000

N 696000

N 694000

N 692000

N 690000

N 688000

N 686000

N 684000

N 682000

N 680000

N 678000

N 676000

N 674000

N 672000

N 670000

N 668000

N 666000

N 664000

N 662000

N 660000

N 658000

N 656000

N 654000

N 652000

N 650000

N 648000

N 646000

N 644000

N 642000

N 640000

N 638000

N 636000

N 634000

N 632000

N 630000

N 628000

N 626000

N 624000

N 622000

N 620000

N 618000

N 616000

N 614000

N 612000

N 610000

N 608000

N 606000

N 604000

N 602000

N 600000

N 598000

N 596000

N 594000

N 592000

N 590000

N 588000

N 586000

N 584000

N 582000

N 580000

N 578000

N 576000

N 574000

N 572000

N 570000

N 568000

N 566000

N 564000

N 562000

N 560000

N 558000

N 556000

N 554000

N 552000

N 550000

N 548000

N 546000

N 544000

N 542000

N 540000

N 538000

N 536000

N 534000

N 532000

N 530000

N 528000

N 526000

N 524000

N 522000

N 520000

N 518000

N 516000

N 514000

N 512000

N 510000

N 508000

N 506000

N 504000

N 502000

N 500000

N 498000

N 496000

N 494000

N 492000

N 490000

N 488000

N 486000

N 484000

N 482000

N 480000

N 478000

N 476000

N 474000

N 472000

N 470000

N 468000

N 466000

N 464000

N 462000

N 460000

N 458000

N 456000

N 454000

N 452000

N 450000

N 448000

N 446000

N 444000

N 442000

N 440000

N 438000

N 436000

N 434000

N 432000

N 430000

N 428000

N 426000

N 424000

N 422000

N 420000

N 418000

N 416000

N 414000

N 412000

N 410000

N 408000

N 406000

N 404000

N 402000

N 400000

N 398000

N 396000

N 394000

N 392000

N 390000

N 388000

N 386000

N 384000

N 382000

N 380000

N 378000

N 376000

N 374000

N 372000

N 370000

N 368000

N 366000

N 364000

N 362000

N 360000

N 358000

N 356000

N 354000

N 352000

N 350000

N 348000

N 346000

N 344000

N 342000

N 340000

N 338000

N 336000

N 334000

N 332000

N 330000

N 328000

N 326000

N 324000

N 322000

N 320000

N 318000

N 316000

N 314000

N 312000

N 310000

N 308000

N 306000

N 304000

N 302000

N 300000

N 298000

N 296000

N 294000

N 292000

N 290000

N 288000

N 286000

N 284000

N 282000

N 280000

N 278000

N 276000

N 274000

N 272000

N 270000

N 268000

N 266000

N 264000

N 262000

N 260000

N 258000

N 256000

N 254000

N 252000

N 250000

N 248000

N 246000

N 244000

N 242000

N 240000

N 238000

N 236000

N 234000

N 232000

N 230000

N 228000

N 226000

N 224000

N 222000

N 220000

N 218000

N 216000

N 214000

N 212000

N 210000

N 208000

N 206000

N 204000

N 202000

N 200000

N 198000

N 196000

N 194000

N 192000

N 190000

N 188000

N 186000

N 184000

N 182000

N 180000

N 178000

N 176000

N 174000

N 172000

N 170000

N 168000

N 166000

N 164000

N 162000

N 160000

N 158000

N 156000

N 154000

N 152000

N 150000

N 148000

N 146000

N 144000

N 142000

N 140000

N 138000

N 136000

N 134000

N 132000

N 130000

N 128000

N 126000

N 124000

N 122000

N 120000

N 118000

N 116000

N 114000

N 112000

N 110000

N 108000

N 106000

N 104000

N 102000

N 100000

N 98000

N 96000

N 94000

N 92000

N 90000

N 88000

N 86000

N 84000

N 82000

N 80000

N 78000

N 76000

N 74000

N 72000

N 70000

N 68000

N 66000

N 64000

N 62000

N 60000

N 58000

N 56000

N 54000

N 52000

N 50000

N 48000

N 46000

N 44000

N 42000

N 40000

N 38000

N 36000

N 34000

N 32000

N 30000

N 28000

N 26000

N 24000

N 22000

N 20000

N 18000

N 16000

N 14000

N 12000

N 10000

N 8000

N 6000

N 4000

N 2000

N 0

OCTOBER 5, 2012
INTERPOLATED WATER SURFACE

| MILE | MIN POOL | WS | DIFF |
|---|---|---|---|
| 241.0 | 418.49 | 419.9 | -1.4 |
| 240.0 | 418.46 | 419.9 | -1.4 |
| 239.0 | 418.43 | 419.8 | -1.4 |
| 238.0 | 418.40 | 419.8 | -1.4 |
| 237.0 | 418.37 | 419.8 | -1.4 |
| 236.0 | 418.34 | 419.7 | -1.4 |
| 235.0 | 418.31 | 419.7 | -1.4 |
| 234.0 | 418.28 | 419.7 | -1.4 |
| 233.0 | 418.25 | 419.7 | -1.4 |
| 232.0 | 418.21 | 419.6 | -1.4 |
| 231.0 | 418.18 | 419.6 | -1.4 |
| 230.0 | 418.15 | 419.6 | -1.4 |
| 229.0 | 418.12 | 419.5 | -1.4 |
| 228.0 | 418.10 | 419.5 | -1.4 |
| 227.0 | 418.09 | 419.5 | -1.4 |
| 226.0 | 418.08 | 419.5 | -1.4 |
| 225.0 | 418.07 | 419.5 | -1.4 |
| 224.0 | 418.06 | 419.5 | -1.4 |
| 223.0 | 418.05 | 419.4 | -1.4 |
| 222.0 | 418.04 | 419.4 | -1.4 |
| 221.0 | 418.02 | 419.4 | -1.4 |
| 220.0 | 418.01 | 419.4 | -1.4 |
| 219.0 | 418.00 | 419.4 | -1.4 |
| 218.0 | 417.85 | 419.4 | -1.5 |
| 217.0 | 417.59 | 419.4 | -1.8 |
| 216.0 | 417.33 | 419.4 | -2.1 |
| 215.0 | 417.08 | 419.4 | -2.3 |
| 214.0 | 416.82 | 419.4 | -2.6 |
| 213.0 | 416.56 | 419.4 | -2.8 |
| 212.0 | 416.31 | 419.4 | -3.1 |
| 211.0 | 416.05 | 419.4 | -3.3 |
| 210.0 | 415.79 | 419.4 | -3.6 |
| 209.0 | 415.54 | 419.4 | -3.9 |
| 208.0 | 415.28 | 419.4 | -4.1 |
| 207.0 | 415.03 | 419.4 | -4.4 |
| 206.0 | 414.77 | 419.4 | -4.6 |
| 205.0 | 414.51 | 419.4 | -4.9 |
| 204.0 | 414.26 | 419.4 | -5.1 |
| 203.0 | 414.00 | 419.4 | -5.4 |
| 202.0 | 413.21 | 419.4 | -6.2 |

Channel Survey sounded by
Hanson Professional Services Inc.
October 5, 2012

Depths shown in red are 9' below Min Pool
Depths shown in green are 12' below Min Pool
Depths shown in blue are 14' below Min Pool

PRELIMINARY

US Army Corps of Engineers
St. Louis District

GAGE RECORD

| | WATER SURFACE | MEL PRICE L&D (U) | ALTON, IL | GRAFTON |
|---|---|---|---|---|
| ZERO N.G.V.D. | | 395.5 | 400.0 | 403.8 |
| MILE | | 201.1 | 203.0 | 218.6 |
| MIN. POOL | | 412.5 | 414.0 | 418.0 |
| | 05 OCT 2012 | 419.4 (08:00) | 419.4 (08:00) | X |
| | | 419.4 (14:00) | 419.4 (14:00) | |

ELEVATIONS ARE REFERRED TO NGVD - CONTOURS ARE BELOW 1956-57 MINIMUM POOL (54,000 C.F.S.)

| | | | |
|---|---|---|---|
| Surveyed by: HANSON | Survey Date: October 5, 2012 | | |
| Drawn by: RCA | Ckd by: RCA | SUBMITTED: Chief, Engr. Data Mngt. Sect. | |
| Reviewed by: | | File name: 241_20120502.dgn | |
| APPROVED: Chief, Geospatial Branch | | Plot date: October 8, 2012 | |
| | | Plot scale: 1"=400' | |

U.S. ARMY ENGINEER DIVISION
CORPS OF ENGINEERS
ST. LOUIS, MISSOURI

UPPER MISSISSIPPI RIVER BASIN

MISSISSIPPI RIVER

249 METERS
800 FEET
120
400
0
0
120
400

THE HORIZONTAL POSITIONS ON THIS MAP REPRESENT THE ROUGHNESS OF THE RIVERBED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME

CHANNEL SURVEY
MILE: 241.2-201.1

PLATE NUMBER