

**2011**  
**SHELBYVILLE LAKE**  
**WATER QUALITY**  
**REPORT**



U.S. ARMY CORPS OF ENGINEERS, ST. LOUIS DISTRICT  
ENVIRONMENTAL ENGINEERING SECTION – WATER QUALITY

## Table of Contents

### Water Quality Report-Shelbyville Lake

#### Section and Page No.

1.0 GENERAL OVERVIEW.....	pg. 1
2.0 WATER QUALITY ASSESSMENT CRITERIA.....	pg. 4
3.0 SUMMARY OF MONITORING RESULTS.....	pg. 9
4.0 PLANNED 2012 STUDIES .....	pg. 11

#### List of Figures & Tables

Figure 1: Lake Map.....	pg. 3
Table 2.1 State of Illinois - Water Quality Standards .....	pg. 4

#### Appendix

Appendix A: Data .....	pg. A1-A22
Appendix B: Laboratory Data Graphs	
E. Coliform .....	pg. B1
Metals (Iron & Manganese).....	pg. B2
Nitrogen (NH <sub>3</sub> -N & NO <sub>3</sub> -NO <sub>2</sub> ).....	pg. B3-B4
Orthophosphate & Total Phosphate .....	pg. B5-B6
Chlorophyll & Pheophytin.....	pg. B7
Pesticides.....	pg. B8-B9
TSS & VSS .....	pg. B10-B11
TOC.....	pg. B12-B13
Appendix C: Field Data Graphs	
Temperature & DO .....	pg. C1-C4
pH.....	pg. C5-C8
Redox & Conductivity .....	pg. C9-C12
Secchi.....	pg. C13
Annual TW D.O. ....	pg. C14

### **Executive Summary**

The purpose of this report is to provide an annual analysis of the water quality in the lake for the past year. Shelbyville Lake is a multi-purpose reservoir located on the Kaskaskia River, one-half mile east and one-fourth mile north of the town of Shelbyville, Illinois and 120 miles northeast of St. Louis. The lake is 20 miles long and is 1 to 1.5 miles wide and has approximately 11,100 acres of water surface at summer pool. The lake is located on the Kaskaskia River at river mile 222 upstream from its confluence with the Mississippi River.

The water of Shelbyville Lake and the downstream river channel is generally good. The lake is a shallow reservoir susceptible to high winds. These conditions prevent the lake from stratifying for long periods during the summer months. Several years ago a remote sensor was installed on the spillway wall to allow the project as well as water quality personnel to remotely monitor temperature and oxygen readings to avoid fish kills by changing release rates. No fish kills were observed during this past year.

All sampling sites met the appropriate state standards during 2011 except E. coli readings at Sullivan and Findlay in April and the phosphorous levels. Sullivan beach exceeded the state standard for E. coli in June. Phosphorous levels have exceeded the state standard on a routine basis. Generally the tailwater and lake phosphorous levels are lower than the incoming tributary flows, which indicates that the lake is sinking the phosphorous. This is also occurring with nitrogen. The project area has several pollution potentials, with agriculture probably being the major contributor, but at present time, no major form of degradation to the lake or streams is apparent. Constant water quality monitoring will continue to check future degradation of the watershed.

# **WATER QUALITY MONITORING PROGRAM**

## **1.0 GENERAL OVERVIEW**

This report summarizes water quality activities of the St. Louis District for Fiscal Year 2011 in accordance with ER 1110-2-8154 Water Quality & Environmental management for Corps Civil Works Projects and ETL 1110-2-362 Environmental Engineering Initiatives for Water Management.

Water quality monitoring remains one of the Sections major responsibilities. The objective is to maintain a reasonable environmental monitoring program for the Mississippi River and the 5 lakes under the St. Louis District's control. The District's reservoirs consist of Mark Twain and Wappapello Lakes in Missouri, and Shelbyville, Carlyle and Rend Lakes in Illinois. Water quality sampling is conducted within the lakes and their tributaries to establish trend analysis and maintain water quality at or above state and federal regulations.

The main objective is to provide technical expertise of an environmental nature to all Corps elements requesting assistance in accordance with ER 1110-2-8154. This would include updating the water quality management priorities for the district's projects to ensure water quality meets the state and federal regulations, for protection of human health and the environment, and for the safety and economic welfare of those at Corps projects. Ongoing goals include ensuring that downstream water quality meets all state and federal regulations, is suitable for aquatic and human life, and continue to evaluate trend analysis in relation to baseline conditions at all projects.

Water quality data is provided to the Illinois Environmental Protection Agency (IEPA) to be used in the Illinois Integrated Water Quality Report which is required every two years by the Clean Water Act Sections 303(d) and 305(b). IEPA does not monitor Shelbyville Lake. However, IEPA has stated that since the Corps lakes are the 3 largest lakes in the state, it is critical that their quality be routinely assessed. The state indicated that having the federally collected water quality data available now and in the future is critical to the state of Illinois meeting their mission in complying with the Clean Water Act Sections 305(b) and 303(d).

The National Water Quality Inventory Report to Congress 305(b) report is the primary vehicle for informing Congress and the public about general water quality conditions in the United States. This document characterizes our water quality, identifies widespread water quality problems of national significance, and describes various programs implemented to restore and protect our waters.

Under Section 303(d) of the 1972 Clean Water Act, states, territories and authorized tribes are required to develop a list of water quality limited segments. These waters on the list do not meet water quality standards, even after point sources of pollution have installed the minimum required levels of pollution control technology. The law requires that these jurisdictions establish priority rankings for water on the lists and develop action plans, called as Total Maximum Daily Loads (TMDL), to improve water quality.

Currently the Illinois Environmental Protection Agency (IEPA) has listed Shelbyville Lake impaired for Total Suspended Solids and aquatic plants. The lists of sources for these impairments are runoff, crop production, shore modifications, and recreational pollution. Continued monitoring of the lake and its tributaries is vital in assisting the future assessment of the lake for these and other possible impairments. The water quality monitoring program represents the single metric that encompasses the overall health of the watershed as it is a direct measure of how well the environmental stewardship programs are working.

## **1.1 INTRODUCTION**

Shelbyville Lake is within the Kaskaskia River basin in central Illinois. The lake serves as a heavy recreational usage lake. The land surrounding the lake is used predominately for agriculture. Surrounding communities have existing industrial/commercial operations and residents which discharge wastewater into municipal wastewater treatment plants which ultimately discharge treated water into the Kaskaskia River basin. Agricultural runoff and municipal wastewater treatment facilities are the primary potential source of pollution into the Shelbyville Lake watershed. Additional sources are marinas, recreational watercraft discharges and wildlife fecal material runoff.

Water quality monitoring was conducted during 2011 to assure the safe conditions for human recreation, wildlife and aquatic life was maintained and managed within the lake system. In 2011 4 sampling events were conducted at 6 sites. The 2011 water quality monitoring program began in March and continued through September. During the past couple of years, water quality monitoring has been reduced due to funding. Previous to 2009 five sampling events were conducted during the recreational season. In the initial phase of the sampling program during the 1970's and 80's six or seven sampling events were conducted. A restored number of sampling events would provide the ability to better evaluate water quality trends, to better defend project operations (lake levels, releases, maintenance projects, construction projects, etc.), to better confirm that we meet state water quality standards, and to better confirm that human health and safety are adequately protected. During each sampling period one site was selected for quality control duplication and denoted as SBV-15. The locations of the six sampling sites are depicted on the lake map in Figure 1.




Figure 1  
Location of sample sites

## 2.0 WATER QUALITY ASSESSMENT CRITERIA

### 2.1 Water Quality

The water quality assessment criteria were based upon the State of Illinois regulatory limits for certain contaminants, which has been generally accepted criteria for sustaining adequate aquatic plant and animal growth. The samplings and analysis which were conducted at the Shelbyville Lake sites reflect the minimal set of parameters needed to analyze the current status of water quality for the Shelbyville Lake system.

The following parameters were analyzed in the Fiscal Year 2011 samplings at Shelbyville Lake: Total Organic Carbon (TOC), iron, manganese, ammonia-nitrogen, nitrate-nitrogen, orthophosphate, total phosphate, Total Suspended Solids (TSS), Total Volatile Suspended Solids (TVSS), fecal coliform, pH, temperature, dissolved oxygen, specific conductance, oxidation-reduction potential (ORP), chlorophyll, pheophytin-a, pesticides and herbicides,

The Illinois Environmental Protection Agency in Title 35, Subtitle, C, classifies water quality criteria based on end usage. Subpart B contains regulations for general use water, while subparts C and D delineate those for public and food processing water and secondary contact and indigenous aquatic life standards, respectively. These standards are used to determine the aquatic water quality of the lake. Table 2.1 provides a listing of the regulatory limits for the parameters analyzed where a limit has been established.

<b>PARAMETER</b>	<b>LIMIT</b>
Temperature	Rise of 2.8°C above normal seasonal temp
Ammonia Nitrogen	15 mg/L
Nitrate Nitrogen	10 mg/L
Total Iron	2.0 mg/L (2 <sup>nd</sup> Contact & Aquatic Life)
Manganese	1.0 mg/L
Total Phosphate	0.05 mg/L Lakes; 0.61 mg/L Streams
E. Coli	Illinois standard is 235 E. coli per 100ml for single sample or 126 for geometric mean.
pH	Range: 6.5 to 9.0
DO	> 5.0 mg/L
Conductivity	1,667 $\mu$ S/cm $\approx$ TDS of 1,000 mg/L
Total Suspended Solids (TSS)	116mg/L (Streams); $\geq$ 12mg/L (Lakes)
Atrazine	0.003 mg/L <sup>1</sup> ; 82 $\mu$ g/L <sup>2</sup> ; 9 $\mu$ g/L <sup>3</sup>
Alachlor	0.002 mg/L (Drinking Water Standard)
Cyanazine	370 $\mu$ g/L Acute; 30 $\mu$ g/L <sup>3</sup>
Metolachlor	1.7mg/L Acute
Simazine	4.0 $\mu$ g/L <sup>1</sup>
Trifluralin	26 $\mu$ g/L Acute; 1.1 $\mu$ g/L <sup>3</sup>

Pendimethalin (PROWL)	70ug/L HSBL, 20ug/L <sup>1</sup>
-----------------------	----------------------------------

<sup>1</sup> Drinking Water Standard

<sup>2</sup> Acute

<sup>3</sup> Chronic

Health Based Screening Levels (HSBL)

Nitrogen is an essential component of proteins, genetic material, chlorophyll, and other key organic molecules. All organisms require nitrogen in order to survive. Nitrogen exists in several forms. These forms include gaseous nitrogen (N<sub>2</sub>), nitrites (NO<sub>2</sub>), nitrate (NO<sub>3</sub>), ammonia nitrogen (NH<sub>3</sub>-N), and ammonium (NH<sub>4</sub>). Ammonia can be toxic to fish and other aquatic organisms at certain levels. Unlike ammonia, ammonium (NH<sub>4</sub>) is not toxic to aquatic organisms and is readily available for uptake by plankton and macrophytes. Nitrogen levels have increased as human activities have accelerated the rate of fixed nitrogen being put into circulation. High nitrogen levels can cause eutrophication. Eutrophication increases biomass of phytoplankton, decrease water transparency, and causes oxygen depletion. Ammonia nitrogen is monitored so that the effects on fish spawning, hatching, growth rate and pathologic changes in gills, liver and kidney tissue can be related to the detected levels of ammonia nitrogen. Nitrate-nitrogen degrades to nitrite or produces ammonia which has a detrimental effect on aquatic life and, therefore, has been monitored to assure levels are below the regulatory "safe" limit.

Phosphate has been analyzed as phosphorus and has been monitored due to the potential for uptake by nuisance algae. Levels of phosphate can indicate the potential for rapid growth of algae (algae bloom) which can cause serious oxygen depletion during the algae decay process. Phosphorous is typically the limiting nutrient in a water body. Therefore, addition of phosphorous to the ecosystem stimulates the growth of plants and algae. Phosphorous is delivered to lakes and streams by way of storm water runoff from agricultural fields, residential property, and construction sites. Other sources of phosphorous are anaerobic decomposition of organic matter, leaking sewer systems, waterfowl, and point source pollution. The general standard for phosphorous in lake water is 0.05mg/L. Dissolved phosphorous also called ortho-phosphorous is generally found in much smaller concentrations than total phosphorous and is readily available for uptake. For this reason dissolved phosphorous concentrations are variable and difficult to use as an indicator of nutrient availability.

The metals manganese and iron are nutrients for both plants and animals. Living organisms require trace amounts of metals. However, excessive amounts can be harmful to the organism. Heavy metals exist in surface waters in three forms, colloidal, particulate, and dissolved. Water chemistry determines the rate of adsorption and desorption of metals to and from sediment. Metals are desorbed from the sediment if the water experiences increases in salinity, decreases in redox potential, or decreases in pH. Metals in surface waters can be from natural or human sources. Currently human sources contribute more metals than natural sources. Metals levels in surface water may pose a health risk to humans and the environment.

Photosynthetic activity can be hindered by the levels of total suspended solids. Total suspended solids concentrations, which cause the photosynthetic activity to be reduced by more than 10% from the seasonably established norm, can have a detrimental effect on aquatic life. Soil particles, organic material, and other debris comprise suspended solids in the water column.



Secchi disk measurements are inverse to suspended solid measurements. As the total suspended solids (TSS) increase, the secchi disk depth or water transparency decreases. Total suspended solids can be an important indicator of the type and degree of turbidity. TSS measurements represent a combination of volatile suspended solids (VSS) which is comprised of organic material and nonvolatile suspended solids (NVSS) which is comprised of inorganic mineral particles in the water. In order to more accurately determine the types and amounts of suspended solids, volatile suspended solids (VSS) are analyzed. VSS concentration represents the organic portion of the total suspended solids. Organic material often includes plankton and additional plant and animal debris that is present in water. Total volatile solids indicate the presence of organics in suspension and, therefore, show additional demand levels of oxygen. Illinois recommends a TSS standard of 116mg/L for streams and  $\geq 12$ mg/L for lakes. Literature suggests that Nonvolatile Suspended Solids (NVSS) which is a subdivision of TSS above 15mg/L could highly impair recreational lake use and a NVSS of 3 to 7mg/L might cause slight impairment.

Chlorophyll and pheophytin-a are monitored to provide indicators of algae growth and, therefore, potential oxygen depletion activity. Chlorophyll is measured in lakes to estimate the type and amount of algal productivity in the water column. Chlorophyll a is present in green algae, blue-green algae, and in diatoms. Chlorophyll a is often used to indicate the degree of eutrophication. Chlorophyll b and c are used to estimate the extent of algal diversity and productivity. Chlorophyll b is common in green algae and is used as an auxiliary pigment for photosynthesis. Chlorophyll c is most common in diatom species and serves as an auxiliary pigment. Algal productivity and diversity can be determined by the concentrations of the individual pigments. For example high concentrations of chlorophyll a and b would indicate that green algae is abundant. High concentrations of chlorophyll a would indicate abundance of blue-green algae and concentrations of chlorophyll a and c would indicate diatoms are the dominant species. Chlorophyll production is currently being connected with hypoxia.

Fecal coliform bacteria is monitored for the protection of human health as it relates to full body contact of recreational waters. People can be exposed to disease-causing organisms, such as bacteria, viruses and protozoa in beach and recreational waters mainly through accidental ingestion of contaminated water or through skin contact. These organisms, called pathogens, usually come from the feces of humans and other warm-blooded animals. If taken into the body, pathogens can cause various illnesses and on rare occasions, even death. Waterborne illnesses include diseases resulting from bacteria infection such as cholera, salmonellosis, and gastroenteritis, viral infections such as hepatitis, gastroenteritis, and intestinal diseases, and protozoan infections such as ameobic dysentery and giardiasis. The most commonly monitored recreational water indicator organisms are fecal coliform, Escherichia coli, (E. coli) and enterococci. Fecal coliform are bacteria that live in the intestinal tracts of warm-blooded animals. The standard for fecal coliform is less than 500 colonies per 100ml of sample water. Fecal coliform was originally recommended in 1968 by the Federal Water Pollution Control Administration (predecessor to EPA) as an effective water quality indicator organism for recreational waters. Recent studies indicate that fecal coliform show less correlation to illness than other indicator organisms such as E. coli and enterococci. The Environmental Protection Agency (EPA) currently recommends E. coli or enterococci as an indicator organism for fresh waters. Since 2009 the St. Louis District has been using E. coli as the standard indicator.

Atrazine and Alachlor herbicides are commonly used agricultural chemicals which can be readily transported by rainfall runoff. Both compounds are suspected of causing cancer and, therefore, were monitored for the protection of human and aquatic health. Organic compounds include many pesticides. A pesticide can be any substance that is intended to prevent, destroy, repel, or mitigate any pest. This includes insecticides, herbicides, fungicides, fumigants, algaecides and other substances. Herbicides which are pesticides used to kill vegetation are the most widely used and sampled. Ten of the most frequently used herbicides and detected in water are Atrazine, Metolachlor, Alachlor, 2,4-D, Trifluralin, Glyphosate, Dicamba, Cyanazine, Simazine, and 2,4,5-T. Two of the most widely used pesticides are Atrazine and Alachlor. Atrazine is a preemergence or postemergence herbicide use to control broadleaf weeds and annual grasses. Atrazine is most commonly detected in ground and surface water due to its wide use, and its ability to persist in soil and move in water. Alachlor is a Restricted Use Pesticide (RUP) due to the potential to contaminate groundwater. The drinking water standard for Atrazine is 0.003mg/L and 0.002 mg/L for Alachlor.

Temperature, dissolved oxygen and pH are monitored for the protection of aquatic life. Temperature is important because it controls several aspects of water quality. Cold water holds more dissolved oxygen which is required by aquatic organisms. Plants grow more rapidly and use more oxygen in warmer water. Decomposition of organic matter which uses oxygen is accelerated in warmer water. Temperature can also determine the availability of toxic compounds such as ammonia. Since aquatic organisms are cold blooded, water temperature regulates their metabolism and ability to survive. The number and kinds of organisms that are found in streams or lakes is directly related to temperature. Certain organisms require a specific temperature range, such as trout, which require water temperatures below 20°C. Most aquatic organisms require a minimum concentration of dissolved oxygen to survive. In spring, surface waters of the lake mix with the water below through wind and thermal action. This mixing diminishes as the upper layer of water becomes warmer and less dense. Solar insolation during the summer months stratifies the lake into three zones. The upper warmer water zone is called the epilimnion and the lower cooler water zone is called the hypolimnion. The epilimnion and the hypolimnion zones are divided by a transition zone known as the metalimnion. The thermocline located within the metalimnion exhibits a rapid change in water temperature. During the summer months the hypolimnion may become anaerobic. In this anaerobic zone, chemical reduction of iron and manganese, or the production of methane and sulfides can occur. Iron rapidly oxidizes in aerobic environments, but manganese oxidizes slowly and can remain in the reduced state for long distances down stream even in aerobic environments. The degree of acidity of water is measured by a logarithmic scale ranging from 0 to 14 and is known as the pH scale. A reading of 7 indicates neutrality and readings below seven are acidic and above are alkaline. Most Illinois lakes range from 6 to 9 on the pH scale. The buffering capacity of water is the ability to neutralize acid better known as alkalinity. A high alkalinity concentration indicates an increased ability to neutralize pH and resist changes, whereas a low alkalinity concentration indicates that a water body is vulnerable to changes in pH.

Conductivity is a measure of a water's ability to conduct an electrical current. The ability to carry a current is often driven by the dissolved materials present in a water column. These materials can include dissolved ions and other materials in the water and thus are directly proportional to the concentration of total dissolved solids (TDS) present in the water column.

Typically TDS concentrations represent 50-60% of the conductivity measurements. Conductivity is also affected by water temperature. The warmer the water, the higher the conductivity. Conductivity in streams and rivers is affected by the geology of the area. Streams running through granite areas tend to have lower conductivity due to granite being composed of inert material, materials that do not ionize or dissolve into ionic compounds in water. On the other hand streams that run through areas of limestone or clay soils tend to have higher conductivity readings because of the presence of materials that ionize. Conductivity is useful as a general measure of water quality. A stream tends to have a relatively constant range of conductivity that once established can be used as a baseline. Significant changes either high or low might indicate a source of pollution has been introduced into the water. The pollution source could be a treatment plant which raises the conductivity or an oil spill which would lower the conductivity.

Redox or Oxidation-Reduction Potential (ORP) is a measurement to oxidize materials. Oxidation involves an exchange of electrons between 2 atoms. The atom that loses an electron is oxidized and the one that gains an electron is reduced. ORP sensors measure the electrochemical potential between the solution and a reference electrode. Readings are expressed in millivolts with positive readings indicating increased oxidizing potential and negative readings being increased reduction. The ORP probe is essentially a millivolt meter, measuring the voltage across 2 electrodes with the water in between. ORP values are used much like pH values to determine water quality. While pH readings characterize the state of a system relative to the receiving or donating hydrogen ions (base or acid), ORP readings characterize the relative state of losing or gaining electrons. The conversion of ammonia ( $\text{NH}_3$ ) requires an oxidizing environment to convert it into nitrites ( $\text{NO}_2$ ) and nitrates ( $\text{NO}_3$ ). Ammonia levels as low as 0.002mg/L can be harmful to fish. Generally ORP readings above 400mV are harmful to aquatic life. However, ORP is a non-specific measurement which is a reflection of a combination of effects of all the dissolved materials in the water. Therefore, the measurement of ORP in relatively clean water has only limited utility unless a predominant redox-active material is known to be present.

Water clarity is intuitively used by the public to judge water quality. Secchi depth has been used for many years as a limnological characterization tool for characterizing water clarity. Secchi depth is a measure of light penetration into a waterbody and is a function of the absorption and scattering of light in the water. There are three characteristics of water which affect the penetration of light. The three factors are the color of water, amount of phytoplankton in the water column, and amount of inorganic material in the water column. Secchi depth integrates the combined impacts of all the factors which influence water clarity. Water transparency was measured using a Secchi disk. Secchi disk readings were taken at all lake sites.

## **2.2 Sediment**

In accordance with EM-1110-2-1201, sediment samples should be taken to monitor and assess potential impacts to aquatic and human health. To assess ecological risk, sample values were compared against toxicity information published in the National Oceanic Atmospheric Administration (NOAA) Screening Quick Reference Tables (SQRT) or similar references for ecological receptors in freshwater sediment. Without standards or other widely applicable numerical tools, NOAA scientists found it difficult to estimate the possible toxicological

significance of chemical concentrations in sediment. Therefore, numerical sediment quality guidelines (SQG's) were developed as informal, interpretive tools. The SQGs were not promulgated as regulatory standards, but rather as informal, non-regulatory guidelines for interpreting chemical data from analyses of sediments. For potential ecological risk from inorganic contaminants, seven metals are typically of "most concern" with regards to fish and wildlife: Arsenic, Copper, Cadmium, Selenium, Mercury, Lead, and Zinc. Avian species are thought to be particularly sensitive to arsenic, but is also considered a carcinogenic, mutagenic, and teratogenic contaminant in a variety of species in elevated doses over time. Avian species are also known to be particularly sensitive to lead in the environment with effects ranging from mortality, reduced growth and reproductive output, behavior changes, blood chemistry alterations, and lesions of major organs. Finally, the embryo stages in fish and avian species are known to be the most sensitive life stage to selenium effecting reproductive success.

It is recommended that the next round of sediment samples focus on organochlorines in freshwater sediment to assess potential chronic aquatic impacts (e.g. aldrin, chlordane, endrin, endosulfan, DDT, methoxychlor).

For potential human health risk, there are no known values in Illinois for sediments. While not a direct correlation, sample results were compared against Illinois Tiered Approach to Corrective Action Objectives (TACO) and Non-TACO lowest default target levels for all soil types and exposure pathways for soils.

### **3.0 SUMMARY OF MONITORING RESULTS**

#### **3.1 Water Quality Summary**

The monitoring program for Shelbyville Lake during Fiscal Year 2011 revealed good water quality when compared to limits established by the Illinois Environmental Protection Agency (IEPA) for general use, secondary contact, and indigenous aquatic life. Normally seasonal change brings on gradual lake stratification during the summer months. Water quality trends on a yearly basis are hard to determine when only conducting 4 sampling events. However, over the course of a 5 year period these 4 sampling events per year are adequate to determine trends in water quality. Agricultural nutrient runoffs were primary concerns for the lake's water quality. Better land management practices, erosion control and buffering zones are methods used to reduce such contaminants from entering the lake. The St. Louis District Environmental Engineering Section participates in the annual Kaskaskia Watershed Summit which provides information about the condition of the entire watershed.

E. coli are sampled at the marinas to ensure that the marina areas are not being contaminated by boats with restroom facilities. E. coli levels were below the Illinois standard of 235 mpn/100ml except at Findlay and Sullivan Marinas during the April sampling. This may be due to the number of gulls in the area at this time of year and the 0.81 inches of rain that fell in the previous 48 hours. The results of the samples are not received for 30 days after the samples are taken. The project office was not notified of the result because of the delay in obtaining the results, fishing and swimming are not allowed in the marina areas, and samples are taken to determine if there is a re-occurring issue. In the future, the project office will be notified as soon

as any readings not meeting standards are received. Two samples at each beach are collected by the project every 2 weeks during the recreation season. All beaches were below the 235 standard during the recreational season except Sullivan Beach on June 22, 2011, in which one of the samples had a reading of 1,732.9. The cause for this high reading is most likely from a heavy rainfall (2.5") that occurred on June 19, 2011. The Illinois Department of Public Health requires additional sampling if one of the two samples exceed the allowable limits. Re-sampling was conducted and the Illinois Department of Health gave Sullivan Beach a clean bill of health on July 1, 2011.

Total iron and total manganese are sampled above the dam near the bottom of the channel (SBV-2-10) and in the spillway area (SBV-1). As was previously stated living organisms require trace amounts of metals, however excessive amounts can be harmful to the organism. Manganese did not exceed the IL standard of 1.0mg/L for general use. Iron cycling is a function of oxidation-reduction processes. Elevated levels of iron near the bottom of a lake is not an immediately detrimental to the overall lake system. Iron oxidizes relatively rapidly (minutes to hours); therefore any iron released through the spillway will be oxidized in a short period of time. Illinois does not currently have a general use standard for iron.

Nitrogen and phosphates are sampled at all sites. As for the past several years the 2011 phosphate results at all sites are above the 0.05 mg/L standard at one time or another during the sampling season. These higher levels may be contributed to application of fertilizers and/or rain events. The tributaries contribute high levels of phosphates into the lake. However, the lake reduces these amounts by consuming phosphate before it is discharged downstream through the dam. In effect the lake is improving water quality. Phosphorous in water is not considered directly toxic to humans and animals therefore, no drinking water standards have been established for phosphorous. However, phosphorous can cause health threats through the stimulation of toxic algal blooms and the resulting oxygen depletion. Nitrates can pose a threat to human and animal health. Nitrate in water is toxic at high levels and has been linked to toxic effects of livestock and to blue baby disease (methemoglobinemia) in infants. The Maximum Contaminant Level (MCL) for nitrate-N in drinking water is 10mg/L to protect babies 3 to 6 months of age. The Illinois Water Quality Standard for ammonia nitrogen (NH<sub>3</sub>-N) is 15mg/L. The increased levels of phosphate in combination with nitrogen and other lake conditions, such as temperature, pH and stagnant lake conditions, can lead to increased algae growth. Eutrophication is currently the most widespread water quality problem in the U.S. and many other countries. Restoration of eutrophic waters requires the reduction of nonpoint inputs of phosphorous and nitrogen. The resulting detrimental effects of algae toxins and oxygen depletion could result in health problems for fish and other aquatic species as well as land animals utilizing the water supply. There were no signs of any of these effects throughout 2011. Sample sites SBV-7 and SBV-9 which are tributaries to the lake showed elevated levels of nitrogen. The lake appears to be capturing and utilizing this nutrient thus improving down stream water quality.

Chlorophyll *a* was sampled at 4 sites, SBV-2, SBV-4, SBV-11, and SBV-15. Chlorophyll *a* is a green pigment found in plants. Chlorophyll *a* concentrations are an indicator of phytoplankton abundance and biomass. They can be an effective measure of trophic status, and used as a measure of water quality. Chlorophyll levels were relatively low during the 3

sampling events. High levels often indicate poor water quality and low levels suggest good conditions. However, elevated levels are not necessarily bad. It is the long term persistence of elevated levels that is the problem. It is natural for chlorophyll *a* levels to fluctuate over time. Chlorophyll *a* tends to be higher after storm events and during the summer months when water temperatures and light levels are elevated. Chlorophyll can reduce the clarity of the water and the amount of oxygen available to other organisms. Illinois does not currently have a standard for chlorophyll. The data indicates a normal increase in chlorophyll levels during the warmer summer months, which is not a concern.

Atrazine and Alachlor are pesticides that were sampled at all sites. These chemicals are herbicides used to control weed growth. Normally pesticides are detected early in the year, in the months of April and May when farmers apply the chemicals. Cyanazine, Metolachlor, Trifluralin and Simazine were also analyzed as part of the pesticide screening. None of these constituents exceeded Illinois standards. These substances can enter water bodies as a result of drift during spraying, surface runoff, and leaching through soil. In order to eliminate pesticide contamination of waters it is important for the public to be educated and institute best manage practices when using these chemicals.

Total Suspended Solids (TSS) and Total Volatile Suspended Solids (TVSS) samples are collected at all sites. Tributary sites did not exceed the Illinois standard of 116mg/L for streams. All lake samples exceeded the Illinois standard of 12mg/L for lakes. However, site 2 only exceed this standard once during 2011. Solids can affect water quality by increasing temperature through the absorption of sunlight by the particles in the water, which also affects the clarity of the water. This can then affect the amount of oxygen in the water. As is the case with many of the Illinois lakes they are shallow and susceptible to high winds. These winds are constantly producing wave erosion of the banks and suspending material in the water. These conditions attribute to the lake exceeding the Illinois standard for TSS in lakes. Literature suggests that Nonvolatile Suspended Solids (NVSS) which is a subdivision of TSS above 15mg/L could highly impair recreational lake use and a NVSS of 3 to 7mg/L might cause slight impairment. Suspended solids within the lake were significantly decreased from levels in the tributaries. The solids appear to be dropping out of the water column as the water moves toward the dam. This results in improved water quality down stream.

Total Organic Carbon (TOC) is collected at all sites. Data indicates that TOC is higher in the upper portions of the lake. TOC is an indicator of the organic character of water. The larger the carbon or organic content, the more oxygen is consumed. Illinois does not currently have a standard for TOC. Since Illinois does not have a standard for this parameter, observations of high or low are relative to the current sampling period.

Temperature and dissolved oxygen levels were taken at all sites. Measurements were taken at 1 meter intervals at the lake sites. During the summer months the lake stratifies and a boundary is formed between the upper warmer water and the lower cooler water. This transition area is known as the thermocline, the area where the temperature drops significantly. Oxygen levels can also change drastically as a function of depth. This area where the oxygen level significantly drops is called the oxycline. The depth of the thermocline and oxycline can have an effect on the aquatic organisms. Occasionally the thermocline and oxycline are at or near the

same depth.

pH is taken at all sites and at 1 meter intervals at lake sites. All sites were within the 6 to 9 pH range. Variances in pH can be caused by increase runoff due to a rainfall event, unusual temperature extremes, or erosion from land disturbances. Another cause may be that photosynthesis uses up dissolved carbon dioxide, which acts like carbonic acid ( $H_2CO_3$ ) in water.  $CO_2$  removal in effect reduces the acidity of the water thus the pH increases.

Secchi disk readings indicate that as the water travels down the lake it becomes clearer. This is most likely the result of sediments dropping out of the water column as the water moves down stream toward the dam.

Conductivity and redox are taken at all sites and at 1 meter intervals at lake sites. Illinois does not currently have a standard for redox, but does have a standard of less than 1,667 uS/cm for conductivity. No sampling sites even approached this standard.

The remote sensor in the spillway was monitored and maintained throughout the year to allow the project as well as water quality personnel to remotely monitor temperature and oxygen readings to acquire data to inform operational actions in order to avoid fish kills. During low flow, water is discharged through the sluice gates from the bottom of the lake. This water is low in oxygen and can create a low oxygen area below the dam. The sensor allows the project to monitor oxygen levels below the dam and make appropriate adjustments to avoid a possible fish kill. Normally allowing water to spill through the tainter gates or increase the flow through the sluice gate will alleviate low oxygen levels below the dam. No fish kills were observed this year. The sonde was serviced approximately once each month from May through September. Dissolved oxygen never dropped below the 5mg/l standard during 2011.

### **3.2 Sediment Summary**

Sediment sampling was not conducted in 2011. Sediment sampling is normally conducted every 5 years if funding is available. Sediment sampling was last conducted in 2007.

## **4.0 PLANNED 2012 STUDIES**

The Shelbyville Lake water quality monitoring will continue in Fiscal Year 2012 on a limited basis. Because of budgetary constraints there will only be 3 sampling events in 2012. A restored number of sampling events would provide the ability to better evaluate water quality trends, to better defend project operations (lake levels, releases, maintenance projects, construction projects, etc.), to better confirm that we meet state water quality standards, and to better confirm that human health and safety are adequately protected. Shelbyville Lake is a high usage recreational lake. The monitoring of water quality is imperative to assure the water quality is within acceptable limits for the designated usage.

The sampling sites include the following: Site 1 SBV-1 Spillway, Site 2 SBV-02 Lake side in front of Dam, Site 4 SBV-04 Kaskaskia River arm near Sullivan Marina, Site 7, SBV-7, at Cooks Mill, Site 9 SBV-9, at Hwy 32 at Lovington, and Site 11 SBV-11, Okaw River Arm

near the C. & E. I. railroad bridge. This combination of sites effectively represents the incoming contaminants and their effects on the lake.

In addition, water quality personnel will continue to maintain and remotely monitor the DO & temperature probe in the spillway.



# **APPENDIX A**

## **DATA**

## LAB DATA WATER SAMPLES

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-1	4/26/11	ND		ug/L	Acetochlor
SBV-1	6/21/11	ND		ug/L	Acetochlor
SBV-1	8/23/11	ND		ug/L	Acetochlor
SBV-11	4/26/11	0.63	J	ug/L	Acetochlor
SBV-11	6/21/11	ND		ug/L	Acetochlor
SBV-11	8/23/11	ND		ug/L	Acetochlor
SBV-15	4/26/11	0.67	J	ug/L	Acetochlor
SBV-15	6/21/11	ND		ug/L	Acetochlor
SBV-15	8/23/11	ND		ug/L	Acetochlor
SBV-2	4/26/11	ND		ug/L	Acetochlor
SBV-2	6/21/11	ND		ug/L	Acetochlor
SBV-2	8/23/11	ND		ug/L	Acetochlor
SBV-4	4/26/11	ND		ug/L	Acetochlor
SBV-4	6/21/11	ND		ug/L	Acetochlor
SBV-4	8/23/11	ND		ug/L	Acetochlor
SBV-7	4/26/11	ND		ug/L	Acetochlor
SBV-7	6/21/11	ND		ug/L	Acetochlor
SBV-7	8/23/11	ND		ug/L	Acetochlor
SBV-9	4/26/11	0.73	J	ug/L	Acetochlor
SBV-9	6/21/11	ND		ug/L	Acetochlor
SBV-9	8/23/11	ND		ug/L	Acetochlor
SBV-1	4/26/11	ND		ug/L	Alachlor
SBV-1	6/21/11	ND		ug/L	Alachlor
SBV-1	8/23/11	ND		ug/L	Alachlor
SBV-1	10/25/11	1	<	ug/L	Alachlor
SBV-11	4/26/11	ND		ug/L	Alachlor
SBV-11	6/21/11	ND		ug/L	Alachlor
SBV-11	8/23/11	ND		ug/L	Alachlor
SBV-11	10/25/11	1	<	ug/L	Alachlor
SBV-15	4/26/11	ND		ug/L	Alachlor
SBV-15	6/21/11	ND		ug/L	Alachlor
SBV-15	8/23/11	ND		ug/L	Alachlor

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-15	10/25/11	1	<	ug/L	Alachlor
SBV-2	4/26/11	ND		ug/L	Alachlor
SBV-2	6/21/11	ND		ug/L	Alachlor
SBV-2	8/23/11	ND		ug/L	Alachlor
SBV-2	10/25/11	1	<	ug/L	Alachlor
SBV-4	4/26/11	ND		ug/L	Alachlor
SBV-4	6/21/11	ND		ug/L	Alachlor
SBV-4	8/23/11	ND		ug/L	Alachlor
SBV-4	10/25/11	1	<	ug/L	Alachlor
SBV-7	4/26/11	ND		ug/L	Alachlor
SBV-7	6/21/11	ND		ug/L	Alachlor
SBV-7	8/23/11	ND		ug/L	Alachlor
SBV-7	10/25/11	1	<	ug/L	Alachlor
SBV-9	4/26/11	ND		ug/L	Alachlor
SBV-9	6/21/11	ND		ug/L	Alachlor
SBV-9	8/23/11	ND		ug/L	Alachlor
SBV-9	10/25/11	1	<	ug/L	Alachlor
SBV-1	4/26/11	0.22		mg/L	Ammonia-N
SBV-1	6/21/11	0.27		mg/L	Ammonia-N
SBV-1	8/23/11	0.32		mg/L	Ammonia-N
SBV-1	10/25/11	0.03	<	mg/L	Ammonia-N
SBV-11	4/26/11	0.32		mg/L	Ammonia-N
SBV-11	6/21/11	ND		mg/L	Ammonia-N
SBV-11	8/23/11	ND		mg/L	Ammonia-N
SBV-11	10/25/11	0.03	<	mg/L	Ammonia-N
SBV-15	4/26/11	0.32		mg/L	Ammonia-N
SBV-15	6/21/11	ND		mg/L	Ammonia-N
SBV-15	8/23/11	ND		mg/L	Ammonia-N
SBV-15	10/25/11	0.03	<	mg/L	Ammonia-N
SBV-2	4/26/11	0.10		mg/L	Ammonia-N
SBV-2	6/21/11	ND		mg/L	Ammonia-N
SBV-2	8/23/11	ND		mg/L	Ammonia-N
SBV-2	10/25/11	0.03	<	mg/L	Ammonia-N
SBV-2-10	4/26/11	0.21		mg/L	Ammonia-N
SBV-2-10	6/21/11	ND		mg/L	Ammonia-N
SBV-2-10	8/23/11	ND		mg/L	Ammonia-N

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-4	4/26/11	0.18		mg/L	Ammonia-N
SBV-4	6/21/11	ND		mg/L	Ammonia-N
SBV-4	8/23/11	0.13		mg/L	Ammonia-N
SBV-4	10/25/11	0.03	<	mg/L	Ammonia-N
SBV-7	4/26/11	0.34		mg/L	Ammonia-N
SBV-7	6/21/11	0.13		mg/L	Ammonia-N
SBV-7	8/23/11	ND		mg/L	Ammonia-N
SBV-7	10/25/11	0.03	<	mg/L	Ammonia-N
SBV-9	4/26/11	0.57		mg/L	Ammonia-N
SBV-9	6/21/11	0.22		mg/L	Ammonia-N
SBV-9	8/23/11	ND		mg/L	Ammonia-N
SBV-9	10/25/11	0.03	<	mg/L	Ammonia-N
SBV-1	4/26/11	ND		ug/L	Atrazine
SBV-1	6/21/11	ND		ug/L	Atrazine
SBV-1	8/23/11	0.44	J	ug/L	Atrazine
SBV-1	10/25/11	1	<	ug/L	Atrazine
SBV-11	4/26/11	2.10		ug/L	Atrazine
SBV-11	6/21/11	ND		ug/L	Atrazine
SBV-11	8/23/11	ND	<	ug/L	Atrazine
SBV-11	10/25/11	1	<	ug/L	Atrazine
SBV-15	4/26/11	2.10		ug/L	Atrazine
SBV-15	6/21/11	ND		ug/L	Atrazine
SBV-15	8/23/11	ND		ug/L	Atrazine
SBV-15	10/25/11	1	<	ug/L	Atrazine
SBV-2	4/26/11	ND		ug/L	Atrazine
SBV-2	6/21/11	ND		ug/L	Atrazine
SBV-2	8/23/11	0.33	J	ug/L	Atrazine
SBV-2	10/25/11	1	<	ug/L	Atrazine
SBV-4	4/26/11	0.58	J	ug/L	Atrazine
SBV-4	6/21/11	ND		ug/L	Atrazine
SBV-4	8/23/11	ND		ug/L	Atrazine
SBV-4	10/25/11	1	<	ug/L	Atrazine
SBV-7	4/26/11	0.68	J	ug/L	Atrazine
SBV-7	6/21/11	ND		ug/L	Atrazine
SBV-7	8/23/11	ND		ug/L	Atrazine
SBV-7	10/25/11	1	<	ug/L	Atrazine
SBV-9	4/26/11	2.60		ug/L	Atrazine

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-9	6/21/11	ND		ug/L	Atrazine
SBV-9	8/23/11	ND		ug/L	Atrazine
SBV-9	10/25/11	1	<	ug/L	Atrazine
SBV-1	4/26/11	ND		ug/L	Bromacil
SBV-1	6/21/11	ND		ug/L	Bromacil
SBV-1	8/23/11	ND		ug/L	Bromacil
SBV-11	4/26/11	ND		ug/L	Bromacil
SBV-11	6/21/11	ND		ug/L	Bromacil
SBV-11	8/23/11	ND		ug/L	Bromacil
SBV-15	4/26/11	ND		ug/L	Bromacil
SBV-15	6/21/11	ND		ug/L	Bromacil
SBV-15	8/23/11	ND		ug/L	Bromacil
SBV-2	4/26/11	ND		ug/L	Bromacil
SBV-2	6/21/11	ND		ug/L	Bromacil
SBV-2	8/23/11	ND		ug/L	Bromacil
SBV-4	4/26/11	ND		ug/L	Bromacil
SBV-4	6/21/11	ND		ug/L	Bromacil
SBV-4	8/23/11	ND		ug/L	Bromacil
SBV-7	4/26/11	ND		ug/L	Bromacil
SBV-7	6/21/11	ND		ug/L	Bromacil
SBV-7	8/23/11	ND		ug/L	Bromacil
SBV-9	4/26/11	ND		ug/L	Bromacil
SBV-9	6/21/11	ND		ug/L	Bromacil
SBV-9	8/23/11	ND		ug/L	Bromacil
SBV-1	4/26/11	ND		ug/L	Butachlor
SBV-1	6/21/11	ND		ug/L	Butachlor
SBV-1	8/23/11	ND		ug/L	Butachlor
SBV-11	4/26/11	ND		ug/L	Butachlor
SBV-11	6/21/11	ND		ug/L	Butachlor
SBV-11	8/23/11	ND		ug/L	Butachlor
SBV-15	4/26/11	ND		ug/L	Butachlor
SBV-15	6/21/11	ND		ug/L	Butachlor
SBV-15	8/23/11	ND		ug/L	Butachlor
SBV-2	4/26/11	ND		ug/L	Butachlor
SBV-2	6/21/11	ND		ug/L	Butachlor
SBV-2	8/23/11	ND		ug/L	Butachlor

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-4	4/26/11	ND		ug/L	Butachlor
SBV-4	6/21/11	ND		ug/L	Butachlor
SBV-4	8/23/11	ND		ug/L	Butachlor
SBV-7	4/26/11	ND		ug/L	Butachlor
SBV-7	6/21/11	ND		ug/L	Butachlor
SBV-7	8/23/11	ND		ug/L	Butachlor
SBV-9	4/26/11	ND		ug/L	Butachlor
SBV-9	6/21/11	ND		ug/L	Butachlor
SBV-9	8/23/11	ND		ug/L	Butachlor
SBV-11	4/26/11	0.00		mg/m3	Chlorophyll a
SBV-11	6/21/11	46.99		mg/m3	Chlorophyll a
SBV-11	8/23/11	40.58		mg/m3	Chlorophyll a
SBV-11	10/25/11	12.70		mg/m3	Chlorophyll a
SBV-15	4/26/11	0.00		mg/m3	Chlorophyll a
SBV-15	6/21/11	49.13		mg/m3	Chlorophyll a
SBV-15	8/23/11	34.18		mg/m3	Chlorophyll a
SBV-15	10/25/11	11.5		mg/m3	Chlorophyll a
SBV-2	4/26/11	10.68		mg/m3	Chlorophyll a
SBV-2	6/21/11	8.54		mg/m3	Chlorophyll a
SBV-2	8/23/11	0.00		mg/m3	Chlorophyll a
SBV-2	10/25/11	4.2		mg/m3	Chlorophyll a
SBV-4	4/26/11	0.00		mg/m3	Chlorophyll a
SBV-4	6/21/11	23.50		mg/m3	Chlorophyll a
SBV-4	8/23/11	38.45		mg/m3	Chlorophyll a
SBV-4	10/25/11	19.8		mg/m3	Chlorophyll a
SBV-1	10/25/11	1	<	ug/L	Chloropyrifos
SBV-11	10/25/11	1	<	ug/L	Chloropyrifos
SBV-15	10/25/11	1	<	ug/L	Chloropyrifos
SBV-2	10/25/11	1	<	ug/L	Chloropyrifos
SBV-4	10/25/11	1	<	ug/L	Chloropyrifos
SBV-7	10/25/11	1	<	ug/L	Chloropyrifos
SBV-9	10/25/11	1	<	ug/L	Chloropyrifos
SBV-1	4/26/11	ND		ug/L	Chloropyrifos
SBV-1	6/21/11	ND		ug/L	Chloropyrifos
SBV-1	8/23/11	ND		ug/L	Chloropyrifos
SBV-11	4/26/11	ND		ug/L	Chloropyrifos
SBV-11	6/21/11	ND		ug/L	Chloropyrifos

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-11	8/23/11	ND		ug/L	Chlorpyrifos
SBV-15	4/26/11	ND		ug/L	Chlorpyrifos
SBV-15	6/21/11	ND		ug/L	Chlorpyrifos
SBV-15	8/23/11	ND		ug/L	Chlorpyrifos
SBV-2	4/26/11	ND		ug/L	Chlorpyrifos
SBV-2	6/21/11	ND		ug/L	Chlorpyrifos
SBV-2	8/23/11	ND		ug/L	Chlorpyrifos
SBV-4	4/26/11	ND		ug/L	Chlorpyrifos
SBV-4	6/21/11	ND		ug/L	Chlorpyrifos
SBV-4	8/23/11	ND		ug/L	Chlorpyrifos
SBV-7	4/26/11	ND		ug/L	Chlorpyrifos
SBV-7	6/21/11	ND		ug/L	Chlorpyrifos
SBV-7	8/23/11	ND		ug/L	Chlorpyrifos
SBV-9	4/26/11	ND		ug/L	Chlorpyrifos
SBV-9	6/21/11	ND		ug/L	Chlorpyrifos
SBV-9	8/23/11	ND		ug/L	Chlorpyrifos
SBV-1	4/26/11	ND		ug/L	Cyanizine
SBV-1	6/21/11	ND		ug/L	Cyanizine
SBV-1	8/23/11	ND		ug/L	Cyanizine
SBV-1	10/25/11	1	<	ug/L	Cyanizine
SBV-11	4/26/11	ND		ug/L	Cyanizine
SBV-11	6/21/11	ND		ug/L	Cyanizine
SBV-11	8/23/11	ND		ug/L	Cyanizine
SBV-11	10/25/11	1	<	ug/L	Cyanizine
SBV-15	4/26/11	ND		ug/L	Cyanizine
SBV-15	6/21/11	ND		ug/L	Cyanizine
SBV-15	8/23/11	ND		ug/L	Cyanizine
SBV-15	10/25/11	1	<	ug/L	Cyanizine
SBV-2	4/26/11	ND		ug/L	Cyanizine
SBV-2	6/21/11	ND		ug/L	Cyanizine
SBV-2	8/23/11	ND		ug/L	Cyanizine
SBV-2	10/25/11	1	<	ug/L	Cyanizine
SBV-4	4/26/11	ND		ug/L	Cyanizine
SBV-4	6/21/11	ND		ug/L	Cyanizine
SBV-4	8/23/11	ND		ug/L	Cyanizine
SBV-4	10/25/11	1	<	ug/L	Cyanizine
SBV-7	4/26/11	ND		ug/L	Cyanizine

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-7	6/21/11	ND		ug/L	Cyanizine
SBV-7	8/23/11	ND		ug/L	Cyanizine
SBV-7	10/25/11	1	<	ug/L	Cyanizine
SBV-9	4/26/11	ND		ug/L	Cyanizine
SBV-9	6/21/11	ND		ug/L	Cyanizine
SBV-9	8/23/11	ND		ug/L	Cyanizine
SBV-9	10/25/11	1	<	ug/L	Cyanizine
SBV-1	4/26/11	0.38		mg/L	Iron, Total
SBV-1	6/21/11	0.39		mg/L	Iron, Total
SBV-1	8/23/11	0.24		mg/L	Iron, Total
SBV-1	10/25/11	0.369		mg/L	Iron, Total
SBV-2-10	4/26/11	0.41		mg/L	Iron, Total
SBV-2-10	6/21/11	0.09		mg/L	Iron, Total
SBV-2-10	8/23/11	0.11		mg/L	Iron, Total
SBV-7	10/25/11	0.354		mg/L	Iron, Total
SBV-9	10/25/11	1.57		mg/L	Iron, Total
SBV-1	4/26/11	0.03		mg/L	Manganese, Total
SBV-1	6/21/11	0.10		mg/L	Manganese, Total
SBV-1	8/23/11	0.26	<	mg/L	Manganese, Total
SBV-1	10/25/11	0.0575		mg/L	Manganese, Total
SBV-2-10	4/26/11	0.03		mg/L	Manganese, Total
SBV-2-10	6/21/11	0.09		mg/L	Manganese, Total
SBV-2-10	8/23/11	0.06		mg/L	Manganese, Total
SBV-7	10/25/11	0.0263		mg/L	Manganese, Total
SBV-9	10/25/11	0.151		mg/L	Manganese, Total
SBV-1	4/26/11	ND		ug/L	Metolachlor
SBV-1	6/21/11	ND		ug/L	Metolachlor
SBV-1	8/23/11	ND		ug/L	Metolachlor
SBV-1	10/25/11	1	<	ug/L	Metolachlor
SBV-11	4/26/11	ND		ug/L	Metolachlor
SBV-11	6/21/11	1.30		ug/L	Metolachlor
SBV-11	8/23/11	ND		ug/L	Metolachlor
SBV-11	10/25/11	1	<	ug/L	Metolachlor
SBV-15	4/26/11	0.70	J	ug/L	Metolachlor
SBV-15	6/21/11	0.92	J	ug/L	Metolachlor
SBV-15	8/23/11	ND		ug/L	Metolachlor
SBV-15	10/25/11	1	<	ug/L	Metolachlor



Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-2	4/26/11	ND		ug/L	Metolachlor
SBV-2	6/21/11	ND		ug/L	Metolachlor
SBV-2	8/23/11	ND		ug/L	Metolachlor
SBV-2	10/25/11	1	<	ug/L	Metolachlor
SBV-4	4/26/11	0.42	J	ug/L	Metolachlor
SBV-4	6/21/11	0.59	J	ug/L	Metolachlor
SBV-4	8/23/11	ND		ug/L	Metolachlor
SBV-4	10/25/11	1	<	ug/L	Metolachlor
SBV-7	4/26/11	ND		ug/L	Metolachlor
SBV-7	6/21/11	ND		ug/L	Metolachlor
SBV-7	8/23/11	ND		ug/L	Metolachlor
SBV-7	10/25/11	1	<	ug/L	Metolachlor
SBV-9	4/26/11	1.20		ug/L	Metolachlor
SBV-9	6/21/11	ND		ug/L	Metolachlor
SBV-9	8/23/11	ND		ug/L	Metolachlor
SBV-9	10/25/11	1	<	ug/L	Metolachlor
SBV-1	4/26/11	ND		ug/L	Metribuzin
SBV-1	6/21/11	ND		ug/L	Metribuzin
SBV-1	8/23/11	ND		ug/L	Metribuzin
SBV-1	10/25/11	1	<	ug/L	Metribuzin
SBV-11	4/26/11	ND		ug/L	Metribuzin
SBV-11	6/21/11	ND		ug/L	Metribuzin
SBV-11	8/23/11	ND		ug/L	Metribuzin
SBV-11	10/25/11	1	<	ug/L	Metribuzin
SBV-15	4/26/11	ND		ug/L	Metribuzin
SBV-15	6/21/11	ND		ug/L	Metribuzin
SBV-15	8/23/11	ND		ug/L	Metribuzin
SBV-15	10/25/11	1	<	ug/L	Metribuzin
SBV-2	4/26/11	ND		ug/L	Metribuzin
SBV-2	6/21/11	ND		ug/L	Metribuzin
SBV-2	8/23/11	ND		ug/L	Metribuzin
SBV-2	10/25/11	1	<	ug/L	Metribuzin
SBV-4	4/26/11	ND		ug/L	Metribuzin
SBV-4	6/21/11	ND		ug/L	Metribuzin
SBV-4	8/23/11	ND		ug/L	Metribuzin
SBV-4	10/25/11	1	<	ug/L	Metribuzin
SBV-7	4/26/11	ND		ug/L	Metribuzin

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-7	6/21/11	ND		ug/L	Metribuzin
SBV-7	8/23/11	ND		ug/L	Metribuzin
SBV-7	10/25/11	1	<	ug/L	Metribuzin
SBV-9	4/26/11	ND		ug/L	Metribuzin
SBV-9	6/21/11	ND		ug/L	Metribuzin
SBV-9	8/23/11	ND		ug/L	Metribuzin
SBV-9	10/25/11	1	<	ug/L	Metribuzin
SBV-1	4/26/11	ND		ug/L	Molinate
SBV-1	6/21/11	ND		ug/L	Molinate
SBV-1	8/23/11	ND		ug/L	Molinate
SBV-11	4/26/11	ND		ug/L	Molinate
SBV-11	6/21/11	ND		ug/L	Molinate
SBV-11	8/23/11	ND		ug/L	Molinate
SBV-15	4/26/11	ND		ug/L	Molinate
SBV-15	6/21/11	ND		ug/L	Molinate
SBV-15	8/23/11	ND		ug/L	Molinate
SBV-2	4/26/11	ND		ug/L	Molinate
SBV-2	6/21/11	ND		ug/L	Molinate
SBV-2	8/23/11	ND		ug/L	Molinate
SBV-4	4/26/11	ND		ug/L	Molinate
SBV-4	6/21/11	ND		ug/L	Molinate
SBV-4	8/23/11	ND		ug/L	Molinate
SBV-7	4/26/11	ND		ug/L	Molinate
SBV-7	6/21/11	ND		ug/L	Molinate
SBV-7	8/23/11	ND		ug/L	Molinate
SBV-9	4/26/11	ND		ug/L	Molinate
SBV-9	6/21/11	ND		ug/L	Molinate
SBV-9	8/23/11	ND		ug/L	Molinate
SBV-1	4/26/11	5.20		mg/L	Nitrate-N
SBV-1	6/21/11	5.10		mg/L	Nitrate-N
SBV-1	8/23/11	2.40		mg/L	Nitrate-N
SBV-1	10/25/11	1.4		mg/L	Nitrate-N
SBV-11	4/26/11	7.80		mg/L	Nitrate-N
SBV-11	6/21/11	3.50		mg/L	Nitrate-N
SBV-11	8/23/11	1.30		mg/L	Nitrate-N
SBV-11	10/25/11	0.78		mg/L	Nitrate-N
SBV-15	4/26/11	7.70		mg/L	Nitrate-N

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-15	6/21/11	5.60		mg/L	Nitrate-N
SBV-15	8/23/11	1.30		mg/L	Nitrate-N
SBV-15	10/25/11	0.77		mg/L	Nitrate-N
SBV-2	4/26/11	5.20		mg/L	Nitrate-N
SBV-2	6/21/11	5.00		mg/L	Nitrate-N
SBV-2	8/23/11	3.30		mg/L	Nitrate-N
SBV-2	10/25/11	1.4		mg/L	Nitrate-N
SBV-2-10	4/26/11	5.10		mg/L	Nitrate-N
SBV-2-10	6/21/11	5.10		mg/L	Nitrate-N
SBV-2-10	8/23/11	3.30		mg/L	Nitrate-N
SBV-4	4/26/11	4.90		mg/L	Nitrate-N
SBV-4	6/21/11	6.40		mg/L	Nitrate-N
SBV-4	8/23/11	0.12	J	mg/L	Nitrate-N
SBV-4	10/25/11	0.15		mg/L	Nitrate-N
SBV-7	4/26/11	7.10		mg/L	Nitrate-N
SBV-7	6/21/11	10.10		mg/L	Nitrate-N
SBV-7	8/23/11	0.08	J	mg/L	Nitrate-N
SBV-7	10/25/11	1.1		mg/L	Nitrate-N
SBV-9	4/26/11	9.50		mg/L	Nitrate-N
SBV-9	6/21/11	10.80		mg/L	Nitrate-N
SBV-9	8/23/11	ND		mg/L	Nitrate-N
SBV-9	10/25/11	1.6		mg/L	Nitrate-N
SBV-1	4/26/11	0.00	J	mg/L	Orthophosphate
SBV-1	6/21/11	0.10		mg/L	Orthophosphate
SBV-1	8/23/11	0.00	J	mg/L	Orthophosphate
SBV-1	10/25/11	0.01	<	mg/L	Orthophosphate
SBV-11	4/26/11	0.13		mg/L	Orthophosphate
SBV-11	6/21/11	0.01	J	mg/L	Orthophosphate
SBV-11	8/23/11	0.00	J	mg/L	Orthophosphate
SBV-11	10/25/11	0.022		mg/L	Orthophosphate
SBV-15	4/26/11	0.10		mg/L	Orthophosphate
SBV-15	6/21/11	0.01	J	mg/L	Orthophosphate
SBV-15	8/23/11	0.00	J	mg/L	Orthophosphate
SBV-15	10/25/11	0.017		mg/L	Orthophosphate
SBV-2	4/26/11	0.00	J	mg/L	Orthophosphate
SBV-2	6/21/11	0.00	J	mg/L	Orthophosphate
SBV-2	8/23/11	0.00	J	mg/L	Orthophosphate

<b>Sample Site</b>	<b>Date Collected</b>	<b>Result</b>	<b>Qualifier</b>	<b>Unit</b>	<b>Analyte Name</b>
SBV-2	10/25/11	0.01	<	mg/L	Orthophosphate
SBV-2-10	4/26/11	ND		mg/L	Orthophosphate
SBV-2-10	6/21/11	0.01	J	mg/L	Orthophosphate
SBV-2-10	8/23/11	0.01	J	mg/L	Orthophosphate
SBV-4	4/26/11	0.08		mg/L	Orthophosphate
SBV-4	6/21/11	0.00	J	mg/L	Orthophosphate
SBV-4	8/23/11	0.01	J	mg/L	Orthophosphate
SBV-4	10/25/11	0.05		mg/L	Orthophosphate
SBV-7	4/26/11	0.19		mg/L	Orthophosphate
SBV-7	6/21/11	0.01	J	mg/L	Orthophosphate
SBV-7	8/23/11	0.21		mg/L	Orthophosphate
SBV-7	10/25/11	0.086		mg/L	Orthophosphate
SBV-9	4/26/11	0.25		mg/L	Orthophosphate
SBV-9	6/21/11	0.01	J	mg/L	Orthophosphate
SBV-9	8/23/11	0.11		mg/L	Orthophosphate
SBV-9	10/25/11	0.61		mg/L	Orthophosphate
SBV-1	4/26/11	ND		ug/L	Pendimethalin(Prowl)
SBV-1	6/21/11	ND		ug/L	Pendimethalin(Prowl)
SBV-1	8/23/11	ND		ug/L	Pendimethalin(Prowl)
SBV-1	10/25/11	1	<	ug/L	Pendimethalin(Prowl)
SBV-11	4/26/11	ND		ug/L	Pendimethalin(Prowl)
SBV-11	6/21/11	ND		ug/L	Pendimethalin(Prowl)
SBV-11	8/23/11	ND		ug/L	Pendimethalin(Prowl)
SBV-11	10/25/11	1	<	ug/L	Pendimethalin(Prowl)
SBV-15	4/26/11	ND		ug/L	Pendimethalin(Prowl)
SBV-15	6/21/11	ND		ug/L	Pendimethalin(Prowl)
SBV-15	8/23/11	ND		ug/L	Pendimethalin(Prowl)
SBV-15	10/25/11	1	<	ug/L	Pendimethalin(Prowl)
SBV-2	4/26/11	ND		ug/L	Pendimethalin(Prowl)
SBV-2	6/21/11	ND		ug/L	Pendimethalin(Prowl)
SBV-2	8/23/11	ND		ug/L	Pendimethalin(Prowl)
SBV-2	10/25/11	1	<	ug/L	Pendimethalin(Prowl)
SBV-4	4/26/11	ND		ug/L	Pendimethalin(Prowl)
SBV-4	6/21/11	ND		ug/L	Pendimethalin(Prowl)
SBV-4	8/23/11	ND		ug/L	Pendimethalin(Prowl)
SBV-4	10/25/11	1	<	ug/L	Pendimethalin(Prowl)
SBV-7	4/26/11	ND		ug/L	Pendimethalin(Prowl)

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-7	6/21/11	ND		ug/L	Pendimethalin(Prowl)
SBV-7	8/23/11	ND		ug/L	Pendimethalin(Prowl)
SBV-7	10/25/11	1	<	ug/L	Pendimethalin(Prowl)
SBV-9	4/26/11	ND		ug/L	Pendimethalin(Prowl)
SBV-9	6/21/11	ND		ug/L	Pendimethalin(Prowl)
SBV-9	8/23/11	ND		ug/L	Pendimethalin(Prowl)
SBV-9	10/25/11	1	<	ug/L	Pendimethalin(Prowl)
SBV-11	4/26/11	1.00	<	mg/m3	Pheophytin a
SBV-11	6/21/11	1.00	<	mg/m3	Pheophytin a
SBV-11	8/23/11	1.00	<	mg/m3	Pheophytin a
SBV-11	10/25/11	3.7	<	mg/m3	Pheophytin a
SBV-15	4/26/11	1.00	<	mg/m3	Pheophytin a
SBV-15	6/21/11	1.00	<	mg/m3	Pheophytin a
SBV-15	8/23/11	1.00	<	mg/m3	Pheophytin a
SBV-15	10/25/11	6	<	mg/m3	Pheophytin a
SBV-2	4/26/11	1.00	<	mg/m3	Pheophytin a
SBV-2	6/21/11	1.00	<	mg/m3	Pheophytin a
SBV-2	8/23/11	1.00	<	mg/m3	Pheophytin a
SBV-2	10/25/11	2	<	mg/m3	Pheophytin a
SBV-4	4/26/11	1.00	<	mg/m3	Pheophytin a
SBV-4	6/21/11	1.00	<	mg/m3	Pheophytin a
SBV-4	8/23/11	1.00	<	mg/m3	Pheophytin a
SBV-4	10/25/11	10	<	mg/m3	Pheophytin a
SBV-1	4/26/11	ND		mg/L	Phosphorus, Total
SBV-1	6/21/11	0.10		mg/L	Phosphorus, Total
SBV-1	8/23/11	ND		mg/L	Phosphorus, Total
SBV-1	10/25/11	0.053		mg/L	Phosphorus, Total
SBV-11	4/26/11	0.10		mg/L	Phosphorus, Total
SBV-11	6/21/11	ND		mg/L	Phosphorus, Total
SBV-11	8/23/11	ND		mg/L	Phosphorus, Total
SBV-11	10/25/11	0.11		mg/L	Phosphorus, Total
SBV-15	4/26/11	0.10		mg/L	Phosphorus, Total
SBV-15	6/21/11	ND		mg/L	Phosphorus, Total
SBV-15	8/23/11	ND		mg/L	Phosphorus, Total
SBV-15	10/25/11	0.13		mg/L	Phosphorus, Total
SBV-2	4/26/11	ND		mg/L	Phosphorus, Total
SBV-2	6/21/11	ND		mg/L	Phosphorus, Total

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-2	8/23/11	ND		mg/L	Phosphorus, Total
SBV-2	10/25/11	0.04		mg/L	Phosphorus, Total
SBV-2-10	4/26/11	ND		mg/L	Phosphorus, Total
SBV-2-10	6/21/11	ND		mg/L	Phosphorus, Total
SBV-2-10	8/23/11	ND		mg/L	Phosphorus, Total
SBV-4	4/26/11	0.14		mg/L	Phosphorus, Total
SBV-4	6/21/11	0.04	J	mg/L	Phosphorus, Total
SBV-4	8/23/11	0.12		mg/L	Phosphorus, Total
SBV-4	10/25/11	0.23		mg/L	Phosphorus, Total
SBV-7	4/26/11	0.17		mg/L	Phosphorus, Total
SBV-7	6/21/11	0.08	J	mg/L	Phosphorus, Total
SBV-7	8/23/11	0.21		mg/L	Phosphorus, Total
SBV-7	10/25/11	0.14		mg/L	Phosphorus, Total
SBV-9	4/26/11	0.27		mg/L	Phosphorus, Total
SBV-9	6/21/11	0.06	J	mg/L	Phosphorus, Total
SBV-9	8/23/11	0.18		mg/L	Phosphorus, Total
SBV-9	10/25/11	0.79		mg/L	Phosphorus, Total
SBV-1	4/26/11	ND		ug/L	Prometon
SBV-1	6/21/11	ND		ug/L	Prometon
SBV-1	8/23/11	ND		ug/L	Prometon
SBV-11	4/26/11	ND		ug/L	Prometon
SBV-11	6/21/11	ND		ug/L	Prometon
SBV-11	8/23/11	ND		ug/L	Prometon
SBV-15	4/26/11	ND		ug/L	Prometon
SBV-15	6/21/11	ND		ug/L	Prometon
SBV-15	8/23/11	ND		ug/L	Prometon
SBV-2	4/26/11	ND		ug/L	Prometon
SBV-2	6/21/11	ND		ug/L	Prometon
SBV-2	8/23/11	ND		ug/L	Prometon
SBV-4	4/26/11	ND		ug/L	Prometon
SBV-4	6/21/11	ND		ug/L	Prometon
SBV-4	8/23/11	ND		ug/L	Prometon
SBV-7	4/26/11	ND		ug/L	Prometon
SBV-7	6/21/11	ND		ug/L	Prometon
SBV-7	8/23/11	ND		ug/L	Prometon
SBV-9	4/26/11	ND		ug/L	Prometon
SBV-9	6/21/11	ND		ug/L	Prometon

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-9	8/23/11	ND		ug/L	Prometon
SBV-1	4/26/11	ND		ug/L	Propachlor
SBV-1	6/21/11	ND		ug/L	Propachlor
SBV-1	8/23/11	ND		ug/L	Propachlor
SBV-11	4/26/11	ND		ug/L	Propachlor
SBV-11	6/21/11	ND		ug/L	Propachlor
SBV-11	8/23/11	ND		ug/L	Propachlor
SBV-15	4/26/11	ND		ug/L	Propachlor
SBV-15	6/21/11	ND		ug/L	Propachlor
SBV-15	8/23/11	ND		ug/L	Propachlor
SBV-2	4/26/11	ND		ug/L	Propachlor
SBV-2	6/21/11	ND		ug/L	Propachlor
SBV-2	8/23/11	ND		ug/L	Propachlor
SBV-4	4/26/11	ND		ug/L	Propachlor
SBV-4	6/21/11	ND		ug/L	Propachlor
SBV-4	8/23/11	ND		ug/L	Propachlor
SBV-7	4/26/11	ND		ug/L	Propachlor
SBV-7	6/21/11	ND		ug/L	Propachlor
SBV-7	8/23/11	ND		ug/L	Propachlor
SBV-9	4/26/11	ND		ug/L	Propachlor
SBV-9	6/21/11	ND		ug/L	Propachlor
SBV-9	8/23/11	ND		ug/L	Propachlor
SBV-1	4/26/11	0.28	J	ug/L	Simazine
SBV-1	6/21/11	ND		ug/L	Simazine
SBV-1	8/23/11	ND		ug/L	Simazine
SBV-11	4/26/11	ND		ug/L	Simazine
SBV-11	6/21/11	ND		ug/L	Simazine
SBV-11	8/23/11	ND		ug/L	Simazine
SBV-15	4/26/11	ND		ug/L	Simazine
SBV-15	6/21/11	ND		ug/L	Simazine
SBV-15	8/23/11	ND		ug/L	Simazine
SBV-2	4/26/11	0.23	J	ug/L	Simazine
SBV-2	6/21/11	ND		ug/L	Simazine
SBV-2	8/23/11	ND		ug/L	Simazine
SBV-4	4/26/11	ND		ug/L	Simazine
SBV-4	6/21/11	ND		ug/L	Simazine
SBV-4	8/23/11	ND		ug/L	Simazine

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-7	4/26/11	ND		ug/L	Simazine
SBV-7	6/21/11	ND		ug/L	Simazine
SBV-7	8/23/11	ND		ug/L	Simazine
SBV-9	4/26/11	ND		ug/L	Simazine
SBV-9	6/21/11	ND		ug/L	Simazine
SBV-9	8/23/11	ND		ug/L	Simazine
SBV-11	10/25/11	0.56		mg/L	Total Kjeldahl Nitrogen
SBV-15	10/25/11	0.68		mg/L	Total Kjeldahl Nitrogen
SBV-2	10/25/11	0.33		mg/L	Total Kjeldahl Nitrogen
SBV-4	10/25/11	0.89		mg/L	Total Kjeldahl Nitrogen
SBV-1	4/26/11	7.30		mg/L	Total Organic Carbon (TOC)
SBV-1	6/21/11	3.80		mg/L	Total Organic Carbon (TOC)
SBV-1	8/23/11	5.40		mg/L	Total Organic Carbon (TOC)
SBV-1	10/25/11	3.2		mg/L	Total Organic Carbon (TOC)
SBV-11	4/26/11	5.60		mg/L	Total Organic Carbon (TOC)
SBV-11	6/21/11	4.80		mg/L	Total Organic Carbon (TOC)
SBV-11	8/23/11	4.70		mg/L	Total Organic Carbon (TOC)
SBV-11	10/25/11	3.8		mg/L	Total Organic Carbon (TOC)
SBV-15	4/26/11	5.20		mg/L	Total Organic Carbon (TOC)
SBV-15	6/21/11	5.00		mg/L	Total Organic Carbon (TOC)
SBV-15	8/23/11	4.60		mg/L	Total Organic Carbon (TOC)
SBV-15	10/25/11	3.7		mg/L	Total Organic Carbon (TOC)
SBV-2	4/26/11	4.20		mg/L	Total Organic Carbon (TOC)
SBV-2	6/21/11	4.40		mg/L	Total Organic Carbon (TOC)
SBV-2	8/23/11	4.40		mg/L	Total Organic Carbon (TOC)
SBV-2	10/25/11	3.1		mg/L	Total Organic Carbon (TOC)
SBV-2-10	4/26/11	5.50		mg/L	Total Organic Carbon (TOC)
SBV-2-10	6/21/11	4.00		mg/L	Total Organic Carbon (TOC)
SBV-2-10	8/23/11	3.60		mg/L	Total Organic Carbon (TOC)
SBV-4	4/26/11	11.40		mg/L	Total Organic Carbon (TOC)
SBV-4	6/21/11	5.10		mg/L	Total Organic Carbon (TOC)
SBV-4	8/23/11	6.90		mg/L	Total Organic Carbon (TOC)
SBV-4	10/25/11	5.1		mg/L	Total Organic Carbon (TOC)
SBV-7	4/26/11	7.60		mg/L	Total Organic Carbon (TOC)
SBV-7	6/21/11	3.10		mg/L	Total Organic Carbon (TOC)
SBV-7	8/23/11	6.90		mg/L	Total Organic Carbon (TOC)
SBV-7	10/25/11	4.4		mg/L	Total Organic Carbon (TOC)



Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-9	4/26/11	7.90		mg/L	Total Organic Carbon (TOC)
SBV-9	6/21/11	3.30		mg/L	Total Organic Carbon (TOC)
SBV-9	8/23/11	6.40		mg/L	Total Organic Carbon (TOC)
SBV-9	10/25/11	4.4		mg/L	Total Organic Carbon (TOC)
SBV-1	4/26/11	13.00		mg/L	Total Suspended Solids
SBV-1	6/21/11	18.00		mg/L	Total Suspended Solids
SBV-1	8/23/11	11.00		mg/L	Total Suspended Solids
SBV-1	10/25/11	10.8		mg/L	Total Suspended Solids
SBV-11	4/26/11	31.00		mg/L	Total Suspended Solids
SBV-11	6/21/11	13.00		mg/L	Total Suspended Solids
SBV-11	8/23/11	16.00		mg/L	Total Suspended Solids
SBV-11	10/25/11	21.6		mg/L	Total Suspended Solids
SBV-15	4/26/11	33.00		mg/L	Total Suspended Solids
SBV-15	6/21/11	14.00		mg/L	Total Suspended Solids
SBV-15	8/23/11	14.00		mg/L	Total Suspended Solids
SBV-15	10/25/11	21		mg/L	Total Suspended Solids
SBV-2	4/26/11	14.00		mg/L	Total Suspended Solids
SBV-2	6/21/11	5.00		mg/L	Total Suspended Solids
SBV-2	8/23/11	5.00		mg/L	Total Suspended Solids
SBV-2	10/25/11	9.8		mg/L	Total Suspended Solids
SBV-2-10	4/26/11	12.00		mg/L	Total Suspended Solids
SBV-2-10	6/21/11	8.00		mg/L	Total Suspended Solids
SBV-2-10	8/23/11	10.00		mg/L	Total Suspended Solids
SBV-4	4/26/11	157.00		mg/L	Total Suspended Solids
SBV-4	6/21/11	12.00		mg/L	Total Suspended Solids
SBV-4	8/23/11	27.00		mg/L	Total Suspended Solids
SBV-4	10/25/11	36		mg/L	Total Suspended Solids
SBV-7	4/26/11	59.00		mg/L	Total Suspended Solids
SBV-7	6/21/11	50.00		mg/L	Total Suspended Solids
SBV-7	8/23/11	30.00		mg/L	Total Suspended Solids
SBV-7	10/25/11	10		mg/L	Total Suspended Solids
SBV-9	4/26/11	82.00		mg/L	Total Suspended Solids
SBV-9	6/21/11	25.00		mg/L	Total Suspended Solids
SBV-9	8/23/11	33.00		mg/L	Total Suspended Solids
SBV-9	10/25/11	36		mg/L	Total Suspended Solids
SBV-1	4/26/11	ND		ug/L	Trifluralin
SBV-1	6/21/11	ND		ug/L	Trifluralin

Sample Site	Date Collected	Result	Qualifier	Unit	Analyte Name
SBV-1	8/23/11	ND		ug/L	Trifluralin
SBV-1	10/25/11	1	<	ug/L	Trifluralin
SBV-11	4/26/11	ND		ug/L	Trifluralin
SBV-11	6/21/11	ND		ug/L	Trifluralin
SBV-11	8/23/11	ND		ug/L	Trifluralin
SBV-11	10/25/11	1	<	ug/L	Trifluralin
SBV-15	4/26/11	ND		ug/L	Trifluralin
SBV-15	6/21/11	ND		ug/L	Trifluralin
SBV-15	8/23/11	ND		ug/L	Trifluralin
SBV-15	10/25/11	1	<	ug/L	Trifluralin
SBV-2	4/26/11	ND		ug/L	Trifluralin
SBV-2	6/21/11	ND		ug/L	Trifluralin
SBV-2	8/23/11	ND		ug/L	Trifluralin
SBV-2	10/25/11	1	<	ug/L	Trifluralin
SBV-4	4/26/11	ND		ug/L	Trifluralin
SBV-4	6/21/11	ND		ug/L	Trifluralin
SBV-4	8/23/11	ND	<	ug/L	Trifluralin
SBV-4	10/25/11	1	<	ug/L	Trifluralin
SBV-7	4/26/11	ND		ug/L	Trifluralin
SBV-7	6/21/11	ND		ug/L	Trifluralin
SBV-7	8/23/11	ND		ug/L	Trifluralin
SBV-7	10/25/11	1	<	ug/L	Trifluralin
SBV-9	4/26/11	ND		ug/L	Trifluralin
SBV-9	6/21/11	ND		ug/L	Trifluralin
SBV-9	8/23/11	ND		ug/L	Trifluralin
SBV-9	10/25/11	1	<	ug/L	Trifluralin
SBV-1	4/26/11	ND		mg/L	Volatile Suspended Solids
SBV-1	6/21/11	7.00		mg/L	Volatile Suspended Solids
SBV-1	8/23/11	ND		mg/L	Volatile Suspended Solids
SBV-1	10/25/11	2.2		mg/L	Volatile Suspended Solids
SBV-11	4/26/11	ND		mg/L	Volatile Suspended Solids
SBV-11	6/21/11	11.00		mg/L	Volatile Suspended Solids
SBV-11	8/23/11	12.00		mg/L	Volatile Suspended Solids
SBV-11	10/25/11	4		mg/L	Volatile Suspended Solids
SBV-15	4/26/11	9.00		mg/L	Volatile Suspended Solids
SBV-15	6/21/11	10.00		mg/L	Volatile Suspended Solids
SBV-15	8/23/11	7.00		mg/L	Volatile Suspended Solids

<b>Sample Site</b>	<b>Date Collected</b>	<b>Result</b>	<b>Qualifier</b>	<b>Unit</b>	<b>Analyte Name</b>
SBV-15	10/25/11	5	<	mg/L	Volatile Suspended Solids
SBV-2	4/26/11	5.00		mg/L	Volatile Suspended Solids
SBV-2	6/21/11	ND		mg/L	Volatile Suspended Solids
SBV-2	8/23/11	ND		mg/L	Volatile Suspended Solids
SBV-2	10/25/11	2		mg/L	Volatile Suspended Solids
SBV-2-10	4/26/11	ND		mg/L	Volatile Suspended Solids
SBV-2-10	6/21/11	ND		mg/L	Volatile Suspended Solids
SBV-2-10	8/23/11	ND		mg/L	Volatile Suspended Solids
SBV-4	4/26/11	19.00		mg/L	Volatile Suspended Solids
SBV-4	6/21/11	ND		mg/L	Volatile Suspended Solids
SBV-4	8/23/11	13.00		mg/L	Volatile Suspended Solids
SBV-4	10/25/11	6.5		mg/L	Volatile Suspended Solids
SBV-7	4/26/11	11.00		mg/L	Volatile Suspended Solids
SBV-7	8/23/11	ND		mg/L	Volatile Suspended Solids
SBV-7	10/25/11	2.86	<	mg/L	Volatile Suspended Solids
SBV-9	4/26/11	18.00		mg/L	Volatile Suspended Solids
SBV-9	8/23/11	11.00		mg/L	Volatile Suspended Solids
SBV-9	10/25/11	8		mg/L	Volatile Suspended Solids

## Marinas

Site	Date Collected	Matrix	Result	Qualifier	Unit	Analyte Name
Findlay	4/26/2011	W	631		MPN/100ml	E. Coli
Findlay	6/21/2011	W	20		MPN/100ml	E. Coli
Findlay	8/23/2011	W	10	<	MPN/100ml	E. Coli
Lithia Springs	4/26/2011	W	84		MPN/100ml	E. Coli
Lithia Springs	6/21/2011	W	10		MPN/100ml	E. Coli
Lithia Springs	8/23/2011	W	10		MPN/100ml	E. Coli
Sullivan	4/26/2011	W	3650		MPN/100ml	E. Coli
Sullivan	6/21/2011	W	10	<	MPN/100ml	E. Coli
Sullivan	8/23/2011	W	10	<	MPN/100ml	E. Coli

## FIELD DATA

Site	Date	Depth	H2OTemp (oC)	Redox	Cond	D.O. %	D.O.(mg/L)	pH	Time	Seechi (in.)
1	4/26/11	0.1	13.54	276	475.0	110.0	11.36	8.41	1018	
1	6/21/11	1.4	18.30	401	446.1	96.4	9.13	5.24	1015	
1	8/23/11	0.9	25.65	386	388.6	101.1	8.27	8.07	954	
2	4/26/11	0.5	14.20	370	484.0	106.4	9.10	5.2	1130	33
2	4/26/11	1.0	14.00	359	485.0	106.1	9.00	5.2		
2	4/26/11	2.0	13.80	354	483.0	100.0	8.60	5.1		
2	4/26/11	3.0	13.60	351	482.0	94.5	8.10	5.1		
2	4/26/11	4.0	13.40	349	480.0	88.5	7.60	5		
2	4/26/11	5.0	13.40	348	479.0	85.6	7.40	5		
2	4/26/11	6.0	13.40	346	479.0	84.3	7.30	5		
2	4/26/11	7.0	13.30	345	481.0	82.1	7.10	4.9		
2	4/26/11	8.0	13.20	344	479.0	78.6	6.80	4.9		
2	4/26/11	9.0	13.10	344	477.0	74.1	6.50	4.9		
2	4/26/11	10.0	13.10	343	477.0	72.1	6.30	4.9		
2	6/21/11	1.0	24.23	364	419.7	87.6	7.26	5.63		
2	6/21/11	2.0	24.11	362	420.3	86.3	6.30	6.92		
2	6/21/11	3.0	23.72	365	423.4	70.9	5.89	5.45		
2	6/21/11	4.0	23.49	367	423.2	65.4	5.48	5.42		
2	6/21/11	5.0	23.08	372	426.4	49.6	4.13	5.21		
2	6/21/11	6.0	22.54	378	431.6	28.1	2.30	5.04		
2	6/21/11	7.0	21.94	380	435.8	15.9	1.32	4.92		
2	6/21/11	8.0	21.45	380	436.6	11.7	1.01	4.89		
2	6/21/11	9.0	18.85	372	440.7	3.1	0.25	4.75	1130	54
2	8/23/11	0.0	27.10	294	366.9	72.3	5.75	8.27	1059	
2	8/23/11	1.0	27.11	297	366.7	71.4	5.68	8.26	1059	
2	8/23/11	2.0	27.11	299	367.6	69.2	5.53	8.26	1100	
2	8/23/11	3.0	27.10	302	367.2	66.1	5.24	8.22	1101	
2	8/23/11	4.0	27.08	304	366.9	58.6	4.68	8.17	1102	
2	8/23/11	5.0	27.00	319	373.5	22.2	1.81	7.88	1103	
2	8/23/11	6.0	26.93	321	378.8	3.4	0.25	7.73	1104	
2	8/23/11	7.0	26.91	320	377.9	4.4	0.35	7.7	1105	
2	8/23/11	8.0	26.49	91	379.0	3.0	0.22	7.68	1106	
2	10/25/11	0.2	15.11	241	360.3	73.9	7.37	8.05		
2	10/25/11	0.5	15.10	246	359.9	71.8	7.21	8.01		
2	10/25/11	0.8	15.08	250	360.6	70.9	7.13	7.93		

Site	Date	Depth	H2OTemp (oC)	Redox	Cond	D.O.%	D.O.(mg/L)	pH	Time	Seechi (in.)
2	10/25/11	1.1	15.08	254	359.9	70.9	7.13	7.89		
2	10/25/11	1.4	15.11	256	360.6	70.9	7.13	7.86		
2	10/25/11	1.7	15.07	258	360.8	70.4	7.08	7.81		
2	10/25/11	2.0	15.10	258	360.4	71.6	7.17	7.77		
2	10/25/11	2.3	15.08	259	360.8	71.1	7.14	7.75		
2	10/25/11	2.6	15.06	261	361.0	70.4	7.07	7.75		
2	10/25/11	2.9	15.06	262	360.2	70.5	7.09	7.75		
2	10/25/11	3.2	15.03	262	360.9	69.6	7.00	7.73		
4	4/26/11	0.5	15.50	421	296.0	92.8	7.70	4.14	1315	2
4	4/26/11	1.0	15.40	414	286.0	91.2	7.60	4.1		
4	4/26/11	2.0	15.40	407	298.0	90.7	7.54	4.2		
4	6/21/11	1.0	25.51	281	573.7	146.7	11.77	5.75	1252	24
4	6/21/11	2.0	25.41	285	574.7	138.2	11.24	5.73		
4	6/21/11	3.0	24.65	294	571.5	103.5	8.25	5.49		
4	6/21/11	4.0	23.71	176	574.8	34.6	2.88	4.99		
4	6/21/11	4.5	23.55	4	575.8	5.0	0.42	4.34		
4	8/23/11	0.0	27.42	274	425.0	75.4	6.01	8.58	1238	14
4	8/23/11	1.0	27.17	276	420.2	72.2	5.73	8.51	1334	
4	8/23/11	2.0	27.17	286	412.5	70.2	5.58	8.49		
4	8/23/11	3.0	26.82	293	438.4	36.5	2.88	8.28		
4	8/23/11	3.4	26.78	-13	442.3	25.7	2.13	8.18	1336	
4	10/25/11	0.2	13.25	205	485.1	104.9	10.98	8.6		
7	4/26/11	0.2	14.65	327	399.0	74.4	7.45	7.75	1233	
7	6/21/11	1.0	22.85	498	639.0	84.2	7.27	4.92	1201	
7	8/23/11	0.0	24.07	336	106.5	64.3	5.00	8.05	1155	
9	4/26/11	0.1	14.20	319	359.0	76.5	7.64	7.71	1321	
9	6/21/11	0.7	21.38	440	634.0	90.2	8.03	4.94	1257	
9	8/23/11	0.0	26.43	337	511.0	89.3	7.20	8.17	1235	
11	4/26/11	0.5	14.70	329	473.0	93.9	7.90	4.58	1225	11
11	4/26/11	1.0	14.70	327	473.0	93.7	7.90	4.67		
11	4/26/11	2.0	14.70	325	473.0	92.6	7.70	4.68		
11	6/21/11	1.0	25.40	313	431.8	137.0	11.10	5.97		
11	6/21/11	2.0	25.06	313	436.5	124.5	10.26	5.91		
11	6/21/11	3.0	24.61	318	460.1	106.7	8.57	5.63		
11	6/21/11	4.0	23.31	333	520.2	56.1	4.69	5.15		
11	6/21/11	5.0	23.26	333	518.7	55.3	4.66	5.11		
11	6/21/11	6.0	23.14	334	521.8	53.0	4.48	5.09		
11	6/21/11	7.0	23.04	335	526.7	48.0	4.06	5.03		


Site	Date	Depth	H2OTemp (oC)	Redox	Cond	D.O. %	D.O.(mg/L)	pH	Time	Secchi (in.)
11	6/21/11	8.0	23.08	334	524.7	46.2	3.91	5.01		
11	6/21/11	9.0	23.11	334	522.2	45.9	3.88	5.01	1219	24
11	8/23/11	0.0	27.36	273	338.6	89.6	7.14	8.61	1201	
11	8/23/11	1.0	27.27	282	341.0	66.5	5.28	8.38	1202	
11	8/23/11	2.0	27.20	290	345.2	40.6	2.83	8.11	1206	
11	8/23/11	3.0	27.20	293	345.7	28.9	2.31	7.89	1207	
11	8/23/11	4.0	27.11	295	347.5	18.3	1.62	7.86	1208	
11	8/23/11	5.0	27.08	294	347.2	17.6	1.39	7.85	1209	
11	8/23/11	6.0	27.05	292	349.2	13.7	1.07	7.81	1210	
11	8/23/11	7.0	27.00	288	349.6	10.3	0.81	7.79	1211	
11	8/23/11	8.0	26.95	276	350.9	4.7	0.37	7.74	1212	
11	10/25/11	0.2	14.00	228	354.0	90.8	9.35	8.22		
11	10/25/11	0.5	14.00	231	353.7	90.6	9.32	8.23		
11	10/25/11	0.8	14.01	234	352.6	90.5	9.31	8.21		
11	10/25/11	1.1	14.03	235	353.0	90.3	9.29	8.19		
11	10/25/11	1.4	14.03	237	352.7	90.2	9.28	8.17		
11	10/25/11	1.7	14.03	238	353.2	90.0	9.26	8.15		


## **APPENDIX B**

### **LAB DATA GRAPHS**




### E. coli at Marinas







## Tributary Ammonia Nitrogen & Nitrate-Nitrogen




## Lake Ammonia Nitrogen & Nitrate-Nitrogen




### Tributary Total & Ortho-Phosphorous




## Lake Total & Ortho-Phosphorous



## Chlorophyll & Pheophytin




### Tributary Pesticides







# Lake Pesticides




### Tributary Solids




# Lake Solids



### Tributary Total Organic Carbon




# Lake Total Organic Carbon




## **APPENDIX C**

### **FIELD DATA GRAPHS**

### Triburtery Temperature & D.O.




### Site 2 Temperature & D.O.







### Site 4 Temperature & D.O.





### Site 11 Temperature & D.O.




### Tributary Conductivity & Redox













### Tributary pH
















Dissolved Oxygen in spillway as monitored by remote sonde

## **APPENDIX D**

### **BEACH GRAPHS**

