

# 2022 Water Quality Report

U.S. Army Corps of Engineers  
Saint Louis District

---

## Carlyle Lake Water Quality Conditions: 1971-2022



---

---

October 2023

# Carlyle Lake Water Quality Conditions: 1971-2022

Prepared for

United States Army Corps of Engineers  
Saint Louis District  
1222 Spruce Street  
Saint Louis, MO 63103-2833

Prepared by:

Ben Greeling  
Environmental Specialist

## **EXECUTIVE SUMMARY**

The United States Army Corps of Engineers (USACE) commitment to environmental compliance and protection of estuaries, rivers, lakes, and navigable waters arises from the national policy and directives expressed in Federal Statutes, Executive Orders, and internal regulations. These regulations were designed to minimize pollution, maximize recreation, protect aesthetics, preserve natural resources, and promote the comprehensive planning and use of water bodies to enhance the public interest rather than private gain. Therefore, USACE, in the design, construction, management, operation, and maintenance of its facilities, will exert leadership within existing authorities and appropriations in the nationwide effort to protect, enhance, and sustain the quality of the nation's resources. It is USACE's policy to comply with requirements of the Clean Water Act and not to degrade existing water quality conditions to the maximum extent that is practicable, consistent with project authorities, Federal legal and regulatory requirements, the public interest, and water control manuals.

The United States Army Corps of Engineers, Saint Louis District (CEMVS), implemented a water quality monitoring program during the 1970s to evaluate how its civil projects may be affecting water resources. Data collected from this effort serves as an invaluable tool for evaluating the significance of annual water quality measurements and tracking long-term trends. Water quality data is provided to the Missouri Department of Natural Resources and the Illinois Environmental Protection Agency to be used as a screening mechanism for the Missouri and Illinois Water Quality Report which is required every two years by the Clean Water Act Sections 303(d) and 305(b).

The National Water Quality Inventory Report to Congress (305(b) report) is the primary vehicle for informing law makers and the public about general water quality conditions in the United States. This document characterizes our water quality, identifies widespread water quality problems of national significance, and describes various programs implemented to restore and protect our waters. Currently the Illinois Environmental Protection Agency (IEPA, 2020) has listed Carlyle Lake as impaired for total phosphorous and mercury while the Kaskaskia River upstream from the Lake is impaired for fecal coliform, and mercury. In addition, the North Fork Kaskaskia River is impaired for phosphorus, Atrazine, and Terbufos. The lists of sources for these impairments are contaminated sediments, crop production, and unknown sources. The entire Kaskaskia watershed is impaired by the above parameters as well as many others.

Water quality sampling in 2022 revealed the following concerns at Carlyle Lake: dissolved oxygen, temperature, bacteria, total phosphorus, iron, pH, and chlorophyll a.

## TABLE OF CONTENTS

INTRODUCTION.....	5
CARLYLE LAKE WQMP COVERAGE .....	6
Sample Location Summary Table .....	8
METHODS AND ANALYSIS: WATER QUALITY .....	9
Data Collection and Historical Reference Data .....	9
Statistical Summary and Comparison to Applicable Water Quality Standards.....	9
Quality Assurance .....	9
Water Quality Parameters and Criteria .....	10
Laboratory Methods and Water Quality Criteria Summary Table.....	15
RESULTS AND SUMMARY STATISTICS: WATER QUALITY .....	17
DISCUSSION: WATER QUALITY .....	33
MONITORING PROGRAM RECOMMENDATIONS .....	36
WORKS CITED .....	37
APPENDIX A: FIELD DATA .....	38
APPENDIX B: LABORATORY DATA.....	42



## INTRODUCTION

The Carlyle Lake watershed encompasses approximately 1,663 square miles and includes all or portions of Bond, Clinton, Effingham, Fayette, Marion, Shelby, and Montgomery counties. The watershed includes the Kaskaskia River between Carlyle Lake Dam and Lake Shelbyville Dam and major tributaries of the Kaskaskia River, including: Big, Richland, Robinson, Becks, Ramsey, Old Hickory, and Hurricane Creeks (respectively) and the East Fork Kaskaskia River. Agriculture is the predominant land use within the watershed. Currently, 82% of the land is used for agricultural purposes. Of that 82%, 63% is cropland and 19% grassland. Since 1978, the number of farms has decreased by 25% and the acreage tilled has decreased by only 6%. Corn and soybeans are important to the region, but producers also grow 25% of the entire state's crop of wheat. Livestock production, including dairy, swine, poultry, and beef cattle is a significant industry, especially in Clinton, Randolph, and Washington Counties.

Carlyle Lake is located in south central Illinois at river mile 94.2 on the Kaskaskia River, upstream from its confluence with the Mississippi River and about one-half mile upstream from the town of Carlyle, Illinois. Carlyle is located in Clinton County, approximately 50 miles east of St. Louis, Missouri. Carlyle Lake is the largest man-made lake in the state and is approximately 12 miles long and 1-3 miles wide and has approximately 24,710 acres of water surface at summer pool elevation 445.0 feet NGVD (National Geodetic Vertical Datum). There are 88 miles of shoreline and approximately 12,800 acres of public land associated with the project. The lake is situated in gently rolling land with alluvial valleys with moderately low relief. The lake provides outdoor recreation opportunities for over 2.5 million visitors annually, which generates over \$80 million in visitor spending within 30- miles of the Lake. There are 41 recreation areas that include: 424 picnic sites, 726 campsites, 670 marina slips, 24 boat ramps, and 25 miles of hiking trails. The CEMVS manages and operates two large reservoirs on the Kaskaskia River, Lake Shelbyville and Carlyle Lake, as well as the 36 mile long navigable channel and lock and dam at the Kaskaskia River Project.

Carlyle Lake is managed and operated by the CEMVS for the authorized purposes of flood risk management, navigation, water supply, water quality, fish and wildlife conservation, and recreation. The lake serves as a heavy recreational usage lake. The land surrounding the lake is used predominately for agriculture. Surrounding communities have existing industrial/commercial operations and residents which discharge wastewater into municipal wastewater treatment plants that ultimately discharge treated water into the Kaskaskia River basin. Agricultural runoff and municipal wastewater treatment facilities are the primary potential source of pollution into the Carlyle Lake watershed. Additional sources are marinas, recreational watercraft discharges and wildlife fecal material runoff.

Water quality is of paramount importance for sustaining ecological integrity and services provided by the Kaskaskia River and Carlyle Lake. Water quality is influenced by a range of both point and nonpoint pollution sources, which may include natural

processes, industrial and municipal effluents, and surface runoff from agricultural arenas.


The USACE has implemented a Water Quality Management Plan (WQMP) as part of the operation and maintenance activities associated with managing USACEs' civil works projects throughout the District which includes, among other reservoirs and rivers, the Kaskaskia River and Carlyle Lake. The WQMP addresses surface water quality management issues and adheres to the guidance and requirements specified by Clean Water Act (CWA), as well as the self-imposed Engineering Regulation (ER) 1110-2-8154, "Water Quality and Environmental Management for USACE Civil Works Projects" (USACE, 2018). Water quality monitoring is implemented to fulfill five primary objectives that drive the CEMVS WQMP:

- 1) Establish baseline conditions, identify significant water quality trends, and document problems and accomplishments.
- 2) Ensure that surface water quality, as affected by CEMVS projects, is suitable for project purposes, existing water uses, public health and safety, and in compliance with applicable state and federal water quality standards.
- 3) Provide support to water control, project operations, and navigation for regulations and modifications.
- 4) Investigate special problems, design and implement modifications, and improve water management procedures
- 5) Establish and maintain strong working partnerships and collaborations with appropriate entities within and outside USACE regarding water quality.

This report is intended to document and assess water quality conditions occurring at Carlyle Lake. The report describes conditions observed in 2022, as well as baseline data collected from 1971-2021. Data are available upon request.

## CARLYLE LAKE WQMP COVERAGE

The WQMP for Carlyle Lake includes water samples taken at the following locations: major tributaries (CAR-13 and CAR-12), main body of the lake (CAR-4, CAR-2, and the marinas), and just downstream of the dam (CAR-1). See figure 1 and Table 1 for a site map and site coordinates.



**Figure 1. Water Quality (WQ) Sampling Locations in 2022 at Carlyle Lake**

## Sample Location Summary Table

**Table 1: Sample Location Summary and Geographic Location (NAD 1983)**

Sample Location Type	Abbreviation	Site Name	Latitude	Longitude
Major Tributary	TRIB	CAR-13	38.868961	-89.159605
	TRIB	CAR-12	38.868961	-89.193475
Main Reservoir Surface	RS	CAR-2	38.619492	-89.352747
	RS	CAR-4	38.740632	-89.267266
	RS	CAR-BL	38.693092	-89.234040
	RS	CAR-DW	38.627955	-89.358246
	RS	CAR-KP	38.736930	-89.273674
	RS	CAR-CSA	38.642647	-89.336805
	RS	CAR-2-10	38.619492	-89.352747
Reservoir Benthic	RB	CAR-2-10	38.619492	-89.352747
Tail Race (below dam)	TR	CAR-1	38.616240	-89.355828

Samples at Marinas are not always taken in the exact same location. *BL=Boulder Marina, DW=Dam West Marina, KP=Keyesport Marina, CSA=Carlyle Sailing Association.*

## METHODS AND ANALYSIS: WATER QUALITY

### Data Collection and Historical Reference Data

During 2022, water quality samples were collected and analyzed for 10 locations during four separate sampling events (n=40; Table 1). One duplicate sample was also collected during each sampling event for quality control purposes. Samples were collected from the upper one meter of the water column, preserved, and transported to the Applied Research and Development Laboratory (ARDL) in Mount Vernon, Illinois for analysis.

For the purpose of this report, historical reference data refers to water quality data collected during the previous years ranging as far back as 1971 (parameter dependent) at Carlyle Lake. Historical reference data are intended to represent the current condition of Carlyle Lake.

### Statistical Summary and Comparison to Applicable Water Quality Standards

Statistical analyses were performed on water quality monitoring data collected for 10 locations, and classified as TRIB (n= 2), RS (n=6, RB (n=1), and TR (n=1). For comparison, statistical analyses were also performed on historical water quality monitoring data and, although some sampling locations may have been removed, they were classified in the same manner. Descriptive statistics were calculated to describe central tendencies and boxplots created to illustrate comparisons between groups. Monitoring results were compared to applicable water quality standard criteria established by the appropriate state agencies pursuant to the Federal Clean Water Act. If state water quality standard criteria were not available, recommended criteria from the literature were considered.

Seasonal data are classified as: Winter (December 01 - March 14), Spring (March 15 – May 31), Summer (June 1 – September 15), Fall (September 16 – November 30).

### Quality Assurance

The United States Army Corps of Engineers, Saint Louis District quality assurance procedures considers two primary focus areas: (1) those that involve laboratory analysis of samples, and (2) those concerning the collection and processing of the water samples in the field.

Since 2012, ARDL has analyzed water quality samples for CEMVS. Their quality assurance program includes the use of quality control charts, check standards, field and in-house matrix spikes, laboratory blanks and performance evaluation samples. In addition, one blind duplicate sample is submitted for at least every 20 samples, or, in this case, every sampling event (one event/day at Carlyle Lake has 6 lab samples and one duplicate).



Internal checks are also used for field sampling. This includes adherence to operating procedures for data collection and periodic evaluation of sampling personnel. Field sampling equipment and multimeters are calibrated/serviced in accordance with factory recommendations.


## Water Quality Parameters and Criteria

Parameters used to characterize water quality have been generally accepted criteria for assessing aquatic life and human health include:

**Temperature (Temp)** is important because it controls several aspects of water quality. Colder water holds more dissolved oxygen which is required by aquatic organisms. Plants grow more rapidly and use more oxygen in warmer water. Decomposition of organic matter which uses oxygen is accelerated in warmer water. Temperature can also determine the availability of toxic compounds such as ammonia. Since aquatic organisms are cold blooded, water temperature regulates their metabolism and ability to survive. The number and kinds of organisms that are found in streams or lakes is directly related to temperature. Certain organisms require a specific temperature range, such as Salmonids, which require water temperatures below 20°C. Water temperature criteria for warm water bodies in Illinois is within 2.8°C of the seasonal norm.

**Dissolved Oxygen (DO)** refers to the measurement of free oxygen molecules ( $O_2$ ) that are not bonded to any other elements; thus, oxygen bonded in water ( $H_2O$ ) would not be considered in a measurement of dissolved oxygen. Oxygen is dissolved in surface waters through interactions with the atmosphere and as a waste product of photosynthesis ( $CO_2 + H_2O \rightarrow (CH_2O) + O_2$ ) from phytoplankton and aquatic vegetation. Additional factors influencing DO include temperature, pressure, and salinity.

Dissolved oxygen is required for most aquatic life including fish, invertebrates, bacteria, and plants. Fish and invertebrates utilize DO for respiration through gills and cutaneous breathing, and plants require dissolved oxygen for respiration when photosynthesis is not possible. Smaller microbes and bacteria utilize DO for decomposition of organic materials, a process essential for nutrient cycling. Bottom feeders such as worms and mussels can persist when DO is  $\geq 1\text{mg/L}$ , while most inland fish species require a minimum DO of  $4\text{mg/L}$ . The DO water quality criteria for Illinois is  $\geq 5\text{mg/L}$ .



*Figure 1: Dissolved oxygen ( $O_2$ ) vs oxygen bonded in water ( $H_2O$ ).*

**Potential of Hydrogen (pH)** is a measure of how acidic or basic water is. Potential of Hydrogen is reported on a logarithmic scale ranging from 0 – 14, with 7.0 being neutral. As pH increases from 7.0, water increases in alkalinity, whereas a decrease from 7.0 indicates an increase in acidity. Since pH is measured on a logarithmic scale, every

one-unit change in pH indicates a 10-fold change in acidity; thus, a pH of 6.0 is ten times more acidic than a pH of 7.0 and a pH of 4.0 would be one-thousand times more than a pH of 7.0.

The pH of water varies considerably beyond the local level. Natural variation in bedrock and soil composition through which water moves has been reported as one of the most influential factors. Additional factors include decomposition of organic materials, acidity of local precipitation, discharge of effluents and chemicals, and mining operations.

Most freshwater streams and rivers have a natural pH ranging from 6 to 8. As pH approaches 5 (acidic), less tolerant fish and aquatic invertebrate assemblages may be extirpated, and a pH below 4.5 would be without most desired aquatic life. Conversely, when pH exceeds 9.5 (alkaline), aquatic fish and invertebrate begins to rapidly decrease and beyond 10, fish become extirpated. The pH water quality criteria for Illinois ranges from 6.5 – 9.0.

**Conductivity** is a measure of water's ability to conduct electrical current. In its purist form, water has a *near* neutral charge, indicating that it is an inefficient conductor of electrical current. Thus, the ability to carry electrical current is driven by water soluble ions (atoms and molecules with a charge) such as salts and other inorganic materials. Conductivity is also influenced by water temperature; as temperature increases, conductivity increases. For this reason, conductivity is commonly reported as Specific Conductivity (SpCond), which is the measurement of conductivity at 25 degrees Celsius.

Conductivity in streams and rivers is affected by the geology of the area. Streams running through granite tend to have lower conductivity due to granite being composed of inert material; materials that do not ionize or dissolve into ionic compounds in water. Conversely, streams that run through areas of limestone or clay soils tend to have higher conductivity readings because of the presence of materials that ionize. Conductivity is useful as a general measure of water quality. A stream tends to have a relatively constant range of conductivity that, once established, can be used as a baseline. Significant changes, either increases or decreases, might indicate a source of pollution has been introduced into the water. The pollution source could be a treatment plant, which raises the conductivity, or an oil spill, which would lower the conductivity. In general, there are no water quality criteria for SpCond. The District threshold of 500  $\mu\text{S}/\text{cm}$  is a rule of thumb value that is often associated with some form of biological impairment.

**Oxidation Reduction Potential (ORP)** is a measurement of the net status of all the oxidation and reduction reactions in a given water sample. Oxidation involves an exchange of electrons between 2 atoms. The atom that loses an electron is oxidized and the one that gains an electron is reduced. Oxidation reduction potential sensors measure the electrochemical potential between the solution and a reference electrode. Readings are expressed in millivolts. Positive readings indicate increased oxidizing potential and negative readings increased reduction. Oxidation reduction potential



values are used much like pH values to determine water quality. While pH readings characterize the state of a system relative to the receiving or donating hydrogen ions (base or acid), ORP readings characterize the relative state of losing or gaining electrons. Generally, ORP readings above 400mV are harmful to aquatic life; however, ORP is a non-specific measurement, which reflects a combination of effects of all the dissolved materials in the water. Therefore, the measurement of ORP in relatively clean water has only limited utility unless a predominant redox-active material is known to be present.

**Total Suspended Solids (TSS)** concentrations, which cause the photosynthetic activity to be reduced by more than 10% from the seasonably established norm, can have a detrimental effect on aquatic life. Soil particles, organic material, and other debris comprise suspended solids in the water column. **Turbidity (FNU)** measurements are inverse to suspended solid measurements. As TSS increases, the FNU or water transparency decreases. Total suspended solids can be an important indicator of the type and degree of FNU. Total Suspended Solids measurements represent a combination of **Volatile Suspended Solids (VSS)**, which consist of organic material, and **Nonvolatile Suspended Solids (NVSS)**, which is comprised of inorganic mineral particles in the water. In order to more accurately determine the types and amounts of suspended solids, VSS are analyzed. Volatile suspended solid concentration represents the organic portion of the total suspended solids. Organic material often includes plankton, and additional plant and animal debris present in water. Total VSS indicates the presence of organics in suspension; and, therefore, show additional demand levels of oxygen. The Illinois Environmental Protection Agency suggests that generally NVSS above 15 mg/L could highly impair recreational lake use while NVSS of 3 to 7 mg/L may cause slight impairment (Hudson, 1998). Illinois does not currently have standard criteria for TSS, NVSS or VSS.

**Total Organic Carbon (TOC)** is a measure of the amount of organic carbon in a water body. In addition to natural organic substances, TOC includes insecticides and herbicides, as well as domestic and industrial waste. Industrial waste effluent may include carbon-containing compounds with various toxicity levels. Further, a high organic content means an increase in the growth of microorganisms which contribute to the depletion of oxygen supplies.

Currently, there are no state or federal water quality standard criteria set for TOC. Because carbon occurs naturally, its concentration varies based on physical and chemical attributes in a watershed; thus, this study relies on historical reference conditions to identify unfavorable conditions.

**Metals Iron (TFe) and Manganese (TMn)** (T=total) are nutrients for both plants and animals. Living organisms require trace amounts of metals. However, excessive amounts can be harmful to the organism. Heavy metals exist in surface waters in three forms, colloidal, particulate, and dissolved. Water chemistry determines the rate of adsorption and desorption of metals to and from sediment. Metals are desorbed from the sediment if the water experiences increases in salinity, decreases in redox potential,

or decreases in pH. Metals in surface waters can be from natural or human sources. Metal levels in surface water may pose a health risk to humans and the environment.

**Pesticides** are commonly used throughout much of the agricultural landscape that the Kaskaskia River flows. This study considers one insecticide and seven herbicides. Atrazine and Alachlor herbicides are commonly used agricultural chemicals which can be readily transported by rainfall runoff. Both compounds are suspected of causing cancer; and therefore, were monitored for the protection of human and aquatic health. Herbicides which are pesticides used to kill vegetation are the most widely used and sampled. Two of the most widely used herbicides are Atrazine and Alachlor. Atrazine is a preemergence or postemergence herbicide use to control broadleaf weeds and annual grasses. Atrazine is most commonly detected in ground and surface water due to its wide use, and its ability to persist in soil and move in water. Alachlor is a Restricted Use Pesticide (RUP) due to the potential to contaminate groundwater. The water quality standards for the pesticides sampled are located in Table 2.

**Nitrogen** occurs naturally in water through several forms including nitrogen ( $N_2$ ), nitrite ( $NO_2-N$ ), nitrate ( $NO_3-N$ ), ammonia ( $NH_3$ ), and ammonium ( $NH_4$ ). Nitrates are the most commonly reported form of nitrogen and may have a meaningful influence on a water body's trophic status. Algae and other plants use  $NO_3-N$  as a food source, thus excess levels of  $NO_3-N$  can promote increases in algae production and hypereutrophic conditions.

In general,  $NO_3-N$  does not have a *direct* effect on fish or aquatic insects. Illinois has set criteria standards for  $NO_3-N$  to 10 mg/L to accommodate safe drinking waters for human and livestock; however, this threshold likely exceeds the concentration that is appropriate for assessing ecosystem health.

**Total Ammonia Nitrogen (TAN)** includes  $NH_3$  and  $NH_4$ . Total ammonia nitrogen is a colorless gas with a strong pungent odor. Ammonia occurs naturally and is a biological requirement for aquatic life, however elevated concentrations can be toxic to freshwater organisms. Unnatural sources of ammonia include, accidental releases of ammonia rich fertilizer, effluent from sewage treatment plants, improper disposal of ammonia products, and livestock waste.

Toxic concentrations for freshwater organisms range from 0.53 – 22.8 mg/L and are strongly dependent on both pH and temperature. In general, an increase in pH and/or temperature corresponds with an increase in toxicity. Additional information in regard to the relationship between pH, temperature, and ammonia, as it relates to toxicity, can be reviewed in Aquatic Life Ambient Water Quality Criteria for Ammonia – Freshwater (USEPA 2013).

**Total Phosphorus (TP)** is analyzed as phosphorus and has been monitored due to the potential for uptake by nuisance algae. Levels of phosphate can indicate the potential for rapid growth of algae (algae bloom) which can cause serious oxygen depletion during the algae decay process. Phosphorous is typically the limiting nutrient in a water

body; therefore, any addition of phosphorous to the ecosystem stimulates the growth of plants and algae. Phosphorous is delivered to lakes and streams by way of runoff from agricultural fields and urban environments. Other sources of phosphorous are anaerobic decomposition of organic matter, leaking sewer systems, and point source pollution. The general standard for phosphorous in lake water is 0.05 mg/L. Dissolved phosphorous, also called **Orthophosphate (PO<sub>4</sub>-P)** is generally found in much smaller concentrations than total phosphorous and is readily available for algal uptake. Orthophosphate concentrations in a water body vary widely over short periods of time as plants take it up and release it.

**Chlorophyll a (CHL\_a)** is a measure of the number of algae growing in a waterbody, and therefore can be used to classify trophic status. Although algae are a natural part of freshwater ecosystems, too many algae can cause aesthetic problems such as green scums and bad odors and can result in decreased levels of DO.

**Pheophytin a (PHEO\_a)** is a natural degradation product or digestion of CHL\_a. The ratio of PHEO\_a to CHL\_a can provide an indication of the decline or growth in eukaryotic algae and cyanobacteria populations.

**Trophic Status** is determined using a modified **Trophic State Index (TSI)**, as described by Carlson (1977). Trophic State Index is calculated from Secchi-depth transparency, total phosphorus, and chlorophyll-a measurements. Values for these three parameters are converted to an index number ranging from 0-100 according to the following equations:

$$\begin{aligned} \text{TSI (Secchi Depth)} &= 10(6 - (\ln \text{SD}/\ln 2)) \\ \text{TSI (Chlorophyll-a)} &= \text{TSI(Chl)} = 10(6 - ((2.04 - 0.68 \ln \text{Chl})/\ln 2)) \\ \text{TSI (Total Phosphorus)} &= \text{TSI(TP)} = 10(6 - (\ln (48/\text{TP})/\ln 2)) \end{aligned}$$

where *ln* indicates the Natural Logarithm

A TSI average value, calculated as the average of the three individually determined TSI metrics, is used as an overall indicator of a water body's trophic state. The relationship between TSI and trophic condition is defined as follows:

TSI	Trophic Condition
0-40	Oligotrophic
40-50	Mesotrophic
50-70	Eutrophic
70-100	Hypereutrophic

## Laboratory Methods and Water Quality Criteria Summary Table

**Table 2: Metrics, Methods, and Water Quality Criteria Used for Evaluating Water Quality**


Metric	Abbreviation	Analysis Method	Water Quality Criteria	Source
Alachlor		EPA Method 8270C	< 2µg/L PWS or <1100 µg/L: aquatic life	Illinois EPA
Ammonia Nitrogen	NH <sub>3</sub>	EPA Method 350.1	<15 mg/L	Illinois EPA
Atrazine	Atrazine	EPA Method 8270C	9 µg/L: Chronic or 82 µg/L: Acute or 3 µg/L DWS	Illinois EPA
Bacteria: E. Coliform	E Col	EPA Method 1604	< 235 E. Col per 100/mL for single sample	Illinois EPA
Chlorophyll a	Chl_a	SM Method 10200H	< 25 mg/m <sup>3</sup> (Eutrophic Upper Limit)	Carlson 1977
Chlorpyrifos		EPA Method 8270C	< .11 µg/L: aquatic life	Illinois EPA
Cyanazine		EPA Method 8270C	< 30 µg/L: chronic or < 370 ug/L acute (aquatic life)	Illinois EPA
Depth	Depth	Multiparameter Meter	Measurements reported at ~1 meter	-----
Dissolved Oxygen	DO	Multiparameter Meter	Greater than 5.0mg/L	Illinois EPA
Metolachlor		EPA Method 8270C	30.4 µg/L: Chronic or 380 µg/L: Acute	Illinois EPA
Metribuzin		EPA Method 8270C	8.4 mg/L: aquatic life or 8.3 mg/L: human health	Illinois EPA
Nitrate as Nitrogen	NO <sub>3</sub>	Green Method	< 10 mg/L	Illinois EPA
Non-Volatile Suspended Solids	NVSS	TSS - VSS	-----	-----
Orthophosphate	Ortho	EPA Method 365.2	-----	-----
Pendmethalin		EPA Method 8270C	< 30 µg/L: chronic or < 350 µg/L acute (aquatic life)	Illinois EPA
Pheophytin a	Phpy_a	SM Method 10200H	-----	-----
Potential of Hydrogen	pH	Multiparameter Meter	Range: 6.5 – 9.0pH	Illinois EPA
Specific Conductivity	SpCond	Multiparameter Meter	500 µS/cm	-----
Temperature	Temp	Multiparameter Meter	Less than rise of 2.8°C above normal seasonal temperature	Illinois EPA
Total Dissolved Solids	TDS	Multiparameter Meter	< 500 mg/L	Illinois EPA
Total Manganese	TMn	EPA Method 6010C	< 1 mg/L	Illinois EPA

<b>Metric</b>	<b>Abbreviation</b>	<b>Analysis Method</b>	<b>Water Quality Criteria</b>	<b>Source</b>
Total Organic Carbon	TOC	EPA Method 415.1	-----	-----
Total Iron	TFe	EPA Method 6010C	< 1 mg/L	Illinois EPA
Total Phosphorus	TP	EPA Method 365.2	Less than 0.05 mg/L	Illinois EPA
Total Suspended Solids	TSS	EPA Method 160.2	-----	Illinois EPA
Trifluralin		EPA Method 8270C	< 1.1 µg/L: chronic or < 26 µg/L acute (aquatic life)	Illinois EPA
Turbidity	Turb	Multiparameter Meter	-----	-----
Volatile Suspended Solids	VSS	EPA Method 160.4	-----	-----


*\*1 mg/L is equivalent to 1 drop in two bathtubs and 1 ug/L is equivalent to 1 drop in an Olympic size swimming pool. PWS is public water supply. DWS is drinking water standard.*

## RESULTS AND SUMMARY STATISTICS: WATER QUALITY


Oxidation Reduction Potential: 1986–2021




Oxidation Reduction Potential: 2022



Specific Conductivity: 1971–2021




Specific Conductivity: 2022



Historical Reference 1971-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
ORP	RB	228.07	231.0	134	----	----	----
	RS	242.74	235.0	277	150.35	161.3	16
	TR	283.03	296.0	132	208.17	172.1	3
	TRIB	278.85	286.5	172	185.70	164.5	5
SpCond	RB	405.18	411.0	239	----	----	----
	RS	406.99	411.0	637	341.77	334.8	22
	TR	397.38	395.0	248	357.68	361.4	4
	TRIB	518.89	495.0	605	392.44	414.7	7

\*This report does not acknowledge a water quality criteria for SpCond or ORP.




\* Red line placed at the 5 mg/L level for DO.

Historical Reference 1971-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
DO	RS	9.02	8.89	652	7.48	6.64	24
	TR	9.40	9.01	248	7.99	8.10	4
	TRIB	8.63	8.50	601	9.22	9.16	8
Temp	RS	19.13	21.00	661	24.56	24.76	24
	TR	18.93	20.85	254	23.95	24.58	4
	TRIB	15.74	17.71	618	24.16	23.29	8


\* During the four sampling events in 2022 surface water DO was measured below the standard at CAR-4 and BL-MAR in June and at BL-MAR, DW-MAR, and KP-MAR in September. In 2022 temperature was recorded above the standard (rise of 2.8° C above the natural temperatures) during the spring. The historical seasonal mean temperature by class was used as the natural temperature.



## Carlyle Lake Tailwater Water Quality 2022





*\*Data recorded by multi-parameter sonde at tail race in 2022. 15 minute data shown. DO was recorded below the standard of 5 mg/L several times throughout the year usually during low flow periods.*





\*Red lines indicate the upper and lower water quality criteria standards (9 and 6.5).

Historical Reference 1971-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
pH	RS	7.99	8.00	649	8.22	8.22	24
	TR	7.88	7.90	250	8.04	8.01	4
	TRIB	7.56	7.60	603	7.94	8.02	8

\*The pH standard was exceeded in May 2022 with readings greater than 9 at CAR-2, CAR-CSA, and CAR-KP.




\*Red line indicates the water quality standard (10 mg/L).




Historical Reference 1971-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
NO3-N	RS	1.10	0.73	613	0.17	0.13	8
	TR	0.90	0.62	250	0.32	0.20	4
	TRIB	1.64	0.90	605	1.02	0.81	8
NH3N	RS	0.08	0.05	508	0.07	0.08	8
	TR	0.14	0.09	216	0.08	0.07	4
	TRIB	0.12	0.07	424	0.07	0.08	8

\*All observations of nitrate and ammonia nitrogen were within the water quality standard.


Orthophosphate: 1971–2021



Total Phosphorus: 1971–2021




Total Phosphorus: 2022



\*Red line indicates the water quality standard of 0.05 mg/L.

Historical Reference 1971-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
PO4	RS	0.08	0.06	600	----	----	----
	TR	0.10	0.07	244	----	----	----
	TRIB	0.07	0.05	598	----	----	----
TP	RS	0.22	0.16	620	0.26	0.27	8
	TR	0.23	0.19	249	0.32	0.35	4
	TRIB	0.24	0.19	616	0.20	0.16	8

\*Total phosphorus exceeded the standard of 0.05 mg/L for all locations in 2022. This study does not acknowledge a standard for orthophosphate.




\*Red line indicates the reference water quality standard of 25 mg/cm<sup>3</sup>. See Carlson 1977.


Historical Reference 1984-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
Chl_a	RS	30.31	21.40	282	47.90	44.55	8
	TR	32.30	20.50	5	30.10	24.90	4
	TRIB	23.62	11.90	68	46.71	49.30	8

\*The reference standard for chlorophyll-a of 25mg/cm<sup>3</sup> was exceeded at the most sites throughout 2022. This study does not acknowledge a standard for pheophytin.


### Secchi Depth: 2022



### 2022 Carlson Trophic State Index




<40 = Oligotrophic \_\_ 40-50 = Mesotrophic \_\_ 50-70 = Eutrophic \_\_ >70 Hypereutrophic



Historical Reference 2018-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
TDS	RB	212.17	215.50	12	----	----	----
	RS	215.05	210.50	78	215.13	229.50	24
	TR	216.81	220.00	16	226.00	240.50	4
	TRIB	287.16	281.00	31	303.63	311.50	8
FNU	RB	RB	24.26	19.54	----	----	----
	RS	RS	39.28	25.04	36.85	21.99	24
	TR	TR	18.34	15.49	16.21	15.62	4
	TRIB	TRIB	66.40	45.74	27.85	26.11	8


\* All observations of TDS were within the referenced water quality standard.







Historical Reference 1974-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
TSS	RB	41.59	29.00	229	29.95	31.15	4
	RS	34.66	25.00	521	27.71	26.30	8
	TR	25.16	21.00	218	22.50	18.75	4
	TRIB	105.86	62.25	436	57.66	54.45	8

*\*The mean total suspended solids data measured in 2022 were lower overall when compared to the historical data. There is no numeric standard for TSS.*





Historical Reference 1984-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
TOC	RS	6.51	5.60	318	5.09	5.04	8
	TR	6.58	5.50	150	4.71	4.68	4
	TRIB	6.03	5.00	209	4.01	3.80	8

*\*This study does not recognize a water quality criteria for TOC.*




\*Red line indicates the water quality standard of 1 mg/L.



\*Red line indicates the water quality standard of 1 mg/L.

Historical Reference 1984-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
TFe	RB	1.22	0.83	182	1.10	1.21	4
	RS	1.44	0.81	170	----	----	----
	TR	0.87	0.65	151	0.78	0.72	4
	TRIB	3.82	2.31	68	----	----	----
TMn	RB	0.23	0.18	182	0.18	0.18	4
	RS	0.16	0.14	160	----	----	----
	TR	0.19	0.15	149	0.17	0.16	4
	TRIB	0.33	0.26	61	----	----	----

\*In 2022 iron exceeded the standard of 1 mg/L near the lake bottom in front of the dam in May, June, and August, and in the discharge once. Manganese did not exceed the criterion.




\*Red line indicates the standard of 3 ug/L.


Historical Reference 1996-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
Atrazine	RS	1.08	0.51	128	0.59	0.59	2
	TR	0.70	0.53	64	0.33	0.33	1
	TRIB	1.66	0.55	123	0.78	0.78	2

\*Atrazine did not exceed the DWS criterion of 3 ug/L in 2022.

Metolachlor: 2007–2021




Metolachlor: 2022




Historical Reference 2007-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
Metolachlor	RS	1.22	0.43	90	0.90	0.90	2
	TR	0.84	0.43	45	0.53	0.53	1
	TRIB	1.27	0.40	85	2.33	2.33	2

\*Metolachlor did not exceed water quality criteria in 2022.

Metribuzin: 1998–2021




Metribuzin: 2022



Historical Reference 1998-2021					2022		
	Location	Mean	Median	n	Mean	Median	n
Metribuzin	RS	0.33	0.21	101	0.21	0.21	2
	TR	0.22	0.21	45	0.22	0.22	1
	TRIB	0.34	0.22	93	0.42	0.42	2

\*Metribuzin did not exceed water quality criteria in 2022.



\*Red line indicates the water quality standard of 235 col per 100 mL.

Historical Reference 2001-2021					2022			
	Location	Mean	Median	n	Location	Mean	Median	n
E col	1	15.25	16.50	4	12	512.50	550.00	4
	2	29.00	8.00	13	2	139.75	78.00	4
	4	494.14	6.50	14	13	656.25	400.00	4
	BL	176.00	33.50	48	BL	141.50	140.00	4
	CSA	178.71	150.00	7	CSA	167.25	162.50	4
	DW	235.68	45.00	50	DW	290.75	137.50	4
	KP	175.02	71.00	49	KP	311.75	262.50	4

\*Marina bacteria levels exceeded the standard throughout the lake and in the tributaries during the four sampling events in 2022.

**2022 Swimming Beach/Marina Bacteria Levels (E. Coli / 100mL)**

Month/week	McNair	Keyesport	Dam West	Harbor Light	Coles Creek	Boulder Marina	Carlyle Sailing Association Marina	West Access Marina	Trade Winds Marina
May/ week 1	55	43	57	112	77	43	25	75	67
2	34	54	41	156	87	65	43	154	133
3	57	78	45	154	89	120	76	88	133
4	76	67	86	133	122	75	43	122	96
June/week 1	75	56	86	186	146	122	78	122	155
2	66	45	57	166	122	95	53	75	164
3	40	20	20	170	80	60	69	45	90
4	86	54	65	120	1602	100	43	22	120
5	65	48	58	188	132	112	54	142	154
July/ week 1	77	123	65	200	148	112	58	147	165
2	76	43	78	168	142	141	76	180	160
3	58	96	112	200	154	132	54	153	175
4	112	88	74	200	189	147	66	54	76
August/ week 1	65	76	54	190	175	65	76	88	149
2	38	75	46	122	110	79	50	105	175
3	78	114	54	187	166	153	75	119	175
4	74	66	32	167	130	122	21	112	153
Sept/week1	65	44	75	122	145	165	57	110	175
2	57	87	45	187	112	96	54	113	165
3	76	112	54	145	88	96	44	53	128
4	43	75	37	186	88	112	51	74	91
5	55	76	64	175	110	87	32	64	122

*\*Bacteria levels at the swimming beaches remained below the standard in 2022 with one exception in June taken at Coles Creek. Of the additional Marina bacteria samples taken, all were below the standard.*



## DISCUSSION: WATER QUALITY

Water quality metrics assessed by CEMVS can be sporadic and highly variable from year to year, thus long-term data collection using consistent and comparable methodology is critical to identify trends or patterns. In general, conditions observed during 2022 did not deviate far from conditions observed during the reference period (1971-2020). Nevertheless, concerns regarding dissolved oxygen, temperature, bacteria, total phosphorus, iron, and pH were evident. In addition, CHL<sub>a</sub> and subsequent TSI levels were indicative of a hyper eutrophic system.

In 2022 all 33 ambient discrete observations of DO were within the state guidelines except for CAR-4, Boulder Marina, Dam West Marina and Keyesport Marina. On June 23 DO was recorded at 4.13 mg/L at CAR-4 and 2.66 mg/L at Boulder Marina. On September 6 DO was 2.67 mg/L at Boulder, 4.93 mg/L at Dam West, and 3.9 at Keyesport Marinas. Since 1972, there have been 31 routine lake surface measurements observed in the summer in which DO was below 5 mg/L. DO was measured at the tail race in 15-minute intervals from April 19 through November 14, 2022. DO was recorded below the standard of 5 mg/L at the tail race during the months of May, June, July, September, and October. These lower measurements occurred during periods of low or minimal outflow, in which tainter gates were cracked or shut completely with flow coming through the sluice gate. All other measurements of DO were greater than the standard. It is not abnormal during periods of warm air and water temperatures to experience low DO. DO has an inverse relationship with temperature. As temperature increases, the ability of water to contain DO decreases, therefore the DO concentration decreases. Water temperature measurements made during 2022 indicate an increase from the historical data. This finding assumes that the historical reference 1971-2021 is the normal seasonal temperature. In a comparison of 2022 mean surface temperatures to historical mean temperatures, the water quality standard of <2.8°C was exceeded during the spring (2022 overall spring average was 6.29°C greater than the historical overall spring average). Discrete measurements of temperature were exceeded at multiple locations in the lake during the spring sample events.

E. Coliform levels were observed above the swimming standard of 235 E. Coli per 100 mL (single sample) in the lake and tributaries eleven out of the 28 samples during the four sampling events. The mean E. Coliform levels were also greater than the standard for each tributary as well as Dam West and Keyesport marinas. The highest levels were recorded in the tributaries where maximum concentrations were 825 E. Coli per 100 mL at CAR-12 and 1600 E. Coli per 100/mL at CAR-13. Bacteria levels can be highly variable and high levels may not necessarily be representative of the entire system. There were significant precipitation events which proceeded or occurred during most of the higher bacteria results recorded, though not for the highest at CAR-13 on May 17, 2022. Conversely, all of the swimming beach bacteria results monitored by project staff during the recreation season were below the standard with the exception of one (1602 E. Coli per 100 mL at Coles Creek the fourth week of June). Given that 2022 high bacteria levels in the lake and tributaries are not designated swimming areas, there is a lower risk

to humans. Long term bacteria monitoring, and analyses will be important to assess changes over time.

Phosphorus levels have surpassed the 0.05 mg/L criterion for several years. In 2022 the TP criterion was exceeded at all locations with a mean concentration across all sites of 0.26 mg/L. This is 13.4% greater than the historical mean of 0.23 mg/L, but less than the 2021 mean of 0.37 mg/L. The mean surface NO<sub>3</sub>-N concentration in 2022 (0.50 mg/L) was less than the historic mean (1.21 mg/L) and did not exceed the criterion of 10 mg/L in 2022. Phosphorus is a limiting nutrient for primary producers (algae and plants) due to its relatively low amount in the environment. Higher inputs of TP and NO<sub>3</sub>-N into the lake contribute to a highly productive environment which stimulates algal growth that can lead to blooms that deplete the oxygen levels during die off. In addition, blooms can sometimes contain toxins which may be harmful to humans and wildlife.

Living organisms require trace amounts of metals, excessive levels can be harmful. TFe exceeded the criterion of 1 mg/L three times at the bottom reservoir location in front of the dam (May, June, and August) and once in May at the discharge. Comparably, there are 114 times TFe was high historically (1984-2021) at the same locations. The 2022 TFe mean concentrations are comparable (RB: 1.10 mg/L, TR: 0.78) to the historical means (RB: 1.22 mg/L, TR 0.87 mg/L). Iron cycling is a function of oxidation-reduction processes. Elevated levels of iron near the bottom of a lake are not immediately detrimental to the overall lake system. Iron oxidizes relatively rapidly (minutes to hours); therefore, any iron released through the spillway will be oxidized in a short period of time.

Most freshwater streams and rivers have a natural pH ranging from 6 to 8. As pH approaches 5 (acidic), less tolerant fish and aquatic invertebrate assemblages may be extirpated, and a pH below 4.5 would be without most desired aquatic life. Conversely, when pH exceeds 9.5 (alkaline), aquatic fish and invertebrates begin to rapidly decrease and beyond 10, fish become extirpated. The pH water quality criteria for Illinois ranges from 6.5 – 9.0. The three observations pH was greater than 9.0 in 2022 were CAR-2, CAR-CSA, and CAR-KP (9.05, 9.1, 9.05 respectively). The pH means for 2022 were 8.22 (RS), 8.04 (TR), and 7.94 (TRIB) and were greater than the historical pH means.

Although there is not a state criterion for CHL<sub>a</sub> the proposed standard of 25 mg/cm<sup>3</sup> was exceeded at all sites in 2022. The 2022 combined CHL<sub>a</sub> mean concentration of 41.57 mg/cm<sup>3</sup> was greater to the historical mean of 28.74 mg/cm<sup>3</sup>. CHL<sub>a</sub> is an indicator of the abundance of phytoplankton. Any water environment with a level recorded above 25 mg/cm<sup>3</sup> is considered to be eutrophic (nutrient enrichment increases algal and plant growth and negative effects). The 2022 TSI level, an average of the individual trophic state indexes for Secchi depth, CHL<sub>a</sub>, and TP, for Carlyle Lake is 75.2. Carlyle Lake is considered hyper-eutrophic based on this TSI level. This does not necessarily mean the water quality is poor, but that its trophic level indicates nutrient levels are abundant, which can support an abundance of plants and algae. Long term monitoring and analyses are important to assess changes over time.

All remaining parameters evaluated during the 2022 water quality monitoring effort were within designated criteria or within historical reference norms.

## MONITORING PROGRAM RECOMMENDATIONS

The IEPA currently has listed Carlyle Lake as impaired for total phosphorous and mercury while the Kaskaskia River upstream from the Lake is impaired for fecal coliform, and mercury. In addition, the North Fork Kaskaskia River is impaired for phosphorus, Atrazine, and Terbufos. The lists of sources for these impairments are contaminated sediments, crop production, and unknown sources. At present the only tributary being sampled by CEMVS is the Kaskaskia River. IEPA also has the following listed as impaired: Hurricane Creek, North Fork Kaskaskia, and East Fork Kaskaskia. Future sampling efforts will focus on adding these three tributaries as well as mercury in the lake to the routine sampling plan to increase the dataset and improve our ability to assess the water quality condition of Carlyle Lake.

In accordance with EM-1110-2-1201, sediment samples should be taken to monitor and assess potential impacts to aquatic and human health. Sediment sampling and analyses occurred at Carlyle Lake in 2018, and prior to that in 2007. During these last analyses multiple exceedances over the recommended criteria were observed. Identifying trends over time is much more achievable with more consistent data. Contaminated sediments may have negative impacts on ecological processes. It is recommended, if possible, to sample and analyze for sediment metals and nutrients, as well as grain size analyses yearly or every two years.

Given the above-mentioned high bacteria levels observed 2022, it is recommended to continue routine bacteria sampling at all locations. This would be useful in capturing a larger picture of bacteria coming into the lake.

## WORKS CITED

- Carlson, R. E. (1977). A Trophic State Index for Lakes<sup>1</sup>. *Limnology and Oceanography*, 22(2), 361-369.
- USACE. (2018). Engineering and Design: Water Quality Management. USACE ER 1110-2-8154. Washington D.C.
- USACE. (1987). Engineering and Design: Reservoir Water Quality Analysis. USACE ER 1110-2-1201. Washington D.C.
- IEPA. (2020). <https://www2.illinois.gov/epa/topics/water-quality/watershed-management/tmdls/Pages/303d-list.aspx>
- Hudson, H. (1998). Illinois Environmental Protection Agency. Common Lake Water Quality Parameters. Lake Notes.

## APPENDIX A: FIELD DATA

Date	Location	Depth (m)	Temp (°C)	ORP (mV)	Sp Cond (µS/cm)	pH	ODO (% Sat)	ODO (mg/L)	TDS (mg/L)	Turbidity (FNU)	Secchi (in)
5/17/2022	CAR-1	0.734	20.505	326	391.1	8.32	89.4	8.04	254	19.48	
5/17/2022	CAR-12	0.663	22.382	261.7	560.3	8.27	128.1	11.1	364	26.43	
5/17/2022	CAR-13	1.097	21.743	265.8	531.3	8.02	100	8.77	345	69.83	
5/17/2022	CAR-2	1.072	22.443	250.8	358.7	9.05	143.7	12.45	233	7.73	20
5/17/2022	CAR-2	2.074	21.867	254	368.9	8.81	114.7	10.04	240	8.89	
5/17/2022	CAR-2	3.406	19.534	267.9	401.4	8.27	62.6	5.74	261	16.28	
5/17/2022	CAR-2	5.838	18.022	270.4	414.7	7.96	26.3	2.48	270	29.38	
5/17/2022	CAR-2	6.067	18.297	269.9	412.8	8.02	31.7	2.98	268	25.42	
5/17/2022	CAR-4	0.077	21.943	85	4.5	8.87	100.9	8.82	3	1.8	12
5/17/2022	CAR-4	0.978	21.946	124.8	400.3	8.68	87.2	7.63	260	44.42	
5/17/2022	CAR-4	1.91	21.615	144.7	396.5	8.79	89.9	7.91	258	45.53	
5/17/2022	CAR-4	1.934	21.684	142.9	404.4	8.47	79.3	6.96	263	53.43	
5/17/2022	CAR-4	3.043	21.553	157.4	406	8.43	73	6.43	264	64.12	
5/17/2022	CAR-4	4.2	21.459	158	404.5	8.5	72.2	6.37	263	73.48	
5/17/2022	CAR-BL-MAR	1.086	23.059	226.7	400.1	8.47	86.1	7.37	260	41.08	
5/17/2022	CAR-CSA	0.394	23.612	299	351.8	9.16	180.4	15.29	229	6.18	
5/17/2022	CAR-CSA	0.996	22.033	281.4	353.7	9.1	165.6	14.45	230	8.58	
5/17/2022	CAR-CSA	1.487	21.614	270.6	356.3	9.04	149.9	13.19	232	12.26	
5/17/2022	CAR-DW-MAR	2.13	21.67	282.3	368	8.64	100.8	8.86	239	33.31	
5/17/2022	CAR-KP-MAR	0.114	24.834	140.2	389.8	9.05	168.6	13.96	253	22.99	
5/17/2022	CAR-KP-MAR	2.601	21.78	267.3	529.6	8.12	99.7	8.75	344	70.55	
6/23/2022	CAR-1	1.615	26.142	149.8	386.6	8.06	90.6	7.32	251	15.38	
6/23/2022	CAR-12	0.323	28.036	191	430.1	8.04	140.1	10.95	280	25.91	
6/23/2022	CAR-13	1.146	26.851	187.7	485	8.01	131.9	10.53	315	27.39	
6/23/2022	CAR-13	2.097	26.88	183.9	485.3	8.03	131.1	10.45	315	30.35	
6/23/2022	CAR-2	1.16	27.97	120	374.5	8.7	176	13.77	243	8.99	19
6/23/2022	CAR-2	2.165	26.744	156.2	381	8.42	129.9	10.39	248	10.79	
6/23/2022	CAR-2	3.169	26.132	165.8	383.7	8.23	92.2	7.45	249	9.9	
6/23/2022	CAR-2	4.136	26.08	170	383.6	8.24	95.4	7.72	249	21.09	
6/23/2022	CAR-2	5.14	25.776	176.3	385.2	8.09	80.7	6.57	250	21.38	

Date	Location	Depth (m)	Temp (°C)	ORP (mV)	Sp Cond (µS/cm)	pH	ODO (% Sat)	ODO (mg/L)	TDS (mg/L)	Turbidity (FNU)	Secchi (in)
6/23/2022	CAR-2	6.112	25.521	180.1	386.7	7.94	63.7	5.21	251	23.52	
6/23/2022	CAR-4	0.433	26.537	121.7	438.4	8.24	54.4	4.36	285	41.66	13
6/23/2022	CAR-4	1.152	26.438	112.7	436.8	8.22	51.4	4.13	284	43.09	
6/23/2022	CAR-4	2.102	26.297	125.1	435.4	8.2	50.4	4.06	283	44.61	
6/23/2022	CAR-4	3.047	26.22	129.3	436.8	8.24	56.2	4.54	284	44.66	
6/23/2022	CAR-4	4.125	26.15	132.5	441.4	8.3	65.3	5.28	287	45.07	
6/23/2022	CAR-4	5.092	26.103	135.2	443.2	8.29	64.1	5.18	288	52.41	
6/23/2022	CAR-BL-MAR	0.149	29.275	179.9	389.2	8.18	85.3	6.52	253	17.58	
6/23/2022	CAR-BL-MAR	0.848	27.378	183.4	394.7	7.85	33.6	2.66	257	25.38	
6/23/2022	CAR-CSA	0.972	26.409	124.2	377.5	8.6	146.8	11.81	245	11.11	
6/23/2022	CAR-DW-MAR	0.967	26.144	141.5	383.1	8.31	101.3	8.19	249	13.91	
6/23/2022	CAR-KP-MAR	0.973	27.51	128.1	441.7	8.3	76.8	6.06	287	135.6	
8/2/2022	CAR-1	0.514	26.1	388.7	361.2	7.9	102.2	8.27	235		
8/2/2022	CAR-1	0.739	25.179	426.1	353.8	7.96	102.5	8.44	230	14.12	
8/2/2022	CAR-12	0.283	23.343	367.9	405.3	7.91	105.6	8.99	263	23.19	
8/2/2022	CAR-12	0.289	25.216	371.9	420.1	7.72	105.5	8.67	273		
8/2/2022	CAR-13	1.246	25.11	343.1	473.1	8.11	105.8	8.72	308	14.08	
8/2/2022	CAR-2	0.48	26.242	238.2	359.5	7.99	77.6	6.26	234		23
8/2/2022	CAR-2	1.214	26.26	238.7	359.5	7.99	77.6	6.26	234		
8/2/2022	CAR-2	1.219	25.378	274.8	351.9	8.1	79.2	6.49	229	18.08	
8/2/2022	CAR-2	2.416	25.325	268.4	351.9	8.08	76.7	6.29	229	20.38	
8/2/2022	CAR-2	3.21	25.253	286.7	352.1	8.06	75.7	6.22	229	20.76	
8/2/2022	CAR-2	4.138	25.238	284.6	352.2	8.05	73.9	6.07	229	20.52	
8/2/2022	CAR-2	5.362	25.221	281.6	352.3	8.04	72.3	5.94	229	23.17	
8/2/2022	CAR-2	5.982	25.222	278.9	352.3	8.03	71.9	5.91	229	24.68	
8/2/2022	CAR-4	0.535	25.669	363.2	191	7.82	82	6.69	124		13
8/2/2022	CAR-4	1.154	25.659	362.2	190.7	7.82	81.7	6.67	124		
8/2/2022	CAR-4	1.225	24.863	395.9	191.7	7.96	81.7	6.77	125	30.72	
8/2/2022	CAR-4	2.055	24.941	388.2	193	7.93	80.7	6.67	125	33.95	
8/2/2022	CAR-4	3.184	24.894	385.3	192	7.93	80.7	6.68	125	33.45	



Date	Location	Depth (m)	Temp (°C)	ORP (mV)	Sp Cond (µS/cm)	pH	ODO (% Sat)	ODO (mg/L)	TDS (mg/L)	Turbidity (FNU)	Secchi (in)
8/2/2022	CAR-4	4.066	24.79	380.3	188.8	7.9	81.3	6.75	123	33.58	
8/2/2022	CAR-4	5.113	24.784	376	190.1	7.93	81.1	6.73	124	30.25	
8/2/2022	CAR-4	6.177	24.755	373	188.3	7.93	81.1	6.73	122	34.63	
8/2/2022	CAR-BL-MAR	0.976	25.933	346.6	214.6	7.75	69	5.6	139	13.3	
8/2/2022	CAR-CSA	1.039	25.264	260.6	352.9	8.22	81.9	6.73	229	13.84	
8/2/2022	CAR-DW-MAR	1.013	25.933	298.7	345.2	8.35	91.7	7.44	224	13.41	
8/2/2022	CAR-KP-MAR	1.038	24.677	349.7	187.6	7.87	78.9	6.55	122	32.99	
9/6/2022	CAR-1	0.396	25.836	254.5	257.8	7.87	94.7	7.7	168		
9/6/2022	CAR-1	1.524	23.982	371.1	259.3	7.81	96.9	8.15	169	15.85	
9/6/2022	CAR-12	-0.144	23.233	269.3	287.9	7.16	62.7	5.35	187	9.63	
9/6/2022	CAR-12	0.165	24.77	186.8	232.2	7.25	52.5	4.36	151		
9/6/2022	CAR-13	0.692	22.552	283.3	564.5	8	107.9	9.32	367	26.3	
9/6/2022	CAR-2	0.512	26.708	171	253	8.5	113.6	9.1	164		18
9/6/2022	CAR-2	1.003	26.053	185.2	255.6	8.2	89.8	7.28	166		
9/6/2022	CAR-2	1.022	24.542	180	310.1	7.78	62.1	5.17	202		
9/6/2022	CAR-2	1.04	23.893	321.7	259.2	7.77	67.6	5.7	168	13.84	
9/6/2022	CAR-2	3.291	23.867	307.8	258.6	7.82	70.6	5.95	168	14.63	
9/6/2022	CAR-2	5.06	23.795	311.8	258.2	7.87	71.8	6.06	168	19.47	
9/6/2022	CAR-4	0.519	25.795	193.4	317.6	8.23	102.2	8.31	206		12
9/6/2022	CAR-4	1.014	22.407	287.4	322.4	7.72	64.5	5.59	210	25.53	
9/6/2022	CAR-4	1.024	24.459	183.1	311.2	7.78	62.1	5.18	202		
9/6/2022	CAR-4	3.063	22.335	214.6	322.4	7.69	62.4	5.42	210	33.4	
9/6/2022	CAR-4	5.073	22.342	241.9	325.4	7.63	54.2	4.7	211	74.7	
9/6/2022	CAR-BL-MAR	1.102	22.952	131.6	242	7.27	31.1	2.67	157	59.1	
9/6/2022	CAR-CSA	1.091	23.641	403.3	257.3	7.87	68.8	5.83	167	19.15	
9/6/2022	CAR-DW-MAR	1.017	23.856	426.3	255.3	7.74	58.4	4.93	166	20.98	
9/6/2022	CAR-KP-MAR	1.108	22.758	232.3	287.6	7.57	45.3	3.9	187	227.23	

## APPENDIX B: LABORATORY DATA



Environmental | Analytical | Management | Safety

PO Box 1566  
400 Aviation Drive  
Mt. Vernon, IL 62864  
618-244-3235

[www.ardlinc.com](http://www.ardlinc.com)

**Customer Name: SLCOE**

**Date: 6/22/22**

**Project Name: Carlyle Lake**

**Lab Name: ARDL, Inc.**

**Samples Received at ARDL: 5/17/22**

**ARDL Report No.: 8925**

### CASE NARRATIVE

<u>Customer Sample No.</u>	<u>Date Collected</u>	<u>Lab ID Number</u>	<u>Analyses Requested</u>
CAR-1	5/17/22	8925-01	NP Pesticides, Metals (1), Inorganics (2)(3)
CAR-2-0	5/17/22	8925-02	NP Pesticides, Inorganics (2)(3), E. Coli
CAR-2-10	5/17/22	8925-03	Metals (1), Inorganics (2)
CAR-4	5/17/22	8925-04	NP Pesticides, Inorganics (2)(3)
CAR-13	5/17/22	8925-05	NP Pesticides, Inorganics (2)(3), E. Coli
CAR-12	5/17/22	8925-06	NP Pesticides, Inorganics (2)(3), E. Coli
CAR-15	5/17/22	8925-07	NP Pesticides, Inorganics (2)(3)
CAR-KP-Marina	5/17/22	8925-08	E. Coli
CAR-DW-Marina	5/17/22	8925-09	E. Coli
CAR-BL-Marina	5/17/22	8925-10	E. Coli
CAR-CSA-Marina	5/17/22	8925-11	E. Coli

(1) Including iron and manganese.

(2) Including ammonia\*, nitrate, nitrite, TKN\*, total phosphorus, TOC\*, TSS and TVSS.

(3) Including chlorophyll-a and pheophytin-a.

\* Analyzed by an accredited subcontract laboratory.

The quality control data are summarized as follows:

#### NP PESTICIDE FRACTION – METHOD 8270-SIM

##### HOLDING TIME

Samples were prepared and analyzed within method specified holding times.

##### INITIAL CALIBRATION

The initial calibration passed criteria.

##### CONTINUING CALIBRATION

The continuing calibration verification (CCV) passed criteria for all analytes.

##### PREPARATION BLANK

The blank met acceptance criteria.

##### LABORATORY CONTROL SAMPLE

The LCS analyses met recovery criteria.

##### MATRIX SPIKE

The matrix spike and matrix spike duplicate met recovery criteria.

**CASE NARRATIVE (Continued)**

**DUPLICATE**

Duplicate analyses are reported as MS/MSD. RPD of the duplicate analyses met criteria.

**INTERNAL STANDARDS**

All internal standard criteria were met.

**SURROGATES**

All surrogate recovery criteria were met.

**INORGANIC FRACTION**

**PREPARATION BLANK**

Results of the preparation blanks were undetected.

**LABORATORY CONTROL SAMPLE**

Percent recoveries of all LCS analyses were within control limits.

**MATRIX SPIKE**

Percent recoveries of all matrix spikes and matrix spike duplicates were within control limits.

**DUPLICATE**

All duplicate analyses are reported as MS/MSD except chlorophyll-a, pheophytin-a, TSS and TVSS. RPD on all duplicate analyses were within control limits, except chlorophyll-a.

**DATA REPORTING QUALIFIERS**


The following data reporting qualifiers are used as required:

ND - Indicates parameter was analyzed for but not detected.

**REPORT ORGANIZATION**

The data in this report appear by sample type (Field sample, preparation blank, laboratory control sample / spike blank, matrix spike /spike duplicate and sample duplicate). Within each sample type the data appear in the order that the analytical methods were discussed in this case narrative. Sample receipt information follows the analytical data.

Release of the data contained in this package has been authorized by the Technical Services Manager or his designee as verified by the following signature.



Dean S. Dickerson  
Technical Services Manager



# Sample & QC Results

Including as appropriate:

- Field Sample Results

- Batch QC

  - Prep Blank

  - LCS/Spike Blank

- Matrix QC

  - MS/MSD

  - Sample Duplicate

ARDL Data Package 8925

**ARDL, INC.**  
**400 Aviation Drive; P.O. Box 1566**  
**Mt. Vernon, Illinois 62864**

Lab Report No: 008925

Report Date: 06/01/2022

Project Name: CARLYLE LAKE		Analysis: NP PESTICIDES (8270SIM-MOD)	
Project No.: NELAC Certified - IL100308		Analytical Method: 8270D	
		Prep Method: 3510C	
Field ID:	CAR-1	ARDL Lab No.:	008925-01
Desc/Location:	CARLYLE LAKE	Lab Filename:	E0531212
Sample Date:	05/17/2022	Received Date:	05/17/2022
Sample Time:	1130	Prep. Date:	05/18/2022
Matrix:	WATER	Analysis Date:	05/31/2022
Amount Used:	900 mL	Instrument ID:	AG5
Final Volume:	1 mL	QC Batch:	B11480
% Moisture:	NA	Level:	LOW

Parameter	LOD	LOQ	Result	Data Flag	Units	Dilution Factor
Trifluralin	0.222	0.222	ND		UG/L	1
Atrazine	0.222	0.222	0.333		UG/L	1
Metribuzin	0.222	0.222	ND		UG/L	1
Alachlor	0.222	0.222	ND		UG/L	1
Metolachlor	0.222	0.222	0.533		UG/L	1
Chlorpyrifos	0.222	0.222	ND		UG/L	1
Cyanazine	0.222	0.222	ND		UG/L	1
Pendimethalin	0.222	0.222	ND		UG/L	1

SURROGATE RECOVERIES:	Limits	Results
Triphenylphosphate	30-130	65%

Surrogate recoveries marked with '\*' indicates they are outside standard limits.

(a) DoD and/or NELAC Accredited Analyte.

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008925-01  
Field ID: CAR-1  
Received: 05/17/2022

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		1.06	MG/L	3010A	6010C	05/23/22	05/25/22	P7775
(a) Manganese	0.00400	0.00500		0.140	MG/L	3010A	6010C	05/23/22	05/25/22	P7775
Ammonia Nitrogen	0.0300	0.100		0.15	MG/L	NONE	350.1	NA	05/27/22	06026685
Chlorophyll-a, Corrected	1.00	1.00		58.1	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Kjeldahl Nitrogen	0.480	1.00		1.2	MG/L	351.2	351.2	05/26/22	05/26/22	06016681
Nitrate as Nitrogen	0.0190	0.0200		0.824	MG/L	NONE	GREEN	NA	05/26/22	06016680
Nitrite as Nitrogen	0.0200	0.0200		0.052	MG/L	NONE	354.1	NA	05/18/22	05186615
Pheophytin-a	1.00	1.00		32.1	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Phosphorus	0.00800	0.0100		0.347	MG/L	365.2	365.2	06/01/22	06/02/22	06036693
Solids, Total Suspended	4.00	4.00		37.2	MG/L	NONE	160.2	NA	05/18/22	05246642
Solids, Volatile Suspen	4.00	4.00		9.2	MG/L	NONE	160.4	NA	05/18/22	05246643
Total Organic Carbon	0.500	1.00		5.0	MG/L	NONE	415.1	NA	06/13/22	581309T

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-01, Inorganic Analyses



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/01/2022

Project Name: CARLYLE LAKE		Analysis: NP PESTICIDES (8270SIM-MOD)	
Project No.:		Analytical Method: 8270D	
NELAC Certified - IL100308		Prep Method: 3510C	

Field ID: CAR-2-0	ARDL Lab No.: 008925-02
Desc/Location: CARLYLE LAKE	Lab Filename: E0531215
Sample Date: 05/17/2022	Received Date: 05/17/2022
Sample Time: 1250	Prep. Date: 05/18/2022
Matrix: WATER	Analysis Date: 05/31/2022
Amount Used: 900 mL	Instrument ID: AG5
Final Volume: 1 mL	QC Batch: B11480
% Moisture: NA	Level: LOW

Parameter	LOD	LOQ	Result	Data Flag	Units	Dilution Factor
Trifluralin	0.222	0.222	ND		UG/L	1
Atrazine	0.222	0.222	0.500		UG/L	1
Metribuzin	0.222	0.222	ND		UG/L	1
Alachlor	0.222	0.222	ND		UG/L	1
Metolachlor	0.222	0.222	0.767		UG/L	1
Chlorpyrifos	0.222	0.222	ND		UG/L	1
Cyanazine	0.222	0.222	ND		UG/L	1
Pendimethalin	0.222	0.222	ND		UG/L	1

SURROGATE RECOVERIES:	Limits	Results
Triphenylphosphate	30-130	65%

Surrogate recoveries marked with '\*' indicates they are outside standard limits.

(a) DoD and/or NELAC Accredited Analyte.



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE		Analysis: Inorganics								
Project No:		NELAC Certified - IL100308								
ARDL No: 008925-02		Matrix: WATER								
Field ID: CAR-2-0		Moisture: NA								
Received: 05/17/2022										
Sampling Loc'n: CARLYLE LAKE										
Sampling Date: 05/17/2022										
Sampling Time: 1250										
Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	05/27/22	06026685
Chlorophyll-a, Correcte	1.00	1.00		46.7	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
E. Coliform	1.00	1.00		56.0	COL/100 ML	NONE	1604	NA	05/17/22	05196624
Kjeldahl Nitrogen	0.480	1.00		1.1	MG/L	351.2	351.2	05/26/22	05/26/22	06016681
Nitrate as Nitrogen	0.0190	0.0200		0.586	MG/L	NONE	GREEN	NA	05/26/22	06016680
Nitrite as Nitrogen	0.0200	0.0200		0.038	MG/L	NONE	354.1	NA	05/18/22	05186615
Pheophytin-a	1.00	1.00		20.0	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Phosphorus	0.00800	0.0100		0.135	MG/L	365.2	365.2	06/01/22	06/02/22	06036693
Solids, Total Suspended	2.86	2.86		18.9	MG/L	NONE	160.2	NA	05/18/22	05246642
Solids, Volatile Suspen	2.86	2.86		10.0	MG/L	NONE	160.4	NA	05/18/22	05246643
Total Organic Carbon	0.500	1.00		5.8	MG/L	NONE	415.1	NA	06/13/22	581309T

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-02, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008925-03  
Field ID: CAR-2-10  
Received: 05/17/2022  
Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 05/17/2022  
Sampling Time: 1250

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		1.33	MG/L	3010A	6010C	05/23/22	05/25/22	P7775
(a) Manganese	0.00400	0.00500		0.156	MG/L	3010A	6010C	05/23/22	05/25/22	P7775
Ammonia Nitrogen	0.0300	0.100		0.12	MG/L	NONE	350.1	NA	05/27/22	06026685
Kjeldahl Nitrogen	1.00	1.00		ND	MG/L	351.2	351.2	05/26/22	05/26/22	06016681
Nitrate as Nitrogen	0.0190	0.0200		0.917	MG/L	NONE	GREEN	NA	05/26/22	06016680
Nitrite as Nitrogen	0.0200	0.0200		0.052	MG/L	NONE	354.1	NA	05/18/22	05186615
Phosphorus	0.00800	0.0100		0.494	MG/L	365.2	365.2	06/01/22	06/02/22	06036693
Solids, Total Suspended	4.00	4.00		38.0	MG/L	NONE	160.2	NA	05/18/22	05246642
Solids, Volatile Suspen	4.00	4.00		6.8	MG/L	NONE	160.4	NA	05/18/22	05246643
Total Organic Carbon	0.500	1.00		4.7	MG/L	NONE	415.1	NA	06/13/22	581309T

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-03, Inorganic Analyses

**ARDL, INC.**  
**400 Aviation Drive; P.O. Box 1566**  
**Mt. Vernon, Illinois 62864**

Lab Report No: 008925

Report Date: 06/01/2022

Project Name: CARLYLE LAKE		Analysis: NP PESTICIDES (8270SIM-MOD)	
Project No.:		Analytical Method: 8270D	
NELAC Certified - IL100308		Prep Method: 3510C	

Field ID: CAR-4	ARDL Lab No.: 008925-04
Desc/Location: CARLYLE LAKE	Lab Filename: E0531216
Sample Date: 05/17/2022	Received Date: 05/17/2022
Sample Time: 1350	Prep. Date: 05/18/2022
Matrix: WATER	Analysis Date: 05/31/2022
Amount Used: 1000 mL	Instrument ID: AG5
Final Volume: 1 mL	QC Batch: B11480
% Moisture: NA	Level: LOW

Parameter	LOD	LOQ	Result	Data Flag	Units	Dilution Factor
Trifluralin	0.200	0.200	ND		UG/L	1
Atrazine	0.200	0.200	0.680		UG/L	1
Metribuzin	0.200	0.200	ND		UG/L	1
Alachlor	0.200	0.200	ND		UG/L	1
Metolachlor	0.200	0.200	1.04		UG/L	1
Chlorpyrifos	0.200	0.200	ND		UG/L	1
Cyanazine	0.200	0.200	ND		UG/L	1
Pendimethalin	0.200	0.200	ND		UG/L	1

SURROGATE RECOVERIES:	Limits	Results
Triphenylphosphate	30-130	58%

Surrogate recoveries marked with '\*' indicates they are outside standard limits.

(a) DoD and/or NELAC Accredited Analyte.

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008925-04      Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-4      Sampling Date: 05/17/2022  
Received: 05/17/2022      Sampling Time: 1350

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	05/27/22	06026685
Chlorophyll-a, Corrected	1.00	1.00		97.1	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Kjeldahl Nitrogen	0.480	1.00		1.1	MG/L	351.2	351.2	05/26/22	05/26/22	06016681
Nitrate as Nitrogen	0.0190	0.0200		0.208	MG/L	NONE	GREEN	NA	05/26/22	06016680
Nitrite as Nitrogen	0.0200	0.0200		0.035	MG/L	NONE	354.1	NA	05/18/22	05186615
Pheophytin-a	1.00	1.00		ND	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Phosphorus	0.00800	0.0100		0.291	MG/L	365.2	365.2	06/01/22	06/02/22	06036693
Solids, Total Suspended	4.00	4.00		44.0	MG/L	NONE	160.2	NA	05/18/22	05246642
Solids, Volatile Suspended	4.00	4.00		13.6	MG/L	NONE	160.4	NA	05/18/22	05246643
Total Organic Carbon	0.500	1.00		6.3	MG/L	NONE	415.1	NA	06/13/22	581309T

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-04, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/01/2022

Project Name: CARLYLE LAKE		Analysis: NP PESTICIDES (8270SIM-MOD)	
Project No.:		Analytical Method: 8270D	
NELAC Certified - IL100308		Prep Method: 3510C	
Field ID:	CAR-13	ARDL Lab No.:	008925-05
Desc/Location:	CARLYLE LAKE	Lab Filename:	E0531217
Sample Date:	05/17/2022	Received Date:	05/17/2022
Sample Time:	1500	Prep. Date:	05/18/2022
Matrix:	WATER	Analysis Date:	05/31/2022
Amount Used:	900 mL	Instrument ID:	AG5
Final Volume:	1 mL	QC Batch:	B11480
% Moisture:	NA	Level:	LOW

Parameter	LOD	LOQ	Result	Data Flag	Units	Dilution Factor
Trifluralin	0.222	0.222	ND		UG/L	1
Atrazine	0.222	0.222	0.567		UG/L	1
Metribuzin	0.222	0.222	0.222		UG/L	1
Alachlor	0.222	0.222	ND		UG/L	1
Metolachlor	0.222	0.222	1.39		UG/L	1
Chlorpyrifos	0.222	0.222	ND		UG/L	1
Cyanazine	0.222	0.222	ND		UG/L	1
Pendimethalin	0.222	0.222	ND		UG/L	1

SURROGATE RECOVERIES:	Limits	Results
Triphenylphosphate	30-130	67%

Surrogate recoveries marked with '\*' indicates they are outside standard limits.

(a) DoD and/or NELAC Accredited Analyte.

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008925-05  
Field ID: CAR-13  
Received: 05/17/2022

Matrix: WATER  
Moisture: NA

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 05/17/2022  
Sampling Time: 1500

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	05/27/22	06026685
Chlorophyll-a, Correcte	1.00	1.00		24.2	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
E. Coliform	1.00	1.00		1600	COL/100 ML	NONE	1604	NA	05/17/22	05196624
Kjeldahl Nitrogen	1.00	1.00		ND	MG/L	351.2	351.2	05/26/22	05/26/22	06016681
Nitrate as Nitrogen	0.0190	0.0200		1.45	MG/L	NONE	GREEN	NA	05/26/22	06016680
Nitrite as Nitrogen	0.0200	0.0200		0.032	MG/L	NONE	354.1	NA	05/18/22	05186615
Pheophytin-a	1.00	1.00		146	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Phosphorus	0.00800	0.0100		0.464	MG/L	365.2	365.2	06/01/22	06/02/22	06036693
Solids, Total Suspended	6.67	6.67		141	MG/L	NONE	160.2	NA	05/18/22	05246642
Solids, Volatile Suspen	6.67	6.67		13.3	MG/L	NONE	160.4	NA	05/18/22	05246643
Total Organic Carbon	0.500	1.00		4.5	MG/L	NONE	415.1	NA	06/13/22	581309T

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-05, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/01/2022

Project Name: CARLYLE LAKE		Analysis: NP PESTICIDES (8270SIM-MOD)	
Project No.:		Analytical Method: 8270D	
NELAC Certified - IL100308		Prep Method: 3510C	
Field ID:	CAR-12	ARDL Lab No.:	008925-06
Desc/Location:	CARLYLE LAKE	Lab Filename:	E0531218
Sample Date:	05/17/2022	Received Date:	05/17/2022
Sample Time:	1530	Prep. Date:	05/18/2022
Matrix:	WATER	Analysis Date:	05/31/2022
Amount Used:	900 mL	Instrument ID:	AG5
Final Volume:	1 mL	QC Batch:	B11480
% Moisture:	NA	Level:	LOW

Parameter	LOD	LOQ	Result	Data Flag	Units	Dilution Factor
Trifluralin	0.222	0.222	ND		UG/L	1
Atrazine	0.222	0.222	0.989		UG/L	1
Metribuzin	0.222	0.222	0.611		UG/L	1
Alachlor	0.222	0.222	ND		UG/L	1
Metolachlor	0.222	0.222	3.27		UG/L	1
Chlorpyrifos	0.222	0.222	ND		UG/L	1
Cyanazine	0.222	0.222	ND		UG/L	1
Pendimethalin	0.222	0.222	ND		UG/L	1

SURROGATE RECOVERIES:	Limits	Results
Triphenylphosphate	30-130	62%

Surrogate recoveries marked with '\*' indicates they are outside standard limits.

(a) DoD and/or NELAC Accredited Analyte.

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE			Sampling Loc'n: CARLYLE LAKE			Analysis: Inorganics				
Project No:						NELAC Certified - IL100308				
ARDL No: 008925-06						Matrix: WATER				
Field ID: CAR-12			Sampling Date: 05/17/2022			Moisture: NA				
Received: 05/17/2022			Sampling Time: 1530							
Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	05/27/22	06026685
Chlorophyll-a, Correcte	1.00	1.00		53.2	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
E. Coliform	1.00	1.00		125	COL/100 ML	NONE	1604	NA	05/17/22	05196624
Kjeldahl Nitrogen	1.00	1.00		ND	MG/L	351.2	351.2	05/26/22	05/26/22	06016681
Nitrate as Nitrogen	0.0190	0.0200		1.03	MG/L	NONE	GREEN	NA	05/26/22	06016680
Nitrite as Nitrogen	0.0200	0.0200		0.029	MG/L	NONE	354.1	NA	05/18/22	05186615
Pheophytin-a	1.00	1.00		21.7	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Phosphorus	0.00800	0.0100		0.239	MG/L	365.2	365.2	06/01/22	06/02/22	06036693
Solids, Total Suspended	2.86	2.86		52.9	MG/L	NONE	160.2	NA	05/18/22	05246642
Solids, Volatile Suspen	2.86	2.86		8.86	MG/L	NONE	160.4	NA	05/18/22	05246643
Total Organic Carbon	0.500	1.00		4.7	MG/L	NONE	415.1	NA	06/13/22	581309T

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-06, Inorganic Analyses



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/01/2022

Project Name: CARLYLE LAKE		Analysis: NP PESTICIDES (8270SIM-MOD)	
Project No.: NELAC Certified - IL100308		Analytical Method: 8270D Prep Method: 3510C	
Field ID:	CAR-15	ARDL Lab No.:	008925-07
Desc/Location:	CARLYLE LAKE	Lab Filename:	E0531219
Sample Date:	05/17/2022	Received Date:	05/17/2022
Sample Time:	1600	Prep. Date:	05/18/2022
Matrix:	WATER	Analysis Date:	05/31/2022
Amount Used:	900 mL	Instrument ID:	AG5
Final Volume:	1 mL	QC Batch:	B11480
% Moisture:	NA	Level:	LOW

Parameter	LOD	LOQ	Result	Data Flag	Units	Dilution Factor
Trifluralin	0.222	0.222	ND		UG/L	1
Atrazine	0.222	0.222	0.811		UG/L	1
Metribuzin	0.222	0.222	ND		UG/L	1
Alachlor	0.222	0.222	ND		UG/L	1
Metolachlor	0.222	0.222	1.19		UG/L	1
Chlorpyrifos	0.222	0.222	ND		UG/L	1
Cyanazine	0.222	0.222	ND		UG/L	1
Pendimethalin	0.222	0.222	ND		UG/L	1

SURROGATE RECOVERIES:	Limits	Results
Triphenylphosphate	30-130	62%

Surrogate recoveries marked with '\*' indicates they are outside standard limits.

(a) DoD and/or NELAC Accredited Analyte.

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE				Analysis: Inorganics						
Project No:				NELAC Certified - IL100308						
ARDL No: 008925-07				Sampling Loc'n: CARLYLE LAKE			Matrix: WATER			
Field ID: CAR-15				Sampling Date: 05/17/2022			Moisture: NA			
Received: 05/17/2022				Sampling Time: 1600						
Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	05/27/22	06026685
Chlorophyll-a, Correcte	1.00	1.00		86.2	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Kjeldahl Nitrogen	0.480	1.00		1.4	MG/L	351.2	351.2	05/26/22	05/26/22	06016681
Nitrate as Nitrogen	0.0190	0.0200		0.249	MG/L	NONE	GREEN	NA	05/26/22	06016680
Nitrite as Nitrogen	0.0200	0.0200		0.036	MG/L	NONE	354.1	NA	05/18/22	05186615
Pheophytin-a	1.00	1.00		25.0	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705
Phosphorus	0.00800	0.0100		0.317	MG/L	365.2	365.2	06/01/22	06/02/22	06036693
Solids, Total Suspended	2.86	2.86		11.4	MG/L	NONE	160.2	NA	05/18/22	05246642
Solids, Volatile Suspen	2.86	2.86		4.57	MG/L	NONE	160.4	NA	05/18/22	05246643
Total Organic Carbon	0.500	1.00		6.4	MG/L	NONE	415.1	NA	06/13/22	581309T

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-07, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE		Analysis: Inorganics								
Project No:		NELAC Certified - IL100308								
ARDL No:	008925-08	Sampling Loc'n:		CARLYLE LAKE		Matrix:	WATER			
Field ID:	CAR-KP-MARINA	Sampling Date:		05/17/2022		Moisture:	NA			
Received:	05/17/2022	Sampling Time:		1400						
Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		350	COL/100 ML	NONE	1604	NA	05/17/22	05196624

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-08, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008925-09  
Field ID: CAR-DW-MARINA  
Received: 05/17/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 05/17/2022  
Sampling Time: 1232

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		63.0	COL/100 ML	NONE	1604	NA	05/17/22	05196624

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-09, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008925-10  
Field ID: CAR-BL-MARINA  
Received: 05/17/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 05/17/2022  
Sampling Time: 1610

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		130	COL/100 ML	NONE	1604	NA	05/17/22	05196624

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-10, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE		Analysis: Inorganics								
Project No:		NELAC Certified - IL100308								
ARDL No:	008925-11	Sampling Loc'n:		CARLYLE LAKE		Matrix:		WATER		
Field ID:	CAR-CSA-MARINA	Sampling Date:		05/17/2022		Moisture:		NA		
Received:	05/17/2022	Sampling Time:		1220						
Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		19.0	COL/100 ML	NONE	1604	NA	05/17/22	05196624

(a) DOD and/or NELAC Accredited Analyte.

Sample 008925-11, Inorganic Analyses

**METHOD BLANK REPORT**  
**ARDL, Inc. 400 Aviation Drive; P.O. Box 1566**  
**Mt. Vernon, Illinois 62864**

Lab Report No: 008925

Report Date: 06/01/2022

Project Name: CARLYLE LAKE		Analysis: NP PESTICIDES (8270SIM-MOD)			
Project No.:		Analytical Method: 8270D			
NELAC Certified - IL100308		Prep Method: 3510C			
Field ID:	NA	ARDL Lab No.:	008925-01B1		
Desc/Location:	NA	Lab Filename:	E0531210		
Sample Date:	NA	Received Date:	NA		
Sample Time:	NA	Prep. Date:	05/18/2022		
Matrix:	QC Material	Analysis Date:	05/31/2022		
Amount Used:	1000 mL	Instrument ID:	AG5		
Final Volume:	1 mL	QC Batch:	B11480		
% Moisture:	NA	Level:	LOW		
Parameter	LOD	LOQ	Result	Data Flag	Units
Trifluralin	0.200	0.200	ND		UG/L
Atrazine	0.200	0.200	ND		UG/L
Metribuzin	0.200	0.200	ND		UG/L
Alachlor	0.200	0.200	ND		UG/L
Metolachlor	0.200	0.200	ND		UG/L
Chlorpyrifos	0.200	0.200	ND		UG/L
Cyanazine	0.200	0.200	ND		UG/L
Pendimethalin	0.200	0.200	ND		UG/L
SURROGATE RECOVERIES:		Limits	Results		
Triphenylphosphate		30-130	80%		

Surrogate recoveries marked with '\*' indicates they are outside standard limits.

(a) DoD and/or NELAC Accredited Analyte.

BLANK SUMMARY REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	LOD	LOQ	Blank Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run	QC Lab Number
(a) Iron	0.040	0.050	ND	MG/L	3010A	6010C	05/23/22	05/25/22	P7775	008925-01B1
(a) Manganese	0.004	0.005	ND	MG/L	3010A	6010C	05/23/22	05/25/22	P7775	008925-01B1
Ammonia Nitrogen	0.030	0.10	ND	MG/L	NONE	350.1	NA	05/27/22	06026685	008925-01B1
Chlorophyll-a, Corre	1.0	1.0	ND	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705	008925-01B1
E. Coliform	1.0	1.0	ND	COL/100 ML	NONE	1604	NA	05/17/22	05196624	008925-02B1
Kjeldahl Nitrogen	1.0	1.0	ND	MG/L	351.2	351.2	05/26/22	05/26/22	06016681	008927-01B1
Nitrate as Nitrogen	0.019	0.020	ND	MG/L	NONE	GREEN	NA	05/26/22	06016680	008925-01B1
Nitrite as Nitrogen	0.020	0.020	ND	MG/L	NONE	354.1	NA	05/18/22	05186615	008925-01B1
Pheophytin-a	1.0	1.0	ND	MG/CU.M.	10200H	10200H	05/18/22	06/08/22	06106705	008925-01B1
Phosphorus	0.008	0.010	ND	MG/L	365.2	365.2	06/01/22	06/02/22	06036693	008925-02B1
Solids, Total Suspen	1.0	1.0	ND	MG/L	NONE	160.2	NA	05/18/22	05246642	008925-04B1
Solids, Volatile Sus	1.0	1.0	ND	MG/L	NONE	160.4	NA	05/18/22	05246643	008925-04B1
Total Organic Carbon	0.50	1.0	ND	MG/L	NONE	415.1	NA	06/13/22	581309T	008925-01B1

(a) DOD and/or NELAC Accredited Analyte  
Inorganic Method Blanks for 008925



BLANK SPIKE/SPIKE DUPLICATE REPORT

ARL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL 62864

Lab Report No: 008925      Report Date: 06/01/2022

Project Name: CARLYLE LAKE      Analysis: NP PESTICIDES (8270SIM-MOD)      Analytical Method: 8270D  
 Project No.:      Prep Method: 3510C

Matrix: QC Material      QC Batch: B11480      Prep. Date: 05/18/2022  
 Amount Used: 1000 mL      Level: LOW      Analysis Date: 05/31/2022

Parameter	Spike Result	Spike Level	Spike % Rec	Duplicate Result	Duplicate Level	Duplicate % Rec	Recovery Limits	RPD	Limit
Trifluralin	3.21	4	80	--	--	--	30-130	--	--
Atrazine	3.21	4	80	--	--	--	30-130	--	--
Metribuzin	3.17	4	79	--	--	--	30-130	--	--
Alachlor	3.25	4	81	--	--	--	30-130	--	--
Metolachlor	3.09	4	77	--	--	--	30-130	--	--
Chlorpyrifos	3.01	4	75	--	--	--	30-130	--	--
Cyanazine	3.13	4	78	--	--	--	30-130	--	--
Pendimethalin	2.91	4	73	--	--	--	30-130	--	--

SURROGATE RECOVERIES:			
Triphenylphosphate	Spike %R	Duplicate %R	%R Limits
	77.5	--	30-130

(a) DoD and/or NELAC Accredited Analyte.  
 \*\* indicates a recovery outside of standard limits.  
 Spike Blanks for 008925-01, NP PESTICIDES (8270SIM-MOD)

LABORATORY CONTROL SAMPLE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL 62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	LCS 1 Result	LCS 1 Level	LCS 1 % Rec	LCS 2 Result	LCS 2 Level	LCS 2 % Rec	% Rec Limits	Mean % Rec	Analytical Run	QC Lab Number
(a) Iron	5.2	5.0	103	--	--	--	87-115	--	P7775	008925-01C1
(a) Manganese	0.81	0.75	108	--	--	--	90-114	--	P7775	008925-01C1
Ammonia Nitrogen	1.1	1.0	108	--	--	--	80-120	--	06026685	008925-01C1
Kjeldahl Nitrogen	11.0	10.0	110	--	--	--	80-120	--	06016681	008927-01C1
Nitrate as Nitrogen	1.0	1.0	102	--	--	--	80-120	--	06016680	008925-01C1
Nitrite as Nitrogen	0.92	1.0	92	--	--	--	80-120	--	05186615	008925-01C1
Phosphorus	0.68	0.67	101	--	--	--	80-120	--	06036693	008925-02C1
Total Organic Carbon	18.8	20.0	94	18.7	20.0	94	76-120	94	581309T	008925-01C1

NOTE: Any values tabulated above marked with an asterisk are outside of acceptable limits.

(a) DOD and/or NELAC Accredited Analyte

Inorganic LCS Results for 008925

Page 1 of 1

**MATRIX SPIKE/SPIKE DUPLICATE REPORT**

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL 62864  
 Lab Report No: 008925      Report Date: 06/01/2022

Project Name: CARLYLE LAKE      Analysis: NP PESTICIDES (8270SIM-MOD)      Analytical Method: 8270D  
 Project No.:      Prep Method: 3510C

Field ID: CAR-1      Prep. Date: 05/18/2022      ARDL Lab No.: 008925-01  
 Desc/Location: CARLYLE LAKE      Lab Filename:  
 Sample Date: 05/17/2022      Amount Used: 900 mL      Received Date: 05/17/2022  
 Sample Time: 1130      % Moisture: NA      Analysis Date: 05/31/2022  
 Matrix: WATER      QC Batch: B11480  
                                  Level: LOW

Parameter	Sample Result	MS Result	MS Level	MS % Rec	MSD Result	MSD Level	MSD % Rec	RPD Limit
Trifluralin	ND	3.21	4.44	72.3	3.32	4.44	74.8	30
Atrazine	0.333	3.64	4.44	74.5	3.72	4.44	76.3	30
Metribuzin	ND	3.18	4.44	71.5	3.31	4.44	74.5	30
Alachlor	ND	3.14	4.44	70.8	3.32	4.44	74.8	30
Metolachlor	0.533	3.7	4.44	71.3	3.84	4.44	74.5	30
Chlorpyrifos	ND	2.89	4.44	65	2.94	4.44	66.3	30
Cyanazine	ND	3.13	4.44	70.5	3.19	4.44	71.8	30
Pendimethalin	ND	2.88	4.44	64.8	2.9	4.44	65.3	30

SURROGATE RECOVERIES:	MS %R	MSD %R	%R Limits
Triphenylphosphate	66	70	30-130

(a) DoB and/or NELAC Accredited Analyte.  
 'nc' indicates sample >4X spike level.  
 '\*' indicates a recovery outside of standard limits.  
 Matrix Spikes for 008925-01, NP PESTICIDES (8270SIM-MOD)

MATRIX SPIKE/SPIKE DUPLICATE REPORT

ARL, INC.      400 Aviation Drive; P.O. Box 1566   Mt. Vernon, IL   62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE      NELAC Certified - IL100308

Analyte	Sample Matrix	Sample Result	MS Result	MS Level	MS % Rec	MSD Result	MSD Level	MSD % Rec	% Rec Limits	RPD Limit	Run	QC Lab Number
(a) Iron	WATER	1.1	2.1	1.0	107	2.1	1.0	104	87-115	1	20	P7775 008925-01MS
(a) Manganese	WATER	0.14	0.66	0.50	105	0.66	0.50	104	90-114	0	20	P7775 008925-01MS
Nitrate as Nitrogen	WATER	0.82	1.6	1.0	80	1.7	1.0	92	75-125	7	20	06016680 008925-01MS
Nitrite as Nitrogen	WATER	0.052	1.1	1.0	101	1.1	1.0	101	75-125	0	20	05186615 008925-01MS
Phosphorus	WATER	0.14	0.93	0.83	95	0.93	0.83	95	75-125	0	20	06036693 008925-02MS
Total Organic Carbon	WATER	5.0	9.3	5.0	86	9.3	5.0	86	76-120	0	20	581309T 008925-01MS

NOTE: Values tabulated above marked with an asterisk are explained in the associated narrative.  
(a) DOD and/or NELAC Accredited Analyte.

Inorganic Matrix Spikes for 008925

SAMPLE DUPLICATE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL      62864

Lab Report No: 008925

Report Date: 06/22/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	Sample Conc'n	First Duplicate	Second Duplicate	Units	Percent Diff	Mean (Smp,D1,D2)	Analytical Run	QC Lab Number
Chlorophyll-a, Corrected	58.1	46.5	--	MG/CU.M.	22*	--	06106705	008925-01D1
Pheophytin-a	32.1	33.7	--	MG/CU.M.	5	--	06106705	008925-01D1
Solids, Total Suspended	44.0	45.2	--	MG/L	3	--	05246642	008925-04D1
Solids, Volatile Suspend	13.6	14.0	--	MG/L	3	--	05246643	008925-04D1

\* indicates that agreement between duplicates is greater than 20%. See Case Narrative for exceptions.

(a) DOD and/or NELAC Accredited Analyte

Sample Duplicates for 008925



# Sample Receipt Information

Including as appropriate:

- COCs
- Cooler Receipts
- Airbills
- Email Communication /  
Instructions from Customer

## CHAIN OF CUSTODY RECORD

[illegible]

# COOLER RECEIPT REPORT

ARDL, INC.

ARDL #: 8925, 8926

Cooler # Red 1

Number of Coolers in Shipment: 2

Project: Carlyle Lake  
Kaskaskia River

Date Received: 05/17/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 05/17/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)?.....YES ☒ NO

If YES, enter carrier name and airbill number here: ARLX Courier - Valerie

2. Were custody seals on outside of cooler?.....YES NO ☒ N/A

How many and where? \_\_\_\_\_, Seal Date: \_\_\_\_\_, Seal Name: \_\_\_\_\_

3. Were custody seals unbroken and intact at the date and time of arrival?.....YES NO ☒ N/A

4. Did you screen samples for radioactivity using a Geiger Counter?.....☒ YES NO

5. Were custody papers sealed in a plastic bag? Hand delivered.....YES ☒ NO

6. Were custody papers filled out properly (ink, signed, etc.)?.....☒ YES NO N/A

7. Were custody papers signed in appropriate place by ARDL personnel?.....☒ YES NO N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form.....☒ YES NO N/A

9. Was a separate container provided for measuring temperature? YES \_\_\_\_\_ NO ☒ Observed Cooler Temp. 4.6 °C  
Correction factor 0.0 °C

B. **LOG-IN PHASE:** Date samples were logged-in: 05/18/2022 (Signature) DCB

10. Describe type of packing in cooler: Loose Ice

11. Were all samples sealed in separate plastic bags? .....YES ☒ NO N/A

12. Did all containers arrive unbroken and were labels in good condition? .....☒ YES NO

13. Were sample labels complete?.....☒ YES NO

14. Did all sample labels agree with custody papers? .....☒ YES NO

15. Were correct containers used for the tests indicated? .....☒ YES NO

16. Was pH correct on preserved water samples?.....☒ YES NO N/A

17. Was a sufficient amount of sample sent for tests indicated?.....☒ YES NO

18. Were bubbles absent in VOA samples? If NO, list by sample #: \_\_\_\_\_ YES NO ☒ N/A

19. Was the ARDL project coordinator notified of any deficiencies?.....YES NO ☒ N/A

Comments and/or Corrective Action:	
(By: Signature)	Date:

Sample Transfer	
Fraction <u>All</u>	Fraction 
Area # <u>Walk-In</u>	Area # 
By <u>DCB</u>	By 
On <u>05/18/2022</u>	On 

Chain-of-Custody # \_\_\_\_\_



**COOLER RECEIPT REPORT**  
**ARDL, INC.**

ARDL #: 8925, 8926

Cooler # Red 2  
Number of Coolers in Shipment: 2

Project: Carlyle Lake  
Kaskaskia River

Date Received: 05/17/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 05/17/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)? .....YES ☐ NO ☒

If YES, enter carrier name and airbill number here: ARDL Carrier-Valerie

2. Were custody seals on outside of cooler? .....YES ☐ NO ☒ N/A

How many and where? \_\_\_\_\_, Seal Date: \_\_\_\_\_, Seal Name: \_\_\_\_\_

3. Were custody seals unbroken and intact at the date and time of arrival? .....YES ☐ NO ☒ N/A

4. Did you screen samples for radioactivity using a Geiger Counter? .....YES ☒ NO ☐

5. Were custody papers sealed in a plastic bag? Hand delivered .....YES ☒ NO ☐

6. Were custody papers filled out properly (ink, signed, etc.)? .....YES ☒ NO ☐ N/A

7. Were custody papers signed in appropriate place by ARDL personnel? .....YES ☒ NO ☐ N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form. ....YES ☒ NO ☐ N/A

9. Was a separate container provided for measuring temperature? YES ☐ NO ☒ Observed Cooler Temp. 3.8 °C  
Correction factor 0.0 °C

B. **LOG-IN PHASE:** Date samples were logged-in: 05/18/2022 (Signature) DCB

10. Describe type of packing in cooler: \_\_\_\_\_

11. Were all samples sealed in separate plastic bags? .....YES ☒ NO ☐ N/A

12. Did all containers arrive unbroken and were labels in good condition? .....YES ☒ NO ☐

13. Were sample labels complete? .....YES ☒ NO ☐

14. Did all sample labels agree with custody papers? .....YES ☒ NO ☐

15. Were correct containers used for the tests indicated? .....YES ☒ NO ☐

16. Was pH correct on preserved water samples? .....YES ☒ NO ☐ N/A

17. Was a sufficient amount of sample sent for tests indicated? .....YES ☒ NO ☐

18. Were bubbles absent in VOA samples? If NO, list by sample #: \_\_\_\_\_ YES ☐ NO ☒ N/A

19. Was the ARDL project coordinator notified of any deficiencies? .....YES ☐ NO ☒ N/A

Comments and/or Corrective Action:	
(By: Signature)	Date:

Sample Transfer	
Fraction	Fraction
Area #	Area #
By	By
On	On

Chain-of-Custody # \_\_\_\_\_



Environmental | Analytical | Management | Safety

PO Box 1566  
400 Aviation Drive  
Mt. Vernon, IL 62864  
618-244-3235

[www.ardlinc.com](http://www.ardlinc.com)

**Customer Name: SLCOE**

**Date: 7/15/22**

**Project Name: Carlyle Lake**

**Lab Name: ARDL, Inc.**

**Samples Received at ARDL: 6/23/22**

**ARDL Report No.: 8938**

### CASE NARRATIVE

<u>Customer Sample No.</u>	<u>Date Collected</u>	<u>Lab ID Number</u>	<u>Analyses Requested</u>
CAR-1	6/23/22	8938-01	Metals(1), Inorganics(2)(3)(4)
CAR-2-0	6/23/22	8938-02	Inorganics(2)(3)(4), E. Coli
CAR-2-10	6/23/22	8938-03	Metals(1), Inorganics(2)
CAR-4	6/23/22	8938-04	Inorganics(2)(3)(4)
CAR-13	6/23/22	8938-05	Inorganics(2)(3)(4), E. Coli
CAR-12	6/23/22	8938-06	Inorganics(2)(3)(4), E. Coli
CAR-15	6/23/22	8938-07	Inorganics(2)(3)(4)
CAR-KP-MARINA	6/23/22	8938-08	E. Coli
CAR-DW-MARINA	6/23/22	8938-09	E. Coli
CAR-BL-MARINA	6/23/22	8938-10	E. Coli
CAR-CSA-MARINA	6/23/22	8938-11	E. Coli

(1) Including iron and manganese.

(2) Including ammonia\*, nitrate, nitrite, total phosphorus\*, TOC\*, TSS and TVSS.

(3) Including TKN\*

(4) Including chlorophyll-a corrected and pheophytin-a.

\* Analyzed by an accredited subcontract laboratory.

The quality control data are summarized as follows:

### INORGANIC FRACTION

#### PREPARATION BLANK

Results of the preparation blanks were undetected.

#### LABORATORY CONTROL SAMPLE

Percent recoveries of all LCS analyses were within control limits.

#### MATRIX SPIKE

Percent recoveries of all matrix spikes and matrix spike duplicates were within control limits.

#### DUPLICATE

All duplicate analyses are reported as MS/MSD except chlorophyll-a corrected, pheophytin-a, TSS and TVSS. RPD on all duplicate analyses were within control limits, except pheophytin-a. The parent sample has been flagged appropriately with a 'J' qualifier.

**CASE NARRATIVE (Continued)**

**DATA REPORTING QUALIFIERS**

The following data reporting qualifiers are used as required:

ND - Indicates parameter was analyzed for but not detected.

J - Indicates an estimated value. This flag is used either when estimating a concentration or this flag indicates analyte(s) associated with a DOD-QSM specified non-compliance pertaining to matrix QC criteria.

**REPORT ORGANIZATION**

Release of the data contained in this package has been authorized by the Technical Services Manager or his designee as verified by the following signature.



---

Dean S. Dickerson  
Technical Services Manager



# Sample & QC Results

Including as appropriate:

- Field Sample Results

- Batch QC

  - Prep Blank

  - LCS/Spike Blank

- Matrix QC

  - MS/MSD

  - Sample Duplicate

ARDL Data Package      8938 - Inorganic

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-01 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-1 Sampling Date: 06/23/2022  
Received: 06/23/2022 Sampling Time: 1128

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		0.694	MG/L	3010A	6010C	07/08/22	07/12/22	P7789
(a) Manganese	0.00400	0.00500		0.207	MG/L	3010A	6010C	07/08/22	07/12/22	P7789
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	06/27/22	R313738
Chlorophyll-a, Correcte	1.00	1.00		16.0	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Kjeldahl Nitrogen	1.00	1.00		ND	MG/L	351.2	351.2	06/24/22	06/27/22	193994
Nitrate as Nitrogen	0.0190	0.0200		0.175	MG/L	NONE	GREEN	NA	06/24/22	06306795
Nitrite as Nitrogen	0.0200	0.0200		0.043	MG/L	NONE	354.1	NA	06/22/22	06286779
Pheophytin-a	1.00	1.00		7.9	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Phosphorus	0.0660	0.100		0.229	MG/L	365.2	365.2	06/24/22	06/27/22	193992
Solids, Total Suspended	2.22	2.22		15.3	MG/L	NONE	160.2	NA	06/24/22	06296785
Solids, Volatile Suspen	2.22	2.22		4.67	MG/L	NONE	160.4	NA	06/24/22	06296787
Total Organic Carbon	0.400	1.00		4.8	MG/L	NONE	415.1	NA	06/29/22	R313832

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-01, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-02 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-2-0 Sampling Date: 06/23/2022  
Received: 06/23/2022 Sampling Time: 1253

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	06/27/22	R313738
Chlorophyll-a, Correcte	1.00	1.00		31.5	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
E. Coliform	1.00	1.00		100	COL/100 ML	NONE	1604	NA	06/23/22	06276767
Kjeldahl Nitrogen	1.00	1.00		ND	MG/L	351.2	351.2	06/24/22	06/27/22	193994
Nitrate as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	GREEN	NA	06/24/22	06306795
Nitrite as Nitrogen	0.0200	0.0200		ND	MG/L	NONE	354.1	NA	06/22/22	06286779
Pheophytin-a	1.00	1.00		5.5	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Phosphorus	0.0660	0.100		0.194	MG/L	365.2	365.2	06/24/22	06/27/22	193992
Solids, Total Suspended	2.22	2.22		11.6	MG/L	NONE	160.2	NA	06/24/22	06296785
Solids, Volatile Suspen	2.22	2.22		7.56	MG/L	NONE	160.4	NA	06/24/22	06296787
Total Organic Carbon	0.400	1.00		5.3	MG/L	NONE	415.1	NA	06/29/22	R313832

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-02, Inorganic Analyses

Page 1 of 1

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-03 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-2-10 Sampling Date: 06/23/2022  
Received: 06/23/2022 Sampling Time: 1248

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		1.17	MG/L	3010A	6010C	07/08/22	07/12/22	P7789
(a) Manganese	0.00400	0.00500		0.230	MG/L	3010A	6010C	07/08/22	07/12/22	P7789
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	06/27/22	R313738
Kjeldahl Nitrogen	1.00	1.00		ND	MG/L	351.2	351.2	06/24/22	06/27/22	193994
Nitrate as Nitrogen	0.0190	0.0200		0.121	MG/L	NONE	GREEN	NA	06/24/22	06306795
Nitrite as Nitrogen	0.0200	0.0200		0.106	MG/L	NONE	354.1	NA	06/22/22	06286779
Phosphorus	0.0660	0.100		0.219	MG/L	365.2	365.2	06/24/22	06/27/22	193992
Solids, Total Suspended	2.86	2.86		24.3	MG/L	NONE	160.2	NA	06/24/22	06296785
Solids, Volatile Suspen	2.86	2.86		5.43	MG/L	NONE	160.4	NA	06/24/22	06296787
Total Organic Carbon	0.400	1.00		4.6	MG/L	NONE	415.1	NA	06/29/22	R313832

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-03, Inorganic Analyses



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-04      Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-4      Sampling Date: 06/23/2022  
Received: 06/23/2022      Sampling Time: 1418

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	06/27/22	R313738
Chlorophyll-a, Correcte	1.00	1.00		42.4	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Kjeldahl Nitrogen	0.480	1.00		1.0	MG/L	351.2	351.2	06/24/22	06/27/22	193994
Nitrate as Nitrogen	0.0190	0.0200		0.079	MG/L	NONE	GREEN	NA	06/24/22	06306795
Nitrite as Nitrogen	0.0200	0.0200		ND	MG/L	NONE	354.1	NA	06/22/22	06286779
Pheophytin-a	1.00	1.00		6.6	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Phosphorus	0.0660	0.100		0.26	MG/L	365.2	365.2	06/24/22	06/27/22	193992
Solids, Total Suspended	3.45	3.45		30.7	MG/L	NONE	160.2	NA	06/24/22	06296785
Solids, Volatile Suspen	3.45	3.45		12.8	OMG/L	NONE	160.4	NA	06/24/22	06296787
Total Organic Carbon	0.400	1.00		5.2	MG/L	NONE	415.1	NA	06/29/22	R313832

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-04, Inorganic Analyses



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-05 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-13 Sampling Date: 06/23/2022  
Received: 06/23/2022 Sampling Time: 1524

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	06/27/22	R313738
Chlorophyll-a, Correcte	1.00	1.00		56.1	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
E. Coliform	1.00	1.00		225	COL/100 ML	NONE	1604	NA	06/23/22	06276767
Kjeldahl Nitrogen	1.00	1.00		ND	MG/L	351.2	351.2	06/24/22	06/27/22	193994
Nitrate as Nitrogen	0.0190	0.0200		1.92	MG/L	NONE	GREEN	NA	06/24/22	06306795
Nitrite as Nitrogen	0.0200	0.0200		0.047	MG/L	NONE	354.1	NA	06/22/22	06286779
Pheophytin-a	1.00	1.00	J	9.8	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Phosphorus	0.0660	0.100		0.149	MG/L	365.2	365.2	06/24/22	06/27/22	193992
Solids, Total Suspended	4.17	4.17		73.8	MG/L	NONE	160.2	NA	06/24/22	06296785
Solids, Volatile Suspen	4.17	4.17		10.8	MG/L	NONE	160.4	NA	06/24/22	06296787
Total Organic Carbon	0.400	1.00		3.4	MG/L	NONE	415.1	NA	06/29/22	R313832

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-05, Inorganic Analyses

Page 1 of 1

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-06 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-12 Sampling Date: 06/23/2022  
Received: 06/23/2022 Sampling Time: 1605

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	06/27/22	R313738
Chlorophyll-a, Correcte	1.00	1.00		98.0	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
E. Coliform	1.00	1.00		650	COL/100 ML	NONE	1604	NA	06/23/22	06276767
Kjeldahl Nitrogen	0.480	1.00		1.1	MG/L	351.2	351.2	06/24/22	06/27/22	193994
Nitrate as Nitrogen	0.0950	0.100		2.36	MG/L	NONE	GREEN	NA	06/24/22	06306796
Nitrite as Nitrogen	0.0200	0.0200		0.103	MG/L	NONE	354.1	NA	06/22/22	06286779
Pheophytin-a	1.00	1.00		13.2	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Phosphorus	0.0660	0.100		0.174	MG/L	365.2	365.2	06/24/22	06/27/22	193992
Solids, Total Suspended	4.55	4.55		60.0	MG/L	NONE	160.2	NA	06/24/22	06296785
Solids, Volatile Suspen	4.55	4.55		20.5	MG/L	NONE	160.4	NA	06/24/22	06296787
Total Organic Carbon	0.400	1.00		3.7	MG/L	NONE	415.1	NA	06/29/22	R313832

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-06, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-07  
Field ID: CAR-15  
Received: 06/23/2022

Matrix: WATER  
Moisture: NA

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 06/23/2022  
Sampling Time: 1422

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.100	0.100		ND	MG/L	NONE	350.1	NA	06/27/22	R313738
Chlorophyll-a, Correcte	1.00	1.00		76.9	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Kjeldahl Nitrogen	0.480	1.00		1.3	MG/L	351.2	351.2	06/24/22	06/27/22	193994
Nitrate as Nitrogen	0.0190	0.0200		0.092	MG/L	NONE	GREEN	NA	06/24/22	06306795
Nitrite as Nitrogen	0.0200	0.0200		0.020	MG/L	NONE	354.1	NA	06/22/22	06286779
Pheophytin-a	1.00	1.00		21.3	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807
Phosphorus	0.0660	0.100		0.256	MG/L	365.2	365.2	06/24/22	06/27/22	193992
Solids, Total Suspended	3.33	3.33		32.7	MG/L	NONE	160.2	NA	06/24/22	06296785
Solids, Volatile Suspen	3.33	3.33		13.7	MG/L	NONE	160.4	NA	06/24/22	06296787
Total Organic Carbon	0.400	1.00		5.1	MG/L	NONE	415.1	NA	06/29/22	R313832

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-07, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-08  
Field ID: CAR-KP-MARINA  
Received: 06/23/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 06/23/2022  
Sampling Time: 1427

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		175	COL/100 ML	NONE	1604	NA	06/23/22	06276767

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-08, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-09  
Field ID: CAR-DW-MARINA  
Received: 06/23/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 06/23/2022  
Sampling Time: 1228

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		125	COL/100 ML	NONE	1604	NA	06/23/22	06276767

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-09, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-10  
Field ID: CAR-BL-MARINA  
Received: 06/23/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 06/23/2022  
Sampling Time: 1630

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		325	COL/100 ML	NONE	1604	NA	06/23/22	06276767

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-10, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008938-11      Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-CSA-MARINA      Sampling Date: 06/23/2022  
Received: 06/23/2022      Sampling Time: 1237

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		86.0	COL/100 ML	NONE	1604	NA	06/23/22	06276767

(a) DOD and/or NELAC Accredited Analyte.

Sample 008938-11, Inorganic Analyses

BLANK SUMMARY REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name:		NELAC Certified - IL100308									
CARLYLE LAKE											
Analyte	LOD	LOQ	Blank Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run	QC Lab Number	
(a) Iron	0.040	0.050	ND	MG/L	3010A	6010C	07/08/22	07/12/22	P7789	008938-01B1	
(a) Manganese	0.004	0.005	ND	MG/L	3010A	6010C	07/08/22	07/12/22	P7789	008938-01B1	
Ammonia Nitrogen	0.10	0.10	ND	MG/L	NONE	350.1	NA	06/27/22	R313738	008938-01B1	
Chlorophyll-a, Corre	1.0	1.0	ND	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807	008938-05B1	
E. Coliform	1.0	1.0	ND	COL/100 ML	NONE	1604	NA	06/23/22	06276767	008938-02B1	
Kjeldahl Nitrogen	1.0	1.0	ND	MG/L	351.2	351.2	06/24/22	06/27/22	193994	008938-01B1	
Nitrate as Nitrogen	0.019	0.020	ND	MG/L	NONE	GREEN	NA	06/24/22	06306795	008938-01B1	
Nitrate as Nitrogen	0.019	0.020	ND	MG/L	NONE	GREEN	NA	06/24/22	06306796	008938-06B1	
Nitrite as Nitrogen	0.020	0.020	ND	MG/L	NONE	354.1	NA	06/22/22	06286779	008938-01B1	
Pheophytin-a	1.0	1.0	ND	MG/CU.M.	10200H	10200H	06/24/22	06/29/22	07056807	008938-05B1	
Phosphorus	0.066	0.10	ND	MG/L	365.2	365.2	06/24/22	06/27/22	193992	008938-01B1	
Solids, Total Suspen	1.0	1.0	ND	MG/L	NONE	160.2	NA	06/24/22	06296785	008938-04B1	
Solids, Volatile Sus	1.0	1.0	ND	OMG/L	NONE	160.4	NA	06/24/22	06296787	008938-04B1	
Total Organic Carbon	0.40	1.0	ND	MG/L	NONE	415.1	NA	06/29/22	R313832	008938-03B1	

(a) DOD and/or NELAC Accredited Analyte  
Inorganic Method Blanks for 008938



LABORATORY CONTROL SAMPLE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566    Mt. Vernon, IL 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE      NELAC Certified - IL100308

Analyte	LCS 1 Result	LCS 1 Level	LCS 1 % Rec	LCS 2 Result	LCS 2 Level	LCS 2 % Rec	Mean % Rec	Analytical Run	QC Lab Number
(a) Iron	5.2	5.0	103	--	--	--	--	P7789	008938-01C1
(a) Manganese	0.80	0.75	107	--	--	--	--	P7789	008938-01C1
Ammonia Nitrogen	1.0	1.0	100	--	--	--	--	R313738	008938-01C1
Kjeldahl Nitrogen	11.0	10.0	110	--	--	--	--	193994	008938-01C1
Nitrate as Nitrogen	0.95	1.0	95	--	--	--	--	06306796	008938-06C1
Nitrate as Nitrogen	0.96	1.0	96	--	--	--	--	06306795	008938-01C1
Nitrite as Nitrogen	1.1	1.0	108	--	--	--	--	06286779	008938-01C1
Phosphorus	0.95	1.0	95	--	--	--	--	193992	008938-01C1
Total Organic Carbon	27.4	27.2	101	--	--	--	--	R313832	008938-03C1

NOTE: Any values tabulated above marked with an asterisk are outside of acceptable limits.

(a) DOD and/or NELAC Accredited Analyte

Inorganic LCS Results for 008938

MATRIX SPIKE/SPIKE DUPLICATE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566 Mt. Vernon, IL 62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	Sample Matrix	Sample Result	MS Result	MS Level	MS % Rec	MSD Result	MSD Level	MSD % Rec	% Rec Limits	RPD	RPD Limit	Run	QC Lab Number
(a) Iron	WATER	0.69	1.7	1.0	102	1.8	1.0	106	87-115	3	20	P7789	008938-01MS
(a) Manganese	WATER	0.21	0.73	0.50	104	0.74	0.50	107	90-114	2	20	P7789	008938-01MS
Ammonia Nitrogen	WATER	ND	1.6	2.0	80	1.6	2.0	82	75-125	3	20	R313738	008938-01MS
Kjeldahl Nitrogen	WATER	ND	9.8	10.0	98	9.9	10.0	99	75-125	1	20	193994	008938-01MS
Nitrate as Nitrogen	WATER	0.18	1.2	1.0	106	1.2	1.0	105	75-125	0	20	06306795	008938-01MS
Nitrite as Nitrogen	WATER	0.043	1.2	1.0	119	1.2	1.0	112	75-125	6	20	06286779	008938-01MS
Phosphorus	WATER	0.23	1.2	1.0	94	1.2	1.0	96	75-125	2	20	193992	008938-01MS
Total Organic Carbon	WATER	4.6	9.3	5.0	94	9.3	5.0	94	76-120	0	20	R313832	008938-03MS

NOTE: Values tabulated above marked with an asterisk are explained in the associated narrative.

(a) DOD and/or NELAC Accredited Analyte.

Inorganic Matrix Spikes for 008938

Page 1 of 1

SAMPLE DUPLICATE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL      62864

Lab Report No: 008938

Report Date: 07/14/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	Sample Conc'n	First Duplicate	Second Duplicate	Units	Percent Diff	Mean (Smp,D1,D2)	Analytical Run	QC Lab Number
Chlorophyll-a, Corrected	56.1	56.0	--	MG/CU.M.	0	--	07056807	008938-05D1
Pheophytin-a	9.8	13.5	--	MG/CU.M.	32*	--	07056807	008938-05D1
Solids, Total Suspended	30.7	33.5	--	MG/L	9	--	06296785	008938-04D1
Solids, Volatile Suspend	12.8	13.1	--	0MG/L	2	--	06296787	008938-04D1

\* indicates that agreement between duplicates is greater than 20%. See Case Narrative for exceptions.

(a) DOD and/or NELAC Accredited Analyte

Sample Duplicates for 008938

Page 1 of 1



# Sample Receipt Information

Including as appropriate:

- COCs
- Cooler Receipts
- Airbills
- Email Communication /  
Instructions from Customer

ARDL Data Package      8938 - Inorganic

P.O. Box 1566, 400 Aviation Drive, Mt. Vernon, IL 62864  
(618) 244-3235 Phone (618) 244-1149 Fax

## CHAIN OF CUSTODY RECORD

ARDL Report 8938 - Page 20 of 22

**COOLER RECEIPT REPORT**  
**ARDL, INC.**

ARDL #: 8938, 8939

Cooler # Green 1

Number of Coolers in Shipment: 2

Project: Carlyle Lake, Kaskaskia River

Date Received: 06/23/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 06/23/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)?.....YES ☐ NO ☒

If YES, enter carrier name and airbill number here: ARDL Courier - Jordan W.

2. Were custody seals on outside of cooler?.....YES ☐ NO ☒ N/A

How many and where? \_\_\_\_\_, Seal Date: \_\_\_\_\_, Seal Name: \_\_\_\_\_

3. Were custody seals unbroken and intact at the date and time of arrival?.....YES ☐ NO ☒ N/A

4. Did you screen samples for radioactivity using a Geiger Counter?.....YES ☒ NO ☐

5. Were custody papers sealed in a plastic bag?.....YES ☒ NO ☐ Hand delivered

6. Were custody papers filled out properly (ink, signed, etc.)?.....YES ☒ NO ☐ N/A

7. Were custody papers signed in appropriate place by ARDL personnel?.....YES ☒ NO ☐ N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form.....YES ☒ NO ☐ N/A

9. Was a separate container provided for measuring temperature? YES ☐ NO ☒ Observed Cooler Temp. 4.2 C Sample Temp  
Correction factor 0.0 C

B. **LOG-IN PHASE:** Date samples were logged-in: 06/24/2022 (Signature) DCB

10. Describe type of packing in cooler: Loose Ice

11. Were all samples sealed in separate plastic bags?.....YES ☐ NO ☒ N/A

12. Did all containers arrive unbroken and were labels in good condition?.....YES ☒ NO ☐

13. Were sample labels complete?.....YES ☒ NO ☐

14. Did all sample labels agree with custody papers?.....YES ☒ NO ☐

15. Were correct containers used for the tests indicated?.....YES ☒ NO ☐

16. Was pH correct on preserved water samples?.....YES ☒ NO ☐ N/A

17. Was a sufficient amount of sample sent for tests indicated?.....YES ☒ NO ☐

18. Were bubbles absent in VOA samples? If NO, list by sample #:.....YES ☐ NO ☒ N/A

19. Was the ARDL project coordinator notified of any deficiencies?.....YES ☐ NO ☒ N/A

Comments and/or Corrective Action:	
(By: Signature)	Date:

Sample Transfer	
Fraction <u>All</u>	Fraction
Area # <u>Walk-In</u>	Area #
By <u>DCB</u>	By
On <u>06/24/2022</u>	On

Chain-of-Custody # \_\_\_\_\_

**COOLER RECEIPT REPORT**  
**ARDL, INC.**

ARDL #: 8938, 8939

Cooler # Red 1

Number of Coolers in Shipment: 2

Project: Carlyle Lake, Kaskaskia River

Date Received: 06/23/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 06/23/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)? ..... YES ☐ NO ☒

If YES, enter carrier name and airbill number here: ARDL Courier - Jordan W.

2. Were custody seals on outside of cooler? ..... YES ☐ NO ☒ N/A

How many and where? \_\_\_\_\_, Seal Date: \_\_\_\_\_, Seal Name: \_\_\_\_\_

3. Were custody seals unbroken and intact at the date and time of arrival? ..... YES ☐ NO ☒ N/A

4. Did you screen samples for radioactivity using a Geiger Counter? ..... YES ☒ NO ☐

5. Were custody papers sealed in a plastic bag? ..... YES ☒ NO ☐ Hand delivered

6. Were custody papers filled out properly (ink, signed, etc.)? ..... YES ☒ NO ☐ N/A

7. Were custody papers signed in appropriate place by ARDL personnel? ..... YES ☒ NO ☐ N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form ..... YES ☒ NO ☐ N/A

9. Was a separate container provided for measuring temperature? YES ☐ NO ☒ Observed Cooler Temp. 3.9 <sup>Sample</sup> <sub>C</sub> Correction factor 0.0 <sup>Temp</sup> <sub>C</sub>

B. **LOG-IN PHASE:** Date samples were logged-in: 06/24/2022 (Signature) DCB

10. Describe type of packing in cooler: Loose Ice

11. Were all samples sealed in separate plastic bags? ..... YES ☐ NO ☒ N/A

12. Did all containers arrive unbroken and were labels in good condition? ..... YES ☒ NO ☐

13. Were sample labels complete? ..... YES ☒ NO ☐

14. Did all sample labels agree with custody papers? ..... YES ☒ NO ☐

15. Were correct containers used for the tests indicated? ..... YES ☒ NO ☐

16. Was pH correct on preserved water samples? ..... YES ☒ NO ☐ N/A

17. Was a sufficient amount of sample sent for tests indicated? ..... YES ☒ NO ☐

18. Were bubbles absent in VOA samples? If NO, list by sample #: \_\_\_\_\_ YES ☐ NO ☒ N/A

19. Was the ARDL project coordinator notified of any deficiencies? ..... YES ☐ NO ☒ N/A

Comments and/or Corrective Action:	
(By: Signature)	Date:

Sample Transfer	
Fraction <u>All</u>	Fraction
Area # <u>Walk-In</u>	Area #
By <u>DCB</u>	By
On <u>06/24/2022</u>	On

Chain-of-Custody # \_\_\_\_\_





Environmental | Analytical | Management | Safety

PO Box 1566  
400 Aviation Drive  
Mt. Vernon, IL 62864  
618-244-3235  
[www.ardlinc.com](http://www.ardlinc.com)

**Customer Name: SLCOE**

**Date: 8/25/2022**

**Project Name: Carlyle Lake**

**Lab Name: ARDL, Inc.**

**Samples Received at ARDL: 8/2/2022**

**ARDL Report No.: 8958**

### CASE NARRATIVE

<u>Customer Sample No.</u>	<u>Date Collected</u>	<u>Lab ID Number</u>	<u>Analyses Requested</u>
CAR-1	8/2/22	8958-01	Metals(1), Inorganics(2)(3), TKN*
CAR-2-0	8/2/22	8958-02	Inorganics(2)(3), TKN*, E. Coli
CAR-2-10	8/2/22	8958-03	Metals(1), Inorganics(2)
CAR-4	8/2/22	8958-04	Inorganics(2)(3), TKN*
CAR-13	8/2/22	8958-05	Inorganics(2)(3), TKN*, E. Coli
CAR-12	8/2/22	8958-06	Inorganics(2)(3), TKN*, E. Coli
CAR-15	8/2/22	8958-07	Inorganics(2)(3), TKN*
CAR-KP-MARINA	8/2/22	8958-08	E. Coli
CAR-DW-MARINA	8/2/22	8958-09	E. Coli
CAR-BL-MARINA	8/2/22	8958-10	E. Coli
CAR-CSA-MARINA	8/2/22	8958-11	E. Coli

(1) Including iron and manganese.

(2) Including ammonia\*, nitrate\*, nitrite, total phosphorus\*, TOC\*, TSS and TVSS.

(3) Including chlorophyll-a corrected and pheophytin-a.

\* Analyzed by an accredited subcontract laboratory.

The quality control data are summarized as follows:

#### INORGANIC FRACTION

##### PREPARATION BLANK

Results of the preparation blanks were undetected.

##### LABORATORY CONTROL SAMPLE

Percent recoveries of all LCS analyses were within control limits.

##### MATRIX SPIKE

Percent recoveries of all matrix spikes and matrix spike duplicates were within control limits, except 2 of 2 for ammonia. The parent sample has been flagged appropriately with a 'J' qualifier.

##### DUPLICATE

All duplicate analyses are reported as MS/MSD except chlorophyll-a corrected, pheophytin-a, TSS and TVSS. RPD on all duplicate analyses were within control limits, except chlorophyll-a corrected. The parent sample has been flagged appropriately with a 'J' qualifier.



**CASE NARRATIVE (Continued)**

**DATA REPORTING QUALIFIERS**

The following data reporting qualifiers are used as required:

ND - Indicates parameter was analyzed for but not detected.

J - Indicates an estimated value. This flag is used either when estimating a concentration or this flag indicates analyte(s) associated with a DOD-QSM specified non-compliance pertaining to matrix QC criteria.

Release of the data contained in this package has been authorized by the Technical Services Manager or his designee as verified by the following signature.



---

Dean S. Dickerson  
Technical Services Manager



# Sample & QC Results

Including as appropriate:

- Field Sample Results

- Batch QC

  - Prep Blank

  - LCS/Spike Blank

- Matrix QC

  - MS/MSD

  - Sample Duplicate

ARDL Data Package      8958 - Inorganic

**ARDL, INC.**  
**400 Aviation Drive; P.O. Box 1566**  
**Mt. Vernon, Illinois 62864**

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
 Project No:

Analysis: Inorganics  
 NELAC Certified - IL100308

ARDL No: 008958-01 Sampling Loc'n: CARLYLE LAKE  
 Field ID: CAR-1 Sampling Date: 08/02/2022  
 Received: 08/02/2022 Sampling Time: 0833

Matrix: WATER  
 Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		0.602	MG/L	3010A	6010C	08/11/22	08/17/22	P7813
(a) Manganese	0.00400	0.00500		0.158	MG/L	3010A	6010C	08/11/22	08/17/22	P7813
Ammonia Nitrogen	0.0270	0.100	J	0.037	MG/L	NONE	350.1	NA	08/11/22	R315638C
Chlorophyll-a, Correcte	1.00	1.00		12.5	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Kjeldahl Nitrogen	0.475	1.00	J	0.50	MG/L	351.2	351.2	08/08/22	08/09/22	195373C
Nitrate as Nitrogen	0.00900	0.0500		0.216	MG/L	NONE	353.2	NA	08/11/22	R315670C
Nitrite as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	354.1	NA	08/03/22	08237001
Pheophytin-a	1.00	1.00		4.5	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Phosphorus	0.0660	0.100		0.372	MG/L	365.4	365.4	08/08/22	08/09/22	195372C
Solids, Total Suspended	3.45	3.45		18.3	MG/L	NONE	160.2	NA	08/03/22	08086930
Solids, Volatile Suspen	3.45	3.45		6.21	MG/L	NONE	160.4	NA	08/03/22	08086931
Total Organic Carbon	0.500	1.00		4.56	MG/L	NONE	9060	NA	08/09/22	R315556C

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-01, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-02      Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-2-0      Sampling Date: 08/02/2022  
Received: 08/02/2022      Sampling Time: 1354

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0270	0.100		ND	MG/L	NONE	350.1	NA	08/11/22	R315638C
Chlorophyll-a, Correcte	1.00	1.00		20.2	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
E. Coliform	1.00	1.00		350	COL/100 ML	NONE	1604	NA	08/02/22	08237000
Kjeldahl Nitrogen	0.475	1.00	J	0.60	MG/L	351.2	351.2	08/08/22	08/09/22	195373C
Nitrate as Nitrogen	0.00900	0.0500		0.183	MG/L	NONE	353.2	NA	08/11/22	R315670C
Nitrite as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	354.1	NA	08/03/22	08237001
Pheophytin-a	1.00	1.00		6.7	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Phosphorus	0.0660	0.100		0.366	MG/L	365.4	365.4	08/08/22	08/09/22	195372C
Solids, Total Suspended	4.00	4.00		25.6	MG/L	NONE	160.2	NA	08/03/22	08086930
Solids, Volatile Suspen	4.00	4.00		7.2	MG/L	NONE	160.4	NA	08/03/22	08086931
Total Organic Carbon	0.500	1.00		4.3	MG/L	NONE	9060	NA	08/09/22	R315556C

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-02, Inorganic Analyses

Page 1 of 1

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-03  
Field ID: CAR-2-10  
Received: 08/02/2022

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		1.24	MG/L	3010A	6010C	08/11/22	08/17/22	P7813
(a) Manganese	0.00400	0.00500		0.195	MG/L	3010A	6010C	08/11/22	08/17/22	P7813
Ammonia Nitrogen	0.0270	0.100		ND	MG/L	NONE	350.1	NA	08/11/22	R315638C
Kjeldahl Nitrogen	0.475	1.00	J	0.616	MG/L	351.2	351.2	08/08/22	08/09/22	195373C
Nitrate as Nitrogen	0.00900	0.0500		0.186	MG/L	NONE	353.2	NA	08/11/22	R315670C
Nitrite as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	354.1	NA	08/03/22	08237001
Phosphorus	0.0660	0.100		0.365	MG/L	365.4	365.4	08/08/22	08/09/22	195372C
Solids, Total Suspended	4.26	4.26		38.7	MG/L	NONE	160.2	NA	08/03/22	08086930
Solids, Volatile Suspen	4.26	4.26		8.94	MG/L	NONE	160.4	NA	08/03/22	08086931
Total Organic Carbon	0.500	1.00		4.3	MG/L	NONE	9060	NA	08/09/22	R315556C

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-03, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-04  
Field ID: CAR-4  
Received: 08/02/2022

Matrix: WATER  
Moisture: NA

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 08/02/2022  
Sampling Time: 1023

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0270	0.100	J	0.040	MG/L	NONE	350.1	NA	08/11/22	R315638C
Chlorophyll-a, Correcte	1.00	1.00		17.9	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Kjeldahl Nitrogen	0.475	1.00	J	0.80	MG/L	351.2	351.2	08/08/22	08/09/22	195373C
Nitrate as Nitrogen	0.00900	0.0500		0.185	MG/L	NONE	353.2	NA	08/11/22	R315670C
Nitrite as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	354.1	NA	08/03/22	08237001
Pheophytin-a	1.00	1.00		9.3	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Phosphorus	0.0660	0.100		0.262	MG/L	365.4	365.4	08/08/22	08/09/22	195372C
Solids, Total Suspended	5.88	5.88		46.5	MG/L	NONE	160.2	NA	08/03/22	08086930
Solids, Volatile Suspen	5.88	5.88		9.41	MG/L	NONE	160.4	NA	08/03/22	08086931
Total Organic Carbon	0.500	1.00		4.3	MG/L	NONE	9060	NA	08/09/22	R315556C

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-04, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-05      Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-13      Sampling Date: 08/02/2022  
Received: 08/02/2022      Sampling Time: 1143

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0270	0.100		ND	MG/L	NONE	350.1	NA	08/11/22	R315638C
Chlorophyll-a, Correcte	1.00	1.00		ND	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
E. Coliform	1.00	1.00		350	COL/100 ML	NONE	1604	NA	08/02/22	08237000
Kjeldahl Nitrogen	0.475	1.00	J	0.60	MG/L	351.2	351.2	08/08/22	08/09/22	195373C
Nitrate as Nitrogen	0.00900	0.0500		0.594	MG/L	NONE	353.2	NA	08/11/22	R315670C
Nitrite as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	354.1	NA	08/03/22	08237001
Pheophytin-a	1.00	1.00		190	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Phosphorus	0.0660	0.100		0.102	MG/L	365.4	365.4	08/08/22	08/09/22	195372C
Solids, Total Suspended	4.00	4.00		35.2	MG/L	NONE	160.2	NA	08/03/22	08086930
Solids, Volatile Suspen	4.00	4.00		8.0	MG/L	NONE	160.4	NA	08/03/22	08086931
Total Organic Carbon	0.500	1.00		3.1	MG/L	NONE	9060	NA	08/09/22	R315556C

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-05, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-06 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-12 Sampling Date: 08/02/2022  
Received: 08/02/2022 Sampling Time: 1233

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0270	0.100		ND	MG/L	NONE	350.1	NA	08/11/22	R315638C
Chlorophyll-a, Correcte	1.00	1.00	J	41.4	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
E. Coliform	1.00	1.00		450	COL/100 ML	NONE	1604	NA	08/02/22	08237000
Kjeldahl Nitrogen	0.475	1.00		ND	MG/L	351.2	351.2	08/08/22	08/09/22	195373C
Nitrate as Nitrogen	0.00900	0.0500		0.455	MG/L	NONE	353.2	NA	08/11/22	R315670C
Nitrite as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	354.1	NA	08/03/22	08237001
Pheophytin-a	1.00	1.00		18.6	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Phosphorus	0.0660	0.100		0.116	MG/L	365.4	365.4	08/08/22	08/09/22	195372C
Solids, Total Suspended	4.35	4.35		27.0	MG/L	NONE	160.2	NA	08/03/22	08086930
Solids, Volatile Suspen	4.35	4.35		7.83	MG/L	NONE	160.4	NA	08/03/22	08086931
Total Organic Carbon	0.500	1.00		3.9	MG/L	NONE	9060	NA	08/09/22	R315556C

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-06, Inorganic Analyses



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-07 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-15 Sampling Date: 08/02/2022  
Received: 08/02/2022 Sampling Time: 1023

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0270	0.100	J	0.040	MG/L	NONE	350.1	NA	08/11/22	R315638C
Chlorophyll-a, Correcte	1.00	1.00		17.6	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Kjeldahl Nitrogen	0.475	1.00	J	0.60	MG/L	351.2	351.2	08/08/22	08/09/22	195373C
Nitrate as Nitrogen	0.00900	0.0500		0.192	MG/L	NONE	353.2	NA	08/11/22	R315670C
Nitrite as Nitrogen	0.0190	0.0200		ND	MG/L	NONE	354.1	NA	08/03/22	08237001
Pheophytin-a	1.00	1.00		8.2	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941
Phosphorus	0.0660	0.100		0.263	MG/L	365.4	365.4	08/08/22	08/09/22	195372C
Solids, Total Suspended	6.25	6.25		48.8	MG/L	NONE	160.2	NA	08/03/22	08086930
Solids, Volatile Suspen	6.25	6.25		10.0	MG/L	NONE	160.4	NA	08/03/22	08086931
Total Organic Carbon	0.500	1.00		4.4	MG/L	NONE	9060	NA	08/09/22	R315556C

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-07, Inorganic Analyses

Page 1 of 1

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-08  
Field ID: CAR-KP-MARINA  
Received: 08/02/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 08/02/2022  
Sampling Time: 1037

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		675	COL/100 ML	NONE	1604	NA	08/02/22	08237000

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-08, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-09  
Field ID: CAR-DW-MARINA  
Received: 08/02/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 08/02/2022  
Sampling Time: 1432

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		150	COL/100 ML	NONE	1604	NA	08/02/22	08237000

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-09, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-10  
Field ID: CAR-BL-MARINA  
Received: 08/02/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 08/02/2022  
Sampling Time: 1255

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		200	COL/100 ML	NONE	1604	NA	08/02/22	08237000

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-10, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008958-11  
Field ID: CAR-CSA-MARINA  
Received: 08/02/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 08/02/2022  
Sampling Time: 1414

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		125	COL/100 ML	NONE	1604	NA	08/02/22	08237000

(a) DOD and/or NELAC Accredited Analyte.

Sample 008958-11, Inorganic Analyses

BLANK SUMMARY REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL      62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	LOD	LOQ	Blank Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run	QC Lab Number
(a) Iron	0.040	0.050	ND	MG/L	3010A	6010C	08/11/22	08/17/22	P7813	008958-01B1
(a) Manganese	0.004	0.005	ND	MG/L	3010A	6010C	08/11/22	08/17/22	P7813	008958-01B1
Ammonia Nitrogen	0.027	0.10	ND	MG/L	NONE	350.1	NA	08/11/22	R315638C	008958-01B1
Chlorophyll-a, Corre	1.0	1.0	ND	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941	008958-06B1
Kjeldahl Nitrogen	0.48	1.0	ND	MG/L	351.2	351.2	08/08/22	08/09/22	195373C	008958-03B1
Nitrate as Nitrogen	0.009	0.050	ND	MG/L	NONE	353.2	NA	08/11/22	R315670C	008958-07B1
Nitrite as Nitrogen	0.019	0.020	ND	MG/L	NONE	354.1	NA	08/03/22	08237001	008958-01B1
Pheophytin-a	1.0	1.0	ND	MG/CU.M.	10200H	10200H	08/03/22	08/05/22	08096941	008958-06B1
Phosphorus	0.066	0.10	ND	MG/L	365.4	365.4	08/08/22	08/09/22	195372C	008958-03B1
Solids, Total Suspen	1.0	1.0	ND	MG/L	NONE	160.2	NA	08/03/22	08086930	008958-04B1
Solids, Volatile Sus	1.0	1.0	ND	MG/L	NONE	160.4	NA	08/03/22	08086931	008958-04B1
Total Organic Carbon	0.50	1.0	ND	MG/L	NONE	9060	NA	08/09/22	R315556C	008958-01B1

(a) DOD and/or NELAC Accredited Analyte  
Inorganic Method Blanks for 008958

LABORATORY CONTROL SAMPLE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566    Mt. Vernon, IL    62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	LCS 1 Result	LCS 1 Level	LCS 1 % Rec	LCS 2 Result	LCS 2 Level	LCS 2 % Rec	% Rec Limits	Mean % Rec	Analytical Run	QC Lab Number
(a) Iron	4.6	5.0	93	--	--	--	87-115	--	F7813	008958-01C1
(a) Manganese	0.73	0.75	97	--	--	--	90-114	--	F7813	008958-01C1
Ammonia Nitrogen	1.0	1.0	104	--	--	--	90-110	--	R315638C	008958-01C1
Kjeldahl Nitrogen	10.4	10.0	104	--	--	--	90-110	--	195373C	008958-03C1
Nitrate as Nitrogen	0.51	0.50	102	--	--	--	90-110	--	R315670C	008958-07C1
Nitrite as Nitrogen	0.95	1.0	95	--	--	--	80-120	--	08237001	008958-01C1
Phosphorus	0.93	1.0	93	--	--	--	85-115	--	195372C	008958-03C1
Total Organic Carbon	26.9	27.2	99	--	--	--	90-110	--	R315556C	008958-01C1

NOTE: Any values tabulated above marked with an asterisk are outside of acceptable limits.

(a) DOD and/or NELAC Accredited Analyte

Inorganic LCS Results for 008958

Page 1 of 1

**MATRIX SPIKE/SPIKE DUPLICATE REPORT**  
**ARDL, INC. 400 Aviation Drive; P.O. Box 1566 Mt. Vernon, IL 62864**

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	Sample Matrix	Sample Result	MS Result	MS Level	MS % Rec	MSD Result	MSD Level	MSD % Rec	% Rec Limits	RPD	RPD Limit	Run	QC Lab Number
(a) Iron	WATER	0.60	1.6	1.0	96	1.6	1.0	99	87-115	2	20	P7813	008958-01MS
(a) Manganese	WATER	0.16	0.65	0.50	98	0.66	0.50	101	90-114	2	20	P7813	008958-01MS
Ammonia Nitrogen	WATER	J 0.037	1.5	2.0	76 *	1.6	2.0	77 *	90-110	2	10	R315638C	008958-01MS
Kjeldahl Nitrogen	WATER	J 0.62	9.8	10.0	92	10	10.0	94	90-110	2	15	195373C	008958-03MS
Nitrate as Nitrogen	WATER	0.19	0.46	0.25	108	0.46	0.25	106	90-110	1	10	R315670C	008958-07MS
Nitrite as Nitrogen	WATER	ND	0.90	1.0	90	0.90	1.0	90	75-125	0	20	08237001	008958-01MS
Phosphorus	WATER	0.37	1.3	1.0	94	1.3	1.0	96	85-115	1	15	195372C	008958-03MS
Total Organic Carbon	WATER	4.6	9.2	5.0	92	9.4	5.0	97	85-115	3	10	R315556C	008958-01MS

NOTE: Values tabulated above marked with an asterisk are explained in the associated narrative.

(a) DOD and/or NELAC Accredited Analyte.

Inorganic Matrix Spikes for 008958



SAMPLE DUPLICATE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL      62864

Lab Report No: 008958

Report Date: 08/25/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	Sample Conc'n	First Duplicate	Second Duplicate	Units	Percent Diff	Mean (Smp,D1,D2)	Analytical Run	QC Lab Number
Chlorophyll-a, Corrected	41.4	23.7	--	MG/CU.M.	54*	--	08096941	008958-06D1
Pheophytin-a	18.6	22.6	--	MG/CU.M.	19	--	08096941	008958-06D1
Solids, Total Suspended	46.5	44.4	--	MG/L	5	--	08086930	008958-04D1
Solids, Volatile Suspend	9.4	9.4	--	MG/L	0	--	08086931	008958-04D1

\* indicates that agreement between duplicates is greater than 20%. See Case Narrative for exceptions.

(a) DOD and/or NELAC Accredited Analyte

Sample Duplicates for 008958

Page 1 of 1



# Sample Receipt Information

Including as appropriate:

- COCs
- Cooler Receipts
- Airbills
- Email Communication /  
Instructions from Customer

ARDL Data Package      8958 - Inorganic

## CHAIN OF CUSTODY RECORD

8568

[illegible]

**COOLER RECEIPT REPORT**  
**ARDL, INC.**

ARDL #: 8958

Cooler # Blue 1

Number of Coolers in Shipment: 3

Project: Carlyle Lake

Date Received: 08/02/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 08/03/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)? ..... YES NO

If YES, enter carrier name and airbill number here: ARDL Carrier - Valerie

2. Were custody seals on outside of cooler? ..... YES NO N/A

How many and where? \_\_\_\_\_, Seal Date: \_\_\_\_\_, Seal Name: \_\_\_\_\_

3. Were custody seals unbroken and intact at the date and time of arrival? ..... YES NO NA

4. Did you screen samples for radioactivity using a Geiger Counter? ..... YES NO

5. Were custody papers sealed in a plastic bag? Hand delivered ..... YES NO

6. Were custody papers filled out properly (ink, signed, etc.)? ..... YES NO N/A

7. Were custody papers signed in appropriate place by ARDL personnel? ..... YES NO N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form ..... YES NO N/A

9. Was a separate container provided for measuring temperature? YES \_\_\_\_\_ NO ✓ Observed Cooler Temp. 3.1 °C  
Correction factor 0.0 °C

B. **LOG-IN PHASE:** Date samples were logged-in: 08/03/2022 (Signature) DCB

10. Describe type of packing in cooler: Loose Ice

11. Were all samples sealed in separate plastic bags? ..... YES NO N/A

12. Did all containers arrive unbroken and were labels in good condition? ..... YES NO

13. Were sample labels complete? ..... YES NO

14. Did all sample labels agree with custody papers? ..... YES NO

15. Were correct containers used for the tests indicated? ..... YES NO

16. Was pH correct on preserved water samples? ..... YES NO N/A

17. Was a sufficient amount of sample sent for tests indicated? ..... YES NO

18. Were bubbles absent in VOA samples? If NO, list by sample #: \_\_\_\_\_ YES NO N/A

19. Was the ARDL project coordinator notified of any deficiencies? ..... YES NO N/A

Comments and/or Corrective Action:	
(By: Signature)	Date:

Sample Transfer	
Fraction <u>A11</u>	Fraction 
Area # <u>Walk-In</u>	Area # 
By <u>DCB</u>	By 
On <u>08/03/2022</u>	On 

Chain-of-Custody # \_\_\_\_\_

**COOLER RECEIPT REPORT**  
**ARDL, INC.**

ARDL #: 8958

Cooler # Red 2

Number of Coolers in Shipment: 3

Project: Carhyle Lake

Date Received: 08/02/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 08/03/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)? ..... YES ☒ NO ☐

    If YES, enter carrier name and airbill number here: ARDL Courier - Valerie

2. Were custody seals on outside of cooler? ..... YES ☐ NO ☒ N/A

    How many and where? \_\_\_\_\_, Seal Date: \_\_\_\_\_, Seal Name: \_\_\_\_\_

3. Were custody seals unbroken and intact at the date and time of arrival? ..... YES ☐ NO ☒ N/A

4. Did you screen samples for radioactivity using a Geiger Counter? ..... YES ☒ NO ☐

5. Were custody papers sealed in a plastic bag? Hand delivered ..... YES ☒ NO ☐

6. Were custody papers filled out properly (ink, signed, etc.)? ..... YES ☒ NO ☐ N/A

7. Were custody papers signed in appropriate place by ARDL personnel? ..... YES ☒ NO ☐ N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form. .... YES ☒ NO ☐ N/A

9. Was a separate container provided for measuring temperature? YES ☐ NO ☒ Observed Cooler Temp. 2.9 °C  
Correction factor 0.0 °C

B. **LOG-IN PHASE:** Date samples were logged-in: 08/03/2022 (Signature) DCB

10. Describe type of packing in cooler: Loose Ice

11. Were all samples sealed in separate plastic bags? ..... YES ☒ NO ☐ N/A

12. Did all containers arrive unbroken and were labels in good condition? ..... YES ☒ NO ☐

13. Were sample labels complete? ..... YES ☒ NO ☐

14. Did all sample labels agree with custody papers? ..... YES ☒ NO ☐

15. Were correct containers used for the tests indicated? ..... YES ☒ NO ☐

16. Was pH correct on preserved water samples? ..... YES ☒ NO ☐ N/A

17. Was a sufficient amount of sample sent for tests indicated? ..... YES ☒ NO ☐

18. Were bubbles absent in VOA samples? If NO, list by sample #: ..... YES ☐ NO ☒ N/A

19. Was the ARDL project coordinator notified of any deficiencies? ..... YES ☐ NO ☒ N/A

Comments and/or Corrective Action:	
(By: Signature)	Date:

Sample Transfer	
Fraction <u>All</u>	Fraction 
Area # <u>Walk-In</u>	Area # 
By <u>DCB</u>	By 
On <u>08/03/2022</u>	On 

Chain-of-Custody # \_\_\_\_\_





Environmental | Analytical | Management | Safety

PO Box 1566  
400 Aviation Drive  
Mt. Vernon, IL 62864  
618-244-3235

[www.ardlinc.com](http://www.ardlinc.com)

**Customer Name: SLCOE**

**Date: 10/10/2022**

**Project Name: Carlyle Lake**

**Lab Name: ARDL, Inc.**

**Samples Received at ARDL: 9/6/2022**

**ARDL Report No.: 8995**

### CASE NARRATIVE

<u>Customer Sample No.</u>	<u>Date Collected</u>	<u>Lab ID Number</u>	<u>Analyses Requested</u>
CAR-1	9/6/22	8995-01	Metals(1), Inorganics(2)(3)
CAR-2	9/6/22	8995-02	Inorganics(2)(3), E. Coli
CAR-2-10	9/6/22	8995-03	Metals(1), Inorganics(2)
CAR-4	9/6/22	8995-04	Inorganics(2)(3)
CAR-13	9/6/22	8995-05	Inorganics(2)(3), E. Coli
CAR-12	9/6/22	8995-06	Inorganics(2)(3), E. Coli
CAR-15	9/6/22	8995-07	Inorganics(2)(3)
CAR-KP-MARINA	9/6/22	8995-08	E. Coli
CAR-DW-MARINA	9/6/22	8995-09	E. Coli
CAR-BL-MARINA	9/6/22	8995-10	E. Coli
CAR-CSA-MARINA	9/6/22	8995-11	E. Coli

(1) Including iron and manganese.

(2) Including ammonia\*, nitrate\*, nitrite, total phosphorus\*, TKN\*, TOC\*, TSS and TVSS.

(3) Including chlorophyll-a corrected and pheophytin-a.

\* Analyzed by an accredited subcontract laboratory.

The quality control data are summarized as follows:

#### PREPARATION BLANK

Results of the preparation blanks were undetected.

#### LABORATORY CONTROL SAMPLE

Percent recoveries of all LCS analyses were within control limits.

#### MATRIX SPIKE

Percent recovery of all matrix spikes and matrix spike duplicates were within control limits, except 2 of 2 for ammonia. The parent sample has been flagged appropriately with a 'J' qualifier.

#### DUPLICATE

All duplicate analyses are reported as MS/MSD except chlorophyll-a corrected, pheophytin-a, TSS and TVSS. RPD on all duplicate analyses were within control limits, except pheophytin-a. The parent sample has been flagged appropriately with a 'J' qualifier.

CASE NARRATIVE (Continued)

DATA REPORTING QUALIFIERS

The following data reporting qualifiers are used as required:

- ND - Indicates parameter was analyzed for but not detected.
- J - Indicates an estimated value. This flag is used either when estimating a concentration or this flag indicates analyte(s) associated with a DOD-QSM specified non-compliance pertaining to matrix QC criteria.

Release of the data contained in this package has been authorized by the Technical Services Manager or his designee as verified by the following signature.



---

Dean S. Dickerson  
Technical Services Manager



# Sample & QC Results

Including as appropriate:

- Field Sample Results

- Batch QC

  - Prep Blank

  - LCS/Spike Blank

- Matrix QC

  - MS/MSD

  - Sample Duplicate

ARDL Data Package      8995 - Inorganics



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-01  
Field ID: CAR-1  
Received: 09/06/2022  
Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 09/06/2022  
Sampling Time: 1145

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		0.747	MG/L	3010A	6010C	09/12/22	09/14/22	P7847
(a) Manganese	0.00400	0.00500		0.164	MG/L	3010A	6010C	09/12/22	09/14/22	P7847
Ammonia Nitrogen	0.0270	0.100	J	ND	MG/L	NONE	350.1	NA	09/13/22	R317956
Chlorophyll-a, Correcte	1.00	1.00		33.8	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Kjeldahl Nitrogen	0.475	1.00		1.07	MG/L	351.2	351.2	09/09/22	09/12/22	196489
Nitrate as Nitrogen	0.00900	0.0500		0.072	MG/L	NONE	353.2	NA	09/14/22	R318037
Nitrite as Nitrogen	0.0200	0.0200		0.023	MG/L	NONE	354.1	NA	09/07/22	09297108
Pheophytin-a	1.00	1.00		15.2	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Phosphorus	0.0660	0.100		0.35	MG/L	365.2	365.4	09/09/22	09/12/22	196488
Solids, Total Suspended	2.00	2.00		19.2	MG/L	NONE	160.2	NA	09/07/22	09297105
Solids, Volatile Suspen	2.00	2.00		5.4	MG/L	NONE	160.4	NA	09/07/22	09297107
Total Organic Carbon	0.500	1.00		4.49	MG/L	NONE	415.1	NA	09/15/22	R318089

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-01, Inorganic Analyses

Page 1 of 1

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-02  
Field ID: CAR-2  
Received: 09/06/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 09/06/2022  
Sampling Time: 1313

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0540	0.200		ND	MG/L	NONE	350.1	NA	09/13/22	R317956
Chlorophyll-a, Corrected	1.00	1.00		61.3	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
E. Coliform	1.00	1.00		53.0	COL/100 ML	NONE	1604	NA	09/06/22	09297106
Kjeldahl Nitrogen	0.475	1.00		1.2	MG/L	351.2	351.2	09/09/22	09/12/22	196489
Nitrate as Nitrogen	0.00900	0.0500		0.058	MG/L	NONE	353.2	NA	09/14/22	R318037
Nitrite as Nitrogen	0.0200	0.0200		ND	MG/L	NONE	354.1	NA	09/07/22	09297108
Pheophytin-a	1.00	1.00	J	24.5	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Phosphorus	0.0660	0.100		0.316	MG/L	365.2	365.4	09/09/22	09/12/22	196488
Solids, Total Suspended	2.86	2.86		17.4	MG/L	NONE	160.2	NA	09/07/22	09297105
Solids, Volatile Suspen	2.86	2.86		8.0	MG/L	NONE	160.4	NA	09/07/22	09297107
Total Organic Carbon	0.500	1.00		4.64	MG/L	NONE	415.1	NA	09/15/22	R318089

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-02, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE		Sampling Loc'n: CARLYLE LAKE		Analysis: Inorganics						
Project No:		Sampling Date: 09/06/2022		NELAC Certified - IL100308						
ARDL No: 008995-03		Sampling Time: 1313		Matrix: WATER						
Field ID: CAR-2-10				Moisture: NA						
Received: 09/06/2022										
Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
(a) Iron	0.0400	0.0500		0.642	MG/L	3010A	6010C	09/12/22	09/14/22	P7847
(a) Manganese	0.00400	0.00500		0.149	MG/L	3010A	6010C	09/12/22	09/14/22	P7847
Ammonia Nitrogen	0.0270	0.100		ND	MG/L	NONE	350.1	NA	09/13/22	R317956
Kjeldahl Nitrogen	0.475	1.00		ND	MG/L	351.2	351.2	09/09/22	09/12/22	196489
Nitrate as Nitrogen	0.00900	0.0500	J	0.046	MG/L	NONE	353.2	NA	09/14/22	R318037
Nitrite as Nitrogen	0.0200	0.0200		0.024	MG/L	NONE	354.1	NA	09/07/22	09297108
Phosphorus	0.0660	0.100		0.305	MG/L	365.2	365.4	09/09/22	09/12/22	196488
Solids, Total Suspended	2.50	2.50		18.8	MG/L	NONE	160.2	NA	09/07/22	09297105
Solids, Volatile Suspen	2.50	2.50		5.0	MG/L	NONE	160.4	NA	09/07/22	09297107
Total Organic Carbon	0.500	1.00		4.66	MG/L	NONE	415.1	NA	09/15/22	R318089

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-03, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-04      Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-4      Sampling Date: 09/06/2022  
Received: 09/06/2022      Sampling Time: 1454

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0540	0.200		ND	MG/L	NONE	350.1	NA	09/13/22	R317956
Chlorophyll-a, Corrected	1.00	1.00		66.1	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Kjeldahl Nitrogen	0.475	1.00		1.1	MG/L	351.2	351.2	09/09/22	09/12/22	196489
Nitrate as Nitrogen	0.00900	0.0500		ND	MG/L	NONE	353.2	NA	09/14/22	R318037
Nitrite as Nitrogen	0.0200	0.0200		ND	MG/L	NONE	354.1	NA	09/07/22	09297108
Pheophytin-a	1.00	1.00		28.3	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Phosphorus	0.0660	0.100		0.278	MG/L	365.2	365.4	09/09/22	09/12/22	196488
Solids, Total Suspended	3.33	3.33		27.0	MG/L	NONE	160.2	NA	09/07/22	09297105
Solids, Volatile Suspended	3.33	3.33		9.33	MG/L	NONE	160.4	NA	09/07/22	09297107
Total Organic Carbon	0.500	1.00		4.87	MG/L	NONE	415.1	NA	09/15/22	R318089

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-04, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-05 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-13 Sampling Date: 09/06/2022  
Received: 09/06/2022 Sampling Time: 1554

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0540	0.200		ND	MG/L	NONE	350.1	NA	09/13/22	R317956
Chlorophyll-a, Corrected	1.00	1.00		45.4	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
E. Coliform	1.00	1.00		450	COL/100 ML	NONE	1604	NA	09/06/22	09297106
Kjeldahl Nitrogen	0.475	1.00		ND	MG/L	351.2	351.2	09/09/22	09/12/22	196489
Nitrate as Nitrogen	0.00900	0.0500		0.285	MG/L	NONE	353.2	NA	09/14/22	R318037
Nitrite as Nitrogen	0.0200	0.0200		ND	MG/L	NONE	354.1	NA	09/07/22	09297108
Pheophytin-a	1.00	1.00		16.9	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Phosphorus	0.0660	0.100		0.132	MG/L	365.2	365.4	09/09/22	09/12/22	196488
Solids, Total Suspended	4.00	4.00		56.0	MG/L	NONE	160.2	NA	09/07/22	09297105
Solids, Volatile Suspen	4.00	4.00		10.4	MG/L	NONE	160.4	NA	09/07/22	09297107
Total Organic Carbon	0.500	1.00		3.0	MG/L	NONE	415.1	NA	09/15/22	R318089

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-05, Inorganic Analyses

Page 1 of 1

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-06 Sampling Loc'n: CARLYLE LAKE  
Field ID: CAR-12 Sampling Date: 09/06/2022  
Received: 09/06/2022 Sampling Time: 1438

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0270	0.100		ND	MG/L	NONE	350.1	NA	09/13/22	R317956
Chlorophyll-a, Correcte	1.00	1.00		54.4	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
E. Coliform	1.00	1.00		825	COL/100 ML	NONE	1604	NA	09/06/22	09297106
Kjeldahl Nitrogen	0.475	1.00		1.1	MG/L	351.2	351.2	09/09/22	09/12/22	196489
Nitrate as Nitrogen	0.00900	0.0500		0.092	MG/L	NONE	353.2	NA	09/14/22	R318037
Nitrite as Nitrogen	0.0200	0.0200		ND	MG/L	NONE	354.1	NA	09/07/22	09297108
Pheophytin-a	1.00	1.00		10.6	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Phosphorus	0.0660	0.100		0.223	MG/L	365.2	365.4	09/09/22	09/12/22	196488
Solids, Total Suspended	2.86	2.86		15.4	MG/L	NONE	160.2	NA	09/07/22	09297105
Solids, Volatile Suspen	2.86	2.86		5.43	MG/L	NONE	160.4	NA	09/07/22	09297107
Total Organic Carbon	0.500	1.00		5.81	MG/L	NONE	415.1	NA	09/15/22	R318089

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-06, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE				Analysis: Inorganics						
Project No:				NELAC Certified - IL100308						
ARDL No: 008995-07				Sampling Loc'n: CARLYLE LAKE			Matrix: WATER			
Field ID: CAR-15				Sampling Date: 09/06/2022			Moisture: NA			
Received: 09/06/2022				Sampling Time: 1454						
Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
Ammonia Nitrogen	0.0540	0.200		ND	MG/L	NONE	350.1	NA	09/13/22	R317956
Chlorophyll-a, Correcte	1.00	1.00		41.1	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Kjeldahl Nitrogen	0.475	1.00		1.0	MG/L	351.2	351.2	09/09/22	09/12/22	196489
Nitrate as Nitrogen	0.00900	0.0500		ND	MG/L	NONE	353.2	NA	09/14/22	R318037
Nitrite as Nitrogen	0.0200	0.0200		ND	MG/L	NONE	354.1	NA	09/07/22	09297108
Pheophytin-a	1.00	1.00		8.9	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104
Phosphorus	0.0660	0.100		0.267	MG/L	365.2	365.4	09/09/22	09/12/22	196488
Solids, Total Suspended	3.33	3.33		27.0	MG/L	NONE	160.2	NA	09/07/22	09297105
Solids, Volatile Suspen	3.33	3.33		9.67	MG/L	NONE	160.4	NA	09/07/22	09297107
Total Organic Carbon	0.500	1.00		4.62	MG/L	NONE	415.1	NA	09/15/22	R318089

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-07, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-08  
Field ID: CAR-KP-MARINA  
Received: 09/06/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 09/06/2022  
Sampling Time: 1503

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		47.0	COL/100 ML	NONE	1604	NA	09/06/22	09297106

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-08, Inorganic Analyses

Page 1 of 1



ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-09  
Field ID: CAR-DW-MARINA  
Received: 09/06/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 09/06/2022  
Sampling Time: 1344

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		825	COL/100 ML	NONE	1604	NA	09/06/22	09297106

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-09, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-10  
Field ID: CAR-BL-MARINA  
Received: 09/06/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 09/06/2022  
Sampling Time: 1458

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		150	COL/100 ML	NONE	1604	NA	09/06/22	09297106

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-10, Inorganic Analyses

ARDL, INC.  
400 Aviation Drive; P.O. Box 1566  
Mt. Vernon, Illinois 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE  
Project No:

Analysis: Inorganics  
NELAC Certified - IL100308

ARDL No: 008995-11  
Field ID: CAR-CSA-MARINA  
Received: 09/06/2022

Sampling Loc'n: CARLYLE LAKE  
Sampling Date: 09/06/2022  
Sampling Time: 1333

Matrix: WATER  
Moisture: NA

Analyte	LOD	LOQ	Flag	Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run Number
E. Coliform	1.00	1.00		200	COL/100 ML	NONE	1604	NA	09/06/22	09297106

(a) DOD and/or NELAC Accredited Analyte.

Sample 008995-11, Inorganic Analyses

BLANK SUMMARY REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL 62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	LOD	LOQ	Blank Result	Units	Prep Method	Analysis Method	Prep Date	Analysis Date	Run	QC Lab Number
(a) Iron	0.040	0.050	ND	MG/L	3010A	6010C	09/12/22	09/14/22	P7847	008995-01B1
(a) Manganese	0.004	0.005	ND	MG/L	3010A	6010C	09/12/22	09/14/22	P7847	008995-01B1
Ammonia Nitrogen	0.027	0.10	ND	MG/L	NONE	350.1	NA	09/13/22	R317956	008995-01B1
Chlorophyll-a, Corre	1.0	1.0	ND	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104	008995-02B1
Kjeldahl Nitrogen	0.48	1.0	ND	MG/L	351.2	351.2	09/09/22	09/12/22	196489	008995-01B1
Nitrate as Nitrogen	0.009	0.050	ND	MG/L	NONE	353.2	NA	09/14/22	R318037	008995-06B1
Nitrite as Nitrogen	0.020	0.020	ND	MG/L	NONE	354.1	NA	09/07/22	09297108	008995-01B1
Pheophytin-a	1.0	1.0	ND	MG/CU.M.	10200H	10200H	09/07/22	09/15/22	09277104	008995-02B1
Phosphorus	0.066	0.10	ND	MG/L	365.2	365.4	09/09/22	09/12/22	196488	008995-01B1
Solids, Total Suspen	1.0	1.0	ND	MG/L	NONE	160.2	NA	09/07/22	09297105	008995-06B1
Solids, Volatile Sus	1.0	1.0	ND	MG/L	NONE	160.4	NA	09/07/22	09297107	008995-06B1
Total Organic Carbon	0.50	1.0	ND	MG/L	NONE	415.1	NA	09/15/22	R318089	008995-01B1

(a) DOD and/or NELAC Accredited Analyte  
Inorganic Method Blanks for 008995

**LABORATORY CONTROL SAMPLE REPORT**  
**ARDL, INC.     400 Aviation Drive; P.O. Box 1566     Mt. Vernon, IL 62864**

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	LCS 1 Result	LCS 1 Level	LCS 1 % Rec	LCS 2 Result	LCS 2 Level	LCS 2 % Rec	% Rec Limits	Mean % Rec	Analytical Run	QC Lab Number
(a) Iron	5.0	5.0	100	--	--	--	87-115	--	P7847	008995-01C1
(a) Manganese	0.76	0.75	102	--	--	--	90-114	--	P7847	008995-01C1
Ammonia Nitrogen	1.0	1.0	104	--	--	--	90-110	--	R317956	008995-01C1
Kjeldahl Nitrogen	9.7	10.0	97	--	--	--	90-110	--	196489	008995-01C1
Nitrate as Nitrogen	0.49	0.50	98	--	--	--	90-110	--	R318037	008995-06C1
Nitrite as Nitrogen	0.96	1.0	96	--	--	--	80-120	--	09297108	008995-01C1
Phosphorus	0.90	1.0	90	--	--	--	85-115	--	196488	008995-01C1
Total Organic Carbon	55.4	59.3	93	--	--	--	90-110	--	R318089	008995-01C1

NOTE: Any values tabulated above marked with an asterisk are outside of acceptable limits.

(a) DOD and/or NELAC Accredited Analyte

Inorganic LCS Results for 008995

Page 1 of 1

**MATRIX SPIKE/SPIKE DUPLICATE REPORT**  
**ARDL, INC.      400 Aviation Drive; P.O. Box 1566 Mt. Vernon, IL 62864**

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	Sample Matrix	Sample Result	MS Result	MS Level	MS % Rec	MSD Result	MSD Level	MSD % Rec	% Rec Limits	RPD	RPD Limit	Run	QC Lab Number
(a) Iron	WATER	0.75	1.7	1.0	95	1.7	1.0	96	87-115	1	20	P7847	008995-01MS
(a) Manganese	WATER	0.16	0.64	0.50	95	0.65	0.50	97	90-114	2	20	P7847	008995-01MS
Ammonia Nitrogen	WATER	ND	0.95	2.0	47 *	0.96	2.0	48 *	90-110	2	10	R317956	008995-01MS
Kjeldahl Nitrogen	WATER	1.1	10.3	10.0	92	10.3	10.0	92	90-110	0	15	196489	008995-01MS
Nitrate as Nitrogen	WATER	0.092	0.35	0.25	103	0.35	0.25	102	90-110	1	10	R318037	008995-06MS
Nitrite as Nitrogen	WATER	0.023	0.98	1.0	96	0.97	1.0	95	75-125	1	20	09297108	008995-01MS
Phosphorus	WATER	0.35	1.3	1.0	97	1.3	1.0	99	85-115	2	15	196488	008995-01MS
Total Organic Carbon	WATER	4.5	9.2	5.0	94	9.1	5.0	93	85-115	1	10	R318089	008995-01MS

NOTE: Values tabulated above marked with an asterisk are explained in the associated narrative.  
(a) DOD and/or NELAC Accredited Analyte.

Inorganic Matrix Spikes for 008995

SAMPLE DUPLICATE REPORT

ARDL, INC.      400 Aviation Drive; P.O. Box 1566      Mt. Vernon, IL      62864

Lab Report No: 008995

Report Date: 10/10/2022

Project Name: CARLYLE LAKE

NELAC Certified - IL100308

Analyte	Sample Conc'n	First Duplicate	Second Duplicate	Units	Percent Diff	Mean (Smp,D1,D2)	Analytical Run	QC Lab Number
Chlorophyll-a, Corrected	61.3	67.1	--	MG/CU.M.	9	--	09277104	008995-02D1
Pheophytin-a	24.5	15.7	--	MG/CU.M.	44*	--	09277104	008995-02D1
Solids, Total Suspended	15.4	16.3	--	MG/L	6	--	09297105	008995-06D1
Solids, Volatile Suspend	5.4	6.0	--	MG/L	10	--	09297107	008995-06D1

\* indicates that agreement between duplicates is greater than 20%. See Case Narrative for exceptions.

(a) DOD and/or NELAC Accredited Analyte

Sample Duplicates for 008995

Page 1 of 1



# Sample Receipt Information

Including as appropriate:

- COCs
- Cooler Receipts
- Airbills
- Email Communication /  
Instructions from Customer



P.O. Box 1566, 400 Aviation Drive, Mt. Vernon, IL 62864  
(618) 244-3235 Phone (618) 244-1149 Fax

## CHAIN OF CUSTODY RECORD

8995

PROJECT Carlyle Lake		SAMPLERS: (Signature) <i>Kaleb Baker</i>		NO. OF CONTAINERS		REMARKS/SPECIAL INSTRUCTIONS:								PRESERVATION		
		SAMPLE NUMBER	DATE	TIME	COMP	GRAB	TSS, TVSS, NO <sub>2</sub> -N	*Chloro/pheo	*TOC, T-PO <sub>4</sub>	*TKN	*NO <sub>3</sub> -N, NH <sub>3</sub> -N	#T, Fe: T, Mn	MS/MSD	REMARKS OR SAMPLE LOCATION	ICED	SPECIFY CHEMICALS ADDED AND FINAL pH IF KNOWN
CAR - 1	9/6/22	1145	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - 2 - 0	9/6	1313	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - 2 - 10	9/6	1313	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - 4	9/6	1454	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - 13	9/6	1554	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - 12	9/6	1438	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - 15	9/6	1454	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - KP - Marina	9/6	1503	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - DW - Marina	9/6	1344	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - BL - Marina	9/6	1458	X	X	X	X	X	X	X	X	X	X	X		X	
CAR - CSA - Marina	9/6	1333	X	X	X	X	X	X	X	X	X	X	X		X	
Relinquished by: (Signature) <i>Kaleb Baker</i>	Date 9/6/22	Time 1725	Received by: (Signature) <i>Valerie Drake</i>													
Relinquished by: (Signature) <i>Valerie Drake</i>	Date 9/6/22	Time 1822	Received by: (Signature)													
Received for Laboratory by: (Signature) <i>[Signature]</i>	Date 9/11/22	Time 1822	Shipping Ticket No.													

PURCHASE ORDER NO:

**COOLER RECEIPT REPORT**  
**ARDL, INC.**

ARDL #: 8995

Cooler # Blue 1

Number of Coolers in Shipment: 2

Project: Carlyle Lake

Date Received: 09/06/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 09/07/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)? ..... YES ☐ NO ☒

If YES, enter carrier name and airbill number here: ARDL Courier - Valerie

2. Were custody seals on outside of cooler? ..... YES ☐ NO ☒ N/A

How many and where?                     , Seal Date:                     , Seal Name:                     

3. Were custody seals unbroken and intact at the date and time of arrival? ..... YES ☐ NO ☒ N/A

4. Did you screen samples for radioactivity using a Geiger Counter? ..... YES ☒ NO ☐

5. Were custody papers sealed in a plastic bag? Hand delivered ..... YES ☒ NO ☐

6. Were custody papers filled out properly (ink, signed, etc.)? ..... YES ☒ NO ☐ N/A

7. Were custody papers signed in appropriate place by ARDL personnel? ..... YES ☒ NO ☐ N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form ..... YES ☒ NO ☐ N/A

9. Was a separate container provided for measuring temperature? YES ☐ NO ☒ Observed Cooler Temp. 0.7 C Sample Temp  
Correction factor 0.0 C

B. **LOG-IN PHASE:** Date samples were logged-in: 09/07/2022 (Signature) DCB

10. Describe type of packing in cooler: Loose Ice

11. Were all samples sealed in separate plastic bags? ..... YES ☐ NO ☒ N/A

12. Did all containers arrive unbroken and were labels in good condition? ..... YES ☒ NO ☐

13. Were sample labels complete? ..... YES ☒ NO ☐

14. Did all sample labels agree with custody papers? ..... YES ☒ NO ☐

15. Were correct containers used for the tests indicated? ..... YES ☒ NO ☐

16. Was pH correct on preserved water samples? ..... YES ☒ NO ☐ N/A

17. Was a sufficient amount of sample sent for tests indicated? ..... YES ☒ NO ☐

18. Were bubbles absent in VOA samples? If NO, list by sample #:                      YES ☐ NO ☒ N/A

19. Was the ARDL project coordinator notified of any deficiencies? ..... YES ☐ NO ☒ N/A

Comments and/or Corrective Action:	
<u>Car-2-10 to have TKN</u>	
<u>Verbally from Ben to Randy.</u>	
<u>9/7/22</u>	
(By: Signature) <u>DCB</u>	Date: <u>09/07/2022</u>

Sample Transfer	
Fraction <u>All</u>	Fraction <u>                    </u>
Area # <u>Walk-In</u>	Area # <u>                    </u>
By <u>DCB</u>	By <u>                    </u>
On <u>09/07/2022</u>	On <u>                    </u>

Chain-of-Custody #

**COOLER RECEIPT REPORT**  
**ARDL, INC.**

ARDL #: 8995, 8996

Cooler # Blue 2

Number of Coolers in Shipment: 2

Project: Carlyle Lake, Kaskaskia River

Date Received: 09/06/2022

A. **PRELIMINARY EXAMINATION PHASE:** Date cooler was opened: 09/07/2022 (Signature) DCB

1. Did cooler come with a shipping slip (airbill, etc.)?.....YES ☐ NO ☒

If YES, enter carrier name and airbill number here: ARDL Courier - Valerie

2. Were custody seals on outside of cooler?.....YES ☐ NO ☒ N/A

How many and where? \_\_\_\_\_, Seal Date: \_\_\_\_\_, Seal Name: \_\_\_\_\_

3. Were custody seals unbroken and intact at the date and time of arrival?.....YES ☐ NO ☒ N/A

4. Did you screen samples for radioactivity using a Geiger Counter?.....YES ☒ NO ☐

5. Were custody papers sealed in a plastic bag? Hand delivered.....YES ☒ NO ☐

6. Were custody papers filled out properly (ink, signed, etc.)?.....YES ☒ NO ☐ N/A

7. Were custody papers signed in appropriate place by ARDL personnel?.....YES ☒ NO ☐ N/A

8. Was project identifiable from custody papers? If YES, enter project name at the top of this form.....YES ☒ NO ☐ N/A

9. Was a separate container provided for measuring temperature? YES ☐ NO ☒ Observed Cooler Temp. 1.1 C Sample Temp  
Correction factor 0.0

B. **LOG-IN PHASE:** Date samples were logged-in: 09/07/2022 (Signature) DCB

10. Describe type of packing in cooler: Loose Ice

11. Were all samples sealed in separate plastic bags?.....YES ☐ NO ☒ N/A

12. Did all containers arrive unbroken and were labels in good condition?.....YES ☒ NO ☐

13. Were sample labels complete?.....YES ☒ NO ☐

14. Did all sample labels agree with custody papers?.....YES ☒ NO ☐

15. Were correct containers used for the tests indicated?.....YES ☒ NO ☐

16. Was pH correct on preserved water samples?.....YES ☒ NO ☐ N/A

17. Was a sufficient amount of sample sent for tests indicated?.....YES ☒ NO ☐

18. Were bubbles absent in VOA samples? If NO, list by sample #:.....YES ☐ NO ☒ N/A

19. Was the ARDL project coordinator notified of any deficiencies?.....YES ☐ NO ☒ N/A

Comments and/or Corrective Action:	
(By: Signature)	Date:

Sample Transfer	
Fraction <u>All</u>	Fraction
Area # <u>Walk-In</u>	Area #
By <u>DCB</u>	By
On <u>09/07/2022</u>	On

Chain-of-Custody # \_\_\_\_\_