

Elaine M. Brauch
Manager Environmental Compliance

May 23, 2003

Ms. Sharon R. Cotner
Department of the Army
St. Louis District, Corps of Engineers
8945 Latty Avenue
Berkeley, Missouri 63134

RE: Public Comment on North County Feasibility Study

Dear Ms. Cotner:

Missouri-American Water Company recommends the final decisional document clearly state that it addresses both accessible and inaccessible areas. Further, the inaccessible areas should be cleaned up in the same manner as the accessible areas once they become available. Thus, the only difference between these two types of areas would be the placement of institutional controls on inaccessible areas until they become accessible and can be cleaned up by the federal government.

The final decisional document should also address how utilities will recover 100% of costs associated with relocation tasks due to clean up of accessible and inaccessible areas.

Sincerely,



Elaine M. Brauch

American Water
535 N. New Ballas Road
St. Louis, MO 63141-6875
USA
T +1 314 996 2263
F +1 314 432 7824
E ebrauch@mawc.com
I www.amwater.com





Missouri
American Water



Ms. Sharon R. Cotner
Department of the Army
St. Louis District, Corps of Engineers
8945 Latty Avenue
Berkeley, Missouri 63134



63134+1024 07



FUSRAP Document Management System

Year ID
00 3630

Further Info?
☐

Operating Unit
North County

Site

Area

MARKS Number
FN:1110-1-8100g

Primary Document Type
Public Affairs/Community Relation

Secondary Document Type
Correspondence

Subject or Title

Public Comments on North County FS/PP

Author/Originator

Elaine M. Brauch

Company

Missouri American Wa

Date

5/23/2003

Recipient(s)

Sharon Cotner

Company (-ies)

FUSRAP

Version

Final

Original's Location

Central Files

Document Format

paper

Confidential File?

☐

Comments

SAIC number

Bechtel ID

Include in which AR(s)?

- ☒ North County
- ☐ Madison
- ☐ Downtown
- ☐ Iowa

ETL

8.1

Filed in Volume

8

