Appendix F Environmental Compliance

APPENDIX F. ENVIRONMENTAL COMPLIANCE

This appendix includes the following enclosures supporting the environmental compliance of the study:

- 1. Fish & Wildlife Coordination Act: Email from USFWS dated 17 May 2021 opting not to issue a Fish and Wildlife Coordination Act (FWCA) Planning Aid Letter (PAL) or full FWCA report at this time due to limited staffing. Endangered Species Act Section 7 consultation will take place during the public review period.
- 2. Endangered Species Act: IPaC Report obtained on 23 April 2021 from the Columbia, MO Field Office.
 - a. USFWS Concurrence obtained on: Date TBD after public review.
- State Listed Species: Missouri Department of Conservation (MDC) Natural Heritage Review Level Two Report: State Listed Endangered Species and/or Missouri Species/Natural Communities of Conservation Concern dated 15 June 2021.
 - a. Letter of response from Missouri Department of Natural Resources State Historic Preservation Office dated 9 June 2021.
- 4. Environmental Justice: EJScreen Report (Version 2019) obtained on 6 October 2020.
- 5. Section 106: Consultation letter sent to the Office of Historic Preservation, Missouri Department of Natural Resources, on 25 May 2021.
 - a. MO SHPO responded on 9 June 2021 to provide the project with a SHPO Reference Number of: 076-SL-21.
- 6. Section 106: Consultation letter sent to the Office of Historic Preservation, Missouri Department of Natural Resources, on 8 April 2022. Subject: SHPO Number: 076-SL-21: Refinement of the Plan for the River Des Peres, University City, General Reevaluation Report, St. Louis County Missouri.
 - a. MO SHPO response dated 4 April 2022 was provided concurring with the determination of "No Historic Properties Affected"; however, this document is digitally protected and is not included as an enclosure.
- 7. Tribal Coordination: Letter sent to 23 Tribal entities on 15 June 2021.
 - Example of tribal coordination letter sent to 23 Tribal entities on 16 March 2022.
 Four responses have been received to date but the comment period has not closed as of the time of writing.
- 8. Regulatory: Letter from USACE Missouri Section, Regulatory Branch, regarding Detention Basin 4 (DB4) Clean Water Act Section 404 permit requirements, April 4, 2022
- Environmental Quality and HTRW: Phase I Environmental Site Assessment Report, March 28, 2022. The report states that no Phase II Environmental Site Assessment (ESA) is required for DB4.

Enclosures follow.








Environmental Quality and HTRW Section 1222 Spruce Street St Louis Missouri, 63103

PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT River Des Peres Detention Basin 4 General Reevaluation Report

1655 Woodson Road St. Louis, MO 63132

PREPARED FOR:

United States Army Corps of Engineers St. Louis District General Reevaluation Report



	of Contents	
1.0	ABBREVIATIONS	4
2.0	GENERAL INFORMATION	5
3.0	EXECUTIVE SUMMARY	6
4.0	INTRODUCTION	7
4.1	Background	7
4.2	Scope of Work	7
4.3	Limitations and Exceptions	8
5.0	SITE DESCRIPTION1	0
5.1	Location and Legal Description	0
5.2	Site Description and Historical Land use	0
5.3	Current Property Use	0
5.4	Adjoining Property Use1	1
6.0	RECORDS REVIEW	4
7.0	SITE RECONNAISSANCE1	4
8.0	INTERVIEWS1	5
9.0	SUMMARY OF FINDINGS	5
10.0	OPINIONS AND CONCLUSIONS	2
REFE	RENCES2	3
FIGUI	RES2	4
APPE	NDIX A: INTERVIEWS WITH KNOWLEDGEABLE PERSONS4	2
APPE	NDIX B: STATE AND FEDERAL RECORDS REVIEWED4	6
APPE	NDIX C: HISTORICAL AERIAL IMAGERY4	7
APPE	NDIX D: HISTORICAL TOPOGRAPHIC MAPS4	8
APPE	NDIX E: CITY DIRECTORY RECORDS4	9
APPE	NDIX F: SANBORN MAPS5	0
APPE	NDIX G: MODNR SITE FACILITY SUMMARIESError! Bookmark not define	d.

1.0 ABBREVIATIONS

ABV	Description
APDC	Army Publications Distributions Center
AST	Above Ground Storage Tank
ASTM	American Society for Testing and Materials
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
	Comprehensive Environmental Response, Compensation and Liability Information
CERCLIS	System
CFR	Code of Federal Regulations
CY	Cubic Yards
DOD	Department of Defense
ЕСНО	Environmental Compliance History Online
EDR	Environmental Data Resources
EMF	Electromotive Fields
EPA	Environmental Protection Agency
ERNS	Emergency Response Notification System
ESA	Environmental Site Assessment
FEMA	Federal Emergency Management Agency
FRDS	Federal Reporting Data System
GSA	General Services Administration
HTRW	Hazardous, Toxic, and Radioactive Waste
IEMA	Illinois Emergency Management Agency
LLC	Limited Liability Company
LUST	Leaking Underground Storage Tank
MODNR	Missouri Department of Natural Resources
NPDES	National Pollutant Discharge Elimination System
NPL	National Priority List
NWI	National Wetlands Inventory
PCB	Polychlorinated Biphenyl
PWS	Public Water Supply
RCRA	Resource Conservation and Recovery Act
REC	Recognized Environmental Condition
RDP	River Des Peres
SEMS	Superfund Enterprise Management System
SSURGO	Soil Survey Geographic Database
UIC	Underground Injection Control
USACE	United States Army Corps of Engineers
USDA	United States Department of Agriculture
USDOI	United States Department of Interior
USGS	United States Geological Survey
UST	Underground Storage Tank

2.0 GENERAL INFORMATION

Project Information:	Proposed Detention Basin 4				
Site Information:	1655 Woodson Road St. Louis, MO 63132				
County:	St. Louis County				
Latitude, Longitude:	38.682866° N, 90.361653° W				
Site Assessor:	Benjamin A Greeling Environmental Specialist				
Environmental Professional Qualification:					
I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in 40 CFR 312.10.					
I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.					
Kevin P Slattery Senior Reviewer					
Supervisory Environmental Specialist					

3.0 EXECUTIVE SUMMARY

The subject property Detention Basin Four (DB4) is located in the city of Overland, MO 63132 (Figures 1-2). The property is approximately 7.9 total acres, of which the eastern portion belongs to the City of Overland, while the remaining western portion belongs to the General Services Administration (GSA). The eastern property is currently a recreation area consisting of a gazebo, restroom, water fountains, dog park with three off-leash fenced in areas, playground, parking lot, and picnic areas. The western property currently is off limits to the public and consists of a gravel looped track and flat grassy park-like area.

The content of this report was derived from a physical site visit, interviews, and a records review provided by Environmental Data Resources, Inc (EDR), as well as other state and federal databases. Relevant items discovered on the property include one former Underground Storage Tank (UST). A 1,000-gallon diesel UST (ST0010976) was removed in 1998 on the GSA APDC property. A NFA letter was issued on 23 July 2001 by the state. The exact location of the removed UST is unknown, but the MODNR issued a NFA letter finding that the UST is closed, and no additional investigation or remedial action is required.

This due diligence effort is intended to provide the minimum information required to assess potential environmental liabilities associated with this project. The objective of the Phase I is to identify, to the extent feasible pursuant to the process described herein, recognized environmental conditions (RECs) in connection with a given property(s). This assessment revealed no RECs in connection with this property. Therefore, no Phase II Environmental Site Assessment (ESA) is required for the subject property.

4.0 INTRODUCTION

4.1 Background

The purpose of the Phase I ESA was to evaluate the current and historical conditions of the subject property in an effort to identify RECs in connection with the subject property and surrounding operations. The presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. *De minimis* conditions are not RECs.

4.2 Scope of Work

The Phase I ESA conducted at the subject property was in accordance with ASTM Standard Practice E 1527-21 and further defined below:

- USACE has engaged with individuals having institutional knowledge of the subject property to discuss environmental conditions (Appendix A).
- USACE has gathered and reviewed available federal, state, and tribal environmental records. Standard environmental records reviewed included Federal NPL, Federal and State CERCLIS, federal and state institutional controls/engineering controls registries, Federal ERNS list, state, and tribal landfill and/or disposal site lists, state and tribal leaking storage tank lists, state and tribal registered storage tank lists, state and tribal voluntary cleanup sites, and State Brownfield sites. Details from the standard environmental records review are available in Appendix B. Additional environmental records reviewed for this study are also available in Appendix B.
- USACE has gathered and reviewed historical land use and land cover data including USDA/USGS historical aerial imagery, USGS historical topographic maps, City directories, FEMA flood zone database, National Wetland Inventory (NWI), AQUIFLOW, SSURGO soil maps, state, and federal well databases, FRDS Public Water Supply System Information, and state oil/gas well databases. Details from these reports can be reviewed in Appendix C, Appendix D, Appendix E, and F.
- USACE has physically inspected the subject property via walking survey, looking for signs of recognized environmental conditions such as stressed vegetation, soil staining, dumping, and evidence of aboveground and underground storage tanks.
- USACE has physically observed adjoining properties, paying particular attention to evidence of underground storage tanks (UST), questionable housekeeping practices, or unusual business practices.

4.3 Limitations and Exceptions

U.S. Army Corps of Engineers, Environmental and Munitions Branch, Environmental Quality and HTRW Section (CEMVS-EC-EQ), should be contacted with any known or suspected variations from the conditions described herein. If future development of the property indicates the presence of hazardous or toxic materials, USACE should be notified to perform a re-evaluation of the environmental conditions.

The following areas were not documented during this site visit: the interior of the restroom facility and the western GSA portion of Detention Basin four (DB4). Interviews and records reviews revealed no concerns for interior of the restroom facility. At the time of this report no interviews were granted regarding the GSA western portion of the DB4 area. Federal and state records were reviewed and during the site visit the western GSA portion was observed from the dog park area only. A 1,000-gallon diesel UST (ST0010976) was removed in 1998 somewhere on the GSA APDC property. A No NFA letter was issued on 23 July 2001 by the state. The exact location of the removed UST is unknown, but the MODNR issued a NFA letter finding that the UST is closed, and no additional investigation or remedial action is required.

The scope of this assessment did not include any additional environmental investigation, not outlined herein, or analyses for the presence or absence of hazardous or toxic materials in the soil, ground water, surface water, or air, in, on, under, or above the subject property.

This site assessment was performed in accordance with generally accepted practices of consultants undertaking similar studies at the same time and in the same geographical area, and USACE observed that degree of care and skill generally exercised by consultants under similar circumstances and conditions. The findings and conclusions stated herein must be considered not as scientific certainties, but rather as professional opinions concerning the significance of the limited data gathered during the course of the environmental site assessment. No other warranty, express or implied, is made.

Specifically, USACE does not and cannot represent that the subject property contains no hazardous waste or material, oil (including petroleum products), or other latent condition beyond that observed by USACE during its site assessment.

The observations described in this report were made under the conditions stated herein. The conclusions presented in the report were based solely upon the services described therein, and not on scientific tasks or procedure beyond the scope of described services or the time and budgetary constraints imposed by the client. Furthermore, such conclusions are based solely by on site condition and rules and regulations, which were in effect at the time of the study.

In preparing this report, USACE relied on certain information provided by state and local officials and other parties referenced therein, and on information contained in the files of state and/or local agencies available to USACE at the time of the site assessment.

Although there may have been some degree of overlap in the information provided by these various sources, an attempt to independently verify the accuracy or completeness of all information reviewed or received during the course of this site assessment was not made.

Observations were made of the subject property and of structures on the site as indicated within the report. Where access to portions of the site or to structures on the site was unavailable or limited, USACE renders no opinion as to the presence of indirect evidence relating to hazardous waste, material, oil, or other petroleum products in that portion of the site or structure. In addition, USACE renders no opinion as to the presence of hazardous waste or material, oil, or other petroleum products or to the presence of indirect evidence relating to hazardous material, oil, or petroleum products where direct observation of the interior walls, floor, roof, or ceiling of a structure on a site was obstructed by objects or coverings on or over these surfaces.

Unless otherwise specified in the report, USACE did not perform testing or analyses to determine the presence or concentration of asbestos, radon, formaldehyde, lead-based paint, lead in drinking water, electromagnetic fields (EMFs) or polychlorinated biphenyls (PCBs) at the site or in the environment at the site.

The purpose of this report was to assess the physical characteristics of the subject property with respect to the presence in the environment of hazardous waste, material, oil, or petroleum products. Except as otherwise described in this report, no specific attempt was made to check on the compliance of present or past owners or operators of the site with federal, state, or local laws and regulations, environmental or otherwise.

Personnel from CEMVS-EC-EQ have specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject properties and declare that, to the best of our professional knowledge and belief meet the definitions of Environmental Professionals as defined under 40 CFR 312.

5.0 SITE DESCRIPTION

5.1 Location and Legal Description

Address: 1655 Woodson Road

St. Louis

Legal Description: Not Available.

5.2 Site Description and Historical Land use

DB4 is located within the upper River Des Peres watershed immediately northwest of the confluence of an unnamed tributary with the River Des Peres (Figures 1 and 2). The DB4 footprint is located on land owned by the GSA on the west side and the City of Overland on the east side. The portion of the park included in the DB4 footprint includes a gazebo, restroom, water fountains, dog park with three off-leash fenced in areas, playground, parking lot, and picnic areas.

The subject property area was rural throughout the nineteenth century. Based on historical aerial photography dating back to 1937, the subject property was likely agricultural with some forested areas closer to the River Des Peres. In the early twentieth century residential housing construction started in the area and continued through the 1950s. Some industrial and commercial use properties adjacent to the subject property started developing as well in the 1950s. The Army Publications Distributions Center (APDC), now owned and managed by GSA, was constructed, and completed by 1953. The APDC consists of an office, warehouse, storage annex, mechanical building, and guard shelter. The APDC was used for various Army technical and supply publications and forms, Army testing materials, and printing (USDOI, 2015).

5.3 Current Property Use

The western portion of DB4, which is currently owned by GSA, consists of fairly flat terrain with a gravel loop track (Figure 7). The current property use is unknown.

The City of Overland acquired the eastern portion of APDC land in 1972 through a Federal Lands to Park Program and converted the property to a park. The portion of the park located on the subject property consists of a gazebo, restroom, water fountains, dog park with three off-leash fenced in areas, playground, parking lot, and picnic areas.

5.4 Adjoining Property Use

The DB4 area is adjacent to Pickering Drive and the GSA APDC buildings and property on the northern side while the southwestern and southern side borders the River Des Peres, and the eastern side is bordered by the unnamed tributary to Rivers Des Peres. The APDC property consists of a parking lot, road, multiple buildings and is presumably still utilized for Army/DOD publications/forms and storage. An UST was located at an unknown location on GSA APDC property. It was installed in 1966 and removed in 1998. A NFA letter dated 23 July 2001 was found which stated that the closure of the tank was complete, and no additional investigation or remedial action was required. During the preparation of this Phase I report an attempt was made to determine the exact location of the removed UST, but no conclusion was reached. The GSA APDC building is bordered on the north side by railroad tracks. The following are located on the north side of the railroad tracks: wooded area, Federal Records Center (also known as MIL Person Records Center in EDR report), and mixed commercial and residential properties.

Across the River Des Peres to the southwest of DB4 is an area of mixed industrial use which include multiple leaking underground storage tanks (LUSTs) that have been closed out and removed. A residential neighborhood lies across the River Des Peres and immediately south of DB4. The area adjacent to and east of this neighborhood currently has a large FEDEX facility with an operating UST. Prior to the FEDEX facility being constructed in 2002, this location was used by Thomas & Betts American Electric (under various names) as a manufacturing and plating facility which generated and stored hazardous waste and operated under the Resource Conservation and Recovery Act (RCRA) authority. Prior to the FEDEX facility being constructed, the previous facility was cleaned up and the MODNR approved the final remedy of no further corrective action with institutional controls and released the property from regulation as a former interim status hazardous waste treatment, storage, and disposal facility subject to corrective action requirements of the state.

The areas located to the east of DB4 consist of tennis courts and commercial use between the tributary to Rivers Des Peres and Woodson Road and mixed commercial and industrial use on the east side of Woodson Road. The area between the tennis courts and Woodson Engineering (to the south) is the site of a former removed UST. There are other former removed USTs and LUSTs on the east side of Woodson Road.




Figure 1: DB4 Location.




Figure 2: GRR Alternative 3b – DB4.

6.0 RECORDS REVIEW

For the purpose of this Phase I, the following standard record sources were obtained and reviewed to assist in the identification of potential RECs in connection with this project:

- Federal National Priorities List (NPL)
- Federal and State Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)
- Federal Emergency Response Notification System (ERNS)
- Illinois Emergency Management Agency (IEMA)
- Federal and State institutional controls/engineering controls registries
- Federal EPA Environmental Compliance History Online (ECHO)
- State and tribal landfill and/or disposal site lists
- State and tribal leaking storage tank lists
- State and tribal registered storage tanks lists
- State and tribal voluntary cleanup sites
- State Brownfield sites
- State 303D list
- Historical aerial photographs
- Historical topographic maps
- National Pipeline Mapping System

Relevant findings from the records review included documentation of multiple removed USTs and LUSTs, hazardous waste generators, NPDES permits, and 303d listed for elevated Chloride and E. coli levels. Additional details from the records review are provided in Appendix B.

These records assist in meeting the requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), and the ASTM Standard Practice for Environmental Site Assessments (E 1527-21). For properties that contained inadequate address information for mapping purposes, reasonable efforts were made to identify the approximate location of the sites in relation to the target property as part of the review process. In addition, the physical setting was assessed for the target property by reviewing topographic maps to identify conditions in which hazardous substances or petroleum products could migrate.

7.0 SITE RECONNAISSANCE

On 10 March 2022, Environmental Specialist Mr. Benjamin Greeling of CEMVS-EC-EQ conducted a site visit to the lease area. Property features relevant to this assessment observed during the site visit included the following: sanitary sewer line, electric utility transformer, and buried electric line, GSA APDC building and grounds, fenced in dog park, and restroom.

8.0 INTERVIEWS

Interviews were conducted in order to obtain information indicating RECs in connection with this site. The content of the questions asked followed the questionnaire format of ASTM 1528. Interviews were conducted with the following persons/entities:

- Ms. Erin Willey, Parks & Recreation Director City of Overland, MO
- Ameren Missouri

Relevant information discovered during the interviews included general site amenities and utilities. None of the interviewees reported environmental spills/releases. Commercially available herbicides such as Round Up (or similar products) are applied as needed on the parking lot. There is an athletic field lighting system with a transformer. The transformer was not marked as containing or not containing PCBs. Ameren Missouri was contacted to determine if it contains PCBs but had not responded at the time of this report. Public water for the restrooms and fountains is supplied by Missouri American Water. The water lines on site are copper. In addition, there are sewer lines and buried electrical lines running through the park area. There is no NPDES permit. Attempts were made to contact a facilities manager for the GSA building with no success at the time of this report. Additional information pertaining to the entire interview are summarized as Appendix A.

9.0 SUMMARY OF FINDINGS

This section documents the findings/sites most relevant to the subject property. See Appendix B for a more complete list of findings within a half mile radius. The EDR search identified approximately 28 sites of concern within a half mile radius of the target property. The following environmental sites are listed as the most relevant.

TARGET PROPERTY

Distributions Operations Facility, 1655 Woodson Road, St. Louis, MO, EPA ID MO7210090034. The GSA Distributions Operations Facility (also known as US Army Publications Center or APDC) is listed as a RCRA-VSQG (very small quantity generator). RCRA-VSQG: RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. The waste generated at this site is described as D001, ignitable waste. The APDC has also historically been a conditionally exempt SQG. No reported violations were found. This is not a REC.

AGPC 1655 Woodson Road, St. Louis, MO. The second site listed on the EDR radius map report is named AGPC with the same address as the above GSA (APDC) and is presumed to be the same location. A 1,000-gallon diesel UST (ST0010976) was removed in 1998. A NFA letter

was issued on 23 July 2001 by the state. The exact location of the removed UST is unknown. Since the state issued a NFA letter finding that the UST is closed and no additional investigation or remedial action is required, this is not a REC.

MIL Person Record Center, FUDS (Formerly Utilized Defense Sites). This site is located 0.265 miles west of the subject property at a higher elevation. This FUDS site is part of the Kansas City District of the USACE. The Army, Air Force, and Navy used both the records and publication center (GSA APDC; subject property) for storage, printing, and distribution of publications. GSA assumed accountability of the property on 5 July 1960. On 26 July 1972, GSA conveyed a small portion of the property to the City of Overland, for a public park. This FUDS site is not on the Superfund NPL. This is not a REC.

ADJACENT PROPERTIES

Thomas & Betts American Electric, 1525 Woodson Road, Overland, MO, EPA ID MOD048835961. Thomas & Betts was located where the FEDEX facility currently is which is .177 miles south/southwest of the subject property, across the River Des Peres, at a higher elevation. It was situated on 24 acres and began operations in 1957. This site was listed under multiple databases, including SEMS-ARCHIVE, CORRACTS, RCRA-TSDF, RCRA NONGEN / NLR,2020 COR ACTION, FINDS, and ECHO. Comprehensive definitions for these databases can be found in the EDR radius map report (Appendix B). Thomas & Betts American Electric (under various names) was a manufacturing and plating facility which generated and stored hazardous waste which operated under the RCRA authority. The facility manufactured electrical connections, switches, and ground rods for the contractor, industrial, and utility market. A variety of hazardous wastes were produced and were stored in tanks and drums before being shipped off-site for disposal. These wastes included ignitable waste (D001), reactive waste (D003), chromium (D007), lead (D008), and wastewater sludges from electroplating operations (F006). The EDR report listed several past RCRA violations. The hazardous waste storage area was operated under the "interim status" portions of the RCRA. The hazardous waste storage area was closed in 1993 and the MODNR accepted this closure certification in 1994. Post-closure care was required for the hazardous waste storage area due to the presence of residual soil contamination. A voluntary Corrective Action Plan Letter Agreement was entered into in 1996. In 1999, post-closure care was terminated, following when residual contamination levels were reevaluated by the MODNR. It was determined that the site did not pose any unacceptable risks to human health or the environment. In 2001, the MODNR approved the proposed final remedy of no further action with institutional controls and released the property from regulation as a former interim status hazardous waste treatment, storage, and disposal facility subject to corrective action requirements. There is no record of hazardous materials moving off-site to the subject property. This is not a REC.

FEDEX Ground, 1525 Woodson Road, Overland, MO, UST ID ST0009578. In 2002 the former Thomas & Betts American Electric building was demolished and replaced with the FEDEX ground distribution center that spanned over 160,000 square feet. A 20,000-gallon diesel UST was installed at this location in 2004 and is still in operation. No known release has occurred form this UST. This is not a REC. The EDR report identified another UST at this location that was permanently closed in place assigned to a different owner (E A LLC/ATTN

GEORGE VON STAMWITZ). There was no further information for this UST. This is not a REC.

St. Louis Car Museum, 1575 Woodson Road, St. Louis, MO, RCRA-VSQG EPA ID MOR000032516. This site is 0.136 miles east/southeast of the subject property and is at a lower elevation. It is listed as a conditionally exempt small quantity hazardous waste generator of ignitables (D001) and benzene (D018). No violations were identified. This is not a REC.

Woodson Engineering Inc, 1601 Woodson Road, St. Louis, MO, RCRA-NonGen/NLR EPA ID MOD043496132. This site is 0.095 miles east of the subject property and is at a lower elevation. It is currently listed as a non-generator of hazardous waste but has historically been a small and large quantity generator across various years. Violations that were identified in the EDR report were shown to return to compliance. This is not a REC.

Leased to Woodson Products Co., 1603 Woodson Road, Overland, MO, UST ST0004864. This site is 0.132 miles to the east/northeast of the subject property at relatively higher elevation. One 1,000-gallon gasoline blend UST was removed in 1975. An MODNR evaluation found that no further action was warranted based on the tank closure or corrective action in use at the time. This is not REC.

St. Louis County Department Highway and Traffic, 1610 Woodson Road, St. Louis, MO, RCRA NonGen/NLR EPA ID MOD980855878. This site is located 0.205 miles east of the subject property at a lower elevation. It is listed as a current non-generator of hazardous waste and a historic large quantity generator of spent halogenated solvents (F002). The EDR report identifies several historic violations. All violations were shown to return to compliance. This is not a REC.

Samuel Kraus Company, 1610 Woodson, Overland, MO, UST ST0004877. This site is located 0.205 miles east of the subject property at a lower elevation. One 8,000-gallon diesel UST and one 8,000-gallon gasoline blend UST were removed in 1991. The MODNR NFA was issued in 1992. This is not a REC.

Samuel Kraus Company, 1610 Woodson, Overland, MO, RCRA NonGen/NLR MOP00000822. This site is located 0.205 miles east of the subject property at a lower elevation. It is listed as a current non-generator of hazardous waste of ignitables (D001). There were no violations found. This is not a REC.

Samuel Kraus Company, 1600 Woodson Road, Overland, MO, LUST ST0018842, UST, NPDES. This site is located 0.266 miles east of the subject property at a higher elevation. A LUST (Leaking Underground Storage Tank) was identified in the EDR report (ST0018842). The following is a summary of the general comments pertaining to this LUST site in the EDR report. An NFA letter was issued in 1992 after closure of two USTs. A second NFA letter was issued in 1996 after the closure of a waste oil UST and no further tanks remained on site. The release file was reopened due to the detection of petroleum hydrocarbon constituents exceeding the detection threshold limit (DTL) in soil boring B-4 and water sample from B-11. Further testing was deemed necessary to delineate the extent of soil and groundwater (GW) contamination. The GW

flow is to the southwest. Naphthalene and n-propylbenzene were the main chemicals of concern (COCs). A plan for three soil borings and monitoring wells (MW) was approved in 2015 and implemented. Naphthalene was the only COC detected in soil samples collected from B-4 at a concentration exceeding the DTL but was below the Tier 1 residential Risk Based Threshold Limit. The GW data collected from MW-1 through MW-3 indicated non-detection for petroleum hydrocarbon components for the sampling events completed during October 2015 and January 2016. MODNR issued a NFA letter in 2016 concluding that there is no unacceptable risk to human health and the environment for the exposure presented in the risk assessment. This determination was contingent upon the following conditions being met at that time and in the future:

- 1. Current and continued non-residential use of the property indicated above. In other words, prior to construction of a residential building on the property, further investigation and evaluation is needed. Cleanup was started in 2014 and finished in 2016. Three monitoring wells were used during remediation.
- 2. No current or continued domestic consumption of the groundwater at the property indicated above. In other words, prior to construction of a drinking water well on the property, further investigation and evaluation is needed.

Given the current status as described by from MODNR above and the distance to the subject property, this site is not a REC. The NPDES MORA16591 is a construction permit for stormwater management. This is not a REC.

Missouri Petroleum Products Company, 1620 Woodson Road, St. Louis, MO. (3 listings) This site is located 0.228 miles east/northeast of the subject property at a higher elevation.

- 1. RCRA NonGen/NLR MOP000005918. This site is listed as a current and historic nongenerator of ignitable (D001) waste. No violations were identified. This is not a REC. This site is also an active facility in the air program (state implementation plan for national primary and secondary ambient air quality standards), AIR MO000002918901141. This is not a REC.
- 2. **UST ST0004874.** Two 8,000-gallon gasoline blend UST was removed in 1988. One 10,000-gallon gasoline blend UST and one 10,000 gallon diesel UST was removed in 1989. The MODNR site facility summary states that an evaluation found that no further action was warranted based on the tank closure or corrective action process in use at the time. This is not a REC.
- 3. **SEMS-ARCHIVE MOD021506878.** SEMS (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. This site was judged to not be a potential National Priorities List (NPL) site. This is not a REC.

St. Louis County Maintenance Garage, 1616 Woodson Road, St. Louis, MO, VCP, SMARS, UST. This five-acre site is located 0.315 miles east/northeast of the subject property and is at a higher elevation. This location served as the fleet maintenance facility for St. Louis County Government since 1977. Prior to 1984, an area of the site, known as the former waste pit, was used to rinse nozzles and brushes from paint stripping equipment. Site investigations revealed soil contamination consisting of metals (Arsenic, Chromium, Lead). Subsequent to 1984, the waste was reportedly disposed of under a small quantity generator permit. St. Louis

County Department of Highways and Traffic applied to the Brownfields Voluntary Cleanup Program (BVCP) for oversight of the intended remedial action of the paint stripping contamination. Contaminated soil was excavated, and confirmation sampling revealed concentrations of contaminants remaining met unrestricted use criteria. Dissolved metals remain in GW; however, the site demonstrated the domestic use of GW pathway to be incomplete. Risk assessment was performed using the Missouri Risk Based Corrective Action Guidance (MRBCA). This is not a REC.

St. Louis County Maintenance Garage, 1616 Woodson Road, SMARS. SMARS currently houses information for Superfund, Federal Facility, Brownfields Voluntary Cleanup Program and Missouri's other state response programs. This site was listed in SMARS and is satisfactorily summarized in the VCP section above. This is not a REC.

St. Louis County Maintenance Garage, 1616 Woodson Road, UST.

St. Louis County Department of Highways and Traffic, under another application with the MODNR Tanks Section, applied for oversight of the removal of several USTs. These USTs were registered as ST0004870 and received NFA letters from MODNR in 1992 and 2008. One 2,000-gallon waste oil UST was removed and closed out in 1992. Two 10,000-gallon gasoline USTs, one 6,000-gallon diesel UST, and one 1,000 gallon used oil UST were removed and closed out in 2008. This is not a REC.

Midland Auto and Tire #2, 1691 Woodson Road, St. Louis, MO, RCRA-VSQG. This site is located 0.177 miles north of the subject property at a higher elevation. This automotive facility is listed as a current and historical conditionally exempt small quantity generator of ignitable (D001) waste. No violations were identified. This is not a REC.

SS 16682, 1691 Woodson Road, St. Louis, MO, UST, ST0009696. This site is located 0.177 miles north of the subject property at a higher elevation. A gasoline UST of an unknown capacity was removed at an unknown date. Though no NFA letter was identified, the MODNR site facility summary confirms that an evaluation found that no further action was warranted based on the tank closure or corrective action process in use at the time. This is not a REC.

Shell Service Station, 9390 Page BLVD, St. Louis, MO, LUST ST0004574, UST. This closed service station was located 0.299 miles north of the subject property at a higher elevation. Two 10,000-gallon gasoline USTs and one 8,000 gallon gasoline USTs were located at this closed facility. It is unclear which tanks were LUSTs or if all had leaked. Cleanup of the LUSTs started in 1991 and was finished in 1995. MODNR issued a NFA letter in 1995. This is not a REC.

Pearle Vision Center, 1800 Woodson Road, St. Louis, MO, LUST ST0009438, UST. This site is located 0.349 miles north of the subject property at a higher elevation. The EDR listing of LUST and UST refer to the same tanks system. Three LUSTs were identified in the EDR report of unknown capacity. All have been removed. Cleanup was started in 2007 and finished in 2019. The general notes section in the EDR report details a long narrative between MODNR and the various responsible parties. Several sampling events of MWs and soil were conducted to delineate the extent and trend of the contamination. A final review of the latest sampling data was conducted in September 2019 and determined that the concentration of COCs were stable or

decreasing. A NFA was recommended and issued in November 2019. Per the NFA letter, the MODNR determined that no further action was required related to the COCs identified in the assessment reports (Benzene, TPH-GRO, Naphthalene, petroleum constituents), and that there was not an unacceptable risk to human health and the environment. That determination was contingent upon the following conditions being met now and in the future: Current and continued non-residential use of the subject property, in other words, prior to construction of a residential building on the property, further investigation and evaluation is needed. Given the current status as described by from MODNR above and the distance to the subject property, this site is not a REC.

Wallis Petroleum #607, 9403 Page Ave, Overland, MO, LUST ST0007325, UST. This site is located 0.359 miles north of the subject property at a higher elevation. One 500 gallon used oil UST was removed in 1990 and the subsequent NFA letter was issued for this UST. Four 10,000-gallon petroleum LUSTs were closed out and removed in 2007. The NFA letter for these LUSTs was issued in 2008. This is not a REC.

Overland Commercial Center, 9430 Page Avenue, Overland, MO, VCP, Brownfields, SPILLS, SMARS (4 listings). This site is located 0.383 miles north/northwest of the subject property at a higher elevation.

- 1. VCP (Volunteer Cleanup Program), Brownfields. Overland Commercial Center applied to the VCP in 2006. This site is the former Cupples Rubber facility and has been used historically as a metal can manufacturing facility, a rubber manufacturing facility, and an asphalt batch plant. The site is currently vacant, and demolition is planned for the current building to make way for new commercial or light industrial development. Recognized environmental conditions for this site include asbestos containing materials in the site building and VOCs, heavy metals and TPH in the soil and groundwater. The site has applied to the B/VCP to address these issues. The MODNR site facility summary shows that this site has been terminated/withdrawn from the VCP. This site is not a REC for the subject property.
- 2. **SPILLS (Environmental Response Tracking Database).** In 2003 a spill was reported at a petroleum tank site (ST0005626). The caller stated that the closure project began in July and ended in August with four tanks having been removed and contaminated soil excavated and hauled away. An NFA letter was issued to the Cupples Rubber Company in November 2003. This is not a REC.
- 3. **SMARS.** SMARS currently houses information for Superfund, Federal Facility, Brownfields Voluntary Cleanup Program and Missouri's other state response programs. This site was listed in SMARS and is satisfactorily summarized in the VCP section above. This is not a REC.

Murphy Company, 1340 North Price Road, St. Louis, MO, RCRA-VSQG, LUST, UST, FINDS, ECHO (5 listings). This site is located 0.397 miles west of the subject property at a higher elevation. Murphy Co. is a mechanical and industrial construction, and engineering contractor in operation since 1907.

- 1. **RCRA-VSQG MOD985798826.** This facility is listed as a current small quantity generator of ignitable (D001), corrosive (D002), reactive (D003), chromium (D007), tetrachloroethylene (D039), and spent halogenated (F001, F002) waste. This facility is also listed as a historical small quantity generator and conditionally exempt small quantity generator of the same wastes. Violations were found but were all shown to be returned to compliance. This is not a REC.
- 2. **LUST ST0007912.** A 1,000-gallon gasoline LUST was closed in 1992. Cleanup begin in March of 1992 and was finished in November 1992. A NFA letter was issued in December 1992. This is not a REC.
- 3. UST ST0007912. This is the same tank that was removed as referenced above. This is not a REC.
- 4. **FINDS (Facility Index System/Facility Registry System).** This site is identified by FINDS as a RCRA-VSQG. This is not a REC.
- 5. **ECHO** (Environment and Compliance History Online). This site is tracked by ECHO as having a compliance history as described above. This is not a REC.

Engineered Air Systems Inc, 1270 North Price Road, St. Louis, MO, LUST, UST, RCRA NonGen/NLR, FTTS, HIST FTTS (5 listings). This site is located 0.367 miles from the subject property at a higher elevation. This facility appears to be currently closed.

- 1. **LUST ST0005720.** Six USTs of various capacities and contents (kerosene, diesel, toluene, unspecified) were identified in the EDR report as being located at this site. Though no specifics were identified this site has a documented LUST. The severity and contents of the leak was not identified. Cleanup was started in May of 1990 and finished in June of 1990. The MODNR issued a NFA letter in June of 1990 which stated that no further investigation or remedial actions are required. No further specifics were given. Due to the MODNR statement of no further investigation or remedial action required, this is not a REC.
- 2. **UST ST0005720.** This is the same tank system that was removed as referenced above. This is not a REC.
- 3. RCRA-NonGen/NLR MOD006281711. This facility was last listed as a non-generator of hazardous waste as of 2014. Prior to 2014 this facility was a non-generator or large quantity generator (depending on the year) of the following hazardous wastes: ignitable (D001), corrosive (D002), barium (D005), chromium (D007), endrin (D012), methyl ethyl ketone (D035), spent halogenated solvents (F002, F003), spent non-halogenated solvents (F005), and wastewater treatment sludges from the chemical conversion of coating of aluminum (F019). Several violations were noted. All violations identified were shown to be in a return to compliance or case closed (satisfied) status. This is not a REC.
- 4. FTTS. FIFRA/TSCA Tracking System FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act). FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA, and EPCRA (Emergency Planning and Community Right-to-Know Act). An inspection was performed in 1995 and no violation occurred. This is not a REC.
- 5. **HIST FTTS INSP.** This is a listing of FIFRA/TSCA FTTS inspections and enforcements. An inspection occurred on an unspecified date and no violation was observed. This is not a REC.

Additional items discovered during the site visit and through interviews included buried electric utility lines and access panels (Figures 3 and 14), buried sanitary sewer lines and manholes (Figure 11), several park stadium style light poles (Figure 7), and a sheen on a small area of the tributary to the River Des Peres (Figure 18). These items are not RECs. In addition, one pole mounted electric utility transformer (Figure 14) was observed on the east side of the Woodson Road Dog Park. An inquiry was made to Ameren Missouri to determine if this transformer contained PCBs (Polychlorinated Biphenyls). There was no answer from Ameren at the time of this report. PCBs were used in electrical transformers until 1977. The PCBs are entirely enclosed during normal operations of transformers but have the potential to leak when the equipment wears out. Although, it was not determined whether this particular transformer contained PCBs, it was observed to be in good condition and no obvious soil staining or impacts were noted during the site visit. This is not a REC.

10.0 OPINIONS AND CONCLUSIONS

Personnel from CEMVS-EC-EQ have performed a Phase I ESA in conformance with the scope and limitations of ASTM Practice E 1527 of the River Des Peres Detention Basin 4 area (1655 Woodson Road, St. Louis, MO 63132). This assessment has revealed no RECs, controlled RECs, or significant data gaps in connection with the subject property. A Phase II ESA is currently not recommended for the subject property.

REFERENCES

- E1527-21, ASTM. 2021. "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process." (ASTM International).
- E1528-14e1, ASTM. 2014. "Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process." (ASTM International).
- E2247-16, ASTM. 2016. "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process for Forestland or Rural Property." (ASTM International).
- USDOI, 2018. "National Register of Historic Places." (National Park Service).

FIGURES



Figure 3: General Site pictures taken on Woodson road at entrance to Park. Top left: View to west.. Top right: view to north. Middle left: view to east. Middle right: tennis courts, view to southeast. Bottom left: ditch/tributary to RDP, view to southwest. Bottom right: utility access box on east side of tributary.









Figure 4: Top left: Tributary, view to southwest. Top right: Tributary, view to south. Bottom left: utility access box on west side of tributary. Bottom right: view to south.



Figure 5: Entrance to Woodson Road Dog Park. Top left: view to south. Top right: view to southwest. Middle left: view to west (GSA building). Middle right: view to north. Bottom left: view to east.



Figure 6: Pickering Drive. Top left: view to west. Top right: view to the southwest. Middle left: Gazebo, view to south. Middle right: Gazebo, view to southeast. Bottom left/right: parking lot, view to the east.



Figure 7: One of the stadium light poles located on the northern side of the fenced in areas.



Figure 8: Western border of the dog park. Top left: Fence and GSA building, view to west. Top right: view through fence west. Middle left: view to south. Middle right: view to southeast. Bottom left: view to east. Bottom right: drainage ditch between GSA fence and dog fenced areas, view south.



Figure 9: Western border of the dog park. Top left: northwest corner, view to east. Top right/bottom left: view to east and southeast. Bottom right: southwest corner, view to east.



Figure 10: Southern edge of western border of dog park. Top left: view to east. Top right: view to south (River Des Peres). Middle left: GSA property view to west. Middle right view to north. Bottom: RDP.



Figure 31: South side of dog park adjacent to RDP. Top left: Sanitary sewer access. Top right: dog park, view to north. Middle left: view to northeast. Middle right: view to east. Bottom left: view to south (RDP). Bottom right: view to west.



Figure 42: Southeast corner of dog park, near the confluence of the tributary and RDP. Top left: view to northwest. Top right: north. Middle left: playground, view to northeast. Middle right: view to east. Bottom left: view to south. Bottom right: view to southwest.





Figure 53: Southeast corner of dog park, near the confluence of the tributary and RDP. Top left: view to southeast. Top right: view to west. Bottom left: view to north.







Figure 64: Electric Utility area on eastern edge of dog park. Top: utility pole and transformer. Middle/bottom: meter and electric panels.



Figure 75: Eastern side of dog park. Top left: view to southwest. Top right: view to west. Middle left: view to northwest. Middle right: view to north. Bottom left: view to east. Bottom right: view to south.





Figure 86: Center of dog park by fence entrance. Top left: fence gate. Top right: view to northwest. Middle left/right: view to northwest. Bottom left: view to southeast.











Figure 97: Restroom area (top left/right and middle left). Middle right: dumpster between restroom and tributary to RDP, view to east. Bottom left: pedestrian bridge over tributary to RDP, view to northeast.







Figure 108: On pedestrian bridge crossing the tributary to RDP. Top left: ducks in water, view north (upstream). Top right: view south. Middle: downstream side of bridge (slight sheen on water). Bottom left: view to west. Bottom right: tennis courts, view to east.







Figure 119: East side of tributary to RDP. Top left: view to southeast. Top right: view to northeast. Bottom left: view to north. Bottom right: Sewage overflow advisory sign, view to west.

APPENDIX A:	INTERVIEWS W	ITH KNOWLE	DGEABLE PEI	RSONS

Woodson Road Dog Park Interview with Knowledgeable Persons 1 March 2022

Contact 1: Erin Willey, Parks & Recreation Director – City of Overland, MO Phone: 314-428-0490 Email: ErinW@overlandmo.org

- 1. How long has the current owner owned this property? The City acquired this property through a Federal Lands to Park Program back in July 1972. The land was formerly a portion of the Military Personnel Records Center.
- 2. Has there ever been any herbicide or pesticide application to the property? Yes, applied to the parking lot.
 - a. If so, what chemicals were applied? A weed control chemical, similar to or exact to Round Up Weed Control
 - b. How many years were they applied? Weed control was and is currently used as necessary in the parking lot at least once a year. It is hard to say how many years exact though.
- 3. Has there ever been any type of spill (oil products, chemicals, etc.) on the property?
 - a. If so, what was spilled an approximately how many gallons? No, not that the City is aware of at this time.
 - b. Did spill reach surface waters? NA
- 4. Were the properties ever used for an industrial use? No, not that the City is aware of at this time.
 - a. If so, what type? NA
- 5. Were the properties ever used as a dump site (metal, tires, glass, chemical containers, old drums, etc.), either household or industrial? No, not that the City is aware of at this time.
- 6. Were there or are there any storage tanks either underground or aboveground?
 - a. If so, how many gallons, what did they store, gasoline, fuel oil, etc.? No, not that the City is aware of at this time.
 - b. Did they leak and were they removed? NA
- 7. Are there any wells (drinking or other) on this property? No, not that the City is aware of at this time.

- 8. Were there or are there any waste water treatment facilities (septic systems, lagoons, etc.) on these property? No, not that the City is aware of at this time.
- 9. Was there or are there any transformers, capacitors or hydraulic equipment which could have contained PCB's? There is an Athletic Field Lighting System that has its own transformer. We are unsure about the use of PCB's. We would defer to Ameren Missouri for that answer at this time.
- 10. Any storage of hazardous materials? No, not that the City is aware of at this time.
 - a. If so, how much, when, for how many years? NA
 - b. Where on property? NA
- 11. Any burn pits on this property? No, not that the City is aware of at this time.
- 12. Any buildings on this property? There is a restroom, tennis courts, a gazebo, and dog park on the site. The restroom and gazebo were built in the early 1990's, the tennis courts in 2010, and the dog park in 2014. Prior to the dog park was a baseball field.
 - a. Where they built before 1980? No
- 13. Has an asbestos and lead based paint survey been completed for the buildings? No, not that the City is aware of at this time.
 - a. If so, was any asbestos and/or lead based paint found? NA
 - b. Was it removed? NA
- 14. Is the property served by a public or private drinking water supply? Yes. We use
 Missouri American Water to supply water to the restroom, dog park, and drinking
 fountains onsite.
 - a. Is this supply conveyed through asbestos cement mains, lead containing lines or piping that uses copper and/or lead solder? We do use copper water lines inside the restrooms, but we are unsure what material the main supply is made from. Please refer to Missouri American Water for more details.
- 15. Are there pipelines on or near this property? If so, where are they located? What are they transporting? There is a water line, sewer line, and electric line on the property.
 - a. The water line runs from Woodson Road, along the south side of the tennis courts, crosses over/under the creek, and runs to the restrooms. From the restrooms, there are two additional water lines that run out into the dog park
 - b. The sewer line runs down from Woodson Road, along the asphalt entrance to the Park, and then alongside the creek to the restroom. Please refer to Metropolitan Sewer District for more information.
 - c. The electrical lines run from the transformer pole onsite to three areas (Gazebo, Restroom, and Field Light Pole) within the park.

16. Does the property require a National Pollutant Discharge Elimination System? If so, what is the NPDES number? Have there been any violations? No, not that the City is aware of at this time.

APPENDIX B: STATE AND FEDERAL RECORDS REVIEWED	

Woodson Road Park

1655 Woodson Road Saint Louis, MO 63132

Inquiry Number: 6884535.2s

March 04, 2022

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor Shelton, CT 06484 Toll Free: 800.352.0050 www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map.	2
Detail Map.	3
Map Findings Summary.	4
Map Findings.	8
Orphan Summary	341
Government Records Searched/Data Currency Tracking	GR-1
GEOCHECK ADDENDUM	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map.	A-8
Physical Setting Source Map Findings.	A-10
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527-21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

1655 WOODSON ROAD SAINT LOUIS, MO 63132

COORDINATES

Latitude (North): 38.6823520 - 38² 40² 56.46²² Longitude (West): 90.3617610 - 90²² 21² 42.33²²

Universal Tranverse Mercator: Zone 15 UTM X (Meters): 729491.4 UTM Y (Meters): 4284624.0

Elevation: 552 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 10333046 CLAYTON, MO

Version Date: 2017

West Map: 10295905 CREVE COEUR, MO

Version Date: 2017

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20140720, 20140717

Source: USDA

MAPPED SITES SUMMARY

Target Property Address: 1655 WOODSON ROAD SAINT LOUIS, MO 63132

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	DISTRIBUTION OPERATI	1655 WOODSON RD	SEMS, RCRA-VSQG, FINDS, ECHO		TP
A2	AGPC	1655 WOODSON	UST		TP
3	WOODSON ENGINEERING	1601 WOODSON RD	RCRA NonGen / NLR	Lower	502, 0.095, East
4	LEASED TO WOODSON PR	1603 WOODSON RD	UST	Higher	696, 0.132, ENE
5	ST LOUIS CAR MUSEUM	1575 WOODSON RD	RCRA-VSQG	Lower	720, 0.136, ESE
B6	MIDLAND AUTO & TIRE	1691 WOODSON RD	RCRA-VSQG	Higher	935, 0.177, North
B7	SS 16682	1691 WOODSON	UST	Higher	935, 0.177, North
C8	THOMAS & BETTS AMERI	1525 WOODSON RD	SEMS-ARCHIVE, CORRACTS, RCRA-TSDF, RCRA Non	Gen /Higher	937, 0.177, SSE
C9	FEDEX GROUND	1525 WOODSON RD	UST	Higher	937, 0.177, SSE
10	XENOGEN CORP	8620 PENNELL DR	RCRA NonGen / NLR	Higher	939, 0.178, SSE
D11	ST LOUIS COUNTY DEPT	1610 WOODSON RD	RCRA NonGen / NLR	Lower	1081, 0.205, East
D12	SAMUEL KRAUS CO	1610 WOODSON	UST	Lower	1081, 0.205, East
D13	SAMUEL KRAUS CO	1610 WOODSON RD SUIT	RCRA NonGen / NLR	Lower	1081, 0.205, East
E14	MISSOURI PETROLEUM	1620 WOODSON RD	RCRA NonGen / NLR, US AIRS	Higher	1203, 0.228, ENE
E15	MISSOURI PETROLEUM P	1620 WOODSON RD	UST	Higher	1203, 0.228, ENE
E16	MISSOURI PETROLEUM	1620 WOODSON RD	SEMS-ARCHIVE	Higher	1203, 0.228, ENE
17	MIL PERSON RECORD CE		FUDS	Higher	1401, 0.265, West
18	SAMUEL KRAUS CO	1600 WOODSON ROAD	LUST, UST, NPDES	Higher	1404, 0.266, East
19	SHELL SERVICE STATIO	9390 PAGE BLVD	LUST, UST	Higher	1579, 0.299, North
20	ST. LOUIS COUNTY MAI	1616 WOODSON ROAD	VCP, SMARS	Higher	1663, 0.315, ENE
21	PEARLE VISION CENTER	1800 WOODSON RD	LUST, UST	Higher	1841, 0.349, North
22	WALLIS PETROLEUM #60	9403 PAGE AVE	LUST, UST	Higher	1895, 0.359, North
23	ENGINEERED AIR SYSTE	1270 N PRICE RD	LUST, UST, RCRA NonGen / NLR, FTTS, HIST FTTS	Higher	1940, 0.367, WSW
24	OVERLAND COMMERCIAL	9430 PAGE AVENUE	VCP, BROWNFIELDS, SPILLS, SMARS	Higher	2023, 0.383, NNW
25	MURPHY CO	1340 N PRICE RD	RCRA-VSQG, LUST, UST, FINDS, ECHO	Higher	2095, 0.397, West
F26	MRS ALLISONS COOKIES	1780 BURNS AVE	LUST, UST, RCRA NonGen / NLR	Higher	2442, 0.463, NW
F27	HALLIBURTON FINANCIA	9500 PAGE	LUST, UST	Higher	2563, 0.485, NW
28	WOODSON CONOCO	1910 WOODSON RD	LUST, UST	Higher	2578, 0.488, North

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
DISTRIBUTION OPERATI 1655 WOODSON RD ST LOUIS, MO 63114	SEMS Site ID: 0701783 EPA Id: MO7210090034	MO7210090034
	RCRA-VSQG EPA ID:: MO7210090034	
	FINDS Registry ID:: 110009338957	
	ECHO Registry ID: 110009338957	
AGPC 1655 WOODSON ST LOUIS, MO 63114	UST Facility Id: ST0010976 Tank Status: Removed	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund)	sites
NPL Nation Nation NPL Nation NPL NPL LIENS Federal	posed National Priority List Sites
Lists of Federal Delisted NPL site	es
Delisted NPL Nation	onal Priority List Deletions
Lists of Federal sites subject to (CERCLA removals and CERCLA orders
FEDERAL FACILITY Federal	eral Facility Site Information listing
Lists of Federal RCRA generator	s
RCRA-LQGRCF	RA - Large Quantity Generators

RCRA-SQG..... RCRA - Small Quantity Generators Federal institutional controls / engineering controls registriesLand Use Control Information System US ENG CONTROLS..... Engineering Controls Sites List US INST CONTROLS...... Institutional Controls Sites List Federal ERNS list ERNS..... Emergency Response Notification System Lists of state- and tribal hazardous waste facilities SHWS_______Registry of Confirmed Abandoned or Uncontrolled Hazardous Waste Disposal Sites Lists of state and tribal landfills and solid waste disposal facilities SWF/LF..... Permitted Facility List Lists of state and tribal leaking storage tanks Leaking Aboveground Storage Tanks INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land Lists of state and tribal registered storage tanks FEMA UST..... Underground Storage Tank Listing Aboveground Petroleum Storage Tanks INDIAN UST...... Underground Storage Tanks on Indian Land State and tribal institutional control / engineering control registries AUL..... Sites with Controls Lists of state and tribal voluntary cleanup sites INDIAN VCP..... Voluntary Cleanup Priority Listing ADDITIONAL ENVIRONMENTAL RECORDS Local Brownfield lists US BROWNFIELDS..... A Listing of Brownfields Sites Local Lists of Landfill / Solid Waste Disposal Sites SWRCY..... Solid Waste Recycling Facilities HIST LF..... Solid Waste Facility Database List INDIAN ODI...... Report on the Status of Open Dumps on Indian Lands DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations Local Lists of Hazardous waste / Contaminated Sites US HIST CDL..... Delisted National Clandestine Laboratory Register

CDL..... Environmental Emergency Response System DEL SHWS...... Registry Sites Withdrawn or Deleted US CDL...... National Clandestine Laboratory Register

PFAS Detections

Local Land Records

LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System SPILLS..... Environmental Response Tracking Database

SPILLS 90...... SPILLS 90 data from FirstSearch

Other Ascertainable Records

Department of Defense Sites

SCRD DRYCLEANERS...... State Coalition for Remediation of Drycleaners Listing

US FIN ASSUR..... Financial Assurance Information

EPA WATCH LIST..... EPA WATCH LIST

TSCA..... Toxic Substances Control Act

TRIS...... Toxic Chemical Release Inventory System

SSTS..... Section 7 Tracking Systems ROD...... Records Of Decision RMP..... Risk Management Plans

RAATS...... RCRA Administrative Action Tracking System

PRP...... Potentially Responsible Parties PADS...... PCB Activity Database System

ICIS...... Integrated Compliance Information System

Act)/TSCA (Toxic Substances Control Act)

MLTS..... Material Licensing Tracking System COAL ASH DOE..... Steam-Electric Plant Operation Data

COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List

PCB TRANSFORMER_____ PCB Transformer Registration Database

RADINFO...... Radiation Information Database

HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing

DOT OPS..... Incident and Accident Data

CONSENT..... Superfund (CERCLA) Consent Decrees

INDIAN RESERV..... Indian Reservations

FUSRAP..... Formerly Utilized Sites Remedial Action Program

UMTRA..... Uranium Mill Tailings Sites

LEAD SMELTERS..... Lead Smelter Sites

US AIRS...... Aerometric Information Retrieval System Facility Subsystem

US MINES..... Mines Master Index File ABANDONED MINES..... Abandoned Mines

UXO...... Unexploded Ordnance Sites

DOCKET HWC..... Hazardous Waste Compliance Docket Listing

FUELS PROGRAM..... EPA Fuels Program Registered Listing

AIRS______Permit Facility Listing ASBESTOS..... Asbestos Notification Listing

Financial Assurance Information Listing

MINES..... Industrial Mineral Mines Database

NPDES..... Permitted Facility Listing

MO RRC..... Certified Hazardous Waste Resource Recovery Facilities

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	EDR Proprietary Manufactured Gas Plants
EDR Hist Auto	EDR Exclusive Historical Auto Stations
EDR Hist Cleaner	EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS	Recovered Government Archive State Hazardous Waste Facilities List
RGA LF	Recovered Government Archive Solid Waste Facilities List
RGA LUST	Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 01/25/2022 has revealed that there

are 2 SEMS-ARCHIVE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
THOMAS & BETTS AMERI Site ID: 0702690 EPA Id: MOD048835961	1525 WOODSON RD	SSE 1/8 - 1/4 (0.177 mi.)	C8	41
MISSOURI PETROLEUM Site ID: 0700897 EPA Id: MOD021506878	1620 WOODSON RD	ENE 1/8 - 1/4 (0.228 mi.)	E16	246

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 09/13/2021 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
THOMAS & BETTS AMERI	1525 WOODSON RD	SSE 1/8 - 1/4 (0.177 mi.)	C8	41
EPA ID:: MOD048835961				

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-TSDF list, as provided by EDR, and dated 09/13/2021 has revealed that there is 1 RCRA-TSDF site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
THOMAS & BETTS AMERI EPA ID:: MOD048835961	1525 WOODSON RD	SSE 1/8 - 1/4 (0.177 mi.)	C8	41

Lists of Federal RCRA generators

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small

quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 09/13/2021 has revealed that there are 2 RCRA-VSQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MIDLAND AUTO & TIRE EPA ID:: MOR000001768	1691 WOODSON RD	N 1/8 - 1/4 (0.177 mi.)	B6	35
Lower Elevation	Address	Direction / Distance	Map ID	Page
ST LOUIS CAR MUSEUM EPA ID:: MOR000032516	1575 WOODSON RD	ESE 1/8 - 1/4 (0.136 mi.)	5	32

Lists of state and tribal leaking storage tanks

LUST: Leaking Underground Storage Tanks.

A review of the LUST list, as provided by EDR, and dated 11/29/2021 has revealed that there are 9 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page	
SAMUEL KRAUS CO Facility Id: ST0018842 Date Of NFA Letter From DNR: 20	1600 WOODSON ROAD 16-03-24 00:00:00	E 1/4 - 1/2 (0.266 mi.)	18	248	
SHELL SERVICE STATIO Facility Id: ST0004574	9390 PAGE BLVD	N 1/4 - 1/2 (0.299 mi.)	19	252	
PEARLE VISION CENTER Facility Id: ST0009438 Date Of NFA Letter From DNR: 20	1800 WOODSON RD 19-11-22 00:00:00	N 1/4 - 1/2 (0.349 mi.)	21	259	
WALLIS PETROLEUM #60 Facility Id: ST0007325	9403 PAGE AVE	N 1/4 - 1/2 (0.359 mi.)	22	268	
ENGINEERED AIR SYSTE Facility Id: ST0005720	1270 N PRICE RD	WSW 1/4 - 1/2 (0.367 mi.)	23	281	
MURPHY CO Facility Id: ST0007912	1340 N PRICE RD	W 1/4 - 1/2 (0.397 mi.)	25	314	
MRS ALLISONS COOKIES Facility Id: ST0004862 Date Of NFA Letter From DNR: 200	1780 BURNS AVE 01-01-12 00:00:00	NW 1/4 - 1/2 (0.463 mi.)	F26	321	
HALLIBURTON FINANCIA Facility Id: ST5700062	9500 PAGE	NW 1/4 - 1/2 (0.485 mi.)	F27	329	
WOODSON CONOCO Facility Id: ST0004869	1910 WOODSON RD	N 1/4 - 1/2 (0.488 mi.)	28	332	

Date Of NFA Letter From DNR: 1993-12-17 00:00:00
Date Of NFA Letter From DNR: 2021-01-29 00:00:00

Lists of state and tribal registered storage tanks

UST: Underground Storage Tank Information.

A review of the UST list, as provided by EDR, and dated 11/29/2021 has revealed that there are 5 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Address Direction / Distance		Page
LEASED TO WOODSON PR Facility Id: ST0004864 Tank Status: Removed	1603 WOODSON RD	ENE 1/8 - 1/4 (0.132 mi.)	4	30
SS 16682 Facility Id: ST0009696 Tank Status: Permanently Closed in place	1691 WOODSON	N 1/8 - 1/4 (0.177 mi.)	B7	39
FEDEX GROUND Facility Id: ST0009578 Tank Status: Curently in use Tank Status: Permanently Closed in place	1525 WOODSON RD	SSE 1/8 - 1/4 (0.177 mi.)	C9	192
MISSOURI PETROLEUM P Facility Id: ST0004874 Tank Status: Removed	1620 WOODSON RD	ENE 1/8 - 1/4 (0.228 mi.)	E15	239
Lower Elevation	Address	Direction / Distance	Map ID	Page
SAMUEL KRAUS CO Facility Id: ST0004877 Tank Status: Removed	1610 WOODSON	E 1/8 - 1/4 (0.205 mi.)	D12	227

Lists of state and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Program Site Listing.

A review of the VCP list, as provided by EDR, and dated 11/01/2021 has revealed that there are 2 VCP sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ST. LOUIS COUNTY MAI Facility Status: Cert. of Completion Issued	1616 WOODSON ROAD	ENE 1/4 - 1/2 (0.315 mi.)	20	258
OVERLAND COMMERCIAL Facility Status: Inactive/Withdrawn	9430 PAGE AVENUE	NNW 1/4 - 1/2 (0.383 mi.)	24	311

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Site List

A review of the BROWNFIELDS list, as provided by EDR, and dated 11/01/2021 has revealed that there is

1 BROWNFIELDS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
OVERLAND COMMERCIAL	9430 PAGE AVENUE	NNW 1/4 - 1/2 (0.383 mi.)	24	311

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 09/13/2021 has revealed that there are 6 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	levation Address Direction / Distance		Map ID	Page
THOMAS & BETTS AMERI EPA ID:: MOD048835961	1525 WOODSON RD	SSE 1/8 - 1/4 (0.177 mi.)	C8	41
XENOGEN CORP EPA ID:: MOR000008474	8620 PENNELL DR	SSE 1/8 - 1/4 (0.178 mi.)	10	196
MISSOURI PETROLEUM EPA ID:: MOP000005918	1620 WOODSON RD	ENE 1/8 - 1/4 (0.228 mi.)	E14	234
Lower Elevation	Address	Direction / Distance	Map ID	Page
WOODSON ENGINEERING EPA ID:: MOD043496132	1601 WOODSON RD	E 0 - 1/8 (0.095 mi.)	3	16
ST LOUIS COUNTY DEPT EPA ID:: MOD980855878	1610 WOODSON RD	E 1/8 - 1/4 (0.205 mi.)	D11	200
SAMUEL KRAUS CO EPA ID:: MOP00000822	1610 WOODSON RD SUIT	E 1/8 - 1/4 (0.205 mi.)	D13	231

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 10/26/2021 has revealed that there is 1 FUDS site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance		Page
MIL PERSON RECORD CE		W 1/4 - 1/2 (0.265 mi.)	17	247

2020 COR ACTION: The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

A review of the 2020 COR ACTION list, as provided by EDR, and dated 09/30/2017 has revealed that there is 1 2020 COR ACTION site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
THOMAS & BETTS AMERI	1525 WOODSON RD	SSE 1/8 - 1/4 (0.177 mi.)	C8	41
FPA ID: MOD048835961				


SMARS: SMARS currently houses information for Superfund, Federal Facility, Brownfields Voluntary Cleanup Program and Missouri's other state response programs.

A review of the SMARS list, as provided by EDR, and dated 10/05/2021 has revealed that there are 2 SMARS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ST. LOUIS COUNTY MAI	1616 WOODSON ROAD	ENE 1/4 - 1/2 (0.315 mi.)	20	258
OVERLAND COMMERCIAL	9430 PAGE AVENUE	NNW 1/4 - 1/2 (0.383 mi.)	24	311

There were no unmapped sites in this report.


OVERVIEW MAP - 6884535.2S



SITE NAME: Woodson Road Park
ADDRESS: 1655 Woodson Road
Saint Louis MO 63132
LAT/LONG: 38.682352 / 90.361761

CLIENT: U.S. Army Corps of Engineers
CONTACT: Ben Greeling
INQUIRY #: 6884535.2s
DATE: March 04, 2022 11:26 am

DETAIL MAP - 6884535.2S



SITE NAME: Woodson Road Park
ADDRESS: 1655 Woodson Road
Saint Louis MO 63132
LAT/LONG: 38.682352 / 90.361761

CLIENT: U.S. Army Corps of Engineers
CONTACT: Ben Greeling
INQUIRY #: 6884535.2s
DATE: March 04, 2022 11:27 am

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	Total Plotted
STANDARD ENVIRONMENT	TAL RECORDS							
Lists of Federal NPL (Su	perfund) site	s						
NPL Proposed NPL NPL LIENS	1.000 1.000 1.000		0 0 0	0 0 0	0 0 0	0 0 0	NR NR NR	0 0 0
Lists of Federal Delisted	I NPL sites							
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites su CERCLA removals and (rs						
FEDERAL FACILITY SEMS	0.500 0.500	1	0 0	0 0	0 0	NR NR	NR NR	0 1
Lists of Federal CERCLA	A sites with N	FRAP						
SEMS-ARCHIVE	0.500		0	2	0	NR	NR	2
Lists of Federal RCRA fa undergoing Corrective A								
CORRACTS	1.000		0	1	0	0	NR	1
Lists of Federal RCRA T	SD facilities							
RCRA-TSDF	0.500		0	1	0	NR	NR	1
Lists of Federal RCRA g	enerators							
RCRA-LQG RCRA-SQG RCRA-VSQG	0.250 0.250 0.250	1	0 0 0	0 0 2	NR NR NR	NR NR NR	NR NR NR	0 0 3
Federal institutional con engineering controls reg								
LUCIS US ENG CONTROLS US INST CONTROLS	0.500 0.500 0.500		0 0 0	0 0 0	0 0 0	NR NR NR	NR NR NR	0 0 0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
Lists of state- and tribal hazardous waste facilities								
SHWS	1.000		0	0	0	0	NR	0
Lists of state and tribal l and solid waste disposa								
SWF/LF	0.500		0	0	0	NR	NR	0
Lists of state and tribal l	leaking storag	ge tanks						
LAST	0.500		0	0	0	NR	NR	0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LUST INDIAN LUST	0.500 0.500		0 0	0 0	9 0	NR NR	NR NR	9 0
Lists of state and tribal	registered sto	rage tanks						
FEMA UST UST AST INDIAN UST	0.250 0.250 0.250 0.250	1	0 0 0 0	0 5 0	NR NR NR NR	NR NR NR NR	NR NR NR NR	0 6 0
State and tribal institution control / engineering co		es						
AUL	0.500		0	0	0	NR	NR	0
Lists of state and tribal	voluntary clea	anup sites						
INDIAN VCP VCP	0.500 0.500		0 0	0 0	0 2	NR NR	NR NR	0 2
Lists of state and tribal	brownfield sit	es						
BROWNFIELDS	0.500		0	0	1	NR	NR	1
ADDITIONAL ENVIRONMENT	NTAL RECORD	<u>s</u>						
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / S Waste Disposal Sites	Solid							
SWRCY HIST LF INDIAN ODI DEBRIS REGION 9 ODI IHS OPEN DUMPS	0.500 0.500 0.500 0.500 0.500 0.500		0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	NR NR NR NR NR	NR NR NR NR NR	0 0 0 0 0
Local Lists of Hazardou Contaminated Sites	s waste /							
US HIST CDL CDL DEL SHWS US CDL PFAS	TP TP 1.000 TP 0.500		NR NR 0 NR 0	NR NR 0 NR 0	NR NR 0 NR 0	NR NR 0 NR NR	NR NR NR NR NR	0 0 0 0
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency	Release Repo	rts						
HMIRS SPILLS SPILLS 90	TP TP TP		NR NR NR	NR NR NR	NR NR NR	NR NR NR	NR NR NR	0 0 0
Other Ascertainable Red	cords							
RCRA NonGen / NLR	0.250		1	5	NR	NR	NR	6

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUDS DOD SCRD DRYCLEANERS US FIN ASSUR EPA WATCH LIST 2020 COR ACTION TSCA TRIS SSTS ROD RMP RAATS PRP PADS ICIS FTTS MLTS COAL ASH DOE COAL ASH EPA PCB TRANSFORMER RADINFO HIST FTTS DOT OPS CONSENT INDIAN RESERV FUSRAP UMTRA LEAD SMELTERS US AIRS US MINES ABANDONED MINES FINDS UXO ECHO DOCKET HWC FUELS PROGRAM AIRS US MINES ASBESTOS COAL ASH DRYCLEANERS Financial Assurance MINES NPDES MO RRC SMARS UIC MINES MRDS EDR HIGH RISK HISTORICA	1.000 1.000 1.000 0.500 TP TP TP 0.250 TP	1 1	000 RR O RR R O R R R R R R R R R R R R	000 RR 1 RR N O R R R R R R R R N O R O R O R O	100 NR R R R R R R R R R R R R R R R R R	0 O R R R R R R R R R R R R R R R R R R		1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
EDR MGP	1.000		0	0	0	0	NR	0

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
EDR Hist Auto EDR Hist Cleaner	0.125 0.125		0 0	NR NR	NR NR	NR NR	NR NR	0 0
EDR RECOVERED GOV		<u>/ES</u>						
RGA HWS RGA LF RGA LUST	TP TP TP		NR NR NR	NR NR NR	NR NR NR	NR NR NR	NR NR NR	0 0 0
- Totals		5	1	17	15	0	0	38

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID MAP FINDINGS

Direction Distance

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

A1 DISTRIBUTION OPERATIONS FACILITY SEMS 1000155808
Target 1655 WOODSON RD RCRA-VSQG MO7210090034

Property ST LOUIS, MO 63114 FINDS ECHO

Site 1 of 2 in cluster A

 Actual:
 SEMS:

 552 ft.
 Site ID:
 0701783

EPA ID: MO7210090034

Name: US ARMY PUBLICATION CENTER Address: 1655 WOODSON RD

Address 2: Not reported

City, State, Zip: OVERLAND, MO 63114

Cong District: 01
FIPS Code: 29189
Latitude: Not reported
Longitude: Not reported

FF: Y

NPL: Not on the NPL

Non NPL Status: Addressed as Part of Another non-NPL Site

SEMS Detail:

 Region:
 07

 Site ID:
 0701783

 EPA ID:
 MO7210090034

Site Name: US ARMY PUBLICATION CENTER

 NPL:
 N

 FF:
 Y

 OU:
 00

 Action Code:
 DS

 Action Name:
 DISCVRY

SEQ:

Start Date: 1987-06-30 04:00:00 Finish Date: 6/30/1987 4:00:00 AM

Qual: Not reported Current Action Lead: EPA Perf

 Region:
 07

 Site ID:
 0701783

 EPA ID:
 MO7210090034

Site Name: US ARMY PUBLICATION CENTER

 NPL:
 N

 FF:
 Y

 OU:
 00

 Action Code:
 PA

 Action Name:
 PA

 SEQ:
 1

Start Date: Not reported

Finish Date: 9/26/1994 4:00:00 AM

Qual: B
Current Action Lead: Fed Fac

RCRA-VSQG:

Date Form Received by Agency: 20170606
Handler Name: DISTRIBUTION OPERATIONS FACILITY

Handler Address:1655 WOODSON RDHandler City,State,Zip:ST LOUIS, MO 63114-6125

EPA ID: MO7210090034

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DISTRIBUTION OPERATIONS FACILITY (Continued)

1000155808

Contact Name: JOHN MENTAL Contact Address: 1655 WOODSON RD ST LOUIS, MO 63114-6125 Contact City, State, Zip:

Contact Telephone: 314-263-7305 Contact Fax: Not reported Contact Email: Not reported MANAGER Contact Title: EPA Region: 07 Land Type: Federal

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Handler Activities State District Owner: Not reported State District: Not reported Mailing Address: 1655 WOODSON RD

Mailing City, State, Zip: ST LOUIS, MO 63114-6125 Owner Name: GENERAL SERVICES ADMINISTRATION

Owner Type: Federal

Operator Name: GENERAL SERVICES ADMINISTRATION

Operator Type: Federal Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: Nο Transfer Facility Activity: Nο Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** Nο Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Active Site State-Reg Handler:

Federal Universal Waste:

Corrective Action Workload Universe:

Federal Facility Indicator: The land is federally-owned, The site is federally-owned, The site is

federally-operated

No

No

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Not reported

Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported 202 GPRA Corrective Action Baseline: No

Subject to Corrective Action Universe: No Non-TSDFs Where RCRA CA has Been Imposed Universe: No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: No

Distance
Elevation Site Database(s)

DISTRIBUTION OPERATIONS FACILITY (Continued)

1000155808

EDR ID Number

EPA ID Number

TSDFs Only Subject to CA under Discretionary Auth Universe: No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

Human Exposure Controls Indicator:

Groundwater Controls Indicator:

N/A

Operating TSDE Universe:

Operating TSDF Universe:

Not reported
Full Enforcement Universe:

Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D000
Waste Description: Not Defined

Waste Code: D001

Waste Description: IGNITABLE WASTE

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: GENERAL SERVICES ADMINISTRATION

Legal Status: Federal
Date Became Current: 19981009
Date Ended Current: Not reported
Owner/Operator Address: 9700 PAGE AVE

Owner/Operator City, State, Zip: ST LOUIS, MO 63132-1555

Owner/Operator Telephone: 636-538-4203
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: GENERAL SERVICES ADMINISTRATION

Legal Status: Federal
Date Became Current: 19981009
Date Ended Current: Not reported
Owner/Operator Address: 9700 PAGE AVE
Owner/Operator City, State, Zip: ST LOUIS, MO 63132

Owner/Operator Telephone: 636-538-4203
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DISTRIBUTION OPERATIONS FACILITY (Continued)

1000155808

Owner/Operator Name: GENERAL SERVICES ADMINISTRATION

Legal Status: Federal Date Became Current: Not reported Date Ended Current: Not reported Owner/Operator Address: 9700 PAGE AVE Owner/Operator City, State, Zip: **ST LOUIS, MO 63132** Owner/Operator Telephone: 314-538-4203

Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

GENERAL SERVICES ADMINISTRATION Owner/Operator Name:

Legal Status: Date Became Current: 19981009 Date Ended Current: Not reported Owner/Operator Address: 9700 PAGE AVE ST LOUIS, MO 63132 Owner/Operator City, State, Zip: Owner/Operator Telephone: 636-538-4203 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

NAME UNKNOWN Owner/Operator Name:

Legal Status: Federal Date Became Current: Not reported Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: GENERAL SERVICES ADMINISTRATION

Legal Status: Federal Date Became Current: 19981009 Date Ended Current: Not reported Owner/Operator Address: 9700 PAGE AVE

Owner/Operator City, State, Zip: ST LOUIS, MO 63132-1555

Owner/Operator Telephone: 636-538-4203 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Historic Generators:

20140127 Receive Date: **DISTRIBUTION OPERATIONS FACILITY** Handler Name:

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DISTRIBUTION OPERATIONS FACILITY (Continued)

1000155808

Current Record: No

Not reported Non Storage Recycler Activity: Electronic Manifest Broker: Not reported

Receive Date: 20170606 DISTRIBUTION OPERATIONS FACILITY Handler Name:

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes Non Storage Recycler Activity:

Not reported Electronic Manifest Broker: Not reported

Receive Date: 19981009 **DISTRIBUTION OPERATIONS FACILITY** Handler Name:

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 92811

NATIONAL SECURITY NAICS Description:

Facility Has Received Notices of Violation:

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported

Direction
Distance
Elevation

EDR ID Number
Site Database(s) EPA ID Number

DISTRIBUTION OPERATIONS FACILITY (Continued)

1000155808

Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 20210304
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MO-TT Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

FINDS:

Registry ID: 110009338957

Click Here:

Environmental Interest/Information System:

The MO-DNR (Missouri Department of Natural Resources) program involves a Resource Assessment and Monitoring Program, biological criteria development, monitoring of targeted sites to determine compliance with the designated use of aquatic life protection in the standards, monitoring for 303(3) purposes, and the development of a stream classification framework.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. SUPERFUND (NON-NPL)

<u>Click this hyperlink</u> while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000155808

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DISTRIBUTION OPERATIONS FACILITY (Continued)

1000155808

U000285056

N/A

UST

Registry ID: 110009338957

DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110009338957

US ARMY PUBLICATION CENTER Name:

1655 WOODSON ROAD Address: City, State, Zip: OVERLAND, MO 63114

AGPC A2 Target 1655 WOODSON **Property ST LOUIS, MO 63114**

Site 2 of 2 in cluster A

UST: Actual:

552 ft. ST0010976 Facility ID:

Region:

Easting: 729199.650 Northing: 4284903.91

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: VANCE, S Date GIS Data Collected: 08/27/2013 Lat/Long: 38.7023 / -90.3668 Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW10112

Owner Name: GENERAL SERVICES ADM GSA #MO0531AD Owner Address: BUILDING 103 DISA SEL4T1 GOODFELLOW BLVD

ST LOUIS, MO 63120 Owner City, St, Zip:

Owner County Code: 95

Owner Phone: Not reported

Mail Was Not Deliverable: No Is Owner Active?: Yes

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00

Date Record Edited: 2016-11-18 00:00:00 Name of Person Editing Record: BERVE, TRISHA

Tank ID: 1 Tank Double Wall: 0

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported 01/01/1966 Date Tank Installed: Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported

Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 01/01/1970 Date Tank Permanently Closed/ Removed: 10/13/1998

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

AGPC (Continued) U000285056

Tank Fees Waived: Yes Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 03/02/1999 Date Record Edited: Person Adding/Editing Record: NREQHW-SESSD

Date Of NFA Letter: 07/23/2001

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 09/04/1998 Date Of Aprroval Letter: 09/19/1998

Firm Closing Tank: CAPE ENVIRONMENTAL MANAGEMENT

Date Closure Report Received: 02/05/1999 Registration End Date: Not reported

LockOut Flag:

Comments: removal of one 1,000-gal diesel UST 7/23/2001 NFA letter issued. JS

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 27190 Tank PK: 27190 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported 1000 Capacity: Substance: Diesel Substance Other: Not reported Hazardous Substance: Not reported False Mixture:

Date of Last Use: 1970-01-01 00:00:00

Pipe Installation Date: Not reported Pipe System: Not reported Pipe Material: Pipe Material Other: Not reported Pipe Protection: Not reported

Pipe Protection Date: Not reported Pipe Double Wall:

Spill Protection: False

Tank Aug 2011:

Facility Id: ST0010976

Tank Id:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0

Direction Distance

Elevation Site Database(s) EPA ID Number

AGPC (Continued) U000285056

St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

3 WOODSON ENGINEERING INC RCRA NonGen / NLR 1007105069

East 1601 WOODSON RD < 1/8 ST LOUIS, MO 63114

MOD043496132

EDR ID Number

0.095 mi. 502 ft.

Relative: RCRA NonGen / NLR:

Lower Date Form Received by Agency: 20020116

Actual: Handler Name: WOODSON ENGINEERING INC

550 ft. Handler Address: 1601 WOODSON RD Handler City, State, Zip: ST LOUIS, MO 63114

EPA ID: MOD043496132 Contact Name: **RUTH MURPHY** Contact Address: 1601 WOODSON RD Contact City, State, Zip: ST LOUIS, MO 63114 Contact Telephone: 314-997-4884 Contact Fax: Not reported Contact Email: Not reported Contact Title: Not reported

EPA Region: 07
Land Type: Private

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Not reported State District Owner: Not reported State District: Not reported WOODSON RD Mailing Address: Mailing City, State, Zip: ST LOUIS. MO 63114

Owner Name:

Owner Type:

Operator Name:

Operator Type:

Operator Type:

Not reported

Not reported

Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: Nο Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Not reported
Not reported

Active Site State-Reg Handler: ---

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Distance Elevation Site

Site Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Not reported Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

Subject to Corrective Action Universe:

No
Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

No
Human Exposure Controls Indicator:

N/A
Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Not reported
Full Enforcement Universe:

Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: NONE
Waste Description: Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:
Owner/Operator Name:
Legal Status:
Date Became Current:
Date Ended Current:

Owner
JIM FARMER
Private
20010517
Not reported

Owner/Operator Address: 1601 WOODSON RD
Owner/Operator City, State, Zip: ST LOUIS, MO 63114

Owner/Operator Telephone: 314-997-4884
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

Historic Generators:

Receive Date: 19930826

Handler Name: WOODSON ENGINEERING INC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19981130

Handler Name: WOODSON ENGINEERING INC

Federal Waste Generator Description: Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20010517

Handler Name: WOODSON ENGINEERING INC

Federal Waste Generator Description: Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20020116

Handler Name: WOODSON ENGINEERING INC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960220

Handler Name: WOODSON PRODUCTS

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WOODSON ENGINEERING INC (Continued)

1007105069

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 332721

NAICS Description: PRECISION TURNED PRODUCT MANUFACTURING

Facility Has Received Notices of Violation:

Found Violation: Yes Agency Which Determined Violation: State

Generators - Manifest Violation Short Description:

Date Violation was Determined: 19920716 Actual Return to Compliance Date: 19920728 Return to Compliance Qualifier: Observed State Violation Responsible Agency: Scheduled Compliance Date: 19920813 Enforcement Identifier: 000 19920716 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: **MORAB** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19920716

Distance
Elevation Site Database(s)

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

EPA ID Number

Actual Return to Compliance Date: 19920728 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19920813 Enforcement Identifier: 000 Date of Enforcement Action: 19920716 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MORAB
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19981117 Actual Return to Compliance Date: 19990125 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 Date of Enforcement Action: 19990114 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported

Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

Enforcement Responsible Person: MODEM Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19920716 Actual Return to Compliance Date: 19920728 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19920813 Enforcement Identifier: 000 19920716 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MORAB
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19981117

Distance Elevation

Site Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

Actual Return to Compliance Date: 19981119 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 19990114 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

MO

Date Violation was Determined: 19981117 Actual Return to Compliance Date: 19981120 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 Date of Enforcement Action: 19990114 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Disposition Status Description: Consent/Final Order Sequence Number:Not reported

Enforcement Attorney:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Distance Elevation Site

Site Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19981117 Actual Return to Compliance Date: 19990125 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 Date of Enforcement Action: 19990114 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19981117

Direction Distance Elevation

on Site Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

Actual Return to Compliance Date: 19990125 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 19990114 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19920716 Actual Return to Compliance Date: 19920728 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19920813 Enforcement Identifier: 000 Date of Enforcement Action: 19920716 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Distance Elevation Site

Site Database(s) EPA ID Number

Not reported

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

Enforcement Responsible Person: MORAB
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19981117 Actual Return to Compliance Date: 19990125 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 Date of Enforcement Action: 19990114 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Disposition Status Description:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19981117

Distance Elevation Site

Site Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

EDR ID Number

Actual Return to Compliance Date: 19990125 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 19990114 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

LDR - General Violation Short Description: Date Violation was Determined: 19981117 Actual Return to Compliance Date: 19981119 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19990217 Enforcement Identifier: 000 Date of Enforcement Action: 19990114 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WOODSON ENGINEERING INC (Continued)

1007105069

MODEM Enforcement Responsible Person: Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Evaluation Action Summary:

19920716 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation:

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Evaluation Responsible Person Identifier: **MORAB** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920728 Scheduled Compliance Date: 19920813 Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19920716 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE **Evaluation Type Description:**

MORAB Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920728 19920813 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19990125 Scheduled Compliance Date: 19990217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19920716 Evaluation Responsible Agency: State

Distance EDR ID Number
Elevation Site EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MORAB** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920728 Scheduled Compliance Date: 19920813 Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19981119 Scheduled Compliance Date: 19990217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19981120 Scheduled Compliance Date: 19990217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19990125 Scheduled Compliance Date: 19990217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19990125

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

WOODSON ENGINEERING INC (Continued)

1007105069

Scheduled Compliance Date: 19990217
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19920716
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MORAB** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19920728 Scheduled Compliance Date: 19920813 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19990125 Scheduled Compliance Date: 19990217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: 19990125 Scheduled Compliance Date: 19990217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19981117
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19981119 Scheduled Compliance Date: 19990217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEASED TO WOODSON PRODUCTS CO UST U001160520 **ENE** 1603 WOODSON RD N/A

Below Ground

1/8-1/4 OVERLAND, MO 63114 0.132 mi.

696 ft.

Relative: UST:

Higher ST0004864 Facility ID: Region: SL Actual:

Easting: 729582.785 558 ft. Northing: 4284879.37

> Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: RANGEN, K Date GIS Data Collected: 10/13/2020 Lat/Long: 38.7023 / -90.3668 Lat/Long (dms): Not reported

Tanks:

Owner:

Tank Type:

OW09475 Owner ID:

Owner Name: **CAROL MEINERS**

13636 STURBRIDGE ROAD Owner Address: Owner City, St, Zip: TOWN & COUNTRY, MO 63131

Owner County Code: Not reported Owner Phone: 8217412 Mail Was Not Deliverable: No Is Owner Active?: No

1995-08-16 00:00:00 Date Registration Received: Date Record Added: 1997-10-30 00:00:00 Date Record Edited: 1999-03-25 00:00:00 Name of Person Editing Record: NREQHW-FASTT

Tank ID: 1 Tank Double Wall: 0

Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1971 Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Not reported Tank Internal Protection Date: Not reported Tank External Protection: Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: 08/16/1975

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: 1975-08-16 00:00:00

Date Record Added: 06/30/1995

Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

LEASED TO WOODSON PRODUCTS CO (Continued)

U001160520

EDR ID Number

Date Record Edited: 07/10/2013
Person Adding/Editing Record: HESS, JEREMY
Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received:

Date Of Aprroval Letter:

Not reported

Registration End Date:

Not reported

LockOut Flag: No

Comments: NFA moved to DAC

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 11921
Tank PK: 11921
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: 1000

Substance: Gasoline, Including Blends

Substance Other:
Hazardous Substance:
Not reported
Mixture:
False
Date of Last Use:
Pipe Installation Date:
Not reported
Not reported
Pipe System:
Not reported

Pipe Material: 0

Pipe Material Other:

Pipe Protection:

Not reported

Not reported

Not reported

Not reported

Pipe Double Wall: 0
Spill Protection: False

Tank Aug 2011:

Facility Id: ST0004864

Tank ld: 1

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Distance

720 ft.

Elevation Site Database(s) EPA ID Number

5 ST LOUIS CAR MUSEUM RCRA-VSQG 1004742054 ESE 1575 WOODSON RD MOR000032516

1/8-1/4 ST LOUIS, MO 63114 0.136 mi.

Relative: RCRA-VSQG:

Lower Date Form Received by Agency: 20130528

Actual: Handler Name: ST LOUIS CAR MUSEUM

546 ft. Handler Address:

Handler City, State, Zip:

EPA ID:

Contact Name:

ST LOUIS, MO 63114-6126

MOR000032516

JIM SNOW

Contact Name:

1575 WOODSON RD

Contact City, State, Zip:

21 Contact City, State, Zip:

22 Contact City, State, Zip:

23 Contact City, State, Zip:

24 Contact City, State, Zip:

26 Contact City, State, Zip:

27 Contact City, State, Zip:

28 Contact City, State, Zip:

29 Contact City, State, Zip:

20 Contact City, State, Zip:

20 Contact City, State, Zip:

20 Contact City, State, Zip:

21 Contact City, State, Zip:

21 Contact City, State, Zip:

21 Contact City, State, Zip:

22 Contact City, State, Zip:

23 Contact City, State, Zip:

24 Contact City, State, Zip:

26 Contact City, State, Zip:

27 Contact City, State, Zip:

27 Contact City, State, Zip:

28 Contact City, State, Zip:

29 Contact City, State, Zip:

20 Contact City, State, Zip:

21 Contact City, State, Zip:

21 Contact City, State, Zip:

22 Contact City, State, Zip:

23 Contact City, State, Zip:

24 Contact City, State, Zip:

25 Contact City, State, Zip:

26 Contact City, State, Zip:

27 Contact City, State, Zip:

27 Contact City, State, Zip:

28 Cont

Contact Telephone: 314-993-1330
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: MANAGER
EPA Region: 07
Land Type: Private

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

1575 WOODSON RD

Non-Notifier:

Biennial Report Cycle:

Accessibility:

Active Site Indicator:

State District Owner:

State District:

Not reported

Handler Activities

Not reported

Not reported

Not reported

Mailing Address: 1575 WOODSON RD
Mailing City, State, Zip: ST LOUIS, MO 63114-6126

Owner Name: SCOTT BROS INVESTMENT CORP

Owner Type: Private

Operator Name: SCOTT BROS INVESTMENT CORP

No

Not reported

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No

Universal Waste Destination Facility:

Federal Universal Waste:

Active Site Fed-Reg Treatment Storage and Disposal Facility:

Active Site Converter Treatment storage and Disposal Facility:

Not reported

Not reported

Active Site State-Reg Treatment Storage and Disposal Facility: Active Site State-Reg Handler:

Universal Waste Indicator:

Federal Facility Indicator:
Hazardous Secondary Material Indicator:
Sub-Part K Indicator:
Not reported
Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type:

2018 GPRA Permit Baseline:

2018 GPRA Renewals Baseline:

Not on the Baseline

Permit Renewals Workload Universe:

Not reported

Not reported

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS CAR MUSEUM (Continued)

1004742054

Permit Workload Universe: Not reported Permit Progress Universe: Not reported Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline: No Corrective Action Workload Universe: No Subject to Corrective Action Universe: No Non-TSDFs Where RCRA CA has Been Imposed Universe: No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: No TSDFs Only Subject to CA under Discretionary Auth Universe: No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator: No Institutional Control Indicator: No Human Exposure Controls Indicator: N/A Groundwater Controls Indicator: N/A

Operating TSDF Universe: Not reported Full Enforcement Universe: Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required: Not reported Handler Date of Last Change: 20130528 Recognized Trader-Importer: No Recognized Trader-Exporter: No Importer of Spent Lead Acid Batteries: No Exporter of Spent Lead Acid Batteries: No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

D001 Waste Code:

IGNITABLE WASTE Waste Description:

Waste Code: D018 Waste Description: **BENZENE**

Handler - Owner Operator:

Owner/Operator Indicator: Operator

Owner/Operator Name: SCOTT BROS INVESTMENT CORP

Legal Status: Private Date Became Current: 19991206 Date Ended Current: Not reported

Owner/Operator Address: 1065 EXECUTIVE PKWY SUITE 300

Owner/Operator City, State, Zip: ST LOUIS, MO 63141 Owner/Operator Telephone: 636-532-8050 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: SCOTT BROS INVESTMENT CORP

Legal Status: Private Date Became Current: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS CAR MUSEUM (Continued)

1004742054

Date Ended Current: Not reported

1065 EXECUTIVE PKWY STE 300 Owner/Operator Address:

Owner/Operator City, State, Zip: ST LOUIS, MO 63141 Owner/Operator Telephone: 314-532-8050 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: SCOTT BROS INVESTMENT CORP

Legal Status: Private Date Became Current: 19991206 Date Ended Current: Not reported

Owner/Operator Address: 1065 EXECUTIVE PKWY SUITE 300

Owner/Operator City, State, Zip: ST LOUIS, MO 63141 Owner/Operator Telephone: 636-532-8050 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 20130528

Handler Name: ST LOUIS CAR MUSEUM

Conditionally Exempt Small Quantity Generator Federal Waste Generator Description:

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date:

ST LOUIS CAR MUSEUM Handler Name:

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

19991206

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20001208

Handler Name: ST LOUIS CAR MUSEUM

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS CAR MUSEUM (Continued) 1004742054

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 45322

NAICS Description: GIFT, NOVELTY, AND SOUVENIR STORES

NAICS Code: 71211 NAICS Description: **MUSEUMS**

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

No Evaluations Found **Evaluations:**

B6 MIDLAND AUTO & TIRE # 2 RCRA-VSQG 1004741319 1691 WOODSON RD MOR000001768 North

1/8-1/4 **ST LOUIS, MO 63114**

0.177 mi.

935 ft. Site 1 of 2 in cluster B

Relative: RCRA-VSQG:

Higher Date Form Received by Agency: 20170725

MIDLAND AUTO & TIRE # 2 Handler Name: Actual:

1691 WOODSON RD Handler Address: 561 ft. Handler City, State, Zip: ST LOUIS, MO 63114-6128

EPA ID: MOR000001768 Contact Name: TIMOTHY BROWN Contact Address: 1691 WOODSON RD ST LOUIS, MO 63114-6128 Contact City, State, Zip:

Contact Telephone: 314-428-6711 Contact Fax: Not reported Contact Email: Not reported **MANAGER** Contact Title: EPA Region: 07 Land Type: Private

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Handler Activities State District Owner: Not reported State District: Not reported

Mailing Address: 1691 WOODSON RD Mailing City, State, Zip: ST LOUIS, MO 63114-6128 Owner Name: **BROWN AUTO SERVICES INC**

Owner Type:

Operator Name: **BROWN AUTO SERVICES INC**

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: Nο

Distance Elevation Site

Site Database(s) EPA ID Number

Not reported

MIDLAND AUTO & TIRE # 2 (Continued)

Treatment Storage and Disposal Type:

1004741319

EDR ID Number

Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: Nο **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: Nο

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:

Not reported
Not reported

Active Site State-Reg Handler: -

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

2018 GPRA Permit Baseline:

2018 GPRA Renewals Baseline:

Permit Renewals Workload Universe:

Permit Workload Universe:

Permit Progress Universe:

Post-Closure Workload Universe:

Not on the Baseline

Not reported

Not reported

Not reported

Not reported

Not reported

Post-Closure Workload Universe:

Closure Workload Universe:

Not reported

202 GPRA Corrective Action Baseline:

No

Corrective Action Workload Universe:

No

Subject to Corrective Action Universe: No Non-TSDFs Where RCRA CA has Been Imposed Universe: No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: No

TSDFs Only Subject to CA under Discretionary Auth Universe: No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported

Not reported

Significant Non-Complier Universe: No
Unaddressed Significant Non-Complier Universe: No
Addressed Significant Non-Complier Universe: No
Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Direction Distance Elevation

n Site Database(s) EPA ID Number

MIDLAND AUTO & TIRE # 2 (Continued)

1004741319

EDR ID Number

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: BROWN AUTO SERVICES INC

Legal Status:PrivateDate Became Current:Not reportedDate Ended Current:Not reported

Owner/Operator Address: 11300 FAIRWAYS DR
Owner/Operator City,State,Zip: CREVE CUEUR, MO 63141

Owner/Operator Telephone: 314-991-8877
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: BROWN AUTO SERVICES INC.

Legal Status: Private Date Became Current: 19951015 **Date Ended Current:** Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: BROWN AUTO SERVICES INC

Legal Status: Private Date Became Current: 19951015 **Date Ended Current:** Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: BROWN AUTO SERVICES INC.

Legal Status: Private 19951015 Date Became Current: **Date Ended Current:** Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: BROWN AUTO SERVICES INC

Legal Status:

Date Became Current:

Date Ended Current:

Owner/Operator Address:

Owner/Operator City, State, Zip:

Owner/Operator Telephone:

Private

19951015

Not reported

Not reported

Not reported

Distance Elevation

on Site Database(s) EPA ID Number

MIDLAND AUTO & TIRE # 2 (Continued)

1004741319

EDR ID Number

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Email:

Not reported

Not reported

Historic Generators:

Receive Date: 20140127

Handler Name: MIDLAND AUTO & TIRE #2

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20170725

Handler Name: MIDLAND AUTO & TIRE # 2

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19951215

Handler Name: MIDLAND AUTO & TIRE #2

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20001214

Handler Name: MIDLAND AUTO & TIRE #2

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MIDLAND AUTO & TIRE #2 (Continued)

1004741319

List of NAICS Codes and Descriptions:

NAICS Code: 811111

NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

UST U003165012 **B7** SS 16682 **1691 WOODSON** North N/A

1/8-1/4 **ST LOUIS, MO 63114**

0.177 mi.

935 ft. Site 2 of 2 in cluster B

Relative: UST:

Higher Facility ID: ST0009696 Region: SL Actual: Easting: 729466.13 561 ft. Northing: 4285113.75

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: VANCE, S Date GIS Data Collected: 08/27/2013 Lat/Long: 38.7023 / -90.3668 Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW10005

AMOCO OIL COMPANY Owner Name:

400 S WOODS MILL ROAD STE 250 Owner Address: Owner City,St,Zip: CHESTERFIELD, MO 63017 3427

Owner County Code: Not reported 4344059 Owner Phone: Mail Was Not Deliverable: Yes Is Owner Active?: Nο

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00 Date Record Edited: 2012-09-05 00:00:00 Name of Person Editing Record: KIRCHNER, M

Tank ID: Tank Double Wall:

Tank Type: Below Ground

Tank Status: Permanently Closed in place

Meet 98 Update Requirements: Not reported Not reported Date Tank Installed: Tank Material: Not reported Not reported Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SS 16682 (Continued) U003165012

Not reported

Tank Internal Protection Date: Not reported Tank External Protection: Not reported Not reported Other Type Tank Extrn Protec: Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 Date Record Edited: Not reported Person Adding/Editing Record: Not reported Not reported Date Of NFA Letter:

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Registration End Date: Not reported

LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 23617 Tank PK: 23617 Case Number: Not reported

Compartment Status: Permanently Closed in place

Compartment Temp Verified Dt: Not reported Not reported Capacity:

Gasoline, Including Blends Substance:

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Pipe Installation Date: Not reported Pipe System: Not reported Pipe Material: Not reported Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: Spill Protection: False

Tank Aug 2011:

Facility Id: ST0009696

Tank Id:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

SS 16682 (Continued) U003165012

Offsite Impact: Not reported Not reported Free Product: Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

THOMAS & BETTS AMERICAL ELECTRIC C8 SEMS-ARCHIVE 1000255976 SSE 1525 WOODSON RD **CORRACTS** MOD048835961

1/8-1/4 **ST LOUIS, MO 63114** 0.177 mi.

937 ft. Site 1 of 2 in cluster C

Relative: Higher

SEMS Archive: Actual: Site ID: 569 ft.

0702690 EPA ID: MOD048835961

FL AMERICAN ELECTRIC Name: Address: 1525 WOODSON RD

Address 2: Not reported

City, State, Zip: ST LOUIS, MO 63114 Cong District: 01

FIPS Code: 29189 FF: Ν

NPL: Not on the NPL

Non NPL Status: Deferred to RCRA (Subtitle C)

SEMS Archive Detail:

Region: 07 Site ID: 0702690 MOD048835961 EPA ID:

FL AMERICAN ELECTRIC Site Name: NPL: Ν FF: Ν

OU: 00 Action Code: VS

ARCH SITE Action Name: SEQ:

Start Date: Not reported

Finish Date: 1997-12-23 05:00:00 Qual: Not reported **Current Action Lead:** EPA Perf In-Hse

07 Region: Site ID: 0702690 EPA ID: MOD048835961

Site Name: FL AMERICAN ELECTRIC

NPL: Ν FF: Ν OU: 00 Action Code: PΑ Action Name: PΑ **EDR ID Number**

RCRA-TSDF

FINDS

ECHO

RCRA NonGen / NLR

2020 COR ACTION

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

SEQ:

Start Date: 1991-10-06 04:00:00 Finish Date: 1992-09-29 04:00:00

Qual: Current Action Lead: **EPA Perf**

07 Region: Site ID: 0702690 EPA ID: MOD048835961

Site Name: FL AMERICAN ELECTRIC NPL: Ν

FF: Ν OU: 00 Action Code: DS **DISCVRY** Action Name:

SEO:

Start Date: 1991-10-06 04:00:00 1991-10-06 04:00:00 Finish Date: Qual: Not reported **Current Action Lead: EPA Perf**

CORRACTS:

THOMAS & BETTS AMERICAL ELECTRIC Name:

Address: 1525 WOODSON RD Address 2: Not reported EPA ID: MOD048835961 Area Name: **ENTIRE FACILITY**

RFA COMPLETED-ASSESSMENT WAS A RFA Corrective Action:

Actual Date: 19940516 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Surface Water Release Indicator: Υ

THOMAS & BETTS AMERICAL ELECTRIC Name:

1525 WOODSON RD Address: Address 2: Not reported EPA ID: MOD048835961 **ENTIRE FACILITY** Area Name:

Corrective Action: DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NECESSARY

Actual Date: 19940516 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Υ Surface Water Release Indicator:

THOMAS & BETTS AMERICAL ELECTRIC Name:

Address: 1525 WOODSON RD Address 2: Not reported EPA ID: MOD048835961 Area Name: **ENTIRE FACILITY**

CA PRIORITIZATION-MEDIUM CA PRIORITY Corrective Action:

Actual Date: 19920128 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Υ

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Surface Water Release Indicator:

THOMAS & BETTS AMERICAL ELECTRIC Name:

Υ

1525 WOODSON RD Address: Address 2: Not reported MOD048835961 EPA ID: Area Name: **ENTIRE FACILITY**

Corrective Action: STABILIZATION MEASURES EVALUATION-FACILITY IS AMENABLE TO

STABILIZATION

Actual Date: 19940812 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Surface Water Release Indicator:

THOMAS & BETTS AMERICAL ELECTRIC Name:

Address: 1525 WOODSON RD Address 2: Not reported EPA ID: MOD048835961 Area Name: **ENTIRE FACILITY** Corrective Action: INVESTIGATION IMPOSITION

Actual Date: 19960820 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Surface Water Release Indicator:

Name: THOMAS & BETTS AMERICAL ELECTRIC

Address: 1525 WOODSON RD Address 2: Not reported MOD048835961 EPA ID: Area Name: **ENTIRE FACILITY**

Corrective Action: INVESTIGATION WORKPLAN RECEIVED

Actual Date: 19960903 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Surface Water Release Indicator:

Name: THOMAS & BETTS AMERICAL ELECTRIC

Address: 1525 WOODSON RD Address 2: Not reported EPA ID: MOD048835961 **ENTIRE FACILITY** Area Name: **INVESTIGATION COMPLETE** Corrective Action:

Actual Date: 19961001 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Υ Surface Water Release Indicator:

Name: THOMAS & BETTS AMERICAL ELECTRIC

1525 WOODSON RD Address: Address 2: Not reported EPA ID: MOD048835961 **ENTIRE FACILITY** Area Name: Corrective Action: CMS REPORT RECEIVED

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Actual Date: 19960905 Air Release Indicator: Not reported

Groundwater Release Indicator: Υ Soil Release Indicator: Surface Water Release Indicator:

THOMAS & BETTS AMERICAL ELECTRIC Name:

Address: 1525 WOODSON RD Address 2: Not reported EPA ID: MOD048835961 Area Name: **ENTIRE FACILITY**

Corrective Action: CMS COMPLETE Actual Date: 19971007 Air Release Indicator: Not reported

Groundwater Release Indicator: Soil Release Indicator: Υ Surface Water Release Indicator:

Name: THOMAS & BETTS AMERICAL ELECTRIC

Address: 1525 WOODSON RD Address 2: Not reported MOD048835961 EPA ID: **ENTIRE FACILITY** Area Name:

Corrective Action: DATE FOR PUBLIC NOTICE ON PROPOSED REMEDY

Actual Date: 19970930 Air Release Indicator: Not reported

Groundwater Release Indicator: Υ Soil Release Indicator: Surface Water Release Indicator: Υ

THOMAS & BETTS AMERICAL ELECTRIC Name:

Address: 1525 WOODSON RD Address 2: Not reported EPA ID: MOD048835961 **ENTIRE FACILITY** Area Name: REMEDY DECISION Corrective Action: 19971007 Actual Date:

Groundwater Release Indicator: Υ Soil Release Indicator: Υ Surface Water Release Indicator: Υ

> Click this hyperlink while viewing on your computer to access 10 additional CORRACTS: record(s) in the EDR Site Report.

Not reported

RCRA NonGen / NLR:

Air Release Indicator:

Date Form Received by Agency: 20190606 THOMAS & BETTS AMERICAL ELECTRIC Handler Name:

1525 WOODSON RD Handler Address: Handler City, State, Zip: ST LOUIS, MO 63114-6126

EPA ID: MOD048835961 Contact Name: **CHARLES BENTON** Contact Address: 8155 SEDGWICK WAY Contact City, State, Zip: MEMPHIS, TN 38125-1128

Contact Telephone: 901-682-7766 Contact Fax: Not reported Contact Email: Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Contact Title: MANAGER
EPA Region: 07
Land Type: Private

Federal Waste Generator Description: Not a generator, verified

Non-Notifier:Not reportedBiennial Report Cycle:Not reportedAccessibility:Not reportedActive Site Indicator:Not reportedState District Owner:Not reportedState District:Not reported

Mailing Address: 8155 SEDGWICK WAY
Mailing City,State,Zip: MEMPHIS, TN 38125-1128
Owner Name: THOMAS & BETTS HOLDINGS INC

Owner Type: Private

Operator Name: THOMAS & BETTS HOLDINGS INC

No

Operator Type: Private Short-Term Generator Activity: Nο Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: Nο Universal Waste Indicator: Nο Universal Waste Destination Facility: No

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Not reported
Not reported

Active Site State-Reg Handler: ---

Federal Universal Waste:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator:Not reportedCommercial TSD Indicator:NoTreatment Storage and Disposal Type:Storage

2018 GPRA Permit Baseline:

2018 GPRA Renewals Baseline:

Permit Renewals Workload Universe:

Permit Workload Universe:

Permit Progress Universe:

Permit Progress Universe:

Post-Closure Workload Universe:

Closure Workload Universe:

Not reported

Not reported

Not reported

Not reported

Not reported

202 GPRA Corrective Action Baseline: Yes Corrective Action Workload Universe: No Subject to Corrective Action Universe: Yes Non-TSDFs Where RCRA CA has Been Imposed Universe: No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: Nο TSDFs Only Subject to CA under Discretionary Auth Universe: Yes Corrective Action Priority Ranking: Low **Environmental Control Indicator:** No Institutional Control Indicator: No Human Exposure Controls Indicator: Yes Groundwater Controls Indicator: Yes

Operating TSDF Universe: Not reported

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Full Enforcement Universe: Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage:

Manifest Broker:

Not reported

Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Waste Code: D003

Waste Description: REACTIVE WASTE

Waste Code: D007
Waste Description: CHROMIUM

Waste Code: D008 Waste Description: LEAD

Waste Code: F006

Waste Description: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM;

(2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS)
ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON
STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM
PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF

ALUMINUM.

Waste Code: NONE
Waste Description: Not Defined

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: MARINE LEARNING INSTITUTE

Legal Status: Private

Date Became Current: Not reported

Date Ended Current: Not reported

Owner/Operator Address: PO BOX 6

Owner/Operator City, State, Zip: PORTAGE DES SIOUX, MO 63373

Owner/Operator Telephone: 314-899-0838
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Distance Elevation

on Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Legal Status: Private 20130705 Date Became Current: Date Ended Current: Not reported Not reported Owner/Operator Address: Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Not reported Owner/Operator Telephone Ext: Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Legal Status: Private Date Became Current: 20130705 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Legal Status: Private Date Became Current: 20130705 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Not reported Owner/Operator Telephone Ext: Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: SDR ENVIRONMENTAL SER INC

Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported

Owner/Operator Address: 11715 ADMINISTRATION DR STE201

Owner/Operator City, State, Zip: ST LOUIS, MO 63146

Owner/Operator Telephone: 314-993-9868
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Legal Status: Private Date Became Current: 20130705 Date Ended Current: Not reported Owner/Operator Address: Not reported Not reported Owner/Operator City, State, Zip: Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Owner/Operator Indicator: Owner

Owner/Operator Name: MARINE LEARNING INSTITUTE

Legal Status:PrivateDate Became Current:Not reportedDate Ended Current:Not reportedOwner/Operator Address:PO BOX 6

Owner/Operator City, State, Zip: PORTAGE DES SIOUX, MO 63373

Owner/Operator Telephone: 314-899-0838
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19970630 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19940112 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Large Quantity Generator

State District Owner: MO
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not re

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19930729 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Large Quantity Generator

State District Owner: MO
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20050601 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO
Large Quantity Handler of Universal Waste: No

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20130705 Handler Name: THOMAS & BETTS AMERICAL ELECTRIC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: Nο Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20190606 THOMAS & BETTS AMERICAL ELECTRIC Handler Name:

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960503 THOMAS & BETTS FACILITY FORMER Handler Name:

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20010418 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No **Current Record:** No

Direction Distance Elevation

on Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19900215

Handler Name: AMERICAN ELECTRIC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19920226

Handler Name: AMERICAN ELECTRIC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960228
Handler Name: THOMAS AND BETTS AMERICAN ELECTRIC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 335931

NAICS Description: CURRENT-CARRYING WIRING DEVICE MANUFACTURING

NAICS Code: 335932

NAICS Description: NONCURRENT-CARRYING WIRING DEVICE MANUFACTURING

NAICS Code: 56291

NAICS Description: REMEDIATION SERVICES

Facility Has Received Notices of Violation:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19901023 Actual Return to Compliance Date: 19901031 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19901107 Enforcement Identifier: 005 19901023 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component: No Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status Description:

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО Corrective Action Component: No Not reported Appeal Initiated Date:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported

MAP FINDINGS Map ID Direction

EDR ID Number Distance Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: Not reported Not reported Actual Return to Compliance Date: Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Not reported Enforcement Identifier: Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component: No Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported

Not reported **Disposition Status:** Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status Description:

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

MAP FINDINGS Map ID

Direction Distance Elevation

Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19901023 Actual Return to Compliance Date: 19901031 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19901107 Enforcement Identifier: 005 19901023 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Not reported

Not reported

Not reported

Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General

Direction Distance Elevation

Site Database(s) EPA ID Number

LDR - General

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19870113 Actual Return to Compliance Date: 19870312 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19870303 Enforcement Identifier: 001 19870122 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description:

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Enforcement Identifier:

Documented

Not reported

Enforcement Identifier:

Documented

Not reported

Enforcement Identifier:

Documented

Not reported

Enforcement Responsible Agency:

State

Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: MO

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 19890104 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Docket Number: Not reported Enforcement Attorney: Not reported Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Records/Reporting

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State

Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: MOMS Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance
Elevation Site

ite Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined:19921202Actual Return to Compliance Date:19930708Return to Compliance Qualifier:DocumentedViolation Responsible Agency:State

Scheduled Compliance Date:

Enforcement Identifier:

Date of Enforcement Action:

Enforcement Responsible Agency:

Enforcement Docket Number:

Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported

MAP FINDINGS Map ID Direction

EDR ID Number Distance Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: Not reported Not reported Actual Return to Compliance Date: Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Not reported Enforcement Identifier: Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО Corrective Action Component: No

Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

No

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Enforcement Identifier:

19921202

19930708

Documented

State

Not reported

Enforcement Identifier:

000

Enforcement Identifier: 000
Date of Enforcement Action: 19921202
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: MO

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Corrective Action Component:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Date Violation was Determined: 19881216 19890131 Actual Return to Compliance Date: Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 19890104 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported
Not reported
Disposition Status:
Not reported
Disposition Status Description:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

MAP FINDINGS Map ID

Direction Distance Elevation

Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL Enforcement Responsible Person: MOMS

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - Financial Requirements

Date Violation was Determined: 19861003 Actual Return to Compliance Date: 19870303 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19870310 Enforcement Identifier: 003 19870223 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 19890104 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: Not reported

Corrective Action Component: No
Appeal Initiated Date: Not reported

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported

Paid Amount:

Final Count:

Not reported

Not reported

Not reported

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - Financial Requirements

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19870113 Actual Return to Compliance Date: 19870312 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19870303 Enforcement Identifier: 001 19870122 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined:19921202Actual Return to Compliance Date:19930708Return to Compliance Qualifier:DocumentedViolation Responsible Agency:State

Scheduled Compliance Date:

Enforcement Identifier:

Date of Enforcement Action:

Enforcement Responsible Agency:

Enforcement Docket Number:

Not reported

Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status Description:

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General Date Violation was Determined: 19921202

Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Direction Distance Elevation

on Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202
Actual Return to Compliance Date: 19930708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State

Scheduled Compliance Date:

Enforcement Identifier:

Date of Enforcement Action:

Enforcement Responsible Agency:

Enforcement Docket Number:

Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - General

19921202

Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No Agency Which Determined Violation: Not

Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Distance Elevation

Site Database(s) EPA ID Number

No

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Not reported

Enforcement Identifier:

000

Enforcement Identifier:

Date of Enforcement Action:

Enforcement Responsible Agency:

Enforcement Docket Number:

Not reported

Enforcement Attorney:

MO

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Corrective Action Component:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО Corrective Action Component: No Not reported Appeal Initiated Date:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL Enforcement Responsible Person: MOMS

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - Closure/Post-Closure

Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 19890104 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported

MAP FINDINGS Map ID Direction

EDR ID Number Distance Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: Not reported Not reported Actual Return to Compliance Date: Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Not reported Enforcement Identifier: Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: МО Corrective Action Component: No Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported

Not reported **Disposition Status:** Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

MAP FINDINGS Map ID

Direction Distance Elevation

Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL Enforcement Responsible Person: MOMS

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19870113 Actual Return to Compliance Date: 19870312 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19870303 Enforcement Identifier: 001 Date of Enforcement Action: 19870122 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported **Disposition Status:** Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Disposition Status Description:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Not reported

Direction Distance Elevation

on Site Database(s) EPA ID Number

Not reported

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

Final Amount:

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS

Enforcement Responsible Sub-Organization: Not reported SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component:

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Direction Distance Elevation

ation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Records/Reporting

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Distance Elevation

Site Database(s) EPA ID Number

No

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Not reported

Enforcement Identifier:

000

Enforcement Identifier: 000
Date of Enforcement Action: 19921202
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: MO

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Corrective Action Component:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL Enforcement Responsible Person: MOMS Enforcement Responsible Sub-Organization: Not reported SEP Sequence Number: Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported Found Violation: No Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Not reported Disposition Status Description: Consent/Final Order Sequence Number:Not reported Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported **Enforcement Type:** Not reported Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported SEP Sequence Number: Not reported SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

SEP Type Description:

Final Monetary Amount:

Proposed Amount:

Paid Amount:

Final Amount:

Final Count:

Violation Short Description: TSD - General

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Date Violation was Determined: 19881216 19890131 Actual Return to Compliance Date: Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 19890104 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202
Actual Return to Compliance Date: 19930708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State

Scheduled Compliance Date:

Enforcement Identifier:

Date of Enforcement Action:

Enforcement Responsible Agency:

Enforcement Docket Number:

Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Disposition Status Description: Not reported Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Type: WRITTEN INFORMAL Enforcement Responsible Person: MOMS

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 19901023 Evaluation Responsible Agency: State

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MORCH** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19901031 Scheduled Compliance Date: 19901107 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Scheduled Compliance Date: 19930610
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS **Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Date: 19921202

EPA-Initiated Oversight/Observation/Training Actions **Evaluation Responsible Agency:**

Found Violation:

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 **Evaluation Responsible Agency:** State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19921202 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19921202 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS

Distance EDR ID Number
Elevation Site EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 19901023
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MORCH** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19901031 Scheduled Compliance Date: 19901107 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708
Scheduled Compliance Date: 19930610
Date of Request: Not reported
Date Response Received: Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870113
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOWP** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870312 19870303 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19881216 Evaluation Responsible Agency: State

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOKCS** Evaluation Responsible Sub-Organization: Not reported 19890131 Actual Return to Compliance Date: Scheduled Compliance Date: 19890131 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708

Distance Elevation Site

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 19840521
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS **Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 19881216
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOKCS** Evaluation Responsible Sub-Organization: Not reported 19890131 Actual Return to Compliance Date: Scheduled Compliance Date: 19890131 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Date: 19921202 **Evaluation Responsible Agency:** State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19861003 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: **MOGAR** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870303 Scheduled Compliance Date: 19870310 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 **Evaluation Responsible Agency:** State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19881216 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOKCS** Evaluation Responsible Sub-Organization: Not reported 19890131 Actual Return to Compliance Date: Scheduled Compliance Date: 19890131 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19921202 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 19870113
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOWP** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870312 Scheduled Compliance Date: 19870303 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708
Scheduled Compliance Date: 19930610
Date of Request: Not reported
Date Response Received: Not reported

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19931029
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE SCHEDULE EVALUATION

Evaluation Responsible Person Identifier: MOGM Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Scheduled Compliance Date: 19930610
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS **Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 19840613
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 **Evaluation Responsible Agency:** State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19881216 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOKCS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19890131 Scheduled Compliance Date: 19890131 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19890201 Evaluation Responsible Agency: State Found Violation:

Evaluation Type Description: COMPLIANCE SCHEDULE EVALUATION

Evaluation Responsible Person Identifier: **MOKCS**

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870113
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOWP** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870312 19870303 Scheduled Compliance Date: Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708
Scheduled Compliance Date: 19930610
Date of Request: Not reported
Date Response Received: Not reported

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19850521
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19881216
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOKCS** Evaluation Responsible Sub-Organization: Not reported 19890131 Actual Return to Compliance Date: Scheduled Compliance Date: 19890131 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Scheduled Compliance Date:

Date of Request:

Not reported

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS Evaluation Responsible Sub-Organization:** Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

RCRA NonGen / NLR:

Date Form Received by Agency: 20190606
Handler Name: THOMAS & BETTS AMERICAL ELECTRIC

Handler Address: 1525 WOODSON RD Handler City, State, Zip: ST LOUIS, MO 63114-6126

 EPA ID:
 MOD048835961

 Contact Name:
 CHARLES BENTON

 Contact Address:
 8155 SEDGWICK WAY

 Contact City, State, Zip:
 MEMPHIS, TN 38125-1128

Contact Telephone: 901-682-7766
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: MANAGER
EPA Region: 07
Land Type: Private

Federal Waste Generator Description: Not a generator, verified

Non-Notifier:Not reportedBiennial Report Cycle:Not reportedAccessibility:Not reportedActive Site Indicator:Not reportedState District Owner:Not reportedState District:Not reported

Mailing Address: 8155 SEDGWICK WAY
Mailing City,State,Zip: MEMPHIS, TN 38125-1128

Owner Name: THOMAS & BETTS HOLDINGS INC

Owner Type: Private

Operator Name: THOMAS & BETTS HOLDINGS INC

No

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: Nο Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: Nο **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Not reported
Not reported

Active Site State-Reg Handler: ---

Federal Universal Waste:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported Commercial TSD Indicator: No Treatment Storage and Disposal Type: Storage

2018 GPRA Permit Baseline:

2018 GPRA Renewals Baseline:

Not on the Baseline
Permit Renewals Workload Universe:

Not reported
Permit Workload Universe:

Not reported
Permit Progress Universe:

Storage
Post-Closure Workload Universe:

Not reported
Not reported
Not reported
Not reported
Not reported

Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

202 GPRA Corrective Action Baseline: Yes Corrective Action Workload Universe: Nο Subject to Corrective Action Universe: Yes Non-TSDFs Where RCRA CA has Been Imposed Universe: No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: No TSDFs Only Subject to CA under Discretionary Auth Universe: Yes Corrective Action Priority Ranking: Low Environmental Control Indicator: No Institutional Control Indicator: No Human Exposure Controls Indicator: Yes Groundwater Controls Indicator: Yes

Operating TSDF Universe:

Full Enforcement Universe:

Not reported
Not reported

Significant Non-Complier Universe:

Unaddressed Significant Non-Complier Universe:

No Addressed Significant Non-Complier Universe:

No Significant Non-Complier With a Compliance Schedule Universe:

No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Waste Code: D003

Waste Description: REACTIVE WASTE

Waste Code: D007
Waste Description: CHROMIUM

Waste Code: D008
Waste Description: LEAD

Waste Code: F006

Waste Description: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT

FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF

ALUMINUM.

Waste Code: NONE
Waste Description: Not Defined

Handler - Owner Operator:

Owner/Operator Indicator: Owne

Owner/Operator Name: MARINE LEARNING INSTITUTE

Distance Elevation

ation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Legal Status: Private

Date Became Current: Not reported

Date Ended Current: Not reported

Owner/Operator Address: PO BOX 6

Owner/Operator City, State, Zip: PORTAGE DES SIOUX, MO 63373

Owner/Operator Telephone: 314-899-0838
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Legal Status: Private Date Became Current: 20130705 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Legal Status: Private Date Became Current: 20130705 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Not reported Owner/Operator Telephone Ext: Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Legal Status: Private Date Became Current: 20130705 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: SDR ENVIRONMENTAL SER INC

Legal Status:PrivateDate Became Current:Not reportedDate Ended Current:Not reported

Owner/Operator Address: 11715 ADMINISTRATION DR STE201

Owner/Operator City,State,Zip: ST LOUIS, MO 63146
Owner/Operator Telephone: 314-993-9868

Owner/Operator Telephone: 314-993-9868
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Owner/Operator Indicator: Owner

Owner/Operator Name: THOMAS & BETTS HOLDINGS INC

Legal Status: Private Date Became Current: 20130705 Date Ended Current: Not reported Not reported Owner/Operator Address: Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: MARINE LEARNING INSTITUTE

Legal Status: Private Date Became Current: Not reported Date Ended Current: Not reported Owner/Operator Address: PO BOX 6

PORTAGE DES SIOUX, MO 63373 Owner/Operator City, State, Zip:

Owner/Operator Telephone: 314-899-0838 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19970630 THOMAS & BETTS FACILITY FORMER Handler Name:

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19940112 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Large Quantity Generator

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: Nο Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19930729 THOMAS & BETTS FACILITY FORMER Handler Name:

Federal Waste Generator Description: Large Quantity Generator

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20050601 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20130705 Handler Name: THOMAS & BETTS AMERICAL ELECTRIC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20190606 Handler Name: THOMAS & BETTS AMERICAL ELECTRIC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960503 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: MO
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

Non Storage Recycler Activity: Not reported

Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Electronic Manifest Broker: Not reported

Receive Date: 20010418 Handler Name: THOMAS & BETTS FACILITY FORMER

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19900215

Handler Name: AMERICAN ELECTRIC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19920226

Handler Name: AMERICAN ELECTRIC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960228
Handler Name: THOMAS AND BETTS AMERICAN ELECTRIC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 335931

NAICS Description: CURRENT-CARRYING WIRING DEVICE MANUFACTURING

Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

NAICS Code: 335932

NAICS Description: NONCURRENT-CARRYING WIRING DEVICE MANUFACTURING

NAICS Code: 56291

NAICS Description: REMEDIATION SERVICES

Facility Has Received Notices of Violation:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19901023 Actual Return to Compliance Date: 19901031 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19901107 Enforcement Identifier: 005 19901023 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported Not reported SEP Defaulted Date: SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation:

Agency Which Determined Violation:

State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported

Distance Elevation

n Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State 19930610 Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Enforcement Attorney: MO Corrective Action Component: No

Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Not reported Disposition Status: Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: **MOMS** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: MOMS Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Not reported

Disposition Status Description: Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance
Elevation Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

EPA ID Number

SEP Type Description:

Proposed Amount:

Not reported
Prinal Monetary Amount:

Paid Amount:

Not reported
Not reported
Not reported
Final Count:

Not reported
Not reported
Not reported
Not reported
Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Not reported Date of Enforcement Action: Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State 19930610 Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Resolution Date:

No
Appeal Resolution Date:

No
No
No
No
No
No
No
No
reported
No
No
reported

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

MO

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Enforcement Attorney:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State 19930610 Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

Not reported

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported
Not reported
Not reported
Not reported

Consent/Final Order Sequence Number:Not reported

Disposition Status Description:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19901023 Actual Return to Compliance Date: 19901031 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19901107 Enforcement Identifier: 005 19901023 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

Not reported

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Disposition Status Description:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

ion Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation Site

ite Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19870113 Actual Return to Compliance Date: 19870312 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19870303 Enforcement Identifier: 001 19870122 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Enforcement Attorney: MO Corrective Action Component: No

Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: **MOMS** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported **Enforcement Type:** WRITTEN INFORMAL

Enforcement Responsible Person: MOMS Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No
Appeal Initiated Date: Not reported

Appeal Resolution Date:
Disposition Status Date:
Not reported
Disposition Status:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State 19890131 Scheduled Compliance Date: Enforcement Identifier: 004 Date of Enforcement Action: 19890104 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

EDR ID Number
on Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Records/Reporting

Not reported

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Not reported

Disposition Status Description: Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Not reported

Not reported

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation Site

ite Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Not reported Date of Enforcement Action: Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 Date of Enforcement Action: 19890104 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

MAP FINDINGS Map ID

Direction Distance Elevation

Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO Corrective Action Component: No

Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: **MOMS** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - Financial Requirements

No

Date Violation was Determined: 19861003 Actual Return to Compliance Date: 19870303 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19870310 Enforcement Identifier: 003 19870223 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported

Corrective Action Component: Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 Date of Enforcement Action: 19890104 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Not reported
Prinal Monetary Amount:

Paid Amount:

Not reported
Not reported
Not reported
Final Count:

Not reported
Not reported
Not reported
Final Amount:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - Financial Requirements

Date Violation was Determined: 19870113 Actual Return to Compliance Date: 19870312 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19870303 Enforcement Identifier: 001 19870122 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

MO

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Not reported
Prinal Monetary Amount:

Paid Amount:

Not reported
Not reported
Prinal Count:

Not reported
Not reported
Not reported
Not reported
Not reported
Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Not reported

Not reported

Not reported

Disposition Status:

Not reported

Disposition Status:

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Enforcement Attorney:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Not reported Scheduled Compliance Date: Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

19921202

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney:

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - General

Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State 19930610 Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

on Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

ion Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Not reported Scheduled Compliance Date: Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney:

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component:

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status Description:

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Distance Elevation

ion Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - Closure/Post-Closure

Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 19890104 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status Description:

Not reported

Not reported

Not reported

Not reported

Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Not reported
Enforcement Responsible Sub-Organization:

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:
SEP Scheduled Completion Date:
SEP Actual Date:
SEP Defaulted Date:
SEP Defaulted Date:
SEP Type:
Not reported
Not reported
Not reported
Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

SEP Type Description:

Proposed Amount:

Not reported
Prinal Monetary Amount:

Paid Amount:

Not reported
Not reported
Not reported
Final Count:

Not reported
Not reported
Not reported
Not reported
Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Not reported Date of Enforcement Action: Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State 19930610 Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19870113 Actual Return to Compliance Date: 19870312 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19870303 Enforcement Identifier: 001 19870122 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Not reported
Enforcement Responsible Sub-Organization:

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

Site Database(s) EPA ID Number

MO

Not reported

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Enforcement Attorney:

Disposition Status Description:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

MO

Not reported

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Enforcement Attorney:

Disposition Status Description:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Records/Reporting

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State 19930610 Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19930513 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: LDR - General Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number**

Not reported

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO Corrective Action Component: No

Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: **MOMS** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported

Found Violation: No

Agency Which Determined Violation:

Final Amount:

Violation Short Description: Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Not reported Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Not reported Date of Enforcement Action: Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported Corrective Action Component: Not reported Not reported Appeal Initiated Date: Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported

Distance Elevation

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: TSD - General Date Violation was Determined: 19881216 Actual Return to Compliance Date: 19890131 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19890131 Enforcement Identifier: 004 19890104 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Not reported Enforcement Responsible Sub-Organization:

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 19921202 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation

Site Database(s) EPA ID Number

19921202

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

Date Violation was Determined:

1000255976

EDR ID Number

SEP Type Description:

Proposed Amount:

Final Monetary Amount:

Paid Amount:

Final Count:

Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19921217 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19921217 Enforcement Identifier: 000 Date of Enforcement Action: 19921202 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19921202 Actual Return to Compliance Date: 19930708 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19930610 Enforcement Identifier: 000 19930513 Date of Enforcement Action: Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: MOMS
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount:

SEP Scheduled Completion Date:

SEP Actual Date:

SEP Defaulted Date:

SEP Type:

Not reported

Not reported

Not reported

Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Evaluation Action Summary:

Evaluation Date: 19901023 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MORCH** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19901031 Scheduled Compliance Date: 19901107 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State

Distance Elevation Site EDR ID Number

EDR ID Number

EDR ID Number

EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202

Evaluation Responsible Agency: EPA-Initiated Oversight/Observation/Training Actions

Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708

Distance Elevation Si

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19901023
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MORCH** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19901031 Scheduled Compliance Date: 19901107 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870113
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOWP Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870312 Scheduled Compliance Date: 19870303 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Evaluation Date: 19881216
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOKCS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19890131 Scheduled Compliance Date: 19890131 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708
Scheduled Compliance Date: 19930610
Date of Request: Not reported
Date Response Received: Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19840521
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19881216 Evaluation Responsible Agency: State

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOKCS** Evaluation Responsible Sub-Organization: Not reported 19890131 Actual Return to Compliance Date: Scheduled Compliance Date: 19890131 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19861003
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: **MOGAR** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870303 Scheduled Compliance Date: 19870310 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19881216
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOKCS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19890131

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Scheduled Compliance Date: 19890131
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870113
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOWP** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870312 Scheduled Compliance Date: 19870303 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19931029
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE SCHEDULE EVALUATION

Evaluation Responsible Person Identifier: MOGM Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 19930610 Scheduled Compliance Date: Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19930708
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19840613 Evaluation Responsible Agency: State

Distance Elevation Site

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Found Violation: No

Evaluation Type Description: FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19881216
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOKCS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19890131

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Scheduled Compliance Date: 19890131
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19890201
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE SCHEDULE EVALUATION

MOKCS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19870113
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOWP** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19870312 Scheduled Compliance Date: 19870303 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Not reported Former Citation:

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOMS Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported 19930708 Actual Return to Compliance Date: 19930610 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation Type Description:

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19921202 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19921202 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: 19930610 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19850521
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: Not reported Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19881216
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOKCS
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19890131
Scheduled Compliance Date: 19890131
Date of Request: Not reported
Date Response Received: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

EDR ID Number

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOMS** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19930708 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOMS Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19921217 Scheduled Compliance Date: 19921217 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19921202 Evaluation Responsible Agency: State Map ID MAP FINDINGS Direction

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier:

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

MOMS

Not reported

19930708

19930610

Not reported

Not reported

Not reported

Not reported

Direction Distance

EDR ID Number Elevation **EPA ID Number** Site Database(s)

THOMAS & BETTS AMERICAL ELECTRIC (Continued)

1000255976

2020 COR ACTION:

EPA ID: MOD048835961

Region:

Action: Remedy Construction

FINDS:

110000614844 Registry ID:

Click Here:

Environmental Interest/Information System:

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

The MO-DNR (Missouri Department of Natural Resources) program involves a Resource Assessment and Monitoring Program, biological criteria development, monitoring of targeted sites to determine compliance with the designated use of aquatic life protection in the standards, monitoring for 303(3) purposes, and the development of a stream classification framework.

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000255976 110000614844 Registry ID:

DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110000614844

THOMAS & BETTS AMERICAL ELECTRIC Name:

Address: 1525 WOODSON RD City, State, Zip: OVERLAND, MO 63114

FEDEX GROUND UST U003164896 N/A

SSE 1525 WOODSON RD 1/8-1/4 OVERLAND, MO 63114

0.177 mi.

C9

937 ft. Site 2 of 2 in cluster C

Relative: UST:

Higher Facility ID: ST0009578 Region: Actual: Easting: 729518.905 569 ft.

Northing: 4284499.12 Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: CON_Fortin,Joel Date GIS Data Collected: 04/18/2014

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FEDEX GROUND (Continued) U003164896

Lat/Long: 38.67832 / -90.36218 Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW06810

E A LLC/ATTN GEORGE VON STAMWITZ Owner Name: Owner Address: ONE METROPOLITAN SQ STE 2600

Owner City, St, Zip: ST LOUIS, MO 63102

Owner County Code: Not reported 6215070 Owner Phone: Mail Was Not Deliverable: No Is Owner Active?: No

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00 Date Record Edited: 1999-03-24 00:00:00 Name of Person Editing Record: NREQHW-FASTT

Tank ID: 1 Tank Double Wall: n

Tank Type: Below Ground

Permanently Closed in place Tank Status:

Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported

Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Not reported Tank External Protec Date: Not reported Date Tank Last Used: Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Not reported Date Administratively Closed: 06/30/1995 Date Record Added: Date Record Edited: Not reported Person Adding/Editing Record: Not reported Date Of NFA Letter: Not reported Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Registration End Date: Not reported LockOut Flag: No

Not reported Comments:

Direction Distance Elevation

tion Site Database(s) EPA ID Number

FEDEX GROUND (Continued)

U003164896

EDR ID Number

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 23483
Tank PK: 23483
Case Number: Not reported

Compartment Status: Permanently Closed in place

Compartment Temp Verified Dt: Not reported Capacity: Not reported

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Pipe Installation Date: Not reported Not reported Pipe System: Pipe Material: Not reported Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW20682

Owner Name: FEDEX GROUND PACKAGE SYSTEM INC

Owner Address: 1000 FEDEX DRIVE

Owner City,St,Zip: MOON TOWNSHIP, PA 15108

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

No Teported
2627375

No
Yes

 Date Registration Received:
 2004-05-10 00:00:00

 Date Record Added:
 2004-05-12 00:00:00

 Date Record Edited:
 2018-10-03 00:00:00

 Name of Person Editing Record:
 BERVE, TRISHA

Tank ID: 2
Tank Double Wall: -1

Tank Type: Below Ground **Tank Status:** Curently in use Not reported Meet 98 Update Requirements: 03/24/2004 Date Tank Installed: Tank Material: **Fiberglass** Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Not reported Tank Internal Protection Date: Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FEDEX GROUND (Continued)

U003164896

Not reported

Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking: Tank Fees Waived: No

Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Not reported Date Administratively Closed: Date Record Added: 05/12/2004 Date Record Edited: 08/29/2017 PETERS, H Person Adding/Editing Record: Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported 09/30/2023 Registration End Date:

LockOut Flag: No

Not reported Comments:

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 23484 Tank PK: 23484 Case Number: Not reported Curently in use Compartment Status: Compartment Temp Verified Dt: Not reported Capacity: 20000 Substance: Diesel Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: Not reported 2016-10-13 00:00:00 Pipe Installation Date:

Pipe System:

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: -1 Spill Protection: True

Tank Aug 2011:

Facility Id: ST0009578

Tank Id:

Site Usage: Not reported Risk Type: Not reported Not reported Soil Type: GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FEDEX GROUND (Continued)

U003164896

No Buildings: No 0 Vapor Barrier: St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

ST0009578 Facility Id:

Tank ld: 2

Site Usage: Not reported Risk Type: Not reported Not reported Soil Type: GW Flow: Not reported Offsite Impact: Not reported Not reported Free Product: **Drinking Water:** Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

10 **XENOGEN CORP RCRA NonGen / NLR** 1007110237 SSE 8620 PENNELL DR MOR000008474

1/8-1/4

ST LOUIS, MO 63114

Land Type:

0.178 mi. 939 ft.

Relative: RCRA NonGen / NLR:

Higher 20130827 Date Form Received by Agency:

Handler Name: XENOGEN CORP Actual:

Handler Address: 8620 PENNELL DR 565 ft. Handler City, State, Zip: ST LOUIS, MO 63114-6118 EPA ID: MOR000008474

> Contact Name: JIM AKERS 2033 WESTPORT CENTER DR Contact Address: ST LOUIS, MO 63146 Contact City, State, Zip:

Contact Telephone: 314-220-6622 Contact Fax: Not reported Contact Email: Not reported Contact Title: **MANAGER** EPA Region: 07

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Not reported State District Owner: Not reported State District: Not reported

2033 WESTPORT CENTER DR Mailing Address:

Private

Mailing City, State, Zip: ST LOUIS, MO 63146 Owner Name: XENOGEN CORP Owner Type: Private

Operator Name: XENOGEN CORP Map ID MAP FINDINGS
Direction

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

XENOGEN CORP (Continued) 1007110237

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: Nο Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: Nο Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Not reported
Not reported

Active Site State-Reg Handler: -

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported Commercial TSD Indicator: No

Commercial TSD Indicator: No Treatment Storage and Disposal Type: Not

Treatment Storage and Disposal Type:

2018 GPRA Permit Baseline:

Not on the Baseline

2018 GPRA Renewals Baseline:

Not on the Baseline

Permit Renewals Workload Universe:

Permit Workload Universe:

Permit Progress Universe:

Post-Closure Workload Universe:

Closure Workload Universe:

Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

No Subject to Corrective Action Universe:

No Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator: No
Institutional Control Indicator: No
Human Exposure Controls Indicator: N/A
Groundwater Controls Indicator: N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported

Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage:

Manifest Broker:

Not reported

Not reported

Sub-Part P Indicator: No

Distance Elevation Site

Database(s)

XENOGEN CORP (Continued)

1007110237

EDR ID Number

EPA ID Number

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Waste Code: D002

Waste Description: CORROSIVE WASTE

Waste Code: F003

Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL

ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT

MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT

MIXTURES.

Handler - Owner Operator:

Owner/Operator Indicator: Operator

Owner/Operator Name: XENOGEN CORP

Legal Status:PrivateDate Became Current:20011026Date Ended Current:Not reported

Owner/Operator Address: 860 ATLANTIC AVE
Owner/Operator City, State, Zip: ALAMEDA, CA 94501
Owner/Operator Telephone: 501-291-6100

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Fax:

Owner/Operator Email:

Not reported

Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: XENOGEN CORP

Legal Status:PrivateDate Became Current:20011026Date Ended Current:Not reportedOwner/Operator Address:860 ATLANTIC AVEOwner/Operator City, State, Zip:ALAMEDA, CA 94501Owner/Operator Telephone:501-291-6100

Owner/Operator Telephone Ext:

Owner/Operator Telephone Ext:

Not reported

Not reported

Owner/Operator Email:

Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: XENOGEN CORP

Legal Status: Private
Date Became Current: 20011026
Date Ended Current: Not reported

Owner/Operator Address: 860 ATLANTIC AVE
Owner/Operator City, State, Zip: ALAMEDA, CA 94501

Owner/Operator Telephone: 501-291-6100
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Distance Elevation

EDR ID Number
on Site Database(s) EPA ID Number

XENOGEN CORP (Continued)

1007110237

Historic Generators:

Receive Date: 20130827

Handler Name: XENOGEN CORP

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19970825

Handler Name: XENOGEN CORP

Federal Waste Generator Description: Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20011026

Handler Name: XENOGEN CORP

Federal Waste Generator Description: Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20020411

Handler Name: XENOGEN CORP

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 54172

NAICS Description: RESEARCH AND DEVELOPMENT IN THE SOCIAL SCIENCES AND HUMANITIES

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

XENOGEN CORP (Continued) 1007110237

NAICS Code: 56291

NAICS Description: REMEDIATION SERVICES

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

 D11
 ST LOUIS COUNTY DEPT HWY & TRAFFIC
 RCRA NonGen / NLR
 1007105989

 East
 1610 WOODSON RD
 MOD980855878

East 1610 WOODSON RD 1/8-1/4 ST LOUIS, MO 63114

0.205 mi.

Relative:

1081 ft. Site 1 of 3 in cluster D

RCRA NonGen / NLR:

Lower Date Form Received by Agency: 20190606

Actual: Handler Name: ST LOUIS COUNTY DEPT HWY & TRAFFIC

550 ft. Handler Address: 1610 WOODSON RD Handler City, State, Zip: ST LOUIS, MO 63114-6129

EPA ID: MOD980855878
Contact Name: MICHAEL PHELAN
Contact Address: 121 S MERAMEC AVE

Contact City, State, Zip:

Contact Telephone:

Contact Fax:

Contact Email:

Contact Title:

ST LOUIS, MO 63105-1725
314-997-2143

Not reported

Not reported

MANAGER

EPA Region: 07
Land Type: County

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Not reported State District Owner: Not reported State District: Not reported

Mailing Address:121 S MERAMEC AVEMailing City,State,Zip:ST LOUIS, MO 63105-1725Owner Name:ST LOUIS COUNTY

Owner Type: County

Operator Name: ST LOUIS COUNTY

Operator Type: County Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: Nο Underground Injection Control: No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No

Map ID MAP FINDINGS
Direction

Distance

Elevation Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:
Active Site State-Reg Handler:

Not reported
Not reported

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No
Treatment Storage and Disposal Type: Not reported

2018 GPRA Permit Baseline:

2018 GPRA Renewals Baseline:

Permit Renewals Workload Universe:

Permit Workload Universe:

Permit Progress Universe:

Post-Closure Workload Universe:

Closure Workload Universe:

Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

No Subject to Corrective Action Universe:

No Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

No TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

Human Exposure Controls Indicator:

No
Groundwater Controls Indicator:

N/A

Operating TSDE Universes

Operating TSDF Universe:

Not reported
Full Enforcement Universe:

Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: F002

Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE,

METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE,

CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE,

ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2,

TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND

SPENT SOLVENT MIXTURES.

Direction Distance Elevation

Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: ST LOUIS CO HWYS & TRAFFIC

Legal Status: County
Date Became Current: Not reported
Date Ended Current: Not reported

Owner/Operator Address: 121 S MERAMEC AVE Owner/Operator City,State,Zip: CLAYTON, MO 63105

Owner/Operator Telephone: 314-615-1163
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ST LOUIS COUNTY

Legal Status: County 19800519 Date Became Current: **Date Ended Current:** Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ST LOUIS COUNTY

Legal Status: County Date Became Current: 19800519 Not reported Date Ended Current: Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: ST LOUIS COUNTY

Legal Status: County 19800519 Date Became Current: **Date Ended Current:** Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Not reported Owner/Operator Telephone: Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: ST LOUIS COUNTY

Legal Status:CountyDate Became Current:19800519Date Ended Current:Not reportedOwner/Operator Address:Not reportedOwner/Operator City, State, Zip:Not reportedOwner/Operator Telephone:Not reported

Distance

Elevation Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Email:

Not reported

Not reported

Historic Generators:

Receive Date: 20130705 Handler Name: ST LOUIS COUNTY DEPT HWY & TRAFFIC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20190606
Handler Name: ST LOUIS COUNTY DEPT HWY & TRAFFIC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19840411

Handler Name: ST LOUIS COUNTY DEPT OF HWYS & TRAFFIC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity:

Electronic Manifest Broker:

Not reported

Not reported

Receive Date: 20000818

Handler Name: ST LOUIS COUNTY DEPT OF HWYS & TRAFFIC Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Receive Date: 19920205

ST. LOUIS COUNTY DEPT. HIGHWAY & TRA Handler Name: Federal Waste Generator Description:

Large Quantity Generator State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19940114

ST LOUIS COUNTY DEPT OF HWYS AND TRAFFIC Handler Name: Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960206 Handler Name: ST LOUIS COUNTY DEPT HIGHWAY

Large Quantity Generator Federal Waste Generator Description:

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code:

NAICS Description: HIGHWAY, STREET, AND BRIDGE CONSTRUCTION

NAICS Code: 488111

NAICS Description: AIR TRAFFIC CONTROL

NAICS Code: 92119

NAICS Description: OTHER GENERAL GOVERNMENT SUPPORT

Facility Has Received Notices of Violation:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940419 Return to Compliance Qualifier: Observed

Distance Elevation

on Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: 19940411 Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - Pre-transport

19940310

Actual Return to Compliance Date: 19941121 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Not reported Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number**

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

SEP Sequence Number: Not reported Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Generators - General Violation Short Description:

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: МО

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: **MODEM** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940602 Return to Compliance Qualifier: Observed

Distance Elevation

Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - General

19940310

Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Not reported Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Distance Elevation

n Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

SEP Sequence Number: Not reported Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: МО Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19900501
Actual Return to Compliance Date: 19900618
Return to Compliance Qualifier: Observed

Distance Elevation

Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: 19900620 Enforcement Identifier: 001 Date of Enforcement Action: 19900518 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported Corrective Action Component: No

Appeal Initiated Date:
Appeal Resolution Date:
Disposition Status Date:
Disposition Status:
Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

MO

Date Violation was Determined: 19940310 19940419 Actual Return to Compliance Date: Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19940411 Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Not reported

Not reported

Disposition Status Date:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Enforcement Attorney:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Direction Distance Elevation

ion Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

SEP Sequence Number: Not reported

Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description:

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Date Violation was Determined:

19900501

19900618

Observed

Distance Elevation

Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: 19900620 Enforcement Identifier: 001 Date of Enforcement Action: 19900518 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Not reported

Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - Manifest

19940310

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Enforcement Identifier:

Date of Enforcement Action:

Enforcement Responsible Agency:

State

Not reported

19940323

Enforcement Responsible Agency:

State

Not reported

State

Not reported

State

Not reported

State

State

Not reported

State

State

State

Not reported

State

Not reported

State

Not reported

State

Not reported

Enforcement Docket Number: Not reported Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Final Amount:

Distance Elevation

n Site Database(s) EPA ID Number

Not reported

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

SEP Sequence Number: Not reported Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19900501 Actual Return to Compliance Date: 19900618 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19900620 Enforcement Identifier: 001 Date of Enforcement Action: 19900518 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19940310
Actual Return to Compliance Date: 19941121
Return to Compliance Qualifier: Observed

Distance Elevation

Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - General

19940310

Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Not reported Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Direction Distance Elevation

nce EDR ID Number tition Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

SEP Sequence Number: Not reported

Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940901 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: МО

Corrective Action Component:

Appeal Initiated Date:

No
Not reported

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19940505
Actual Return to Compliance Date: 19940602
Return to Compliance Qualifier: Observed

Distance Elevation

Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: 19940525 Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - General

19940310

Actual Return to Compliance Date: 19940602 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Not reported Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

SEP Sequence Number: Not reported

Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Generators - General Violation Short Description:

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940901 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: МО

Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL Enforcement Responsible Person: **MODEM** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed

Distance Elevation Site

ite Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Date Violation was Determined:

Violation Short Description: Generators - Pre-transport

19940310

Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Not reported Scheduled Compliance Date: Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported

Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

SEP Sequence Number: Not reported

Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes Agency Which Determined Violation: State

Generators - General Violation Short Description:

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940729 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: МО Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL Enforcement Responsible Person: **MODEM** Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940602 Return to Compliance Qualifier: Observed

Distance Elevation

Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940505 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported **Enforcement Attorney:** MO Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Disposition Status:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Not reported Final Count: Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General Date Violation was Determined: 19940310

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

Enforcement Identifier:

Date of Enforcement Action:

Enforcement Responsible Agency:

Enforcement Docket Number:

19940901

Not reported

Not reported

Enforcement Docket Number: Not rep
Enforcement Attorney: MO
Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Distance Elevation S

n Site Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

EDR ID Number

SEP Sequence Number: Not reported

Not reported SEP Expenditure Amount: SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Not reported Final Amount:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19940310 Actual Return to Compliance Date: 19940901 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: 000 Date of Enforcement Action: 19940323 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Enforcement Attorney: МО

Corrective Action Component:

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

No
No
Not reported
Not reported
Not reported

Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: MODEM
Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19900501
Actual Return to Compliance Date: 19900618
Return to Compliance Qualifier: Observed

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Violation Responsible Agency: State Scheduled Compliance Date: 19900620 Enforcement Identifier: 001 Date of Enforcement Action: 19900518 Enforcement Responsible Agency: State **Enforcement Docket Number:** Not reported Not reported **Enforcement Attorney:** Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL Enforcement Type:

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported Not reported SEP Type Description: Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Evaluation Action Summary:

19940310 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940419 Scheduled Compliance Date: 19940411 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310 Evaluation Responsible Agency: State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE **Evaluation Type Description:**

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19941121 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Former Citation: Not reported

19940310 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation:

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940729 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310 Evaluation Responsible Agency: State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE **Evaluation Type Description:**

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940602 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

19940310 **Evaluation Date:** Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported 19940729 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported 19940729 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19900501 Evaluation Responsible Agency: State Found Violation: Yes

Distance EDR ID Number
Elevation Site EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOBC** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19900618 Scheduled Compliance Date: 19900620 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940419 Scheduled Compliance Date: 19940411 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported 19940729 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19900501
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MOBC Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19900618 19900620 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19940602
Scheduled Compliance Date: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Not reported

Not reported

Not reported

Evaluation Date: 19900501
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOBC** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19900618 19900620 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM Evaluation Responsible Sub-Organization: Not reported 19941121 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940729 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Not reported Request Agency: Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940901 Scheduled Compliance Date: Not reported Not reported Date of Request: Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940602 19940525 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940602 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940901 Not reported Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940729 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Request Agency:

Former Citation:

Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940729 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

MODEM Evaluation Responsible Person Identifier: Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940602 Scheduled Compliance Date: Not reported Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MODEM** Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19940901 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19940310
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MODEM
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19940901
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST LOUIS COUNTY DEPT HWY & TRAFFIC (Continued)

1007105989

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19900501 Evaluation Responsible Agency: State Found Violation: Yes

COMPLIANCE EVALUATION INSPECTION ON-SITE **Evaluation Type Description:**

Evaluation Responsible Person Identifier: MOBC Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19900618 19900620 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

UST U003555888 D12 **SAMUEL KRAUS CO East 1610 WOODSON** N/A 1/8-1/4 OVERLAND, MO 63114

Hazardous Waste Program

0.205 mi.

1081 ft. Site 2 of 3 in cluster D

UST: Relative:

Lower Facility ID: ST0004877 Region: SL Actual: Easting: 729654.229 550 ft.

Owner Of Geospatial Data:

Northing: 4284995.21

Geospatial Data Collected By: RANGEN, K Date GIS Data Collected: 10/15/2020 38.7023 / -90.3668 Lat/Long: Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW03585

Owner Name: SAMUEL KRAUS CO 1610 WOODSON RD Owner Address: OVERLAND, MO 63114 Owner City, St, Zip:

Owner County Code: Not reported Owner Phone: 9973260 Mail Was Not Deliverable: No Is Owner Active?: No

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00 1996-10-01 00:00:00 Date Record Edited:

Name of Person Editing Record: **N\$TAYLK**

Tank ID: Tank Double Wall: n

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1973 Tank Material: Steel Code for Tank Material Manufacturer: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SAMUEL KRAUS CO (Continued)

U003555888

Code for Tank Installer: Not reported Not reported Other Type Of Tank Material: Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 02/01/1992 Date Tank Permanently Closed/ Removed: 02/18/1992

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: Date Record Edited: 07/10/2013 Person Adding/Editing Record: HESS, JEREMY Date Of NFA Letter: 06/15/1992 Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 12/10/1991 Date Of Aprroval Letter: 12/24/1991

NEUMAYER EQUIPMENT Firm Closing Tank:

Date Closure Report Received: 06/01/1992 Registration End Date: Not reported LockOut Flag:

2-8000 GAL GAS & DIESEL Comments:

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11964 Tank PK: 11964 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 8000 Substance: Diesel Substance Other: Not reported Hazardous Substance: Not reported

Mixture: False Date of Last Use: 1992-06-11 00:00:00

Pipe Installation Date: Not reported Not reported Pipe System:

Pipe Material:

Pipe Material Other: Not reported Not reported Pipe Protection: Pipe Protection Date: Not reported

Pipe Double Wall: 0 Spill Protection: False

Owner:

Owner ID: OW03585

Owner Name: SAMUEL KRAUS CO

Direction Distance

Elevation Site Database(s) EPA ID Number

02/01/1992

SAMUEL KRAUS CO (Continued)

U003555888

EDR ID Number

Owner Address: 1610 WOODSON RD
Owner City,St,Zip: OVERLAND, MO 63114

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
9973260

No
No

Date Registration Received: Not reported
Date Record Added: 1995-06-30 00:00:00
Date Record Edited: 1996-10-01 00:00:00

Name of Person Editing Record: N\$TAYLK

 Tank ID:
 2

 Tank Double Wall:
 0

 Tank Type:
 Below Ground

Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Not reported Tank Internal Protection Date: Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported

Date Tank Permanently Closed/ Removed: 02/18/1992 Dt Tk Exp Brought InUse/Internal Tracking:

Date Tank Last Used:

Dt Tk Exp Brought InUse/Internal Tracking:
Tank Fees Waived:
No

Expedite Closure On Tank?: No

Responsible Person Expediting Closure:
Temporary Status Verified Date:
Admin Fee 585:
Date Administratively Closed:
Date Record Added:
Date Record Edited:
Person Adding/Editing Record:
Not reported

Date Of NFA Letter: 06/15/1992 Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 12/10/1991
Date Of Aprroval Letter: 12/24/1991

Firm Closing Tank: NEUMAYER EQUIPMENT

Date Closure Report Received: 06/01/1992
Registration End Date: Not reported

LockOut Flag: No

Comments: 2-8000 GAL GAS & DIESEL

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 11965
Tank PK: 11965
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported

Not reported

Direction Distance Elevation

nce EDR ID Number ttion Site Database(s) EPA ID Number

SAMUEL KRAUS CO (Continued)

U003555888

Capacity: 8000

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1992-06-11 00:00:00

Pipe Installation Date: Not reported Pipe System: Not reported

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: False

Tank Aug 2011:

Facility Id: ST0004877

Tank Id:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Not reported Free Product: Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004877

Tank ld: 2

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

D13 **SAMUEL KRAUS CO** RCRA NonGen / NLR 1011489823 **East** 1610 WOODSON RD SUITE A MOP000000822

1610 WOODSON RD SUITE A

1/8-1/4 **ST LOUIS, MO 63114**

0.205 mi.

Relative:

1081 ft. Site 3 of 3 in cluster D

RCRA NonGen / NLR:

Lower 20190606 Date Form Received by Agency:

Handler Name: SAMUEL KRAUS CO Actual:

Handler Address: 550 ft.

ST LOUIS, MO 63114-6129 Handler City, State, Zip: EPA ID: MOP000000822 **TERRY KRAUS** Contact Name: 1610 WOODSON RD Contact Address: Contact City, State, Zip: ST LOUIS, MO 63114-6129

Contact Telephone: 314-997-3260 Contact Fax: Not reported Contact Email: Not reported Contact Title: **MANAGER** EPA Region: 07 Land Type: Private

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Not reported State District Owner: Not reported State District: Not reported

Mailing Address: 1610 WOODSON RD Mailing City, State, Zip: ST LOUIS, MO 63114-6129 Owner Name: SAMUEL KRAUS COMPANY

Owner Type: Private

Operator Name: SAMUEL KRAUS COMPANY

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No

Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported Active Site State-Reg Handler:

Federal Facility Indicator: Not reported Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported

Permit Workload Universe:

Permit Progress Universe:

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

SAMUEL KRAUS CO (Continued)

Not reported Not reported Not reported Not reported

No

Post-Closure Workload Universe:
Closure Workload Universe:
202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

Subject to Corrective Action Universe:

No
Non-TSDFs Where RCRA CA has Been Imposed Universe:

No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

No

TSDFs Only Subject to CA under Discretionary Auth Universe:

No
No NCAPS ranking:
No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

Human Exposure Controls Indicator:

N/A

Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported

Not reported

Significant Non-Complier Universe:

Unaddressed Significant Non-Complier Universe:

No Addressed Significant Non-Complier Universe:

No Significant Non-Complier With a Compliance Schedule Universe:

No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
Recognized Trader-Exporter:
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: SAMUEL KRAUS CO

Legal Status: Private Date Became Current: 19920420 Date Ended Current: Not reported Not reported Owner/Operator Address: Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: SAMUEL KRAUS COMPANY

Legal Status: Private
Date Became Current: 19920420
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City, State, Zip: Not reported

1011489823

Distance Elevation Site

Site Database(s) EPA ID Number

SAMUEL KRAUS CO (Continued)

1011489823

EDR ID Number

Owner/Operator Telephone:

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Email:

Not reported

Not reported

Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: SAMUEL KRAUS COMPANY

Legal Status: Private Date Became Current: 19920420 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: SAMUEL KRAUS COMPANY

Legal Status: Private Date Became Current: 19920420 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Not reported Owner/Operator Telephone: Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: SAMUEL KRAUS COMPANY

Legal Status: Private Date Became Current: 19920420 Date Ended Current: Not reported Not reported Owner/Operator Address: Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19920420

Handler Name: SAMUEL KRAUS CO

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity:

Electronic Manifest Broker:

Not reported

Not reported

Receive Date: 20130808

Handler Name: SAMUEL KRAUS CO

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SAMUEL KRAUS CO (Continued) 1011489823

Federal Waste Generator Description: Not a generator, verified

Not reported State District Owner:

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20190606

SAMUEL KRAUS CO Handler Name:

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 56291

NAICS Description: REMEDIATION SERVICES

Facility Has Received Notices of Violations:

No Violations Found Violations:

Evaluation Action Summary:

No Evaluations Found Evaluations:

E14 **MISSOURI PETROLEUM** RCRA NonGen / NLR 1004740940 **ENE** 1620 WOODSON RD US AIRS MOP000005918

1/8-1/4 0.228 mi.

1203 ft. Site 1 of 3 in cluster E Relative: RCRA NonGen / NLR:

ST LOUIS, MO 63114

20130826 Higher Date Form Received by Agency:

Handler Name: MISSOURI PETROLEUM Actual:

1620 WOODSON RD Handler Address: 571 ft. Handler City, State, Zip: ST LOUIS, MO 63114-6129

> EPA ID: MOP000005918 Contact Name: RICHARD FOLLETT Contact Address: 1620 WOODSON RD ST LOUIS, MO 63114-6129 Contact City, State, Zip:

Contact Telephone: 314-991-2180 Contact Fax: Not reported Contact Email: Not reported Contact Title: MANAGER EPA Region: 07 Land Type: Private

Map ID MAP FINDINGS Direction

Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

MISSOURI PETROLEUM (Continued)

1004740940

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Not reported Biennial Report Cycle: Accessibility: Not reported Active Site Indicator: Not reported State District Owner: Not reported Not reported State District:

Mailing Address: 1620 WOODSON RD Mailing City, State, Zip: ST LOUIS, MO 63114-6129 Owner Name: LION MARK

Owner Type: Private Operator Name: LION MARK Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: Nο Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: Nο

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Active Site State-Reg Handler:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline Not on the Baseline 2018 GPRA Renewals Baseline: Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Not reported

Not reported Post-Closure Workload Universe: Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline: No Corrective Action Workload Universe: No Subject to Corrective Action Universe: No Non-TSDFs Where RCRA CA has Been Imposed Universe: No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: No TSDFs Only Subject to CA under Discretionary Auth Universe:

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator: Nο Institutional Control Indicator: No Human Exposure Controls Indicator: N/A Groundwater Controls Indicator: N/A

Operating TSDF Universe: Not reported Full Enforcement Universe: Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

No

MISSOURI PETROLEUM (Continued)

1004740940

Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
No
No

Recycler Activity Without Storage:

Manifest Broker:

Not reported

Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001

Exporter of Spent Lead Acid Batteries:

Waste Description: IGNITABLE WASTE

Handler - Owner Operator:

Owner/Operator Indicator:
Owner/Operator Name:
Legal Status:
Date Became Current:
Date Ended Current:
Owner/Operator Address:
Owner/Operator City, State, Zip:
Operator
LION MARK
Private
19991027
Not reported
Not reported
1620 WOODSON
ST LOUIS, MO 63114

 Owner/Operator Telephone:
 314-991-2180

 Owner/Operator Telephone Ext:
 Not reported

 Owner/Operator Fax:
 Not reported

 Owner/Operator Email:
 Not reported

Owner/Operator Indicator:
Owner/Operator Name:
LION MARK
Legal Status:
Private
Date Became Current:
Not reported
Date Ended Current:
Owner/Operator Address:
Owner

Owner/Operator City, State, Zip: ST LOUIS, MO 63114
Owner/Operator Telephone: 314-991-2180
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: EDWARD GOMES

Legal Status: Private
Date Became Current: 19991027
Date Ended Current: Not reported

Owner/Operator Address: 1620 WOODSON RD Owner/Operator City, State, Zip: ST LOUIS, MO 63114

Owner/Operator Telephone: 314-524-7223
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator:
Owner/Operator Name:

LION MARK

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

Not reported

MISSOURI PETROLEUM (Continued)

1004740940

Legal Status: Private 19991027 Date Became Current: Date Ended Current: Not reported Owner/Operator Address: 1620 WOODSON Owner/Operator City, State, Zip: **ST LOUIS, MO 63114** Owner/Operator Telephone: 314-991-2180 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported

Historic Generators:

Owner/Operator Email:

Receive Date: 20130826

MISSOURI PETROLEUM Handler Name:

Federal Waste Generator Description: Not a generator, verified

Not reported State District Owner:

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19991027

Handler Name: MISSOURI PETROLEUM

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20000815

MISSOURI PETROLEUM Handler Name:

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 56291

NAICS Description: REMEDIATION SERVICES

Facility Has Received Notices of Violations:

Violations: No Violations Found

Direction Distance

Elevation Site Database(s) EPA ID Number

MISSOURI PETROLEUM (Continued)

1004740940

EDR ID Number

Evaluation Action Summary:

Evaluations: No Evaluations Found

US AIRS MINOR:

Envid: 1004740940

Region Code: 07

Programmatic ID: AIR MO000002918901141

Facility Registry ID: 110009866555
D and B Number: Not reported
Primary SIC Code: 5172
NAICS Code: 424720
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:

Region Code: 07

Programmatic ID: AIR MO000002918901141

Facility Registry ID: 110009866555

Air Operating Status Code: OPR Default Air Classification Code: MIN

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards

Activity Date: 2010-09-15 00:00:00
Activity Status Date: 2015-08-21 15:52:43
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

Activity Status: Active

Region Code: 07

Programmatic ID: AIR MO000002918901141

Facility Registry ID: 110009866555 Air Operating Status Code: OPR

Default Air Classification Code: MIN

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards

Activity Date: 2014-06-20 00:00:00
Activity Status Date: 2015-08-21 15:55:27
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

Activity Status: Active

Region Code: 07

Programmatic ID: AIR MO000002918901141

Facility Registry ID: 110009866555

Air Operating Status Code: OPR
Default Air Classification Code: MIN

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards

Activity Date: 2001-12-12 00:00:00

Activity Status Date: Not reported

Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 07

Programmatic ID: AIR MO000002918901141

Facility Registry ID: 110009866555

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

MISSOURI PETROLEUM (Continued)

1004740940

Air Operating Status Code: OPR
Default Air Classification Code: MIN

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards

Activity Date: 2006-05-25 00:00:00

Activity Status Date: Not reported

Activity Group: Compliance Monitoring Activity Type: Inspection/Evaluation

Activity Status: Not reported

E15 MISSOURI PETROLEUM PRODUCTS CO UST 1000481377
ENE 1620 WOODSON RD N/A

ENE 1620 WOODSON RD 1/8-1/4 OVERLAND, MO 63114

0.228 mi.

1203 ft. Site 2 of 3 in cluster E

Relative: UST:

HigherFacility ID:ST0004874Actual:Region:SL

571 ft. Easting: 729805.192 Northing: 4284977.65

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: RANGEN, K
Date GIS Data Collected: 10/15/2020
Lat/Long: 38.7023 / -90.3668
Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW03582
Owner Name: LIONMARK INC

Owner Address: 1620 WOODSON ROAD Owner City,St,Zip: OVERLAND, MO 63114

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
9912180

No
No

Date Registration Received:

Date Record Added:

Date Record Edited:

Not reported

1995-06-30 00:00:00

Not reported

Name of Person Editing Record: Not reported

Tank ID: 1
Tank Double Wall: 0

Tank Type: Below Ground Removed Tank Status: Not reported Meet 98 Update Requirements: Date Tank Installed: 01/01/1951 Steel Tank Material: Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MISSOURI PETROLEUM PRODUCTS CO (Continued)

1000481377

Tank External Protec Date: Not reported 06/02/1988 Date Tank Last Used: Date Tank Permanently Closed/ Removed: 06/09/1988

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: 1988-06-09 00:00:00

Date Record Added: 06/30/1995 07/10/2013 Date Record Edited: Person Adding/Editing Record: HESS, JEREMY Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator:

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Registration End Date: Not reported

LockOut Flag: No

Comments: Tank 5, a 250 gallon waste oil AST, was deleted because it is not a

regulated tank.

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11949 Tank PK: 11949 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 8000

Substance: Gasoline, Including Blends

Substance Other: Not reported Not reported Hazardous Substance:

Mixture: False

Date of Last Use: 1988-06-02 00:00:00 Pipe Installation Date: Not reported

Pipe System: Not reported

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: Spill Protection: False

Owner:

Owner ID: OW03582 Owner Name: LIONMARK INC Owner Address: 1620 WOODSON ROAD

OVERLAND, MO 63114 Owner City, St, Zip:

Owner County Code: Not reported Owner Phone: 9912180 Mail Was Not Deliverable: No Is Owner Active?: No

Direction Distance

Elevation Site Database(s) EPA ID Number

MISSOURI PETROLEUM PRODUCTS CO (Continued)

1000481377

EDR ID Number

Date Registration Received:

Date Record Added:

Date Record Edited:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

 Tank ID:
 2

 Tank Double Wall:
 0

 Tank Type:
 Below Ground

Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1951 Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported 06/02/1988 Date Tank Last Used: Date Tank Permanently Closed/ Removed: 06/09/1988

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported
Temporary Status Verified Date: Not reported
Admin Fee 585: Not reported

Not reported
Not reported
Not reported

Date Administratively Closed: 1988-06-09 00:00:00

Date Record Added: 06/30/1995
Date Record Edited: 07/10/2013
Person Adding/Editing Record: HESS, JEREMY
Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received:

Date Of Aprroval Letter:

Firm Closing Tank:

Date Closure Report Received:

Registration End Date:

LockOut Flag:

Not reported

Not reported

Not reported

Not reported

Not reported

Comments: Tank 5, a 250 gallon waste oil AST, was deleted because it is not a

regulated tank.

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 11950
Tank PK: 11950
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: 8000

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Direction Distance Elevation

tion Site Database(s) EPA ID Number

MISSOURI PETROLEUM PRODUCTS CO (Continued)

1000481377

EDR ID Number

Date of Last Use: 1988-06-02 00:00:00
Pipe Installation Date: Not reported

Pipe System: Not reported

Pipe Material:

Pipe Material Other:
Pipe Protection:
Pipe Protection Date:
Not reported
Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

 Owner ID:
 OW03582

 Owner Name:
 LIONMARK INC

 Owner Address:
 1620 WOODSON ROAD

Owner City,St,Zip: OVERLAND, MO 63114

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
9912180

No
No

Date Registration Received: Not reported
Date Record Added: 1995-06-30 00:00:00

Date Record Edited: Not reported Name of Person Editing Record: Not reported

Tank ID: 3
Tank Double Wall: 0

Tank Type: Below Ground
Tank Status: Removed
Meet 98 Update Requirements: Not reported
Date Tank Installed: 01/01/1979
Tank Material: Steel
Code for Tank Material Manufacturer: Not reported

Not reported Code for Tank Installer: Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Tank External Protec Date: Not reported Date Tank Last Used: 06/02/1988 Date Tank Permanently Closed/ Removed: 02/01/1989

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported
Temporary Status Verified Date: Not reported
Admin Fee 585: Not reported
Date Administratively Closed: 1989-02-01 00:00:00

Date Record Added: 06/30/1995
Date Record Edited: 07/22/2020
Person Adding/Editing Record: VANDEPOPUL, C
Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

MISSOURI PETROLEUM PRODUCTS CO (Continued)

1000481377

EDR ID Number

Date Of Aprroval Letter:

Firm Closing Tank:

Date Closure Report Received:

Registration End Date:

LockOut Flag:

Not reported

Not reported

Not reported

Not reported

Not reported

Comments: Tank 5, a 250 gallon waste oil AST, was deleted because it is not a

regulated tank.

Tank Compartment:

Tanks Use: False

Compartment No: 1

Tank Compartment PK: 11951

Tank PK: 11951

Case Number: Not reported

Compartment Status: Removed

Compartment Temp Verified Dt: Not reported

Capacity: 10000

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1988-06-01 00:00:00

Pipe Installation Date: Not reported Pipe System: Not reported

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW03582
Owner Name: LIONMARK INC
Owner Address: 1620 WOODSON ROAD
Owner City,St,Zip: OVERLAND, MO 63114
Owner County Code: Not reported

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

No

No

Date Registration Received: Not reported
Date Record Added: 1995-06-30 00:00:00

Date Record Added: 1995-06-30 00:00:00

Date Record Edited: Not reported

Date Record Edited: Not reported Name of Person Editing Record: Not reported

Tank ID: 4
Tank Double Wall: 0

Tank Type: Below Ground **Tank Status:** Removed Meet 98 Update Requirements: Not reported 01/01/1979 Date Tank Installed: Tank Material: Steel Code for Tank Material Manufacturer: Not reported Not reported Code for Tank Installer: Other Type Of Tank Material: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MISSOURI PETROLEUM PRODUCTS CO (Continued)

1000481377

Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported 06/02/1988 Date Tank Last Used: Date Tank Permanently Closed/ Removed: 02/01/1989

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported 1989-02-01 00:00:00 Date Administratively Closed:

06/30/1995 Date Record Added: Date Record Edited: 07/22/2020 VANDEPOPUL, C Person Adding/Editing Record: Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Registration End Date: Not reported

LockOut Flag: No

Comments: Tank 5, a 250 gallon waste oil AST, was deleted because it is not a

regulated tank.

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11952 Tank PK: 11952 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 10000 Substance: Diesel Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1988-06-01 00:00:00

Pipe Installation Date: Not reported Not reported Pipe System:

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0 Spill Protection: False

Tank Aug 2011:

Facility Id: ST0004874

Tank Id:

Site Usage: Not reported

Distance Elevation

Site Database(s) EPA ID Number

MISSOURI PETROLEUM PRODUCTS CO (Continued)

1000481377

EDR ID Number

Risk Type: Not reported
Soil Type: Not reported
GW Flow: Not reported
Offsite Impact: Not reported
Free Product: Not reported
Drinking Water: Not reported
Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004874

Tank ld: 2

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Not reported Closed Under:

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004874

Tank ld: 3

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004874

Tank ld:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MISSOURI PETROLEUM PRODUCTS CO (Continued)

1000481377

Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

MISSOURI PETROLEUM E16 SEMS-ARCHIVE 1015734778 MOD021506878

ENE 1620 WOODSON RD 1/8-1/4 **ST LOUIS, MO 63114**

0.228 mi.

Site 3 of 3 in cluster E 1203 ft.

Relative: SEMS Archive: Higher Site ID: 0700897

EPA ID: MOD021506878 Actual: Name: MISSOURI PETROLEUM 571 ft.

Address: 1620 WOODSON RD

Address 2: Not reported

City,State,Zip: **ST LOUIS, MO 63114**

Cong District: 01 FIPS Code: 29189 FF: Ν

NPL: Not on the NPL

Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

07 Region: 0700897 Site ID: EPA ID: MOD021506878 Site Name: MISSOURI PETROLEUM

NPL: FF: Ν

OU: 00 Action Code: VS Action Name: **ARCH SITE**

SEQ:

Start Date: Not reported Finish Date: 1985-06-06 05:00:00 Qual: Not reported **Current Action Lead:** EPA Perf In-Hse

Region: 07 Site ID: 0700897 EPA ID: MOD021506878

Site Name: MISSOURI PETROLEUM

NPL: Ν FF: Ν OU: 00 Action Code: PΑ Action Name: PΑ SEQ:

1985-06-06 05:00:00 Start Date:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MISSOURI PETROLEUM (Continued)

1015734778

Finish Date: 1985-06-06 05:00:00

Qual: Current Action Lead: **EPA Perf**

Region: 07 0700897 Site ID: EPA ID: MOD021506878 MISSOURI PETROLEUM Site Name:

NPL: FF: Ν OU: 00 Action Code: DS Action Name: **DISCVRY**

SEQ:

Start Date: 1985-06-06 05:00:00 Finish Date: 1985-06-06 05:00:00 Not reported Qual: **EPA Perf Current Action Lead:**

17 MIL PERSON RECORD CENTER

FUDS 1009484338 West N/A MARYLAND HEIGHTS, MO

1/4-1/2 0.265 mi. 1401 ft.

Relative: FUDS: Higher EPA Region:

MO79799F035900 Installation ID: Actual:

Congressional District Number: 568 ft.

Name: MIL PERSON RECORD CENTER

FUDS Number: B07MO0155

City: MARYLAND HEIGHTS

МО State: ST LOUIS County: Object ID: 3986

USACE Division: NWD **USACE** District:

Kansas City District (NWK)

Properties with all projects at site closeout Status:

FED: FEDERAL CITY OF OVERLAND AND GSA. Portions of this land is Current Owner: currently being used as a public park. LOCAL: CITY CITY OF OVERLAND

AND GSA. Portions of this land is currently being used as a public

EMS Map Link: https://fudsportal.usace.army.mil/ems/ems/inventory/map/map?id=58652

Eligible Eligibility: Has Projects: Yes

NPL Status: Not on the NPL

Property History: The Army, Air Force and Navy used both the records and publication

center for storage, printing and distribution of publications. GSA assumed accountability of the property on 5 July 1960. On 26 July 1972, GSA conveyed a small portion of the property to the City of

Overland, for a public park.

Project Required: Yes

Feature Description: Not reported 38.682999 Latitude: -90.3666 Longitude:

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

MIL PERSON RECORD CENTER (Continued)

1009484338

FUDS Detail as of Jan 2015:

History:

Fiscal Year: 2013

Federal Facility ID: MO9799F0359
RAB: Not reported
NPL Status: Not Listed

Description: The GSA property is located at 9700 Page Avenue and the park area is located to the southeast of the GSA property, off Woodson Road.

The Army, Air Force and Navy used both the records and publication center for storage, printing and distribution of publications. GSA

assumed accountability of the property on 5 July 1960. On 26 July 1972, GSA conveyed a small portion of the property to the City of

Overland, for a public park.

CTC: 59.39999999999999

Current Program: Not reported Future Program: Not reported Institutional ID: 58652

SAMUEL KRAUS CO LUST U003165463

East 1600 WOODSON ROAD UST N/A 1/4-1/2 OVERLAND, MO 63108 NPDES

0.266 mi. 1404 ft.

18

Relative: LUST: Higher Name:

 Higher
 Name:
 SAMUEL KRAUS CO

 Actual:
 Address:
 1600 WOODSON ROAD

 558 ft.
 City,State,Zip:
 OVERLAND, MO 63108

Facility ID: ST0018842

Region: SL - St. Louis Regional Office

Lat/Long (dms): Not reported Spill Number: Not reported Release Date: Not reported

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 07/08/2014
Date Cleanup Finished: 03/14/2016
Expedited: No
Expedited Date: Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

Number Of Remediation Monitoring Wells: 3
Active: No

Date Of NFA Letter From DNR: 2016-03-24 00:00:00

Date Record Meets Archive Criteria: Not reported Remediation ID: R008944 Rank: 34

Emergeny Response Date:

Emergency Cleanup Start:

Referred To DGLS for Investigation:

Contractor Performing Clean Up:

Not reported

Not reported

120

Contractor Performing Clean Up: 120
RBCA NFA: Yes
Project Manager: M

Next Correspondence/Update With Fac:
Date Added:
Date Record Edited:
Person Adding Or Editing Record:
Facility Sent To State Archive:

Not reported
07/09/2014
03/24/2016
KOON, K
Not reported

Map ID MAP FINDINGS
Direction

Distance Elevation Site

Site Database(s)

EPA ID Number

EDR ID Number

SAMUEL KRAUS CO (Continued)

U003165463

Date Remediation Unit Closed The File: Not reported Site Affectd By Funding Level From PSTIF: Not reported

General Comments:

Contamination found during phase II in soil and groundwater. -RP appears to be Samuel Kraus Co which dissolved in 2003-7/8/14 MAD- Contamination found in GW, no GW encoutnered during closure in 1996. No RP, sent letter requesting intentions on completing remediaiton. 9/30/14 MAD- Status Letter 12/26/14 TB Rev'd PSTIF letter requesting owners (not RP) submit request for reassignment of benefits for site until new beneficiary assigned. 3/2/2015 TB No response from current owner. Site needs to be placed on abandoned site list and memo completed. 7/27/2015 MA rev file the first NFA letter was issued on June 15, 1992 after closure of two USTs. A second NFA was issued on December 23, 1996 after closure of a waste oil UST. No USTs remain on-site. The release file was reopend due to the detection of petroleum hydrocarbon constituents exceeding the DTLs in soil boring B-4 and water sample from B-11. Based on infromation submitted additional SC is warranted to further delineate the extent of contamination in soil and GW and to complete a risk assessment evaluation. The GW flow direction is to the southwest. Naphthalene and n-propylbenzene is the main COCs detected in soil and groundwater. Need a site conceptual model, RAFU, domestic use evaluation, and risk assessment. Approved WP with modifications to install three soil borings/MWs and collect field data necessary to complete a risk assessment. 10/26/2015 MA Approved a revised WP proposing the installation of 3 SBs/MWs to further delineate the extent of contamination in soil and groundwater and to conduct quarterly GW Monitoring activities for three events to monitor the trends to demonstrate plume stability. A complete risk assessment report will be submitted. 11/28/2019 MA PSTIF approved cost estimate. 3/14/2016 MA rev the Tier 1 MRBCA report along with a GWM report. Napthalene is the only COC detected in soil sample collected from B-4 at concentration exceeding the DTL but below the Tier 1 residential RBTL. The GW data collected from MW-1 through MW-3 indicate non-detect for petroleum hydrocarbon compoents for the sampling events completed during Oct. 2015 and Jan. 2016. The site is undeveloped adjacent to a self storage facility. The future land use is non-resident. Based on information submitted, the COCs detected in soil and GW do not exceed the Tier 1 non-resident RBTLs. Site can be closed and a NFA letter can issued. 3/24/16 Issued NFA

UST:

 Facility ID:
 \$T0018842

 Region:
 \$L

 Easting:
 729795.180

 Northing:
 4284810.98

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: VANCE, S
Date GIS Data Collected: 08/26/2013
Lat/Long: 38.7023 / -90.3668
Lat/Long (dms): Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

SAMUEL KRAUS CO (Continued)

U003165463

EDR ID Number

Tanks:

Owner:

Tank Type:

Owner ID: OW03585

Owner Name: SAMUEL KRAUS CO 1610 WOODSON RD Owner Address: Owner City, St, Zip: OVERLAND, MO 63114

Owner County Code: Not reported Owner Phone: 9973260 Mail Was Not Deliverable: No Is Owner Active?: No

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00 Date Record Edited: 1996-10-01 00:00:00

Name of Person Editing Record: **N\$TAYLK**

Tank ID: 1 Tank Double Wall: 0

Tank Status: Removed Meet 98 Update Requirements: Not reported 01/01/1950 Date Tank Installed: Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Not reported Tank Internal Protection Date: Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 01/01/1978 Date Tank Permanently Closed/ Removed: 11/14/1996

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Below Ground

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 10/01/1996 Date Record Edited: 07/07/2015 VEIT, CHRIS Person Adding/Editing Record: Date Of NFA Letter: 12/23/1996 Is Tank Used For Emergency Generator:

Date Closure Notice Received: 09/26/1996 Date Of Aprroval Letter: 11/14/1996

THE POLLU-CLEAN NETWORK Firm Closing Tank:

Date Closure Report Received: 11/26/1996 Registration End Date: Not reported LockOut Flag:

Comments: LETTER FOR 1-550 WASTE OIL

Tank Compartment:

Tanks Use: False Compartment No:

Direction Distance Elevation

ation Site Database(s) EPA ID Number

SAMUEL KRAUS CO (Continued)

U003165463

EDR ID Number

Tank Compartment PK: 35588 35590 Tank PK: Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 500 Substance: Used Oil Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1978-01-01 00:00:00

Pipe Installation Date: Not reported

Pipe System: 4
Pipe Material: 1

Pipe Material Other:
Pipe Protection:
Not reported
Not reported
Not reported
Not reported

Pipe Double Wall: 0
Spill Protection: False

Tank Aug 2011:

Facility Id: ST0018842

Tank ld:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

NPDES:

Name:LIFE STORAGEAddress:1600 WOODSON RDCity,State,Zip:OVERLAND, MO 63114

Permit Number: MORA16591 Permit Status: Effective SIC: Not reported SIC Description: Not reported Issue Date: 09/03/2020 09/03/2020 Effective Date: Category Description: Land Disturbance Treatment Type Description: Storm Water 7166506056 Facility Telephone: Owner Name: LIFE STORAGE Owner Address: 6467 MAIN ST Owner Address 2: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SHELL SERVICE STATION - CLOSED

SAMUEL KRAUS CO (Continued)

U003165463

U001162648

N/A

LUST

UST

Owner City: WILLIAMSVILLE

Owner State: NY Owner Zip: 14221 Permit Type 100: Not reported Major 10: Not reported Not reported Region 10: Issuing Authority 10: Not reported Permit Action 100: Not reported Date Notification 25: Not reported Region Decode: Not reported Iss Auth Decode: Not reported

SHELL SERVICE STATION - CLOSED 19

North 9390 PAGE BLVD 1/4-1/2 **ST LOUIS, MO 63114**

0.299 mi. 1579 ft.

LUST: Relative: Higher Name:

Address: 9390 PAGE BLVD Actual: City, State, Zip: **ST LOUIS, MO 63114** 581 ft.

ST0004574 Facility ID:

Region: SL - St. Louis Regional Office

Lat/Long (dms): Not reported Spill Number: Not reported Release Date: 04/24/1991

UNDERGROUND STORAGE TANK Release Type:

Date Cleanup Started: 05/20/1991 Date Cleanup Finished: 06/23/1995 Expedited: No **Expedited Date:** Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported Number Of Remediation Monitoring Wells: 0 No

Date Of NFA Letter From DNR: Not reported Date Record Meets Archive Criteria: Not reported R001693 Remediation ID: Rank: Not reported Emergeny Response Date: Not reported **Emergency Cleanup Start:** Not reported Referred To DGLS for Investigation: Not reported Contractor Performing Clean Up: Not reported

RBCA NFA: No Project Manager: Next Correspondence/Update With Fac:

Not reported 06/30/1995 Date Added: Date Record Edited: Not reported Person Adding Or Editing Record: Not reported Facility Sent To State Archive: Yes Date Remediation Unit Closed The File: Not reported Site Affectd By Funding Level From PSTIF: No

General Comments: 06-23-95 - DB - SITE CLOSED.

UST:

ST0004574 Facility ID:

Direction Distance Elevation

evation Site Database(s) EPA ID Number

SHELL SERVICE STATION - CLOSED (Continued)

U001162648

EDR ID Number

Region: SL

Easting: 729503.969 Northing: 4285311.46

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: VANCE, S Date GIS Data Collected: 08/27/2013

Lat/Long: 38.6868509 / -90.361804

Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW04256

Owner Name: SHELL OIL COMPANY

Owner Address: 500 CHESTERFIELD CTR STE 350
Owner City,St,Zip: CHESTERFIELD, MO 63017

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
5372100

No
No

Date Registration Received: Not reported
Date Record Added: 1995-06-30 00:00:00

Date Record Added: 1995-06-30 00:00:00

Date Record Edited: 1998-11-23 00:00:00

Name of Person Editing Record: NRESSD

Tank ID: 4
Tank Double Wall: 0

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: **Fiberglass** Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Not reported Date Tank Last Used: Date Tank Permanently Closed/ Removed: 06/26/1995

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: Date Record Edited: Not reported Not reported Person Adding/Editing Record: Date Of NFA Letter: 06/26/1995

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 05/02/1990
Date Of Aprroval Letter: 06/26/1995

Direction Distance

Elevation Site Database(s) EPA ID Number

SHELL SERVICE STATION - CLOSED (Continued)

U001162648

EDR ID Number

Firm Closing Tank: SHELL OIL COMPANY

Date Closure Report Received: Not reported Registration End Date: Not reported LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 11186
Tank PK: 11186
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: 10000

Substance: Gasoline, Including Blends

Substance Other:
Hazardous Substance:
Mixture:
Date of Last Use:
Pipe Installation Date:
Not reported
Not reported
Not reported
Not reported
Not reported
Not reported

Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW04256

Owner Name: SHELL OIL COMPANY

Owner Address: 500 CHESTERFIELD CTR STE 350 Owner City,St,Zip: CHESTERFIELD, MO 63017

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
5372100

No
No

Date Registration Received: Not reported
Date Record Added: 1995-06-30 00:00:00

Date Record Added: 1995-06-30 00:00:00
Date Record Edited: 1998-11-23 00:00:00

Name of Person Editing Record: NRESSD

Tank ID: 5
Tank Double Wall: 0

Tank Type: Below Ground Removed Tank Status: Meet 98 Update Requirements: Not reported Not reported Date Tank Installed: Tank Material: Fiberglass Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SHELL SERVICE STATION - CLOSED (Continued)

U001162648

Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: 06/26/1995

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Not reported Admin Fee 585: Date Administratively Closed: Not reported Date Record Added: 06/30/1995 Date Record Edited: Not reported Person Adding/Editing Record: Not reported Date Of NFA Letter: 06/26/1995

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 05/02/1990 Date Of Aprroval Letter: 06/26/1995

Firm Closing Tank: SHELL OIL COMPANY

Date Closure Report Received: Not reported Registration End Date: Not reported LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11187 11187 Tank PK: Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported 10000 Capacity:

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Pipe Installation Date: Not reported Not reported Pipe System:

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: Spill Protection: False

Owner:

Owner ID: OW04256

SHELL OIL COMPANY Owner Name:

Owner Address: 500 CHESTERFIELD CTR STE 350 Owner City,St,Zip: CHESTERFIELD, MO 63017

Owner County Code: Not reported Owner Phone: 5372100

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SHELL SERVICE STATION - CLOSED (Continued)

U001162648

Not reported

Mail Was Not Deliverable: No Is Owner Active?: No

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00 Date Record Edited: 1998-11-23 00:00:00

Name of Person Editing Record: **NRESSD**

Tank ID: 6 Tank Double Wall: 0

Tank Type: Below Ground **Tank Status:** Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Fiberglass Code for Tank Material Manufacturer: Not reported Not reported Code for Tank Installer: Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Not reported Other Type Tank Extrn Protec: Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: 06/26/1995

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No

Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 Not reported Date Record Edited: Not reported Person Adding/Editing Record: 06/26/1995 Date Of NFA Letter:

Is Tank Used For Emergency Generator:

Date Closure Notice Received: 05/02/1990 Date Of Aprroval Letter: 06/26/1995

SHELL OIL COMPANY Firm Closing Tank:

Date Closure Report Received: Not reported Registration End Date: Not reported

LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11188 Tank PK: 11188 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported 8000 Capacity:

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

SHELL SERVICE STATION - CLOSED (Continued)

U001162648

EDR ID Number

Mixture: False
Date of Last Use: Not reported
Pipe Installation Date: Not reported
Pipe System: Not reported

Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: False

Tank Aug 2011:

Facility Id: ST0004574

Tank ld:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Not reported Drinking Water: Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004574

Tank ld: 5

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004574

Tank ld: 6

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

SHELL SERVICE STATION - CLOSED (Continued)

Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

20 ST. LOUIS COUNTY MAINTENANCE GARAGE

ENE 1616 WOODSON ROAD 1/4-1/2 ST. LOUIS, MO 63114

0.315 mi. 1663 ft.

Relative: VCP: Higher Name:

 Higher
 Name:
 ST. LOUIS COUNTY MAINTENANCE GARAGE

 Actual:
 Address:
 1616 WOODSON ROAD

 566 ft.
 City,State,Zip:
 ST. LOUIS, MO 63114-6129

 Northing:
 4284950.03

Northing: 4284950.03 Easting: 730031.222

Facility Status: Cert. of Completion Issued

Activity Use: Not reported
Manager: Jennifer Kehrle
Cert. of completion issued: 5/28/2009
Application Received: 5/9/2007
State Funded: Not reported
Federal Funded: Not reported

Acreage: 5

Operable Unit: St. Louis County Maintenance Garage

Site Description: This five acre site served as the fleet maintenance facility for St.

Louis County Government since 1977. Prior to 1984, an area of the site, known as the former waste pit, was used to rinse nozzles and brushes from paint stripping equipment. Site investigations revealed soil contamination consisting of metals. Subsequent to 1984, the waste was reportedly disposed of under a small quantity generator permit. St. Louis County Department of Highways and Traffic applied to the Brownfields Voluntary Cleanup Program (BVCP) for oversight of the intended remedial action of the paint stripping contamination. St. Louis County Department of Highways and Traffic, under another application with the Missouri Department of Natural Resources Tanks Section, applied for oversight of the removal of several underground storage tanks (USTs). These USTs were registered as ST4870 and received a No Further Action letter from the Tanks Section in January

of 2008.

Contaminant: Arsenic, Chromium, Lead

SMARS:

Name: ST. LOUIS COUNTY MAINTENANCE GARAGE

Address: 1616 WOODSON ROAD
City,State,Zip: ST. LOUIS, MO 63114-6129

SM Number: 11770
CERCLIS: Not reported
Ownership: VCP
Superfund Ownership: No
Voluntary Cleanup Ownership: Yes

U001162648

S108741280

N/A

VCP

SMARS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST. LOUIS COUNTY MAINTENANCE GARAGE (Continued)

Federal Facilities Ownership: No Permits Ownership: No

NPL Date: Tank Site Identification #: ST0004870 Tank Remediation #: Not reported

Registry:

Other Site Code: Not reported

PEARLE VISION CENTER 21 1800 WOODSON RD North 1/4-1/2 **ST LOUIS, MO 63114**

0.349 mi. 1841 ft.

LUST: Relative: Higher Name:

Address: Actual: 574 ft. City,State,Zip:

ST0009438 Facility ID:

Region: SL - St. Louis Regional Office

Lat/Long (dms): Not reported Spill Number: 0702071442HRM Release Date: 01/22/2007

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 06/26/2007 Date Cleanup Finished: 11/08/2019 Expedited: No

Expedited Date: Not reported Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

Number Of Remediation Monitoring Wells: 5 Active:

Date Of NFA Letter From DNR: 2019-11-22 00:00:00

Date Record Meets Archive Criteria: Not reported Remediation ID: R008095 Rank: 41 Emergeny Response Date: Not reported **Emergency Cleanup Start:** Not reported Referred To DGLS for Investigation: Not reported Contractor Performing Clean Up: 385

RBCA NFA: Yes Project Manager: Next Correspondence/Update With Fac: 10/15/2019

06/13/2007 Date Added: Date Record Edited: 09/15/2021 Person Adding Or Editing Record: LUTHER, L Facility Sent To State Archive: No

Date Remediation Unit Closed The File: Not reported

Site Affectd By Funding Level From PSTIF: No

General Comments: Reviewed wp for sc. Approved as submitted. MW 7/24/07

8/29/07 - MW - New mailing address for Kenneth Baldridge: Mr. Kenneth Baldridge 1800 Woodson L.L.C. 11825 Manchester Road St. Louis, MO 63131 03/06/2008 - VH- reviewed a S.C. report, recommend analysis for W.O. COCs, requested disscussion of improperly screened wells, recommend atleast 1 additionl rd of GW monitoring, agreed with proposed additional S.C. activities, recommed deliniation to

TC6884535.2s Page 259

S108741280

Not reported

Site Code: Not reported

PEARLE VISION CENTER

1800 WOODSON RD

ST LOUIS, MO 63114

LUST U003164768 **UST** N/A

Map ID
Direction
Distance

MAP FINDINGS

Elevation

Site Database(s) EPA ID Number

PEARLE VISION CENTER (Continued)

U003164768

EDR ID Number

residential Soil Type 1 RBTLs. 04/21/08 - MW - Rec'd change of address notification. Mr. Baldridge's new address is: Mr. Kenneth Baldridge Baldridge-Woodson, LLC 12360 Manchester Road, Suite 204 St. Louis, MO 63131-4312 04/28/08 - Reviewed rvised work plan for site characterization. Proposal to eliminate previously proposed boring to the west of MW-5, and advance boring to the southeast of SB-1. As a six lane road lies to the west side of the property, no further delineation to the west is necessary. Approve wp as submitted. - MW 05/27/08 - Phone discussion with employee of Baldridge-Woodson. Address has changed again. Is now: Mr. Kenneth Baldridge Baldridge-Woodson, L.L.C. 1507 Astra Way St. Louis, MO 63010 2/2/09 dlw spoke to property owner to the west. She contacted the department because tanks were being removed and they are located very close to the property line (are the tanks impacting her property). I provided information based on the dbase and provided information about acquiiring information about the cleanup. Provided name and number for Vicki O., the site PM. Recommended that future inquiries be directed to Ms. Olive. Copy of memo included in file. 02/04/2009 - spoke w/off-site property owner, Dave Wasielewski, phone #636-939-5109, concerning possible contamination, explained site characterization, closure report, and their access to files thru Rhonda - VO 08/14/09 - Reviewed sc report. Soil and gw contamination completely delineated onsite. One soil sample slightly above Soil Type 1, non-res RBTL, but RC's to below. All gw contamination below residential RBTLs. Two rounds of gw monitoring have taken place, requesting minimum of one more. In addition, closure report indicated only one tank has been removed, though three were mentioned in the characterization report. Also requesting fate of "oil saturated sand", near one of the tanks mentioned in the sc report. - MW 08/31/2009 received call from Walter Shifrin, they are no longer working on this site at this time, RP refusing to pay for work - VO 9/29/11 JO - drafted status request letter 4/5/2016 AS Current Owner: 1800 Woodson LLC 11469 Olive Blvd #304 St. Louis MO 63141 04/27/2016 - Walter called; he's going to check with attorney/property owner to see if they are going to continue work - VO 6/13/2016 AS Property ownership history: May 25, 1929 JD Street Co. Inc. bought property from unknown (microfiche unreadable) 1980 JD Street and Co. Inc. sold to Kenneth Baldridge 2007 Ken Baldridge Trust sold to 1800 Woodson LLC 6/14/2016 AS sent letter to rp, Kenneth Baldridge, for an update of activities or wp 9/13/2016 AS sent 2nd letter 11/10/2016 AS issued LOW 12/14/2016 AS spoke to Ms. Karen Baldridge (ex-spouse of Mr. Ken Baldridge) 314-504-4084 (cell) or office 636-287-3400. Office moved to Naples FL at beginning of Nov. She is calling Shifrin and Assocs. Going to touch base in mid Feb 3/2/2017 called and left msg for Ms. Karen Baldridge 3/28/2017 AS no response. Issued NOV 4/6/2017 AS spoke to Karen Baldridge c: 314-504-4084 w: 239-317-9300. She has passed everything along to Mr. Hal Tzinberg, attorney previously. Scanned and emailed LOW dated 11/18/2016 to baldridgeproperties@outlook.com. New mailing

Map ID MAP FINDINGS
Direction

Distance Elevation Site

Site Database(s)

abase(s) EPA ID Number

PEARLE VISION CENTER (Continued)

U003164768

EDR ID Number

address: 7935 Airport Pulling Road N #4-379 Naples FL 34109 4/11/17 TB Spoke with Walter Shifrin. Discussed history of site and potential path forward. We will review files and discuss further. Following my review of the files, I emailed Walter indicating all closure items have been addressed. From the last DNR correspondence letter regarding SC, outstanding items include narrative regarding fate of oil-saturated soil near UST as reported in 2/2009 SC Rpt and add'l round of gw monitoring since soil and gw are delineated on-site. Suggested Walter complete the outstanding items. 4/13/17 TB Emailed Walter copy of closure report form, narrative and map from closure report dated 4/27/09. 4/26/17 TB Spoke with Walter. They have completed round of gw monitoring. 5/3/17 TB Rec'd emailed copy of above requested information. Will review when hard copy arrives. 5/25/2017 AS reviewed gwm report. Not sufficient. Both events had COCs above DTLs, were sampled in April, and were 9 years apart, requested wp for additional gwmw sampling. 7/13/17 TB Change of address: Mr. Kenneth Baldridge Baldridge Properties 7935 Airport Pulling Rd North #4-379 Naples, FL 34109 8/16/2017 AS emailed Shifrin for update. According to Joy at Shifrin, wp is currently being prepared and should be sent out this week 9/27/2017 AS PSTIF letter, approved costs associated with 3 gwm events 11/14/2017 AS reviewed GWM Report. All COCs below res. requested another round of gwm 4/13/2018 AS sent request for GWM report 7/3/2018 AS sent 2nd request for GWM report 8/2/2018 AS received email from Joy Manigold, shifrin assocs. GWM completed, report coming next week. 8/28/2018 AS gave to LL for reassignment 9/13/18 dlw rev GWMR (8/17/18) Results of the July 2018 sampling event. Concentrations generally consistent w/ previous sampling events. Benzene concentrations in MW-2 and 4 exceed DTLs. Next event scheduled for October 2018. 12/10/18 dlw completed rev of GWMR (11/5/18). Also conducted a file review. GW concentrations were generally consistent with previous sampling events. The M-K evaluation showed "no trend" based on data from the 5 available sampling events. DNR requested additional GWM and updated M-K. 1/10/19 dlw rev WP for one addl GWM event and updated stability eval (12/28/18) WP approved as submitted. 5/3/19 dlw sent status request 8/14/19 dlw sent status 2 letter 11/8/19 dlw rev GWMR (9/30/19) Reviewed file. Soil and GW concentrations remain < residential & Non-Residential Targets for each sampling point. Eco Eval submitted in May 2017. Dom Use incomplete. Contamination delineated on site. Stability evaluation based on (6) events. Stable or decreasing. Recommend NFA. 11/22/2019 Issued NFA

UST:

 Facility ID:
 \$T0009438

 Region:
 \$L

 Easting:
 729482.682

 Northing:
 4285417.49

Owner Of Geospatial Data: Hazardous Waste Program
Geospatial Data Collected By: LEROY J.

Geospatial Data Collected By: LEROY, J Date GIS Data Collected: 10/31/2008

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

PEARLE VISION CENTER (Continued)

U003164768

Lat/Long: 38.7023 / -90.3668 Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW06722

Owner Name: **BALDRIDGE PROPERTIES**

Owner Address: 1507 ASTRA WAY

Owner City, St, Zip: ST LOUIS, MO 63010 1146

Owner County Code: Not reported Owner Phone: 2873400 Mail Was Not Deliverable: No Is Owner Active?: No

Date Registration Received: 2009-04-20 00:00:00 Date Record Added: 1995-06-30 00:00:00 Date Record Edited: 1999-03-25 00:00:00 Name of Person Editing Record: NREQHW-FASTT

Tank ID: 1 Tank Double Wall: n

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Not reported Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Not reported Date Tank Last Used: Date Tank Permanently Closed/ Removed: 02/02/2009

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: Date Record Edited: 01/07/2020 Person Adding/Editing Record: VEIT, CHRIS Date Of NFA Letter: 11/22/2019 Is Tank Used For Emergency Generator: No 08/06/2008 Date Closure Notice Received: Date Of Aprroval Letter: 08/08/2008

Firm Closing Tank: Commonwealth Construction Company Incorporated

Date Closure Report Received: 04/27/2009 Registration End Date: Not reported LockOut Flag:

02/04/09 - Dave Wasielewski, who owns an adjoining property, called Comments:

with closure procedure questions, as the removed tank was sitting

Direction Distance Elevation

n Site Database(s) EPA ID Number

PEARLE VISION CENTER (Continued)

U003164768

EDR ID Number

only a few feet from his property. He asked if they should obtain soil samples; I told him they most likely had. He's requesting a copy of the closure report. He is to contact Rhonda in writing sometime during April or May, the presumed time that the CR will be rec'd. Rhonda should be notified when this CR comes in so a copy may be distributed. Dave's phone number is 636-939-5109. - MW 5/29/2009 RMB. "The closure report narrative does not clearly state cleanup target levels. Several sample results, the Pile 1, Pile 2, and DG samples, were above Missouri Risk-Based Corrective Action (MRBCA) default target levels. If the cleanup objectives you are proposing are Tier 1, non-residential, documentation supporting the reasonable anticipated future land use must be submitted for review. Please submit documentation to support the non-residential future land use (see MRBCA Figure 6-2). Also, please complete the enclosed copy of the Department's Ecological Risk Assessment checklist. Note that if any of the responses to the questions on Attachment A are affirmative, then Attachment B must also be completed. Please provide sufficient justification for all responses given on the checklist." Per closure report, UST #1 is 6,000-gallons capacity. 6/19/2009 RMB Closure items adequately addressed, ref to remediation.

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 23260
Tank PK: 23260
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: Not reported

Substance: Gasoline, Including Blends
Substance Other: Not reported

Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Not reported Pipe Installation Date: Pipe System: Not reported Pipe Material: Not reported Pipe Material Other: Not reported Pipe Protection: Not reported

Pipe Double Wall: 0
Spill Protection: False

Pipe Protection Date:

Owner:

Owner ID: OW06722

Owner Name: BALDRIDGE PROPERTIES
Owner Address: 1507 ASTRA WAY

Not reported

Owner City, St, Zip: ST LOUIS, MO 63010 1146

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
2873400

No
No

 Date Registration Received:
 2009-04-20 00:00:00

 Date Record Added:
 1995-06-30 00:00:00

 Date Record Edited:
 1999-03-25 00:00:00

Distance Elevation Site

EPA ID Number Database(s)

PEARLE VISION CENTER (Continued)

U003164768

EDR ID Number

Name of Person Editing Record: NREQHW-FASTT

Tank ID: 2 Tank Double Wall:

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Not reported Code for Tank Material Manufacturer: Not reported Not reported Code for Tank Installer: Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 01/07/2020 Date Record Edited: Person Adding/Editing Record: VEIT, CHRIS 11/22/2019

Date Of NFA Letter: Is Tank Used For Emergency Generator:

Date Closure Notice Received: 08/06/2008 Date Of Aprroval Letter: 08/08/2008 Firm Closing Tank: Commonwealth Date Closure Report Received: 04/27/2009 Registration End Date: Not reported

LockOut Flag: No

Comments:

02/04/09 - Dave Wasielewski, who owns an adjoining property, called with closure procedure questions, as the removed tank was sitting only a few feet from his property. He asked if they should obtain soil samples; I told him they most likely had. He's requesting a copy of the closure report. He is to contact Rhonda in writing sometime during April or May, the presumed time that the CR will be rec'd. Rhonda should be notified when this CR comes in so a copy may be distributed. Dave's phone number is 636-939-5109. - MW 5/29/2009 RMB. "The closure report narrative does not clearly state cleanup target levels. Several sample results, the Pile 1, Pile 2, and DG samples, were above Missouri Risk-Based Corrective Action (MRBCA) default target levels. If the cleanup objectives you are proposing are Tier 1, non-residential, documentation supporting the reasonable anticipated future land use must be submitted for review. Please submit documentation to support the non-residential future land use (see MRBCA Figure 6-2). Also, please complete the enclosed copy of the Department's Ecological Risk Assessment checklist. Note that if

any of the responses to the questions on Attachment A are

Not reported

TC6884535.2s Page 264

Direction Distance Elevation

ation Site Database(s) EPA ID Number

PEARLE VISION CENTER (Continued)

U003164768

EDR ID Number

affirmative, then Attachment B must also be completed. Please provide sufficient justification for all responses given on the checklist." 6/19/2009 RMB Closure items adequately addressed, ref to remediation. UST #2 & #3 not found during closure or remediation activities and thought to have been previously removed. Area assessed where tanks had been.

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 23261
Tank PK: 23261
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: Not reported

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Not reported Pipe Installation Date: Pipe System: Not reported Pipe Material: Not reported Not reported Pipe Material Other: Not reported Pipe Protection: Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW06722

Owner Name: BALDRIDGE PROPERTIES

Owner Address: 1507 ASTRA WAY

Owner City,St,Zip: ST LOUIS, MO 63010 1146

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
2873400

No
No

 Date Registration Received:
 2009-04-20 00:00:00

 Date Record Added:
 1995-06-30 00:00:00

 Date Record Edited:
 1999-03-25 00:00:00

 Name of Person Editing Record:
 NREQHW-FASTT

Tank ID: 3
Tank Double Wall: 0

Tank Type: Below Ground **Tank Status:** Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Not reported Tank Material: Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported

Direction Distance Elevation

on Site Database(s) EPA ID Number

PEARLE VISION CENTER (Continued)

U003164768

EDR ID Number

Other Tank Internal Protection:

Tank Internal Protection Date:

Not reported

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: Date Record Edited: 01/07/2020 VEIT. CHRIS Person Adding/Editing Record: Date Of NFA Letter: 11/22/2019

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 08/06/2008
Date Of Aprroval Letter: 08/08/2008
Firm Closing Tank: Commonwealth
Date Closure Report Received: 04/27/2009
Registration End Date: Not reported
LockOut Flag: No

Comments: 02

02/04/09 - Dave Wasielewski, who owns an adjoining property, called with closure procedure questions, as the removed tank was sitting only a few feet from his property. He asked if they should obtain soil samples; I told him they most likely had. He's requesting a copy of the closure report. He is to contact Rhonda in writing sometime during April or May, the presumed time that the CR will be rec'd. Rhonda should be notified when this CR comes in so a copy may be distributed. Dave's phone number is 636-939-5109. - MW 5/29/2009 RMB. "The closure report narrative does not clearly state cleanup target levels. Several sample results, the Pile 1, Pile 2, and DG samples, were above Missouri Risk-Based Corrective Action (MRBCA) default target levels. If the cleanup objectives you are proposing are Tier 1, non-residential, documentation supporting the reasonable anticipated future land use must be submitted for review. Please submit documentation to support the non-residential future land use (see MRBCA Figure 6-2). Also, please complete the enclosed copy of the Department's Ecological Risk Assessment checklist. Note that if any of the responses to the questions on Attachment A are affirmative, then Attachment B must also be completed. Please provide sufficient justification for all responses given on the checklist." 6/19/2009 RMB Closure items adequately addressed, ref to remediation. UST #2 & #3 not found during closure or remediation activities and thought to have been previously removed. Area assessed where tanks had been.

Not reported

Tank Compartment:

Tanks Use: False

Compartment No: 1

Tank Compartment PK: 23262

Tank PK: 23262

Case Number: Not reported

Compartment Status: Removed

Compartment Temp Verified Dt: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

PEARLE VISION CENTER (Continued)

U003164768

EDR ID Number

Capacity: Not reported Substance: Other Substance Other: U Hazardous Substance: Not reported

Mixture: False

1980-01-01 00:00:00 Date of Last Use: Pipe Installation Date: Not reported Not reported Pipe System: Pipe Material: Not reported Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: Spill Protection: False

Tank Aug 2011:

Facility Id: ST0009438

Tank Id:

Site Usage: Not reported Risk Type: Not reported Not reported Soil Type: GW Flow: Not reported Offsite Impact: Not reported Not reported Free Product: Drinking Water: Not reported

Closed Under: 78 No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0009438

Tank Id:

2 Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0009438

Tank ld: 3

Site Usage: Not reported Risk Type: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

PEARLE VISION CENTER (Continued)

U003164768

U003159562

N/A

UST

Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

22 **WALLIS PETROLEUM #607** LUST

North 9403 PAGE AVE 1/4-1/2 OVERLAND, MO 63132

0.359 mi. 1895 ft.

Relative: LUST: Higher Name: WALLIS PETROLEUM #607

Address: 9403 PAGE AVE Actual: City,State,Zip: OVERLAND, MO 63132 575 ft.

Facility ID: ST0007325

SL - St. Louis Regional Office Region:

Lat/Long (dms): Not reported Spill Number: Not reported 03/24/1988 Release Date:

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 06/30/1989 Date Cleanup Finished: 07/17/1990 Expedited: No **Expedited Date:** Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

Number Of Remediation Monitoring Wells: 0 Active: No Date Of NFA Letter From DNR: Not reported

Not reported Date Record Meets Archive Criteria: Remediation ID: R001387 Rank: Not reported Emergeny Response Date: Not reported **Emergency Cleanup Start:** Not reported Referred To DGLS for Investigation: Not reported Contractor Performing Clean Up: Not reported

RBCA NFA: No Project Manager: L

Next Correspondence/Update With Fac: Not reported Date Added: 06/30/1995 Date Record Edited: Not reported Person Adding Or Editing Record: Not reported Facility Sent To State Archive: Yes

Not reported Date Remediation Unit Closed The File:

Site Affectd By Funding Level From PSTIF: No

General Comments: Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

WALLIS PETROLEUM #607 (Continued)

U003159562

EDR ID Number

UST:

 Facility ID:
 \$T0007325

 Region:
 \$L

 Easting:
 729414.603

 Northing:
 4285406.52

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: INTERNS
Date GIS Data Collected: 01/03/2002

Lat/Long: 38.687549 / -90.362386

Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW06006

Owner Name: ARCH ENERGY LC
Owner Address: 106 E WASHINGTON AVE
Owner City,St,Zip: CUBA, MO 65453

Owner County Code: 55
Owner Phone: 5491611
Mail Was Not Deliverable: No
Is Owner Active?: Yes

Date Registration Received:

Date Record Added:

Date Record Edited:

Not reported
1995-06-30 00:00:00
2019-06-24 00:00:00

Name of Person Editing Record:

VANDEPOPUL, C

Tank ID: 1
Tank Double Wall: 0

Below Ground Tank Type: **Tank Status:** Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1989 **Fiberglass** Tank Material: Not reported Code for Tank Material Manufacturer: Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: 09/25/2007

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No Responsible Person Expediting Closure: RB

Temporary Status Verified Date:
Admin Fee 585:
Not reported
Date Administratively Closed:
Not reported
Date Record Added:
Date Record Edited:
Person Adding/Editing Record:
BROWN, R
Date Of NFA Letter:
Used For Emergency Generator:
No

TC6884535.2s Page 269

Direction Distance

Elevation Site Database(s) EPA ID Number

WALLIS PETROLEUM #607 (Continued)

U003159562

EDR ID Number

Date Closure Notice Received: 08/06/2007
Date Of Aprroval Letter: 08/10/2007
Firm Closing Tank: Delta
Date Closure Report Received: 11/30/2007
Registration End Date: 09/30/2009
LockOut Flag: No

Comments: PC 3/29/08- response needs degree of slope, depth of excavation,

photos of ends/sides of all tanks, receiving facility signature on

manifest. Clean site.

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 18544
Tank PK: 18544
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: 10000

Substance: Gasoline, Including Blends

Substance Other: Not reported
Hazardous Substance: Not reported
Mixture: False
Date of Last Use: Not reported
Pipe Installation Date: 1989-01-01 00:00:00

Pipe System: 1
Pipe Material: 2

Pipe Material Other: Not reported
Pipe Protection: Not reported
Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: True

Owner:

Owner ID: OW06006

Owner Name: ARCH ENERGY LC
Owner Address: 106 E WASHINGTON AVE

Owner City,St,Zip: CUBA, MO 65453

Owner County Code: 55
Owner Phone: 5491611
Mail Was Not Deliverable: No
Is Owner Active?: Yes

Date Registration Received: Not reported

Date Record Added: 1995-06-30 00:00:00
Date Record Edited: 2019-06-24 00:00:00
Name of Person Editing Record: VANDEPOPUL, C

Tank ID: 2
Tank Double Wall: 0

Tank Type: Below Ground
Tank Status: Removed
Meet 98 Update Requirements: Not reported
Date Tank Installed: 01/01/1989
Tank Material: Fiberglass
Code for Tank Material Manufacturer: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WALLIS PETROLEUM #607 (Continued)

U003159562

Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Tank External Protec Date: Not reported Not reported Date Tank Last Used: Date Tank Permanently Closed/ Removed: 09/25/2007

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No Responsible Person Expediting Closure: RΒ

Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: Date Record Edited: 10/01/2008 Person Adding/Editing Record: BROWN, R Date Of NFA Letter: 09/25/2008

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 08/06/2007 Date Of Aprroval Letter: 08/10/2007 Firm Closing Tank: Delta Date Closure Report Received: 11/30/2007 Registration End Date: 09/30/2009

LockOut Flag:

Comments: PC 3/29/08- response needs degree of slope, depth of excavation,

photos of ends/sides of all tanks, receiving facility signature on

manifest. Clean site.

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 18545 Tank PK: 18545 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 10000

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported

1989-01-01 00:00:00 Pipe Installation Date:

Pipe System: Pipe Material:

Not reported Pipe Material Other: Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: Spill Protection: True

Owner:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WALLIS PETROLEUM #607 (Continued)

U003159562

Owner ID: OW06006

Owner Name: ARCH ENERGY LC Owner Address: 106 E WASHINGTON AVE

Owner City, St, Zip: CUBA, MO 65453

Owner County Code: 5491611 Owner Phone: Mail Was Not Deliverable: No Is Owner Active?: Yes

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00 Date Record Edited: 2019-06-24 00:00:00 Name of Person Editing Record: VANDEPOPUL, C

Tank ID: 3 Tank Double Wall: n

Tank Type: Below Ground **Tank Status:** Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1989 Fiberglass Tank Material: Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: 09/25/2007

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No Responsible Person Expediting Closure: RB

Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 Date Record Edited: 10/01/2008 Person Adding/Editing Record: BROWN, R Date Of NFA Letter: 09/25/2008

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 08/06/2007 Date Of Aprroval Letter: 08/10/2007 Firm Closing Tank: Delta Date Closure Report Received: 11/30/2007 Registration End Date: 09/30/2009 LockOut Flag:

Comments: PC 3/29/08- response needs degree of slope, depth of excavation, photos of ends/sides of all tanks, receiving facility signature on

manifest. Clean site.

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 18546

Direction Distance Elevation

vation Site Database(s) EPA ID Number

WALLIS PETROLEUM #607 (Continued)

U003159562

EDR ID Number

Tank PK: 18546
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: 10000

Substance: Gasoline, Including Blends

Substance Other:
Hazardous Substance:
Mixture:
Date of Last Use:
Pipe Installation Date:

Not reported
False
Not reported
1989-01-01 00:00:00

Pipe System: 1
Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: True

Owner:

Owner ID: OW06006

Owner Name: ARCH ENERGY LC
Owner Address: 106 E WASHINGTON AVE

Owner City,St,Zip: CUBA, MO 65453

Owner County Code: 55
Owner Phone: 5491611
Mail Was Not Deliverable: No
Is Owner Active?: Yes

Date Registration Received:Not reportedDate Record Added:1995-06-30 00:00:00Date Record Edited:2019-06-24 00:00:00

Name of Person Editing Record: VANDEPOPUL, C

Tank ID: 4
Tank Double Wall: 0

Tank Type: Below Ground Removed **Tank Status:** Not reported Meet 98 Update Requirements: 01/01/1989 Date Tank Installed: Tank Material: **Fiberglass** Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: 09/25/2007

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No Responsible Person Expediting Closure: RB

Direction Distance

Elevation Site Database(s) **EPA ID Number**

WALLIS PETROLEUM #607 (Continued)

U003159562

EDR ID Number

Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 Date Record Edited: 10/01/2008 Person Adding/Editing Record: BROWN, R 09/25/2008 Date Of NFA Letter:

Is Tank Used For Emergency Generator: Nο

Date Closure Notice Received: 08/06/2007 Date Of Aprroval Letter: 08/10/2007 Firm Closing Tank: Delta Date Closure Report Received: 11/30/2007 Registration End Date: 09/30/2009

LockOut Flag: No

Comments: PC 3/29/08- response needs degree of slope, depth of excavation,

photos of ends/sides of all tanks, receiving facility signature on

manifest. Clean site.

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 18547 Tank PK: 18547 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 10000

Gasoline, Including Blends Substance:

Substance Other: Not reported Not reported Hazardous Substance: Mixture: False Date of Last Use: Not reported

Pipe Installation Date: 1989-01-01 00:00:00

Pipe System: Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0 Spill Protection: True

Owner:

Owner ID: OW06006

Owner Name: ARCH ENERGY LC 106 E WASHINGTON AVE Owner Address:

Owner City, St, Zip: CUBA, MO 65453

Owner County Code: 55 Owner Phone: 5491611 Mail Was Not Deliverable: No Is Owner Active?: Yes

Date Registration Received: Not reported 1995-06-30 00:00:00 Date Record Added: Date Record Edited: 2019-06-24 00:00:00 Name of Person Editing Record: VANDEPOPUL, C

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WALLIS PETROLEUM #607 (Continued)

U003159562

Tank ID: 5 Tank Double Wall: 0

Below Ground Tank Type: Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Steel

Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Not reported Date Tank Last Used: Date Tank Permanently Closed/ Removed: 07/17/1990

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 10/05/1999 Date Record Edited: Not reported Person Adding/Editing Record: NREQHW-FASTT

Date Of NFA Letter: 07/17/1990

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Not reported Registration End Date:

LockOut Flag:

Comments: Not reported

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 18548 Tank PK: 18548 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 500 Substance: Used Oil Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Not reported

Pipe Installation Date: Pipe System:

Pipe Material: Not reported Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Not reported

Direction Distance Elevation

ation Site Database(s) EPA ID Number

WALLIS PETROLEUM #607 (Continued)

U003159562

EDR ID Number

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW20034

Owner Name: WALLIS PETROLEUM LC
Owner Address: 106 E WASHINGTON AVE

Owner City,St,Zip:

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

CUBA, MO 65453

Not reported

5491612

No

Yes

 Date Registration Received:
 2000-06-07 00:00:00

 Date Record Added:
 2000-06-08 00:00:00

 Date Record Edited:
 2019-06-10 00:00:00

 Name of Person Editing Record:
 VANDEPOPUL, C

Tank ID: 6
Tank Double Wall: -1

Tank Type: Below Ground Tank Status: Curently in use Meet 98 Update Requirements: Not reported 11/29/2007 Date Tank Installed: Tank Material: **Fiberglass** Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Not reported Tank External Protec Date: Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No

Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 09/02/2011 Date Record Edited: 06/30/2014 Person Adding/Editing Record: SESSLER, D Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received:

Date Of Aprroval Letter:

Not reported

LockOut Flag: No

Comments: Not reported

Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

WALLIS PETROLEUM #607 (Continued)

U003159562

EDR ID Number

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 40104 Tank PK: 40044 Case Number: Not reported Curently in use Compartment Status: Compartment Temp Verified Dt: Not reported Capacity: 18000 Substance: Substance Other:

Substance Other: Not reported
Hazardous Substance: Not reported
Mixture: False
Date of Last Use: Not reported
Pipe Installation Date: 2008-01-09 00:00:00

Pipe System: 1 Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: -1 Spill Protection: True

False Tanks Use: Compartment No: 40105 Tank Compartment PK: Tank PK: 40044 Case Number: Not reported Compartment Status: Curently in use Compartment Temp Verified Dt: Not reported Capacity: 8000 Substance: Diesel Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Pipe Installation Date: 2008-01-09 00:00:00

Pipe System: 1
Pipe Material: 2

Pipe Material Other: Not reported
Pipe Protection: Not reported
Pipe Protection Date: Not reported

Pipe Double Wall: -1 Spill Protection: True

Owner:

Owner ID: OW20034

Owner Name: WALLIS PETROLEUM LC
Owner Address: 106 E WASHINGTON AVE
Owner City,St,Zip: CUBA, MO 65453

Owner City,St,Zip:

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

CUBA, MO 6

Not reported

S491612

No

Yes

Date Registration Received: 2000-06-07 00:00:00

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WALLIS PETROLEUM #607 (Continued)

U003159562

Date Record Added: 2000-06-08 00:00:00 Date Record Edited: 2019-06-10 00:00:00 Name of Person Editing Record: VANDEPOPUL, C

7 Tank ID: Tank Double Wall:

Tank Type: Below Ground **Tank Status:** Curently in use Meet 98 Update Requirements: Not reported Date Tank Installed: 11/29/2007 Fiberglass Tank Material: Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 09/02/2011 Date Record Edited: 06/30/2014 Person Adding/Editing Record: SESSLER, D Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Registration End Date: 09/30/2024

LockOut Flag: Nο

Comments: Not reported

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 40106 Tank PK: 40045 Case Number: Not reported Compartment Status: Curently in use Compartment Temp Verified Dt: Not reported 6000 Capacity: Substance: Ethanol / E85 Substance Other: Not reported Not reported Hazardous Substance: False Mixture: Date of Last Use: Not reported 2008-01-09 00:00:00 Pipe Installation Date:

Not reported

Direction Distance Elevation

tion Site Database(s) EPA ID Number

WALLIS PETROLEUM #607 (Continued)

Pipe System: 1
Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: -1 Spill Protection: True

Tanks Use: False
Compartment No: 2
Tank Compartment PK: 40107
Tank PK: 40045
Case Number: Not reported
Compartment Status: Currently in use
Compartment Temp Verified Dt: Not reported
Capacity: 8000

Substance: P

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: Not reported

Pipe Installation Date: 2008-01-09 00:00:00

Pipe System: 1
Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: -1 Spill Protection: True

Tank Aug 2011:

Facility Id: ST0007325

Tank ld: 1

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0007325

Tank Id: 2

Site Usage: Not reported
Risk Type: Not reported
Soil Type: Not reported
GW Flow: Not reported
Offsite Impact: Not reported

U003159562

EDR ID Number

Direction Distance Elevation

Site Database(s) **EPA ID Number**

WALLIS PETROLEUM #607 (Continued)

U003159562

EDR ID Number

Free Product: Not reported Not reported **Drinking Water:** Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0007325

Tank ld:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Not reported Drinking Water: Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0007325

Tank ld: 5

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported **Drinking Water:** Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

ST0007325 Facility Id: 6

Tank Id:

Site Usage: Not reported Not reported Risk Type: Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WALLIS PETROLEUM #607 (Continued)

U003159562

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0007325

Tank Id:

Site Usage: Not reported Not reported Risk Type: Not reported Soil Type: GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: O St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0007325

Tank Id:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Not reported Drinking Water: Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

ENGINEERED AIR SYSTEMS INC

wsw 1270 N PRICE RD **ST LOUIS, MO 63132**

1/4-1/2 0.367 mi. 1940 ft.

23

Relative:

Higher

LUST: **ENGINEERED AIR SYSTEMS INC** Name:

Address: 1270 N PRICE RD Actual: ST LOUIS, MO 63114 City,State,Zip: 608 ft.

Facility ID: ST0005720

Region: SL - St. Louis Regional Office

Lat/Long (dms): Not reported Not reported Spill Number:

1000256462

MOD006281711

LUST

FTTS

HIST FTTS

RCRA NonGen / NLR

UST

Map ID

Direction

Direction Distance

Elevation Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Release Date: 04/12/1990

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 05/16/1990
Date Cleanup Finished: 06/04/1990
Expedited: No
Expedited Date: Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

Number Of Remediation Monitoring Wells: 0 Active: No

Date Of NFA Letter From DNR: Not reported Not reported Date Record Meets Archive Criteria: R001279 Remediation ID: Rank: Not reported Emergeny Response Date: Not reported **Emergency Cleanup Start:** Not reported Referred To DGLS for Investigation: Not reported Contractor Performing Clean Up: Not reported

RBCA NFA: No Project Manager: L

Next Correspondence/Update With Fac:
Date Added:
Date Record Edited:
Person Adding Or Editing Record:
Facility Sent To State Archive:
Date Remediation Unit Closed The File:
Not reported
Yes
Not reported
Yes

Site Affectd By Funding Level From PSTIF: No

General Comments: Not reported

UST:

 Facility ID:
 ST0005720

 Region:
 SL

 Easting:
 728991.75

 Northing:
 4284654.66

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: VANCE, S Date GIS Data Collected: 08/27/2013

Lat/Long: 38.6783550 / -90.368194

Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW04286

Owner Name: ST LOUIS UNIVERSITY
Owner Address: 1320 S GRAND AVE
Owner City,St,Zip: ST LOUIS, MO 63104

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
9935880

No
No

Date Registration Received: Not reported

Date Record Added: 1995-06-30 00:00:00

Date Record Edited: Not reported Name of Person Editing Record: Not reported

Tank ID: 1

MAP FINDINGS Map ID Direction

Distance

Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Not reported

EDR ID Number

Tank Double Wall:

Below Ground Tank Type: Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1971 Tank Material: Steel

Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Not reported Other Tank Internal Protection: Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported 06/04/1990 Date Tank Last Used: Date Tank Permanently Closed/ Removed: 06/04/1990

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: Yes Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: 01/22/2004 Date Record Edited: Person Adding/Editing Record: PURVIS, K Date Of NFA Letter: 06/04/1990

Is Tank Used For Emergency Generator:

Date Closure Notice Received: 03/02/1990 Date Of Aprroval Letter: 06/04/1990

Firm Closing Tank: SUPERIOR EQUIPMENT CO.INC

Date Closure Report Received: 05/02/1990 Registration End Date: Not reported LockOut Flag: No

Comments: FROM LAB

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 14170 Tank PK: 14170 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported 500 Capacity:

Substance: **Unspecified Petroleum**

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1990-06-04 00:00:00

Pipe Installation Date: Not reported Pipe System: Not reported

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0

Distance Elevation

Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Spill Protection: False

Owner:

Owner ID: OW04286

Owner Name: ST LOUIS UNIVERSITY Owner Address: 1320 S GRAND AVE Owner City, St, Zip: **ST LOUIS, MO 63104**

Owner County Code: Not reported Owner Phone: 9935880 Mail Was Not Deliverable: No Is Owner Active?: No

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00 Not reported Date Record Edited:

Name of Person Editing Record: Not reported

Tank ID: 2 Tank Double Wall: 0

Tank Type: Below Ground

Tank Status: Permanently Closed in place

Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1971 Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported 06/04/1990 Date Tank Last Used:

Date Tank Permanently Closed/ Removed: 06/04/1990

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: Yes Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Not reported Temporary Status Verified Date: Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 Date Record Edited: 01/22/2004 PURVIS, K Person Adding/Editing Record: Date Of NFA Letter: 06/04/1990

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Registration End Date: Not reported

LockOut Flag: No

Not reported Comments:

Tank Compartment:

Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 14171
Tank PK: 14171
Case Number: Not reported

Compartment Status: Permanently Closed in place

Compartment Temp Verified Dt: Not reported Capacity: 500

Substance: Unspecified Petroleum

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1990-06-04 00:00:00

Pipe Installation Date: Not reported Pipe System: Not reported

Pipe Material: 1

Pipe Material Other:
Pipe Protection:
Not reported
Not reported
Not reported
Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW04286

Owner Name: ST LOUIS UNIVERSITY
Owner Address: 1320 S GRAND AVE
Owner City,St,Zip: ST LOUIS, MO 63104

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
9935880

No
No

Date Registration Received: Not reported

Date Record Added: 1995-06-30 00:00:00
Date Record Edited: Not reported
Name of Person Editing Record: Not reported

Tank ID: 3
Tank Double Wall: 0

Tank Type: Below Ground

Tank Status: Permanently Closed in place

Meet 98 Update Requirements:

Date Tank Installed:

Tank Material:

Code for Tank Material Manufacturer:

Code for Tank Installer:

Not reported

Not reported

Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported 06/04/1990 Date Tank Last Used: Date Tank Permanently Closed/ Removed: 06/04/1990

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Tank Fees Waived: Yes Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: 03/14/1996 Date Record Edited: Person Adding/Editing Record: Not reported Date Of NFA Letter: 06/04/1990

Is Tank Used For Emergency Generator: No

Date Closure Notice Received:

Date Of Aprroval Letter:

Not reported

LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 14172
Tank PK: 14172
Case Number: Not reported

Compartment Status: Permanently Closed in place

Compartment Temp Verified Dt: Not reported Capacity: 500
Substance: Empty Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1990-06-04 00:00:00

Pipe Installation Date:

Pipe System:

Pipe Material:

Pipe Material Other:

Pipe Protection:

Not reported

Not reported

Not reported

Pipe Protection: Not reported
Pipe Protection Date: Not reported
Pipe Double Wall: 0

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW04286

Owner Name: ST LOUIS UNIVERSITY
Owner Address: 1320 S GRAND AVE
Owner City,St,Zip: ST LOUIS, MO 63104

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

No

No

Date Registration Received:

Date Record Added:

Date Record Edited:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Distance Elevation Site

ation Site Database(s) EPA ID Number

06/04/1990

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Not reported

EDR ID Number

Tank ID: 4
Tank Double Wall: 0

Tank Type: Below Ground

Tank Status: Permanently Closed in place

Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1971 Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported

Date Tank Permanently Closed/ Removed: 06/04/1990

Dt Tk Exp Brought InUse/Internal Tracking: Tank Fees Waived: Yes

Date Tank Last Used:

Expedite Closure On Tank?:

Responsible Person Expediting Closure:

Temporary Status Verified Date:

Admin Fee 585:

Date Administratively Closed:

No
No
Not reported
Not reported
Not reported

Date Record Added: 06/30/1995
Date Record Edited: 03/14/1996
Person Adding/Editing Record: Not reported
Date Of NFA Letter: 06/04/1990

Is Tank Used For Emergency Generator: No

Date Closure Notice Received:

Date Of Aprroval Letter:

Firm Closing Tank:

Date Closure Report Received:

Registration End Date:

Not reported

Not reported

Not reported

LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 14173
Tank PK: 14173
Case Number: Not reported

Compartment Status: Permanently Closed in place

Compartment Temp Verified Dt:
Capacity:
Substance:
Substance Other:
Hazardous Substance:
Mixture:
Not reported
Not reported
False

Date of Last Use: 1990-06-04 00:00:00

Pipe Installation Date: Not reported Pipe System: Not reported

Pipe Material: 1

Pipe Material Other: Not reported
Pipe Protection: Not reported
Pipe Protection Date: Not reported

Distance Elevation Site

ation Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW04286

Owner Name: ST LOUIS UNIVERSITY
Owner Address: 1320 S GRAND AVE
Owner City,St,Zip: ST LOUIS, MO 63104

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
9935880

No
No

Date Registration Received:

Date Record Added:

Date Record Edited:

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

Tank ID: 5
Tank Double Wall: 0

Tank Type: Below Ground

Tank Status: Permanently Closed in place

Meet 98 Update Requirements: Not reported Date Tank Installed: 01/01/1971 Tank Material: Steel Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported

Tank External Protec Date:

Date Tank Last Used:

Date Tank Permanently Closed/ Removed: 06/04/1990

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: Yes

Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 03/14/1996 Date Record Edited: Person Adding/Editing Record: Not reported 06/04/1990 Date Of NFA Letter:

Is Tank Used For Emergency Generator: No

Date Closure Notice Received:

Date Of Aprroval Letter:

Firm Closing Tank:

Date Closure Report Received:

Registration End Date:

Not reported

Not reported

Not reported

LockOut Flag: No

Comments: Not reported

Not reported

Direction Distance Elevation

ce EDR ID Number ion Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 14174
Tank PK: 14174
Case Number: Not reported

Compartment Status: Permanently Closed in place

Compartment Temp Verified Dt: Not reported

Capacity: 500

Substance: Hazardous Substance

Substance Other: Not reported Hazardous Substance: TOLUENE Mixture: False

Date of Last Use: 1990-06-04 00:00:00
Pipe Installation Date: Not reported
Pipe System: Not reported

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW04286

Owner Name: ST LOUIS UNIVERSITY
Owner Address: 1320 S GRAND AVE
Owner City,St,Zip: ST LOUIS, MO 63104

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

No No

Date Registration Received: Not reported
Date Record Added: 1995-06-30 00:00:00
Date Record Edited: Not reported

Tank ID: 6

Name of Person Editing Record:

Tank Double Wall:

Tank Type: Below Ground

Tank Status: Permanently Closed in place

Not reported

Meet 98 Update Requirements:
Date Tank Installed:
Tank Material:

Not reported
01/01/1971
Steel

Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Not reported Tank Internal Protection Date: Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 06/04/1990

Direction Distance Elevation

ce EDR ID Number on Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Not reported

Date Tank Permanently Closed/ Removed: 06/04/1990

Dt Tk Exp Brought InUse/Internal Tracking: Tank Fees Waived: Yes

Expedite Closure On Tank?:

Responsible Person Expediting Closure:

Temporary Status Verified Date:

Not reported

Not reported

Temporary Status Verified Date:
Admin Fee 585:
Not reported
Date Administratively Closed:
Not reported
Date Record Added:
Date Record Edited:
Person Adding/Editing Record:
Date Of NFA Letter:
Not reported
Not reported
Not reported
Not reported
Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received:

Date Of Aprroval Letter:

Firm Closing Tank:

Date Closure Report Received:

Registration End Date:

Not reported

Not reported

Not reported

LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 14175
Tank PK: 14175
Case Number: Not reported

Compartment Status: Permanently Closed in place

Compartment Temp Verified Dt: Not reported Capacity: 200
Substance: Kerosene Substance Other: Not reported Hazardous Substance: Not reported

Mixture: False

Date of Last Use: 1990-06-04 00:00:00

Pipe Installation Date: Not reported
Pipe System: Not reported
Pipe Material: 1

Pipe Material Other:Not reportedPipe Protection:Not reportedPipe Protection Date:Not reported

Pipe Double Wall: 0
Spill Protection: False

Tank Aug 2011:

Facility Id: ST0005720 Tank Id: 2

Site Usage: Not reported Risk Type: Not reported Not reported Soil Type: GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

ST0005720 Facility Id:

Tank ld: 3

Site Usage: Not reported Risk Type: Not reported Not reported Soil Type: GW Flow: Not reported Offsite Impact: Not reported Not reported Free Product: Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0005720

Tank ld:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

ST0005720 Facility Id:

Tank ld: 4

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Special Well Area: No Surface Cap: No No Excavation: No

ST0005720 Facility Id:

Tank Id:

Site Usage: Not reported Not reported Risk Type: Soil Type: Not reported GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: O St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0005720

Tank Id:

6 Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Not reported Offsite Impact: Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

RCRA NonGen / NLR:

Date Form Received by Agency: 20141016 Handler Name: ENGINEERED AIR SYSTEMS INC

1270 N PRICE RD Handler Address: ST LOUIS, MO 63132-2323 Handler City, State, Zip:

EPA ID: MOD006281711 Contact Name: MIKE DONNELLY Contact Address: 201 EVANS LN Contact City, State, Zip: ST LOUIS, MO 63121 Contact Telephone: 314-553-4714 Contact Fax: Not reported Contact Email: Not reported Contact Title: MANAGER

EPA Region: 07 Land Type: Private

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported

Distance
Elevation Site Database(s)

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

EPA ID Number

Biennial Report Cycle:

Accessibility:

Not reported

Active Site Indicator:

State District Owner:

State District:

Not reported

Mailing Address:

201 EVANS LN

Mailing City, State, Zip:

ST LOUIS, MO 63121

Owner Name: ENGINEERED SUPPORT SYSTEMS INC

Owner Type: Private

Operator Name: ENGINEERED SUPPORT SYSTEMS INC

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: Nο Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: No Universal Waste Indicator: Yes Universal Waste Destination Facility: Yes Federal Universal Waste: Yes

Active Site Fed-Reg Treatment Storage and Disposal Facility:
Active Site Converter Treatment storage and Disposal Facility:
Active Site State-Reg Treatment Storage and Disposal Facility:

Not reported
Not reported

Active Site State-Reg Handler:

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Not reported Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

Subject to Corrective Action Universe:

No
Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

No
Human Exposure Controls Indicator:

N/A

Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported
Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Distance

Elevation Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No
No

Recycler Activity Without Storage:

Manifest Broker:

Not reported

Not reported

Sub-Part P Indicator: No

Biennial: List of Years

Year: 2001

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Waste Code: D002

Waste Description: CORROSIVE WASTE

Waste Code: D005 Waste Description: BARIUM

Waste Code: D007
Waste Description: CHROMIUM

Waste Code: D012
Waste Description: ENDRIN

(1,2,3,4,10,10-HEXACHLORO-1,7-EPOXY-1,4,4A,5,6,7,8,8A-OCTAHYDRO-1,4-EN

DO, ENDO-5,8-DIMETH-ANO-NAPHTHALENE)

Waste Code: D035

Waste Description: METHYL ETHYL KETONE

Waste Code: F002

Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE,

METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE,

CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE,

ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2,

TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND

SPENT SOLVENT MIXTURES.

Waste Code: F003

Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL

ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL

ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL

Distance

Elevation Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT

MIXTURES.

Waste Code: F005

Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL

KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE,

2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF

THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F019

Waste Description: WASTEWATER TREATMENT SLUDGES FROM THE CHEMICAL CONVERSION COATING OF

ALUMINUM, EXCEPT FROM ZIRCONIUM PHOSPHATING IN ALUMINUM CAN WASHING WHEN SUCH PHOSPHATING IS AN EXCLUSIVE CONVERSION COATING PROCESS.

Handler - Owner Operator:

Owner/Operator Indicator: Operator

Owner/Operator Name: ENGINEERED AIR SYSTEMS INC

Legal Status: Private Date Became Current: 20030429 Date Ended Current: Not reported 201 EVANS LN Owner/Operator Address: Owner/Operator City, State, Zip: ST LOUIS, MO 63121 Owner/Operator Telephone: 314-553-4714 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ENGINEERED AIR SYSTEMS INC

Legal Status:PrivateDate Became Current:Not reportedDate Ended Current:Not reportedOwner/Operator Address:201 EVANS LNOwner/Operator City, State, Zip:ST LOUIS, MO 63121Owner/Operator Telephone:314-553-4714

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Email:

Not reported

Not reported

Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ENGINEERED AIR SYSTEMS INC

Legal Status:PrivateDate Became Current:Not reportedDate Ended Current:Not reportedOwner/Operator Address:1270 N PRICE RDOwner/Operator City, State, Zip:ST LOUIS, MO 63132

Owner/Operator Telephone: 314-993-5880
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: ENGINEERED AIR SYSTEMS INC

Legal Status: Private

Direction Distance Elevation

Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Date Became Current: 20030429 Not reported Date Ended Current: Owner/Operator Address: 201 EVANS LN Owner/Operator City, State, Zip: ST LOUIS, MO 63121 Owner/Operator Telephone: 314-553-4714 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

ENGINEERED SUPPORT SYSTEMS INC Owner/Operator Name:

Legal Status: Private Date Became Current: 20040202 **Date Ended Current:** Not reported Owner/Operator Address: 201 EVANS LN Owner/Operator City, State, Zip: ST LOUIS, MO 63121 Owner/Operator Telephone: 314-553-4714 Owner/Operator Telephone Ext: Not reported

Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: **ENGINEERED AIR SYSTEMS INC**

Legal Status: Private Date Became Current: Not reported Date Ended Current: Not reported Owner/Operator Address: 201 EVANS LN Owner/Operator City, State, Zip: ST LOUIS, MO 63121 Owner/Operator Telephone: 314-553-4714 Owner/Operator Telephone Ext: Not reported

Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: ENGINEERED AIR SYSTEMS INC

Legal Status: Private Date Became Current: Not reported Date Ended Current: Not reported 1270 N PRICE RD Owner/Operator Address: ST LOUIS, MO 63132 Owner/Operator City, State, Zip: Owner/Operator Telephone: 314-993-5880

Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Not reported Owner/Operator Email:

Owner/Operator Indicator: Operator

Owner/Operator Name: **ENGINEERED AIR SYSTEMS INC**

Legal Status: Private Date Became Current: 20030429 Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Owner/Operator Indicator: Owner

ENGINEERED SUPPORT SYSTEMS INC Owner/Operator Name:

Legal Status: Private Date Became Current: 20040202 Date Ended Current: Not reported 201 EVANS LN Owner/Operator Address: Owner/Operator City, State, Zip: ST LOUIS, MO 63121

Owner/Operator Telephone: 314-553-4714 Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Historic Generators:

20141016 Receive Date: Handler Name: ENGINEERED AIR SYSTEMS INC

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste: Yes Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

19810807 Receive Date: Handler Name: ENGINEERED AIR SYSTEMS INC

Federal Waste Generator Description: Large Quantity Generator

MO State District Owner: Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No Non Storage Recycler Activity:

Not reported Electronic Manifest Broker: Not reported

20020221 Receive Date: **ENGINEERED AIR SYSTEMS INC** Handler Name:

Federal Waste Generator Description: Large Quantity Generator

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20030429 Handler Name: **ENGINEERED AIR SYSTEMS INC**

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO Large Quantity Handler of Universal Waste: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20040202 Handler Name: **ENGINEERED AIR SYSTEMS INC**

Federal Waste Generator Description: Large Quantity Generator

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: Nο Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20050118

ENGINEERED AIR SYSTEMS INC Handler Name:

Federal Waste Generator Description: Not a generator, verified

State District Owner: MO Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19900228 ENGINEERED AIR SYSTEMS, INC. Handler Name:

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19920302 Handler Name: ENGINEERED AIR SYSTEMS, INC.

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No **Current Record:** No

Direction Distance Elevation

n Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19940630

Handler Name: ENGINEERED AIR SYSTEMS

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19960207 Handler Name: ENGINEERED AIR SYSTEMS INC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19980214 Handler Name: ENGINEERED AIR SYSTEMS INC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No
Not Storage Recorder Activity:

Not Not Storage Recorder Activity:

Not Not Storage Recorder Activity:

Not Storage Recorder Activities Recorder Activity:

Not Storage Recorder Activities Recorder R

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20000131 Handler Name: ENGINEERED AIR SYSTEMS INC

Federal Waste Generator Description: Large Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20020118
Handler Name: ENGINEERED AIR SYSTEMS INC

Direction Distance

Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Federal Waste Generator Description: Large Quantity Generator

Not reported State District Owner:

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Nο

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 332322

NAICS Description: SHEET METAL WORK MANUFACTURING

NAICS Code: 332439

NAICS Description: OTHER METAL CONTAINER MANUFACTURING

NAICS Code:

NAICS Description: ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING

NAICS Code:

NAICS Description: HEATING EQUIPMENT (EXCEPT WARM AIR FURNACES) MANUFACTURING

NAICS Code: 333415

NAICS Description: AIR-CONDITIONING AND WARM AIR HEATING EQUIPMENT AND COMMERCIAL AND

INDUSTRIAL REFRIGERATION EQUIPMENT MANUFACTURING

Facility Has Received Notices of Violation:

Found Violation: Yes Agency Which Determined Violation: **EPA**

Violation Short Description: LDR - General Date Violation was Determined: 19890709 Actual Return to Compliance Date: 19890614 Return to Compliance Qualifier: Observed Violation Responsible Agency: **EPA** Scheduled Compliance Date: 19890616 Enforcement Identifier: 003 Date of Enforcement Action: 19890606 Enforcement Responsible Agency: **EPA Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No Appeal Initiated Date: Not reported Not reported Appeal Resolution Date:

19890614 Disposition Status Date: Disposition Status: AS

Disposition Status Description:

ACTION SATISFIED (CASE CLOSED)

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: EPA

Violation Short Description: LDR - General 19890606 Date Violation was Determined: Actual Return to Compliance Date: 19890614 Return to Compliance Qualifier: Observed Violation Responsible Agency: **EPA** Scheduled Compliance Date: Not reported Enforcement Identifier: 003 Date of Enforcement Action: 19890606 Enforcement Responsible Agency: **EPA** Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: No Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: 19890614

Disposition Status Description: ACTION SATISFIED (CASE CLOSED)

AS

Consent/Final Order Sequence Number:Not reported

Disposition Status:

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA

Violation Short Description: LDR - Storage Prohibitions

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

19890606

19890614

Observed

EPA

Scheduled Compliance Date:

Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Enforcement Identifier: 003 19890606 Date of Enforcement Action: Enforcement Responsible Agency: **EPA** Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No Appeal Initiated Date: Not reported Not reported Appeal Resolution Date: Disposition Status Date: 19890614

Disposition Status: AS

ACTION SATISFIED (CASE CLOSED) Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Not reported Final Monetary Amount: Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: **EPA**

Violation Short Description: Generators - General

Date Violation was Determined: 19890709 19890614 Actual Return to Compliance Date: Return to Compliance Qualifier: Observed Violation Responsible Agency: **EPA** Scheduled Compliance Date: 19890616 Enforcement Identifier: 003 19890606 Date of Enforcement Action: Enforcement Responsible Agency: **EPA Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported

Corrective Action Component: No

Appeal Initiated Date: Not reported Not reported Appeal Resolution Date: Disposition Status Date: 19890614

Disposition Status:

Disposition Status Description: ACTION SATISFIED (CASE CLOSED)

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:**

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: EPA

Violation Short Description: Generators - Pre-transport

Date Violation was Determined: 19890606 19890614 Actual Return to Compliance Date: Return to Compliance Qualifier: Observed Violation Responsible Agency: **EPA** Scheduled Compliance Date: Not reported Enforcement Identifier: 003 Date of Enforcement Action: 19890606 Enforcement Responsible Agency: **EPA** Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: No Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported

Disposition Status Date: 19890614
Disposition Status: AS

Disposition Status Description: ACTION SATISFIED (CASE CLOSED)

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Not reported Final Monetary Amount: Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined:19850123Actual Return to Compliance Date:19850408Return to Compliance Qualifier:ObservedViolation Responsible Agency:StateScheduled Compliance Date:19850301

Distance Elevation

Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Enforcement Identifier: 001

Date of Enforcement Action: 19850130

Enforcement Responsible Agency: State

Enforcement Docket Number: Not reported

Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Not reported Final Monetary Amount: Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: No

Agency Which Determined Violation: Not reported Violation Short Description: Not reported Not reported Date Violation was Determined: Not reported Actual Return to Compliance Date: Not reported Return to Compliance Qualifier: Violation Responsible Agency: Not reported Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported **Enforcement Docket Number:** Not reported **Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 19851210 Actual Return to Compliance Date: 19860421 Return to Compliance Qualifier: Observed Violation Responsible Agency: State Scheduled Compliance Date: 19860515 Enforcement Identifier: 002 Date of Enforcement Action: 19851216 Enforcement Responsible Agency: State

Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported Corrective Action Component: No Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined:

Actual Return to Compliance Date:

Return to Compliance Qualifier:

Violation Responsible Agency:

Scheduled Compliance Date:

20020213

Unverifiable

State

Not reported

MAP FINDINGS Map ID Direction

EDR ID Number Distance Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Enforcement Identifier: Not reported Not reported Date of Enforcement Action: Enforcement Responsible Agency: Not reported Enforcement Docket Number: Not reported **Enforcement Attorney:** Not reported Not reported Corrective Action Component: Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported **Disposition Status:** Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: State

Violation Short Description: Generators - General

Date Violation was Determined: 20020213 Actual Return to Compliance Date: 20020213 Return to Compliance Qualifier: Unverifiable Violation Responsible Agency: State Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported

Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported

MAP FINDINGS Map ID Direction

EDR ID Number Distance Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

SEP Scheduled Completion Date: Not reported Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Not reported Final Monetary Amount: Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: **EPA**

Violation Short Description: LDR - General 19871029 Date Violation was Determined: Actual Return to Compliance Date: 19890614 Return to Compliance Qualifier: Documented

Violation Responsible Agency: **EPA**

Scheduled Compliance Date: Not reported Enforcement Identifier: Not reported Date of Enforcement Action: Not reported Enforcement Responsible Agency: Not reported Not reported **Enforcement Docket Number: Enforcement Attorney:** Not reported Corrective Action Component: Not reported Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Disposition Status Description: Not reported

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: Not reported

Enforcement Responsible Person: Not reported Not reported

Enforcement Responsible Sub-Organization: SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Proposed Amount: Not reported Not reported Final Monetary Amount: Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Found Violation: Yes Agency Which Determined Violation: **EPA**

Violation Short Description: LDR - General 19890606 Date Violation was Determined: Actual Return to Compliance Date: 19890614 Return to Compliance Qualifier: Observed Violation Responsible Agency: **EPA** Scheduled Compliance Date: 19890616

Direction Distance

Elevation Site Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

EDR ID Number

Enforcement Identifier: 003

Date of Enforcement Action: 19890606

Enforcement Responsible Agency: EPA

Enforcement Docket Number: Not reported

Enforcement Attorney: Not reported

Corrective Action Component: No

Appeal Initiated Date:

Appeal Resolution Date:

Disposition Status Date:

Disposition Status:

AS

Not reported
19890614
19890614

Disposition Status Description: ACTION SATISFIED (CASE CLOSED)

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

Enforcement Type: WRITTEN INFORMAL

Enforcement Responsible Person:

Enforcement Responsible Sub-Organization:

Not reported

Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported Not reported SEP Type: SEP Type Description: Not reported Not reported Proposed Amount: Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 19890709
Evaluation Responsible Agency: EPA
Found Violation: Yes

Evaluation Type Description: FOCUSED COMPLIANCE INSPECTION

Evaluation Responsible Person Identifier: Not reported Not reported **Evaluation Responsible Sub-Organization:** Actual Return to Compliance Date: 19890614 19890616 Scheduled Compliance Date: Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19890606

Evaluation Responsible Agency: EPA Contractor/Grantee

Found Violation: Yes

Evaluation Type Description: FOCUSED COMPLIANCE INSPECTION

Evaluation Responsible Person Identifier: R7CLH Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19890614 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Evaluation Date: 19890606

Evaluation Responsible Agency: EPA Contractor/Grantee

Found Violation: Yes

Evaluation Type Description: FOCUSED COMPLIANCE INSPECTION

Evaluation Responsible Person Identifier: R7CLH Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19890614 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19890709
Evaluation Responsible Agency: EPA
Found Violation: Yes

Evaluation Type Description: FOCUSED COMPLIANCE INSPECTION

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19890614 Scheduled Compliance Date: 19890616 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19890606

Evaluation Responsible Agency: EPA Contractor/Grantee

Found Violation: Yes

Evaluation Type Description: FOCUSED COMPLIANCE INSPECTION

Evaluation Responsible Person Identifier: R7CLH Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19890614 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19850123
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: Not reported Evaluation Responsible Sub-Organization: Not reported 19850408 Actual Return to Compliance Date: Scheduled Compliance Date: 19850301 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20040928
Evaluation Responsible Agency: State
Found Violation: No

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOJB

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Not reported
Date of Request:

Not reported
Date Response Received:

Request Agency:

Former Citation:

PER

Not reported
Not reported
Not reported
Not reported
Not reported

Evaluation Date: 19851210
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOJH Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19860421 Scheduled Compliance Date: 19860515 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20020213
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOJMK Evaluation Responsible Sub-Organization: ENF** Actual Return to Compliance Date: 20020213 Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 20020213
Evaluation Responsible Agency: State
Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: **MOJMK** Evaluation Responsible Sub-Organization: **ENF** 20020213 Actual Return to Compliance Date: Scheduled Compliance Date: Not reported Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19871029
Evaluation Responsible Agency: EPA
Found Violation: Yes

Evaluation Type Description: NON-FINANCIAL RECORD REVIEW

Evaluation Responsible Person Identifier:

Evaluation Responsible Sub-Organization:

Actual Return to Compliance Date:

Scheduled Compliance Date:

Date of Request:

Date Response Received:

Not reported

Not reported

Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ENGINEERED AIR SYSTEMS INC (Continued)

1000256462

Request Agency: Not reported Former Citation: Not reported

Evaluation Date: 19890606

Evaluation Responsible Agency: EPA Contractor/Grantee

Found Violation:

Evaluation Type Description: FOCUSED COMPLIANCE INSPECTION

Evaluation Responsible Person Identifier: R7CLH Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19890614 Scheduled Compliance Date: 19890616 Date of Request: Not reported Date Response Received: Not reported Request Agency: Not reported Former Citation: Not reported

FTTS INSP:

Inspection Number: 19950125MO01T 1

Region: 01/25/95 Inspection Date: Inspector: **KRAGER** Violation occurred: No

Investigation Type: Section 6 PCB State Conducted Investigation Reason: Neutral Scheme, Region

Legislation Code: **TSCA** Facility Function: User

HIST FTTS INSP:

Inspection Number: 19950125MO01T 1

Region:

Inspection Date: Not reported **KRAGER** Inspector: Violation occurred: No

Section 6 PCB State Conducted Investigation Type:

Investigation Reason: Neutral Scheme, Region

Legislation Code: **TSCA** Facility Function: User

OVERLAND COMMERCIAL CENTER 24

NNW 9430 PAGE AVENUE 1/4-1/2 OVERLAND, MO 63132

0.383 mi. 2023 ft.

Relative: VCP:

Higher **OVERLAND COMMERCIAL CENTER** Name:

Address: 9430 PAGE AVENUE Actual: OVERLAND, MO 63132 City,State,Zip: 596 ft.

> Northing: 4285204.344 Easting: 729266.578

S107671875

N/A

VCP

SPILLS

SMARS

BROWNFIELDS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

OVERLAND COMMERCIAL CENTER (Continued)

S107671875

Facility Status: Inactive/Withdrawn Not reported Activity Use: Manager: Jennifer Surber Cert. of completion issued: Not reported Application Received: 2/9/2006 State Funded: Yes Federal Funded: Not reported

Acreage: 17

Operable Unit: Overland Commercial Center

Site Description: The subject site is the former Cupples Rubber facility and has been

> used historically as a metal can manufacturing facility, a rubber manufacturing facility and an asphalt batch plant. The site is currently vacant and demolition is planned for the current building to make way for new commercial or light industrial development. Recognized environmental conditions include asbestos containing materials in the site building and VOCs, heavy metals and TPH in the soil and groundwater. The site has applied to the B/VCP to address

these issues.

Contaminant: Not reported

MO BROWNFIELD:

OVERLAND COMMERCIAL CENTER Name:

Address: 9430 PAGE AVENUE OVERLAND, MO 63132 City,State,Zip:

Northing: 4285204.344 Easting: 729266.578

Overland Commercial Center Operable Unit:

State Funded: Yes

Federal Funded: Not reported

SPILLS:

Name: Not reported Address: 9430 PAGE AVENUE OVERLAND, MO City,State,Zip: 0309240920EJS Facility ID: Spill Number: 0309240920EJS Reported Date: 09/24/2003 Reported Time: 09:20:00 Regional Office: SLRO 38.6870613 Latitude: Property Code: 11

Property Sub Category: Not reported

-90.363700 Longitude:

UTM Zone For GPS: 15 Cause Sub Category: Email: False Ongoing: False Is A Chemical Pickup Needed?: False Cause: 10

Hal Stuhl Jr. Contact Name: Contact Phone #: 3149913651 24121 Contact Id:

Organization Name: Couples Rubber Company

Organization Address1: 9430 Page Avenue Discovery Date: 09/24/2003 Organization Address2: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

OVERLAND COMMERCIAL CENTER (Continued)

S107671875

EDR ID Number

Discovery Time: 09:20:00 Organization City: Overland Incident Date: Not reported Organization State: МО Incident Time: Not reported Organization Zip: 63132 GPS Code: AO Date Of Incident Search: 09/24/2003

 UTM North:
 4285349.1053326102

 UTM East:
 729301.77941900096

 Cause Description:
 Leaking Tank System

Cause Sub Category: Not reported

Report Origin: 69

Lead Agency: Private - Responsible Party Contractor

Additional Information: Spill Summary: THE CALLER REPORTS THAT CONTAMINATION WAS ENCOUNTERED

AT A PETROLEUM STORAGE TANK SITE. Response Summary: THE EER REFERRED THIS INCIDENT TO THE HAZARDOUS WASTE PROGRAM'S TANKS SECTION.

Additional Information: THE ST# IS 0005626. THE CALLER STATED THAT

THE CLOSURE PROJECT BEGAN IN JULY AND ENDED IN AUGUST WITH FOUR TANKS HAVING BEEN REMOVED AND CONTAMINATED SOIL EXCAVATED AND HAULED AWAY

BOTH PSTIF (TRISTAN WILEY) AND SLRO (BIRHANU KINFE) WERE INVOLVED WITH THE PROJECT. ACCORDING TO THE CALLER, THE PROJECT HAS BEEN

COMPLETED. FOUR USTS WERE REMOVED FROM THE SITE.

Entity Telephone: 3149913651
Property Code Description: Manufacturing Facility

Property Sub Category: Not reported

Description: Address Matching - Other Address Matching

Job Code: Not reported

Cleanup Actions:

Spill Number: 0309240920EJS

Incident ID: 24121 Cleanup Action Code: 7

Cleanup Action Description: Landfilled

Report Distribution:

Spill Number: 0309240920EJS

Incident ID: 24121 Agent Code: 22

Agency: DNR - St. Louis Regional Office

Spill Number: 0309240920EJS

Incident ID: 24121 Agent Code: 13

Agency: DNR - ERP - Leaking Underground ST Section

SMARS:

Name: OVERLAND COMMERCIAL CENTER

Address: 9430 PAGE AVENUE City, State, Zip: OVERLAND, MO 63132

SM Number: 11604
CERCLIS: Not reported
Ownership: VCP
Superfund Ownership: No
Voluntary Cleanup Ownership: Yes

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

OVERLAND COMMERCIAL CENTER (Continued)

S107671875

Federal Facilities Ownership: No Permits Ownership: No

NPL Date: Not reported Tank Site Identification #: ST0005626 Tank Remediation #: Not reported

Registry:

Site Code: Not reported Other Site Code: Not reported

MURPHY CO RCRA-VSQG 25 1000630704 1340 N PRICE RD MOD985798826 West LUST

1/4-1/2 **ST LOUIS, MO 63132** UST 0.397 mi. **FINDS** 2095 ft. **ECHO**

Relative: RCRA-VSQG:

Date Form Received by Agency: Higher 20040123

Handler Name: MURPHY CO Actual:

Mailing Address:

1340 N PRICE RD 581 ft. Handler Address:

> Handler City, State, Zip: **ST LOUIS, MO 63132** EPA ID: MOD985798826 Contact Name: CONRAD PHILIPP Contact Address: 1233 N PRICE RD Contact City, State, Zip: **ST LOUIS, MO 63132** Contact Telephone: 314-692-1628 Contact Fax: Not reported

Contact Email: Not reported Contact Title: Not reported 07 EPA Region: Land Type:

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

Private

N PRICE RD

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Handler Activities State District Owner: Not reported State District: Not reported

Mailing City, State, Zip: **ST LOUIS, MO 63132** Owner Name: JAMES J MURPHY JR

Owner Type: Private Operator Name: MURPHY CO Operator Type: Private Short-Term Generator Activity: Nο

Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** No Off-Site Waste Receipt: Nο Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported

Direction Distance Elevation

ce EDR ID Number ion Site Database(s) EPA ID Number

MURPHY CO (Continued) 1000630704

Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Active Site State-Reg Handler: ---

Federal Facility Indicator: Not reported

Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Permit Progress Universe: Not reported Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline:

No Corrective Action Workload Universe:

No Subject to Corrective Action Universe:

No Non-TSDFs Where RCRA CA has Been Imposed Universe:

No TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

No TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

No
Human Exposure Controls Indicator:

N/A
Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported
Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage:

Manifest Broker:

Not reported
Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001

Waste Description: IGNITABLE WASTE

Waste Code: D002

Waste Description: CORROSIVE WASTE

Waste Code: D003

Waste Description: REACTIVE WASTE

Waste Code: D007
Waste Description: CHROMIUM

Waste Code: D039

Waste Description: TETRACHLOROETHYLENE

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

MURPHY CO (Continued) 1000630704

Waste Code: F001

Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE,

TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED

FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE

SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F002

Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE,

METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE,

CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE,

ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2,

TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND

SPENT SOLVENT MIXTURES.

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: JAMES J MURPHY JR

Legal Status: Private Date Became Current: Not reported Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator:
Owner/Operator Name:
MURPHY CO
Legal Status:
Private
Date Became Current:
Date Ended Current:
Owner/Operator Address:
Owner/Operator City, State, Zip:
Owner/Operator State, Zip:
Owner/Operator Indicator:
Owner
MURPHY CO
Private
20040123
Not reported
1233 N PRICE RD
ST LOUIS, MO 63132

Owner/Operator Telephone: 314-997-5018
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator:
Owner/Operator Name:
MURPHY CO
Legal Status:
Private
Date Became Current:
Date Ended Current:
Owner/Operator Address:
Owner/Operator City,State,Zip:
Operator

Owner/Operator Telephone: 314-997-5018
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Distance

Elevation Site Database(s) EPA ID Number

MURPHY CO (Continued) 1000630704

Owner/Operator Indicator: Owner

Owner/Operator Name: JAMES J MURPHY JR

Legal Status: Private Date Became Current: Not reported Date Ended Current: Not reported Not reported Owner/Operator Address: Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19970301

Handler Name: MURPHY CO

Federal Waste Generator Description: Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20040123

Handler Name: MURPHY CO

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: Yes

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 23822

NAICS Description: PLUMBING, HEATING, AND AIR-CONDITIONING CONTRACTORS

Facility Has Received Notices of Violation:

Found Violation: Yes
Agency Which Determined Violation: State

Violation Short Description: Generators - Manifest

Date Violation was Determined: 19930920 Actual Return to Compliance Date: 19931029 Return to Compliance Qualifier: Documented Violation Responsible Agency: State Scheduled Compliance Date: 19931028 Enforcement Identifier: 000 Date of Enforcement Action: 19931004 Enforcement Responsible Agency: State Enforcement Docket Number: Not reported

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MURPHY CO (Continued) 1000630704

Enforcement Attorney: MO Corrective Action Component: No

Appeal Initiated Date: Not reported Appeal Resolution Date: Not reported Disposition Status Date: Not reported Disposition Status: Not reported Not reported Disposition Status Description:

Consent/Final Order Sequence Number:Not reported

Consent/Final Order Respondent Name: Not reported Consent/Final Order Lead Agency: Not reported

WRITTEN INFORMAL **Enforcement Type:** Enforcement Responsible Person: MOGM Enforcement Responsible Sub-Organization: Not reported

SEP Sequence Number: Not reported

SEP Expenditure Amount: Not reported SEP Scheduled Completion Date: Not reported SEP Actual Date: Not reported SEP Defaulted Date: Not reported SEP Type: Not reported SEP Type Description: Not reported Proposed Amount: Not reported Final Monetary Amount: Not reported Paid Amount: Not reported Final Count: Not reported Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 19930920 Evaluation Responsible Agency: State Found Violation: Yes

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE

Evaluation Responsible Person Identifier: MOGM Evaluation Responsible Sub-Organization: Not reported Actual Return to Compliance Date: 19931029 19931028 Scheduled Compliance Date: Date of Request: Not reported Not reported Date Response Received: Request Agency: Not reported Former Citation: Not reported

LUST:

MURPHY COMPANY Name: Address: 1340 N PRICE RD ST LOUIS, MO 63132 City,State,Zip:

Facility ID: ST0007912

Region: SL - St. Louis Regional Office

Lat/Long (dms): Not reported Spill Number: Not reported 03/24/1992 Release Date:

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 03/24/1992 Date Cleanup Finished: 11/25/1992 Expedited: No **Expedited Date:** Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Direction Distance Elevation

Site Database(s) **EPA ID Number**

MURPHY CO (Continued) 1000630704

Reopened Date: Not reported

Number Of Remediation Monitoring Wells: 0 Active: No

Date Of NFA Letter From DNR: Not reported Date Record Meets Archive Criteria: Not reported R003293 Remediation ID: Not reported Rank: Not reported Emergeny Response Date: **Emergency Cleanup Start:** Not reported Referred To DGLS for Investigation: Not reported Contractor Performing Clean Up: Not reported

RBCA NFA: No Project Manager:

Next Correspondence/Update With Fac: Not reported 06/30/1995 Date Added: Date Record Edited: Not reported Person Adding Or Editing Record: Not reported Facility Sent To State Archive:

Yes

Date Remediation Unit Closed The File: Not reported

Site Affectd By Funding Level From PSTIF: No

General Comments: Not reported

UST:

ST0007912 Facility ID: Region: Easting: 728855.300 4284767.37 Northina:

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: VANCE, S Date GIS Data Collected: 08/27/2013

38.6796472 / -90.368111 Lat/Long:

Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW04756

Owner Name: MURPHY COMPANY Owner Address: 1340 N PRICE ROAD Owner City, St, Zip: **ST LOUIS, MO 63132**

Owner County Code: Not reported Owner Phone: Not reported Mail Was Not Deliverable: No Is Owner Active?: No

Date Registration Received: Not reported Date Record Added: 1995-06-30 00:00:00

Date Record Edited: Not reported Name of Person Editing Record: Not reported

Tank ID: 1 Tank Double Wall:

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported 01/01/1970 Date Tank Installed: Tank Material: Steel Code for Tank Material Manufacturer: Not reported

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MURPHY CO (Continued) 1000630704

Code for Tank Installer: Not reported Not reported Other Type Of Tank Material: Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Tank External Protec Date: Not reported 03/17/1992 Date Tank Last Used: Date Tank Permanently Closed/ Removed: 12/03/1992

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: Date Record Edited: Not reported Person Adding/Editing Record: Not reported Date Of NFA Letter: 12/03/1992 Is Tank Used For Emergency Generator: No Date Closure Notice Received: 03/03/1992

Date Of Aprroval Letter: 12/03/1992 J & S ENVIRONMENTAL Firm Closing Tank:

Date Closure Report Received: 08/10/1992 Registration End Date: Not reported

LockOut Flag: No

Comments: Not reported

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 19881 Tank PK: 19881 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 1000

Substance: Gasoline, Including Blends

Substance Other: Not reported Not reported Hazardous Substance:

Mixture: False Date of Last Use: 1992-03-17 00:00:00

Pipe Installation Date: Not reported Not reported Pipe System:

Pipe Material:

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0 Spill Protection: False

Tank Aug 2011:

Facility Id: ST0007912

Tank Id:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MURPHY CO (Continued) 1000630704

Site Usage: Not reported Not reported Risk Type: Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

FINDS:

110003965790 Registry ID:

Click Here:

Environmental Interest/Information System:

The MO-DNR (Missouri Department of Natural Resources) program involves a Resource Assessment and Monitoring Program, biological criteria development, monitoring of targeted sites to determine compliance with the designated use of aquatic life protection in the standards, monitoring for 303(3) purposes, and the development of a stream classification framework.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000630704 110003965790 Registry ID:

DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110003965790

Name: MURPHY CO Address: 1340 N PRICE RD City, State, Zip: ST LOUIS, MO 63132

F26 **MRS ALLISONS COOKIES** LUST 1000101602 NW **1780 BURNS AVE** UST MOD985768530

1/4-1/2 **ST LOUIS, MO 63132 RCRA NonGen / NLR**

0.463 mi.

2442 ft. Site 1 of 2 in cluster F

LUST: Relative: Higher MRS ALISON'S COOKIE CO INC Name:

Address: **1780 BURNS** Actual:

City, State, Zip: OVERLAND, MO 63132 578 ft.

Facility ID: ST0004862

SL - St. Louis Regional Office Region:

Direction Distance

Elevation Site Database(s) EPA ID Number

MRS ALLISONS COOKIES (Continued)

1000101602

EDR ID Number

Lat/Long (dms): Not reported
Spill Number: 950926-1530-LDA

Release Date: 09/27/1995

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 12/17/1995
Date Cleanup Finished: 12/19/2000
Expedited: No

Expedited Date: Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

Number Of Remediation Monitoring Wells: 0
Active: No

Date Of NFA Letter From DNR: 2001-01-12 00:00:00

Date Record Meets Archive Criteria: 09/05/2007
Remediation ID: R005399
Rank: Not reported
Emergeny Response Date: Not reported
Emergency Cleanup Start: Not reported
Referred To DGLS for Investigation: Not reported
Contractor Performing Clean Up: Not reported

RBCA NFA: No Project Manager: 4

Next Correspondence/Update With Fac: Not reported Date Added: 06/30/1995 Date Record Edited: 04/12/2001 Person Adding Or Editing Record: MUKHTAR, H

Facility Sent To State Archive: Yes
Date Remediation Unit Closed The File: Not reported

Site Affectd By Funding Level From PSTIF: No

General Comments: 10-25-95 - SITEX WILL SEND CLOSURE REPORT. 12/8/98.HM. rev.

closure report. Requested sludge disposal documnets. Site closable. 11/23/99. HM: Regstd. submitt. of doc. for sludge

disposal. 12/19/2000. HM: issued closure letter.

UST:

 Facility ID:
 \$T0004862

 Region:
 \$L

 Easting:
 729040.967

Northing: 4285251.67
Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: RANGEN, K Date GIS Data Collected: 10/13/2020

Lat/Long: 38.6869085 / -90.367342

Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: OW03571

Owner Name: MRS ALISON'S COOKIE CO INC

Owner Address: 1780 BURNS

Owner City,St,Zip: OVERLAND, MO 63132

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
4292111

No
No

Date Registration Received: Not reported
Date Record Added: 1995-06-30 00:00:00

Distance

Elevation Site Database(s) EPA ID Number

MRS ALLISONS COOKIES (Continued)

1000101602

EDR ID Number

Date Record Edited: Not reported Name of Person Editing Record: Not reported

Tank ID: 1
Tank Double Wall: 0

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Not reported Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 06/30/1995 Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported 06/30/1995 Date Record Added: Date Record Edited: 07/09/1998 Person Adding/Editing Record: **N\$PERRT** Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 08/22/1995
Date Of Aprroval Letter: Not reported

Firm Closing Tank: SITEX ENVIRONMENTAL INC

Date Closure Report Received: 01/02/1996
Registration End Date: Not reported

LockOut Flag: No

Comments: Removed 10,000 diesel, 8,000 gas tanks

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 11916
Tank PK: 11916
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: 8000

Substance: Gasoline, Including Blends

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Date of Last Use: 1995-06-30 00:00:00

Pipe Installation Date: Not reported Pipe System: Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

MRS ALLISONS COOKIES (Continued)

1000101602

EDR ID Number

Pipe Material:

Pipe Material Other:
Pipe Protection:
Pipe Protection Date:
Pipe Double Wall:

Not reported
Not reported
Not reported

Pipe Double Wall: 0
Spill Protection: False

Owner:

Owner ID: OW03571

Owner Name: MRS ALISON'S COOKIE CO INC

Owner Address: 1780 BURNS

Owner City,St,Zip: OVERLAND, MO 63132

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

No No

Date Registration Received: Not reported

Date Record Added: 1995-06-30 00:00:00

Date Record Edited: Networked

Date Record Edited: Not reported Name of Person Editing Record: Not reported

Tank ID: 2
Tank Double Wall: 0

Tank Type: Below Ground Removed Tank Status: Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Not reported Tank Material: Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported 06/30/1995 Date Tank Last Used: Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking: Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No

Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 06/30/1995 Date Record Edited: 07/09/1998 Person Adding/Editing Record: **N\$PERRT** Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 08/22/1995
Date Of Aprroval Letter: Not reported

Firm Closing Tank: SITEX ENVIRONMENTAL INC

Date Closure Report Received: 01/02/1996

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MRS ALLISONS COOKIES (Continued)

1000101602

Registration End Date: Not reported

LockOut Flag: No

Removed 10,000 diesel, 8,000 gas tanks Comments:

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11917 Tank PK: 11917 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported 10000 Capacity: Substance: Diesel Substance Other: Not reported Hazardous Substance: Not reported False Mixture:

1995-06-30 00:00:00 Date of Last Use: Pipe Installation Date: Not reported

Pipe System: Not reported

Pipe Material:

Not reported Pipe Material Other: Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: Spill Protection: False

Tank Aug 2011:

Facility Id: ST0004862

Tank Id:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported **Drinking Water:** Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0004862 Tank Id: 2

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MRS ALLISONS COOKIES (Continued)

1000101602

No Drinking Wells: No No Buildings: No Vapor Barrier: O St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

RCRA NonGen / NLR:

Date Form Received by Agency: 20140923

Handler Name: MRS ALLISONS COOKIES

Handler Address: 1780 BURNS AVE Handler City, State, Zip: ST LOUIS, MO 63132-1512

EPA ID: MOD985768530 Contact Name: JIM ALLEN Contact Address: 1780 BURNS AVE Contact City, State, Zip: ST LOUIS, MO 63132-1512

Contact Telephone: 314-429-2111 Contact Fax: Not reported Contact Email: Not reported **MANAGER** Contact Title: EPA Region: 07 Land Type: Private

Federal Waste Generator Description: Not a generator, verified

Non-Notifier: Not reported Biennial Report Cycle: Not reported Accessibility: Not reported Active Site Indicator: Not reported State District Owner: Not reported State District: Not reported Mailing Address: 1780 BURNS AVE

Mailing City, State, Zip: ST LOUIS, MO 63132-1512 Owner Name: MRS ALLISONS COOKIE

Owner Type: Private

Operator Name: MRS ALLISONS COOKIE

Operator Type: Private Short-Term Generator Activity: No Importer Activity: No Mixed Waste Generator: No Transporter Activity: No Transfer Facility Activity: No Recycler Activity with Storage: No Small Quantity On-Site Burner Exemption: No Smelting Melting and Refining Furnace Exemption: No **Underground Injection Control:** Nο Off-Site Waste Receipt: No Universal Waste Indicator: No Universal Waste Destination Facility: No Federal Universal Waste: No

Active Site Fed-Reg Treatment Storage and Disposal Facility: Not reported Active Site Converter Treatment storage and Disposal Facility: Not reported Active Site State-Reg Treatment Storage and Disposal Facility: Not reported

Active Site State-Reg Handler:

Federal Facility Indicator: Not reported Hazardous Secondary Material Indicator: NN

Sub-Part K Indicator: Not reported

Commercial TSD Indicator: No

Distance EDR ID Number
Elevation Site EDR ID Number
Database(s) EPA ID Number

MRS ALLISONS COOKIES (Continued)

1000101602

Treatment Storage and Disposal Type: Not reported 2018 GPRA Permit Baseline: Not on the Baseline 2018 GPRA Renewals Baseline: Not on the Baseline Permit Renewals Workload Universe: Not reported Permit Workload Universe: Not reported Not reported Permit Progress Universe: Post-Closure Workload Universe: Not reported Closure Workload Universe: Not reported

202 GPRA Corrective Action Baseline:

Corrective Action Workload Universe:

No Subject to Corrective Action Universe:

No Non-TSDFs Where RCRA CA has Been Imposed Universe:

TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:

TSDFs Only Subject to CA under Discretionary Auth Universe:

No

Corrective Action Priority Ranking: No NCAPS ranking

Environmental Control Indicator:

Institutional Control Indicator:

No
Human Exposure Controls Indicator:

N/A
Groundwater Controls Indicator:

N/A

Operating TSDF Universe:

Full Enforcement Universe:

Not reported

Not reported

Significant Non-Complier Universe: No Unaddressed Significant Non-Complier Universe: No Addressed Significant Non-Complier Universe: No Significant Non-Complier With a Compliance Schedule Universe: No

Financial Assurance Required:
Handler Date of Last Change:
Recognized Trader-Importer:
No
Recognized Trader-Exporter:
No
Importer of Spent Lead Acid Batteries:
No
Exporter of Spent Lead Acid Batteries:
No

Recycler Activity Without Storage: Not reported Manifest Broker: Not reported

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: F001

Waste Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING:

TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED

FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE

SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:

Owner/Operator Indicator: Owner

Owner/Operator Name: MRS ALLISONS COOKIE

Legal Status:PrivateDate Became Current:20140923Date Ended Current:Not reportedOwner/Operator Address:Not reportedOwner/Operator City,State,Zip:Not reportedOwner/Operator Telephone:Not reported

Distance Elevation

ce EDR ID Number ion Site Database(s) EPA ID Number

MRS ALLISONS COOKIES (Continued)

1000101602

Owner/Operator Telephone Ext:

Owner/Operator Fax:

Owner/Operator Email:

Not reported

Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: MRS ALLISONS COOKIES CO

Legal Status: Private Date Became Current: Not reported Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner

Owner/Operator Name: MRS ALLISONS COOKIES CO

Legal Status: Private Date Became Current: Not reported Date Ended Current: Not reported Owner/Operator Address: Not reported Owner/Operator City, State, Zip: Not reported Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator

Owner/Operator Name: MRS ALLISONS COOKIE

Legal Status: Private Date Became Current: 20140923 Date Ended Current: Not reported Owner/Operator Address: Not reported Not reported Owner/Operator City, State, Zip: Owner/Operator Telephone: Not reported Owner/Operator Telephone Ext: Not reported Owner/Operator Fax: Not reported Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 20050315

Handler Name: MRS ALLISONS COOKIES

Federal Waste Generator Description: Not a generator, verified

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 20140923

Handler Name: MRS ALLISONS COOKIES

Federal Waste Generator Description: Not a generator, verified

Direction Distance

Elevation Site Database(s) EPA ID Number

MRS ALLISONS COOKIES (Continued)

1000101602

EDR ID Number

State District Owner: Not reported

Large Quantity Handler of Universal Waste:

Recognized Trader Importer:

No
Recognized Trader Exporter:

No
Spent Lead Acid Battery Importer:

No
Spent Lead Acid Battery Exporter:

No
Current Record:

No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

Receive Date: 19890202

Handler Name: MRS ALLISONS COOKIES

Federal Waste Generator Description: Small Quantity Generator

State District Owner: Not reported

Large Quantity Handler of Universal Waste: No Recognized Trader Importer: No Recognized Trader Exporter: No Spent Lead Acid Battery Importer: No Spent Lead Acid Battery Exporter: No Current Record: No

Non Storage Recycler Activity: Not reported Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 56291

NAICS Description: REMEDIATION SERVICES

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

F27 HALLIBURTON FINANCIAL SERVICES, INC LUST U003980536

NW 9500 PAGE UST N/A

1/4-1/2 OVERLAND, MO 63114

0.485 mi.

2563 ft. Site 2 of 2 in cluster F

Relative: LUST:
Higher Name: HALLIBURTON FINANCIAL SERVICES, INC
Actual: Address: 9500 PAGE

 Actual:
 Address:
 9500 PAGE

 581 ft.
 City,State,Zip:
 OVERLAND, MO 63114

Facility ID: ST5700062

Region: SL - St. Louis Regional Office

Lat/Long (dms): Not reported Spill Number: Not reported Release Date: 05/06/1990

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 05/06/1990
Date Cleanup Finished: 05/06/1990
Expedited: No
Expedited Date: Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

HALLIBURTON FINANCIAL SERVICES, INC (Continued)

U003980536

EDR ID Number

Number Of Remediation Monitoring Wells: 0
Active: No

Date Of NFA Letter From DNR: Not reported Date Record Meets Archive Criteria: Not reported Remediation ID: R001295 Not reported Rank: Not reported Emergeny Response Date: **Emergency Cleanup Start:** Not reported Referred To DGLS for Investigation: Not reported Contractor Performing Clean Up: Not reported

RBCA NFA: No Project Manager: L

Next Correspondence/Update With Fac:
Date Added:
Date Record Edited:
Person Adding Or Editing Record:
Facility Sent To State Archive:

Not reported
06/30/1995
09/19/1996
N\$TAYLK
Yes

Date Remediation Unit Closed The File: Not reported

Site Affectd By Funding Level From PSTIF: No

General Comments: Not reported

UST:

 Facility ID:
 ST5700062

 Region:
 SL

 Easting:
 728937.12

 Northing:
 4285371.24

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: CORBIN, M
Date GIS Data Collected: 09/23/2010
Lat/Long: Not reported
Lat/Long (dms): Not reported

Tanks:

Owner:

Owner ID: Not reported Owner Name: Not reported Owner Address: Not reported Owner City, St, Zip: Not reported Owner County Code: Not reported Owner Phone: Not reported Mail Was Not Deliverable: Not reported Is Owner Active?: Not reported Date Registration Received: Not reported Date Record Added: Not reported Date Record Edited: Not reported Name of Person Editing Record: Not reported

Not reported Tank ID: Tank Double Wall: Not reported Tank Type: Not reported Tank Status: Not reported Meet 98 Update Requirements: Not reported Date Tank Installed: Not reported Tank Material: Not reported Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported

Distance Elevation

Site Database(s) EPA ID Number

HALLIBURTON FINANCIAL SERVICES, INC (Continued)

U003980536

EDR ID Number

Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Not reported Other Type Tank Extrn Protec: Tank External Protec Date: Not reported Date Tank Last Used: Not reported Date Tank Permanently Closed/ Removed: Not reported

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported Tank Fees Waived: Expedite Closure On Tank?: Not reported Responsible Person Expediting Closure: Not reported Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: Not reported Date Record Edited: Not reported Person Adding/Editing Record: Not reported Date Of NFA Letter: Not reported Is Tank Used For Emergency Generator: Not reported Date Closure Notice Received: Not reported Date Of Aprroval Letter: Not reported Firm Closing Tank: Not reported Date Closure Report Received: Not reported Registration End Date: Not reported LockOut Flag: Not reported Comments: Not reported

Tank Aug 2011:

Facility Id: ST5700062 Tank Id: Not reported Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Not reported Closed Under: No Drinking Wells: Not reported No Buildings: Not reported Vapor Barrier: Not reported St Louis Mo: Not reported Special Well Area: Not reported Surface Cap: Not reported No Excavation: Not reported Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

28 WOODSON CONOCO LUST U000754047
North 1910 WOODSON RD UST N/A

1/4-1/2 OVERLAND, MO 63114

0.488 mi. 2578 ft.

Relative: LUST: Higher Nam

 Higher
 Name:
 WOODSON CONOCO

 Actual:
 Address:
 1910 WOODSON RD

 570 ft.
 City,State,Zip:
 OVERLAND, MO 63114

Facility ID: ST0004869

Region: SL - St. Louis Regional Office

Lat/Long (dms): Not reported Spill Number: Not reported Release Date: 11/18/1993

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 12/13/1993
Date Cleanup Finished: 12/13/1993
Expedited: No

Expedited Date: Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

Number Of Remediation Monitoring Wells: 0
Active: No

Date Of NFA Letter From DNR: 1993-12-17 00:00:00

Date Record Meets Archive Criteria: Not reported R004336 Remediation ID: Rank: Not reported Emergeny Response Date: Not reported **Emergency Cleanup Start:** Not reported Referred To DGLS for Investigation: Not reported Contractor Performing Clean Up: 129 **RBCA NFA:** No Project Manager:

Next Correspondence/Update With Fac:
Date Added:
Date Record Edited:
Person Adding Or Editing Record:
Facility Sent To State Archive:
Date Remediation Unit Closed The File:
Not reported
Not reported
Not reported
Not reported

Site Affectd By Funding Level From PSTIF: No

General Comments: 12-13-93 - MTM - CONTAMINATED SOIL DISCOVERED DURING SITE

ASSESSMENT.

 Name:
 WOODSON CONOCO

 Address:
 1910 WOODSON RD

 City,State,Zip:
 OVERLAND, MO 63114

Facility ID: ST0004869

Region: SL - St. Louis Regional Office

Lat/Long (dms):Not reportedSpill Number:Not reportedRelease Date:09/15/2017

Release Type: UNDERGROUND STORAGE TANK

Date Cleanup Started: 12/07/2017
Date Cleanup Finished: 01/22/2021
Expedited: No
Expedited Date: Not reported

Expenditures From The American Recovery and Reinvestment Act of 2009No

Reopened Date: Not reported

EDR ID Number

Distance Elevation Site

Site Database(s) EPA ID Number

WOODSON CONOCO (Continued)

General Comments:

U000754047

EDR ID Number

Number Of Remediation Monitoring Wells: 0
Active:

Date Of NFA Letter From DNR: 2021-01-29 00:00:00

Date Record Meets Archive Criteria: Not reported Remediation ID: R009303 Rank: 28

Emergeny Response Date:

Emergency Cleanup Start:

Referred To DGLS for Investigation:

Contractor Performing Clean Lin:

254

Contractor Performing Clean Up: 254
RBCA NFA: Yes
Project Manager: 4

Next Correspondence/Update With Fac:
Date Added:
Date Record Edited:
Person Adding Or Editing Record:
Facility Sent To State Archive:
Date Remediation Unit Closed The File:
Site Affectd By Funding Level From PSTIF: Not reported

12/7/2017 RMB. Soil & GW samples > DTLs. Soil contamination from dispensers. Requesting GW Investigation. 3/16/18 TB Reviewed WP. Propose 7 sb/mw around northern dispenser islands and tank pit. Request additional boring/well in source area (closure samples DI3-4' and PL3-4'). DU pathway eval/eco survey to be submitted with SC/RA reports. Approved. 90-day response. 4/20/18 TB Rev'd PSTIF cost approval for 7 sb/mw, 2 geotech samples, 1 gwm event, SC/RA rpt. 7/24/18:HM: Reviewed SC and T-1 reprots dated 7/12/18. Approved GW monit for plume stability. 12/5/18:HM: Approved WP dated 11/14/18 for GW monit and plume stabtility evaluaiton. 2/13/19:HM: reviewed groundwater monitoring report dated January 31, 2019. The Department requested delineation of benzene contamination to the north of MW-6. 3/28/19:hm: Apporved WP dated 3/15/19 for one MW north of MW-6, two GW monit events, and updated RA 7/30/19:HM: Reviewed GW monit report dated 7/9/19. . 12/31/19:HM: Reviewed GW monit and plume stability report dated 10/4/19. The report recommneded 2 add monit events. 2/4/20:HM: Approved the groundwater monitoring and plume stability evaluation work plan dated January 17, 2020. 5/13/20:HM: Reviewed GW report dated 4/13/20. 8/21/20:HM: Reviewed the GW and Ricker eval report dated 8/10/20. Approved two addit monit events. 11/20/20:HM: Reviewed response dated 11/12/20. Waiting for review by Todd. 1/22/21:HM: Received response from Todd and prpeared NFA. 1/29/2021 Issued NFA

UST:

 Facility ID:
 ST0004869

 Region:
 SL

 Easting:
 729424.076

 Northing:
 4285630.85

Owner Of Geospatial Data: Hazardous Waste Program

Geospatial Data Collected By: INTERNS
Date GIS Data Collected: 01/03/2002

Lat/Long: 38.689566 / -90.362203

Lat/Long (dms): Not reported

Map ID MAP FINDINGS
Direction

Distance Elevation S

Site Database(s) EPA ID Number

WOODSON CONOCO (Continued)

U000754047

EDR ID Number

Tanks:

Owner:

Owner ID: OW20380

Owner Name:

Owner Address:

Owner City,St,Zip:

ALLIANCE PETROLEUM LLC

4251 LINDELL BLVD

ST LOUIS, MO 63108

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

Not reported
6521113

No
Yes

 Date Registration Received:
 2002-07-15 00:00:00

 Date Record Added:
 2002-07-22 00:00:00

 Date Record Edited:
 2021-05-25 00:00:00

 Name of Person Editing Record:
 VANDEPOPUL, C

Tank ID: 1
Tank Double Wall: 0

Below Ground Tank Type: Tank Status: Removed Meet 98 Update Requirements: Not reported 06/01/1973 Date Tank Installed: Tank Material: Fiberglass Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Not reported Tank Internal Protection Date: Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 04/28/2016 Date Tank Permanently Closed/ Removed: 07/05/2017

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported

Tank Fees Waived: No Expedite Closure On Tank?: No Responsible Person Expediting Closure: RB

Temporary Status Verified Date:

Admin Fee 585:

Date Administratively Closed:

Date Record Added:

Date Record Edited:

Person Adding/Editing Record:

Date Of NFA Letter:

Not reported

Not reported

11/16/2012

12/07/2017

BROWN, R

Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 06/12/2017
Date Of Aprroval Letter: 06/13/2017

Firm Closing Tank: Parker Petroleum-Landmark Environmental Associates

Date Closure Report Received: 09/19/2017
Registration End Date: 09/30/2019
LockOut Flag: No

Comments: 12/7/2017 RMB. No outstanding issues regarding closure report for

this tank. Soil & GW samples > DTLs. Requesting WP for GW Inv. to

RBCA Unit. Posssibly a release from dispensers.

Map ID MAP FINDINGS

Distance Elevation

Site Database(s) EPA ID Number

WOODSON CONOCO (Continued)

U000754047

EDR ID Number

Tank Compartment:

Tanks Use: False
Compartment No: 1
Tank Compartment PK: 11932
Tank PK: 11932
Case Number: Not reported
Compartment Status: Removed
Compartment Temp Verified Dt: Not reported
Capacity: 8000

Substance: R
Substance Other: Not reported
Hazardous Substance: Not reported
Mixture: False

Date of Last Use:

Pipe Installation Date:

Not reported

Not reported

Pipe System: 1
Pipe Material: 2

Pipe Material Other: Not reported Pipe Protection: Not reported Pipe Protection Date: Not reported

Pipe Double Wall: 0
Spill Protection: True

Owner:

Owner ID: OW20380

Owner Name:

Owner Address:

Owner City, St, Zip:

ALLIANCE PETROLEUM LLC

4251 LINDELL BLVD

ST LOUIS, MO 63108

Owner County Code:

Owner Phone:

Mail Was Not Deliverable:

Is Owner Active?:

No Yes

Date Registration Received: 2002-07-15 00:00:00
Date Record Added: 2002-07-22 00:00:00
Date Record Edited: 2021-05-25 00:00:00
Name of Person Editing Record: VANDEPOPUL, C

Tank ID: 2
Tank Double Wall: 0

Tank Type: Below Ground **Tank Status:** Removed Not reported Meet 98 Update Requirements: Date Tank Installed: 06/01/1973 Tank Material: **Fiberglass** Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Not reported Tank Internal Protection Date: Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 04/28/2016

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WOODSON CONOCO (Continued)

U000754047

Date Tank Permanently Closed/ Removed: 07/05/2017

Dt Tk Exp Brought InUse/Internal Tracking:

Not reported No

Tank Fees Waived: Expedite Closure On Tank?: No Responsible Person Expediting Closure: RB

Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 11/16/2012 Date Record Edited: 12/07/2017 BROWN, R Person Adding/Editing Record: Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 06/12/2017 Date Of Aprroval Letter: 06/13/2017

Parker Petroleum-Landmark Environmental Associates Firm Closing Tank:

Date Closure Report Received: 09/19/2017 Registration End Date: 09/30/2019 LockOut Flag: No

12/7/2017 RMB. No outstanding issues regarding closure report for Comments:

this tank. Soil & GW samples > DTLs. Requesting WP for GW Inv. to

RBCA Unit. Posssibly a release from dispensers.

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11933 Tank PK: 11933 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 8000 Substance: R

Substance Other: Not reported Not reported Hazardous Substance: Mixture: False Date of Last Use: Not reported Pipe Installation Date: Not reported

Pipe System:

Pipe Material: 2

Pipe Material Other: Not reported Not reported Pipe Protection: Pipe Protection Date: Not reported

Pipe Double Wall: Spill Protection: True

Owner:

Owner ID: OW20380

Owner Name: ALLIANCE PETROLEUM LLC 4251 LINDELL BLVD Owner Address: Owner City, St, Zip: **ST LOUIS, MO 63108**

Owner County Code: Not reported Owner Phone: 6521113 Mail Was Not Deliverable: No Is Owner Active?: Yes

Date Registration Received: 2002-07-15 00:00:00 Map ID MAP FINDINGS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WOODSON CONOCO (Continued)

U000754047

Date Record Added: 2002-07-22 00:00:00 Date Record Edited: 2021-05-25 00:00:00 Name of Person Editing Record: VANDEPOPUL, C

Tank ID: 3 Tank Double Wall: n

Tank Type: Below Ground **Tank Status:** Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 06/01/1973 Fiberglass Tank Material: Code for Tank Material Manufacturer: Not reported Code for Tank Installer: Not reported Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Not reported Tank External Protec Date: Not reported Date Tank Last Used: 04/28/2016 Date Tank Permanently Closed/ Removed: 07/05/2017

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No Responsible Person Expediting Closure: RΒ

Temporary Status Verified Date: Not reported Admin Fee 585: Not reported Date Administratively Closed: Not reported Date Record Added: 11/16/2012 Date Record Edited: 12/07/2017 Person Adding/Editing Record: BROWN, R Date Of NFA Letter: Not reported

Is Tank Used For Emergency Generator:

Date Closure Notice Received: 06/12/2017 Date Of Aprroval Letter: 06/13/2017

Firm Closing Tank: Parker Petroleum-Landmark Environmental Associates

Date Closure Report Received: 09/19/2017 Registration End Date: 09/30/2019 Nο

LockOut Flag:

12/7/2017 RMB. No outstanding issues regarding closure report for Comments: this tank. Soil & GW samples > DTLs. Requesting WP for GW Inv. to

RBCA Unit. Posssibly a release from dispensers.

Not reported

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11934 Tank PK: 11934 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 8000 Substance:

Substance Other: Not reported Hazardous Substance: Not reported Mixture: False

Map ID MAP FINDINGS

Distance

Elevation Site Database(s) EPA ID Number

WOODSON CONOCO (Continued)

U000754047

EDR ID Number

Date of Last Use: Not reported Pipe Installation Date: Not reported

Pipe System: 1 Pipe Material: 2

Pipe Material Other:

Pipe Protection:

Not reported

Not reported

Not reported

Not reported

Pipe Double Wall: 0
Spill Protection: True

Owner:

Owner ID: OW20380

Owner Name: ALLIANCE PETROLEUM LLC
Owner Address: 4251 LINDELL BLVD
Owner City,St,Zip: ST LOUIS, MO 63108

Owner County Code:
Owner Phone:
6521113
Mail Was Not Deliverable:
No
Is Owner Active?:
Yes

Date Registration Received:2002-07-15 00:00:00Date Record Added:2002-07-22 00:00:00Date Record Edited:2021-05-25 00:00:00Name of Person Editing Record:VANDEPOPUL, C

Tank ID: 4
Tank Double Wall: 0

Tank Type: Below Ground Tank Status: Removed Meet 98 Update Requirements: Not reported Date Tank Installed: 06/01/1973 Tank Material: Fiberglass Code for Tank Material Manufacturer: Not reported Not reported Code for Tank Installer: Other Type Of Tank Material: Not reported Tank Internal Protection: Not reported Other Tank Internal Protection: Not reported Tank Internal Protection Date: Not reported Not reported Tank External Protection: Not reported Other Type Tank Extrn Protec: Tank External Protec Date: Not reported Date Tank Last Used: 04/28/2016 Date Tank Permanently Closed/ Removed: 07/05/2017

Dt Tk Exp Brought InUse/Internal Tracking:

Tank Fees Waived: No Expedite Closure On Tank?: No Responsible Person Expediting Closure: RB

Temporary Status Verified Date:

Admin Fee 585:

Date Administratively Closed:

Date Record Added:

Date Record Edited:

Person Adding/Editing Record:

Date Of NFA Letter:

Not reported

Not reported

11/16/2012

12/07/2017

BROWN, R

Not reported

Is Tank Used For Emergency Generator: No

Date Closure Notice Received: 06/12/2017

Not reported

MAP FINDINGS Map ID

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

WOODSON CONOCO (Continued)

U000754047

Date Of Aprroval Letter: 06/13/2017

Parker Petroleum-Landmark Environmental Associates Firm Closing Tank:

Date Closure Report Received: 09/19/2017 Registration End Date: 09/30/2019 LockOut Flag: No

12/7/2017 RMB. No outstanding issues regarding closure report for Comments:

this tank. Soil & GW samples > DTLs. Requesting WP for GW Inv. to

RBCA Unit. Posssibly a release from dispensers.

Tank Compartment:

Tanks Use: False Compartment No: Tank Compartment PK: 11935 Tank PK: 11935 Case Number: Not reported Compartment Status: Removed Compartment Temp Verified Dt: Not reported Capacity: 8000 Substance: Diesel Substance Other: Not reported Hazardous Substance: Not reported Mixture: False Date of Last Use: Not reported Not reported

Pipe Installation Date: Pipe System:

Pipe Material: Pipe Material Other: Not reported Pipe Protection: Not reported

Not reported

Pipe Double Wall: 0 Spill Protection: True

Tank Aug 2011:

Pipe Protection Date:

ST0004869 Facility Id:

Tank ld:

Site Usage: Not reported Risk Type: Not reported Not reported Soil Type: GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No No Buildings: No Vapor Barrier: 0 St Louis Mo: No Special Well Area: No Surface Cap: No No Excavation: No

Facility Id: ST0004869

Tank Id:

Site Usage: Not reported Risk Type: Not reported Soil Type: Not reported Map ID MAP FINDINGS

Direction Distance

Elevation Site Database(s) EPA ID Number

WOODSON CONOCO (Continued)

U000754047

EDR ID Number

GW Flow: Not reported
Offsite Impact: Not reported
Free Product: Not reported
Drinking Water: Not reported
Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004869

Tank ld: 4

Not reported Site Usage: Risk Type: Not reported Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Closed Under: Not reported

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Facility Id: ST0004869

Tank ld: 1

Site Usage: Not reported Not reported Risk Type: Soil Type: Not reported GW Flow: Not reported Offsite Impact: Not reported Free Product: Not reported Drinking Water: Not reported Not reported Closed Under:

No Drinking Wells: No
No Buildings: No
Vapor Barrier: 0
St Louis Mo: No
Special Well Area: No
Surface Cap: No
No Excavation: No

Count: 0 records. ORPHAN SUMMARY

City EDR ID Site Name Site Address Zip Database(s)

NO SITES FOUND

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 01/25/2022 Source: EPA
Date Data Arrived at EDR: 02/03/2022 Telephone: N/A

Number of Days to Update: 19 Next Scheduled EDR Contact: 04/11/2022
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 7

Telephone 215-814-5418 Telephone: 913-551-7247

EPA Region 4 EPA Region 8

Telephone 404-562-8033 Telephone: 303-312-6774

EPA Region 5 EPA Region 9

Telephone 312-886-6686 Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 01/25/2022 Source: EPA
Date Data Arrived at EDR: 02/03/2022 Telephone: N/A

Number of Days to Update: 19 Next Scheduled EDR Contact: 04/11/2022
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA

Telephone: 202-564-4267 Last EDR Contact: 08/15/2011

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA Telephone: N/A

Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/11/2022 Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/25/2021 Date Data Arrived at EDR: 06/24/2021 Date Made Active in Reports: 09/20/2021

Number of Days to Update: 88

Source: Environmental Protection Agency Telephone: 703-603-8704

Last EDR Contact: 12/29/2021

Next Scheduled EDR Contact: 04/11/2022 Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/25/2022 Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/25/2022 Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 10/12/2021

Number of Days to Update: 27

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 10/12/2021

Number of Days to Update: 27

Source: Environmental Protection Agency

Telephone: 913-551-7003 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 10/12/2021

Number of Days to Update: 27

Source: Environmental Protection Agency

Telephone: 913-551-7003 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 10/12/2021

Number of Days to Update: 27

Source: Environmental Protection Agency

Telephone: 913-551-7003 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)
RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation
and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database
includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste
as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate
less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 10/12/2021

Number of Days to Update: 27

Source: Environmental Protection Agency

Telephone: 913-551-7003 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 11/15/2021 Date Data Arrived at EDR: 11/16/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 84

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 02/07/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 11/19/2021 Date Data Arrived at EDR: 11/19/2021 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 11/19/2021 Date Data Arrived at EDR: 11/19/2021 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022

Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous

substances.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/21/2021 Date Made Active in Reports: 12/15/2021

Number of Days to Update: 85

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 03/01/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: Registry of Confirmed Abandoned or Uncontrolled Hazardous Waste Disposal Sites

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 09/21/2020 Date Data Arrived at EDR: 09/23/2020 Date Made Active in Reports: 12/15/2020

Number of Days to Update: 83

Source: Department of Natural Resources

Telephone: 573-751-1990 Last EDR Contact: 12/02/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Annually

HWS DETAIL: Registry Annual Report

Each site is described in detail in this annual report and includeds the following information: a general description of the site; a summary of any significant environmental problems at and near the site; a summary of any serious health problems in the immediate vicinity of the site; the status of any testing, monitoring or remedial actions in progress or recommended by the department.

Date of Government Version: 06/30/2020 Date Data Arrived at EDR: 02/25/2021 Date Made Active in Reports: 05/18/2021

Number of Days to Update: 82

Source: Department of Natural Resources

Telephone: 573-751-3176 Last EDR Contact: 02/22/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Annually

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Solid Waste Facility List

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 07/27/2021 Date Data Arrived at EDR: 11/10/2021 Date Made Active in Reports: 02/16/2022

Number of Days to Update: 98

Source: Department of Natural Resources

Telephone: 573-751-5401 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

Lists of state and tribal leaking storage tanks

LUST: Leaking Underground Storage Tanks

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 11/29/2021 Date Data Arrived at EDR: 12/08/2021 Date Made Active in Reports: 02/24/2022

Number of Days to Update: 78

Source: Department of Natural Resources

Telephone: 573-751-0135 Last EDR Contact: 12/08/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Quarterly

LAST: Leaking Aboveground Storage Tanks
A listing of leaking aboveground storage tanks.

Date of Government Version: 11/29/2021 Date Data Arrived at EDR: 12/08/2021 Date Made Active in Reports: 02/24/2022

Number of Days to Update: 78

Source: Department of Natural Resources

Telephone: 573-751-6822 Last EDR Contact: 12/08/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Quarterly

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/28/2021 Date Data Arrived at EDR: 06/11/2021 Date Made Active in Reports: 09/07/2021

Number of Days to Update: 88

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA, Region 5 Telephone: 312-886-7439 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: Environmental Protection Agency

Telephone: 415-972-3372 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/28/2021 Date Data Arrived at EDR: 06/22/2021 Date Made Active in Reports: 09/20/2021

Number of Days to Update: 90

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022

Data Release Frequency: Varies

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 10/14/2021 Date Data Arrived at EDR: 11/05/2021 Date Made Active in Reports: 02/01/2022

Number of Days to Update: 88

Source: FEMA

Telephone: 202-646-5797 Last EDR Contact: 02/07/2022

Next Scheduled EDR Contact: 04/18/2022

Data Release Frequency: Varies

UST: Petroleum Storage Tanks

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 11/29/2021 Date Data Arrived at EDR: 12/08/2021 Date Made Active in Reports: 02/24/2022

Number of Days to Update: 78

Source: Department of Natural Resources

Telephone: 573-751-0135 Last EDR Contact: 12/08/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Quarterly

AST: Aboveground Petroleum Storage Tanks Registered Aboveground Storage Tanks.

Date of Government Version: 09/02/2021 Date Data Arrived at EDR: 09/07/2021 Date Made Active in Reports: 09/14/2021

Number of Days to Update: 7

Source: Department of Agriculture Telephone: 573-751-7062

Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Semi-Annually

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022

Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/06/2021 Date Data Arrived at EDR: 06/11/2021 Date Made Active in Reports: 09/07/2021

Number of Days to Update: 88

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 02/09/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/14/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022

Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/28/2021 Date Data Arrived at EDR: 06/22/2021 Date Made Active in Reports: 09/20/2021

Number of Days to Update: 90

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/12/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 85

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

AUL: Sites with Controls

Activity and use limitations include both engineering controls and institutional controls.

Date of Government Version: 11/01/2021 Date Data Arrived at EDR: 11/10/2021 Date Made Active in Reports: 01/31/2022

Number of Days to Update: 82

Source: Department of Natural Resources

Telephone: 573-751-3176 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Quarterly

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 07/08/2021

Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015 Date Data Arrived at EDR: 09/29/2015 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 142

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 12/14/2021

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Varies

VCP: Sites Participating in the Voluntary Cleanup Program Sites participating in the Voluntary Cleanup Program.

Date of Government Version: 11/01/2021 Date Data Arrived at EDR: 11/10/2021 Date Made Active in Reports: 01/31/2022

Number of Days to Update: 82

Source: Department of Natural Resources

Telephone: 573-526-8913 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Quarterly

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Site List

Brownfields are sites where redevelopment and reuse is hampered by known or suspected contamination with hazardous substances. While many brownfield sites are minimally contaminated, potential environmental liability can be a problem for owners, operators, prospective buyers and financial institutions. Because of the large number of these sites, their economic impact especially in heavily industrial areas is substantial.

Date of Government Version: 11/01/2021 Date Data Arrived at EDR: 11/10/2021 Date Made Active in Reports: 01/31/2022

Number of Days to Update: 82

Source: Department of Natural Resources

Telephone: 573-526-8913 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 06/10/2021 Date Data Arrived at EDR: 06/10/2021 Date Made Active in Reports: 08/17/2021

Number of Days to Update: 68

Source: Environmental Protection Agency Telephone: 202-566-2777

Last EDR Contact: 03/15/2022

Next Scheduled EDR Contact: 03/28/2022 Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF: Solid Waste Facility Database List

This database contains detailed information per site. It is no longer maintained by the Department of Natural Resources. For current information on solid waste facilities/landfills see the SWF/LF database.

Date of Government Version: 04/12/2005 Date Data Arrived at EDR: 07/19/2006 Date Made Active in Reports: 08/18/2006

Number of Days to Update: 30

Source: Department of Natural Resources

Telephone: 573-751-5401 Last EDR Contact: 01/12/2009

Next Scheduled EDR Contact: 04/13/2009 Data Release Frequency: No Update Planned

SWRCY: Solid Waste Recycling Facilities
A listing of recycling center locations.

Date of Government Version: 05/18/2021 Date Data Arrived at EDR: 05/18/2021 Date Made Active in Reports: 08/04/2021

Number of Days to Update: 78

Source: Department of Natural Resources

Telephone: 573-526-3944 Last EDR Contact: 02/18/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 01/24/2022

Next Scheduled EDR Contact: 05/09/2022 Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004

Number of Days to Update: 39

Source: Environmental Protection Agency

Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 137

Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 01/13/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014 Date Data Arrived at EDR: 08/06/2014 Date Made Active in Reports: 01/29/2015

Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service

Telephone: 301-443-1452 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/09/2022 Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 11/16/2021 Date Data Arrived at EDR: 11/18/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 82

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: No Update Planned

CDL: Environmental Emergency Response System

Incidents reported to the Department of Natural Resources where drug lab materials were involved.

Date of Government Version: 06/01/2021 Date Data Arrived at EDR: 06/07/2021 Date Made Active in Reports: 09/01/2021

Number of Days to Update: 86

Source: Department of Natural Resources

Telephone: 573-751-3443 Last EDR Contact: 12/10/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Quarterly

DEL SHWS: Registry Sites Withdrawn or Deleted

A list of sites that were removed from the Registry or for which Registry action was suspended due to cleanup.

Date of Government Version: 09/21/2020 Date Data Arrived at EDR: 09/23/2020 Date Made Active in Reports: 12/15/2020

Number of Days to Update: 83

Source: Department of Natural Resources

Telephone: 573-522-3710 Last EDR Contact: 12/02/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Annually

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 11/16/2021 Date Data Arrived at EDR: 11/18/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 82

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Quarterly

PFAS: PFAS Detections PFAS detection list

> Date of Government Version: 04/05/2021 Date Data Arrived at EDR: 05/25/2021 Date Made Active in Reports: 08/16/2021

Number of Days to Update: 83

Source: Department of Natural Resources

Telephone: 517-751-9857 Last EDR Contact: 01/03/2022

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Varies

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: Environmental Protection Agency

Telephone: 202-564-6023 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/11/2022 Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/12/2021 Date Data Arrived at EDR: 09/13/2021 Date Made Active in Reports: 09/28/2021

Number of Days to Update: 15

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 12/16/2021

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

SPILLS: Environmental Response Tracking Database

Releases of hazardous substances reported to the department's Environmental Emergency Response (EER) section.

Date of Government Version: 06/01/2021 Date Data Arrived at EDR: 06/07/2021 Date Made Active in Reports: 09/01/2021

Number of Days to Update: 86

Source: Department of Natural Resources

Telephone: 573-526-3349 Last EDR Contact: 12/10/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/27/2012 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 02/22/2013

Number of Days to Update: 50

Source: FirstSearch Telephone: N/A

Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 10/12/2021

Number of Days to Update: 27

Source: Environmental Protection Agency

Telephone: 913-551-7003 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 10/26/2021 Date Data Arrived at EDR: 11/16/2021 Date Made Active in Reports: 02/08/2022

Number of Days to Update: 84

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 02/15/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 62

Source: USGS

Telephone: 888-275-8747 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/25/2022 Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018 Date Data Arrived at EDR: 04/11/2018 Date Made Active in Reports: 11/06/2019

Number of Days to Update: 574

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 01/07/2022

Next Scheduled EDR Contact: 04/18/2022

Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017 Date Data Arrived at EDR: 02/03/2017 Date Made Active in Reports: 04/07/2017

Number of Days to Update: 63

Source: Environmental Protection Agency

Telephone: 615-532-8599 Last EDR Contact: 02/08/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/13/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 09/28/2021

Number of Days to Update: 13

Source: Environmental Protection Agency

Telephone: 202-566-1917 Last EDR Contact: 12/17/2021

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013 Date Data Arrived at EDR: 03/21/2014 Date Made Active in Reports: 06/17/2014

Number of Days to Update: 88

Source: Environmental Protection Agency

Telephone: 617-520-3000 Last EDR Contact: 02/01/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017 Date Data Arrived at EDR: 05/08/2018 Date Made Active in Reports: 07/20/2018

Number of Days to Update: 73

Source: Environmental Protection Agency

Telephone: 703-308-4044 Last EDR Contact: 02/03/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016 Date Data Arrived at EDR: 06/17/2020 Date Made Active in Reports: 09/10/2020

Number of Days to Update: 85

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 12/17/2021

Next Scheduled EDR Contact: 03/28/2022 Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2018 Date Data Arrived at EDR: 08/14/2020 Date Made Active in Reports: 11/04/2020

Number of Days to Update: 82

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 02/18/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 10/18/2021 Date Data Arrived at EDR: 10/20/2021 Date Made Active in Reports: 01/10/2022

Number of Days to Update: 82

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 01/19/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 10/20/2021 Date Data Arrived at EDR: 11/05/2021 Date Made Active in Reports: 11/12/2021

Number of Days to Update: 7

Source: Environmental Protection Agency

Telephone: 202-564-8600 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/25/2022

Number of Days to Update: 22

Source: EPA

Telephone: 202-564-6023 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/19/2020 Date Data Arrived at EDR: 01/08/2021 Date Made Active in Reports: 03/22/2021

Number of Days to Update: 73

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 01/07/2022

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016 Date Data Arrived at EDR: 11/23/2016 Date Made Active in Reports: 02/10/2017

Number of Days to Update: 79

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/29/2021

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017 Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 08/18/2017

Next Scheduled EDR Contact: 12/04/2017 Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/29/2021 Date Data Arrived at EDR: 08/24/2021 Date Made Active in Reports: 11/19/2021

Number of Days to Update: 87

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 01/18/2022

Next Scheduled EDR Contact: 05/02/2022 Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 84

Source: Department of Energy Telephone: 202-586-8719 Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017 Date Data Arrived at EDR: 03/05/2019 Date Made Active in Reports: 11/11/2019

Number of Days to Update: 251

Source: Environmental Protection Agency

Telephone: N/A

Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022

Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019 Date Data Arrived at EDR: 11/06/2019 Date Made Active in Reports: 02/10/2020

Number of Days to Update: 96

Source: Environmental Protection Agency

Telephone: 202-566-0517 Last EDR Contact: 02/04/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S.

Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019 Date Data Arrived at EDR: 07/01/2019 Date Made Active in Reports: 09/23/2019

Number of Days to Update: 84

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 12/27/2021

Next Scheduled EDR Contact: 04/11/2022 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020 Date Data Arrived at EDR: 01/28/2020 Date Made Active in Reports: 04/17/2020

Number of Days to Update: 80

Source: Department of Transporation, Office of Pipeline Safety

Telephone: 202-366-4595 Last EDR Contact: 01/24/2022

Next Scheduled EDR Contact: 05/08/2022 Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/30/2021 Date Data Arrived at EDR: 10/13/2021 Date Made Active in Reports: 01/10/2022

Number of Days to Update: 89

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 01/03/2022

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2019 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 12/14/2021

Number of Days to Update: 90

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 04/04/2022 Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater

than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017

Number of Days to Update: 546

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 01/04/2022

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 07/26/2021 Date Data Arrived at EDR: 07/27/2021 Date Made Active in Reports: 10/22/2021

Number of Days to Update: 87

Source: Department of Energy Telephone: 202-586-3559 Last EDR Contact: 01/31/2022

Next Scheduled EDR Contact: 05/16/2022 Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019 Date Data Arrived at EDR: 11/15/2019 Date Made Active in Reports: 01/28/2020

Number of Days to Update: 74

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/25/2022 Date Data Arrived at EDR: 02/03/2022 Date Made Active in Reports: 02/22/2022

Number of Days to Update: 19

Source: Environmental Protection Agency

Telephone: 703-603-8787 Last EDR Contact: 05/03/2022

Next Scheduled EDR Contact: 04/11/2022 Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001 Date Data Arrived at EDR: 10/27/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 36

Source: American Journal of Public Health

Telephone: 703-305-6451 Last EDR Contact: 12/02/2009 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2017

Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/12/2016 Date Data Arrived at EDR: 10/26/2016 Date Made Active in Reports: 02/03/2017

Number of Days to Update: 100

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2017

Next Scheduled EDR Contact: 01/08/2018 Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/02/2021 Date Data Arrived at EDR: 11/22/2021 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 84

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 02/23/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Semi-Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 06/30/2021 Date Data Arrived at EDR: 07/01/2021 Date Made Active in Reports: 09/28/2021

Number of Days to Update: 89

Source: DOL, Mine Safety & Health Admi

Telephone: 202-693-9424 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020 Date Data Arrived at EDR: 05/27/2020 Date Made Active in Reports: 08/13/2020

Number of Days to Update: 78

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/06/2022

Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011 Date Data Arrived at EDR: 06/08/2011 Date Made Active in Reports: 09/13/2011

Number of Days to Update: 97

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 09/14/2021 Date Data Arrived at EDR: 09/15/2021 Date Made Active in Reports: 12/15/2021

Number of Days to Update: 91

Source: Department of Interior Telephone: 202-208-2609 Last EDR Contact: 12/14/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/04/2021 Date Data Arrived at EDR: 11/22/2021 Date Made Active in Reports: 02/25/2022

Number of Days to Update: 95

Source: EPA Telephone: (913) 551-7003

Last EDR Contact: 02/28/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 01/01/2022 Date Data Arrived at EDR: 01/04/2022 Date Made Active in Reports: 01/10/2022

Number of Days to Update: 6

Source: Environmental Protection Agency

Telephone: 202-564-2280 Last EDR Contact: 01/04/2022

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021 Date Data Arrived at EDR: 05/21/2021 Date Made Active in Reports: 08/11/2021

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 202-564-0527 Last EDR Contact: 02/22/2022

Next Scheduled EDR Contact: 06/06/2022 Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 01/11/2022 Date Made Active in Reports: 02/14/2022

Number of Days to Update: 34

Source: Department of Defense Telephone: 703-704-1564 Last EDR Contact: 01/11/2022

Next Scheduled EDR Contact: 04/25/2022 Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/15/2021 Date Data Arrived at EDR: 11/15/2021 Date Made Active in Reports: 02/01/2022

Number of Days to Update: 78

Source: EPA

Telephone: 800-385-6164 Last EDR Contact: 02/17/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Quarterly

AIRS: Permit Facility Listing

A listing of Air Pollution Control Program permits.

Date of Government Version: 11/01/2021 Date Data Arrived at EDR: 11/29/2021 Date Made Active in Reports: 02/24/2022

Number of Days to Update: 87

Source: Department of Natural Resources

Telephone: 573-751-4817 Last EDR Contact: 01/31/2022

Next Scheduled EDR Contact: 05/16/2022

Data Release Frequency: Varies

ASBESTOS: Asbestos Notification Listing

The department requires notification of demolitions and abatement projects involving regulated structures at least 10 working days before crews begin a project.

Date of Government Version: 10/04/2021 Date Data Arrived at EDR: 10/05/2021 Date Made Active in Reports: 12/29/2021

Number of Days to Update: 85

Source: Department of Natural Resources

Telephone: 573-751-4817 Last EDR Contact: 01/05/2022

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Sites

A listing of power plants with coal ash ponds.

Date of Government Version: 01/03/2018 Date Data Arrived at EDR: 02/01/2018 Date Made Active in Reports: 03/22/2018

Number of Days to Update: 49

Source: Department of Natural Resources

Telephone: 573-526-1825 Last EDR Contact: 12/20/2021

Next Scheduled EDR Contact: 04/11/2022 Data Release Frequency: No Update Planned

DRYCLEANERS: Drycleaners in Missouri Listing

A listing of drycleaner facilities that are potentially eligible for reimbursement of department approved cleanup costs under the Drycleaning Environmental Response Trust Fund.

Date of Government Version: 11/30/2017 Date Data Arrived at EDR: 12/13/2017 Date Made Active in Reports: 01/18/2018

Number of Days to Update: 36

Source: Department of Natural Resources

Telephone: 573-526-8913 Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Quarterly

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information.

Date of Government Version: 08/25/2021 Date Data Arrived at EDR: 08/26/2021 Date Made Active in Reports: 11/19/2021

Number of Days to Update: 85

Source: Department of Natural Resources

Telephone: 573-751-3553 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Annually

Financial Assurance 2: Financial Assurance Information Listing

Financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay

Date of Government Version: 06/30/2021 Date Data Arrived at EDR: 09/01/2021 Date Made Active in Reports: 11/22/2021

Number of Days to Update: 82

Source: Department of Natural Resources

Telephone: 573-751-5401 Last EDR Contact: 03/03/2022

Next Scheduled EDR Contact: 06/13/2022 Data Release Frequency: Quarterly

MINES: Industrial Mineral Mines Database

This data set contains names, locations and additional data for active Industrial Mineral Mines permitted with the Missouri Department of Natural Resources, Division of Environmental Quality, Land Reclamation Program. Industrial Mineral Mines permitted are rock guarries, clay pits, sand and gravel pits, or in-stream sand and gravel operations.

Date of Government Version: 04/30/2021 Date Data Arrived at EDR: 07/14/2021 Date Made Active in Reports: 10/07/2021

Number of Days to Update: 85

Source: Department of Natural Resources

Telephone: 573-751-4041 Last EDR Contact: 01/14/2022

Next Scheduled EDR Contact: 04/25/2022 Data Release Frequency: Varies

NPDES: Permitted Facility Listing

A listing of permitted facilities from the Water Pollution Branch.

Date of Government Version: 04/08/2021 Date Data Arrived at EDR: 04/09/2021 Date Made Active in Reports: 06/28/2021

Number of Days to Update: 80

Source: Department of Natural Resources

Telephone: 573-751-7023 Last EDR Contact: 12/20/2021

Next Scheduled EDR Contact: 04/11/2022 Data Release Frequency: Quarterly

RRC: Certified Hazardous Waste Resource Recovery Facilities

Facilities that take hazardous waste material, either from on-site or off-site, and make it re-usable.

Date of Government Version: 09/30/2020 Date Data Arrived at EDR: 10/06/2020 Date Made Active in Reports: 12/28/2020

Number of Days to Update: 83

Source: Department of Natural Resources

Telephone: 573-751-3176 Last EDR Contact: 12/02/2021

Next Scheduled EDR Contact: 03/21/2022 Data Release Frequency: Annually

SMARS: Site Management and Reporting System

SMARS currently houses information for Superfund, Federal Facility, Brownfields Voluntary Cleanup Program and Missouri's other state response programs.

Date of Government Version: 10/05/2021 Date Data Arrived at EDR: 10/29/2021 Date Made Active in Reports: 01/18/2022

Number of Days to Update: 81

Source: Department of Natural Resources

Telephone: 573-751-3043 Last EDR Contact: 01/26/2022

Next Scheduled EDR Contact: 05/09/2022 Data Release Frequency: Quarterly

UIC: Underground Injection Wells Database

A listing of underground injection well locations. The UIC Program is responsible for regulating the construction, operation, permitting, and closure of injection wells that place fluids underground for storage or disposal.

Date of Government Version: 03/15/2021 Date Data Arrived at EDR: 05/17/2021 Date Made Active in Reports: 06/02/2021

Number of Days to Update: 16

Source: Department of Natural Resources

Telephone: 573-368-2183 Last EDR Contact: 02/15/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Semi-Annually

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

Date of Government Version: 04/06/2018 Date Data Arrived at EDR: 10/21/2019 Date Made Active in Reports: 10/24/2019

Number of Days to Update: 3

Source: USGS

Telephone: 703-648-6533 Last EDR Contact: 02/24/2022

Next Scheduled EDR Contact: 06/06/2022

Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES

Date of Government Version: 07/14/2011 Date Data Arrived at EDR: 08/05/2011 Date Made Active in Reports: 09/29/2011

Number of Days to Update: 55

Source: EPA, Office of Water Telephone: 202-564-2496 Last EDR Contact: 12/29/2021

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Semi-Annually

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 02/05/2015 Date Made Active in Reports: 03/06/2015

Number of Days to Update: 29

Source: EPA

Telephone: 202-564-2497 Last EDR Contact: 12/29/2021

Next Scheduled EDR Contact: 04/18/2022

Data Release Frequency: Varies

PCS INACTIVE: Listing of Inactive PCS Permits

An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014 Date Data Arrived at EDR: 01/06/2015 Date Made Active in Reports: 05/06/2015

Number of Days to Update: 120

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 12/29/2021

Next Scheduled EDR Contact: 04/18/2022 Data Release Frequency: Semi-Annually

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Source: EDR, Inc.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A

Telephone: N/A
Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Source: EDR, Inc.
Date Data Arrived at EDR: N/A Telephone: N/A
Date Made Active in Reports: N/A Last EDR Contact: N/A

Number of Days to Update: N/A Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Natural Resources in Missouri.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 01/03/2014 Number of Days to Update: 186

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Natural Resources in Missouri.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/15/2014
Number of Days to Update: 198

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Natural Resources in Missouri.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 01/03/2014 Number of Days to Update: 186

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/11/2021 Date Data Arrived at EDR: 11/12/2021 Date Made Active in Reports: 02/01/2022

Number of Days to Update: 81

Source: Department of Energy & Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 02/11/2022

Next Scheduled EDR Contact: 05/23/2022 Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019 Date Data Arrived at EDR: 10/29/2021 Date Made Active in Reports: 01/19/2022

Number of Days to Update: 82

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 01/28/2022

Next Scheduled EDR Contact: 05/09/2022 Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018 Date Data Arrived at EDR: 07/19/2019 Date Made Active in Reports: 09/10/2019

Number of Days to Update: 53

Source: Department of Environmental Protection

Telephone: 717-783-8990 Last EDR Contact: 01/10/2022

Next Scheduled EDR Contact: 04/25/2022 Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2020 Date Data Arrived at EDR: 11/30/2021 Date Made Active in Reports: 02/18/2022

Number of Days to Update: 80

Source: Department of Environmental Management

Telephone: 401-222-2797 Last EDR Contact: 02/14/2022

Next Scheduled EDR Contact: 05/30/2022 Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018 Date Data Arrived at EDR: 06/19/2019 Date Made Active in Reports: 09/03/2019

Number of Days to Update: 76

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 03/02/2022

Next Scheduled EDR Contact: 06/20/2022 Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Child Care Facilities Source: Department of Health & Senior Services

Telephone: 573-751-2450

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: National Wetland Inventory of Missouri

Source: Department of Natural Resources

Telephone: 573-751-5110

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK®-PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

WOODSON ROAD PARK 1655 WOODSON ROAD SAINT LOUIS, MO 63132

TARGET PROPERTY COORDINATES

Latitude (North): 38.682352 - 38[^] 40′ 56.47″ Longitude (West): 90.361761 - 90[^] 21′ 42.34″

Universal Tranverse Mercator: Zone 15 UTM X (Meters): 729491.4 UTM Y (Meters): 4284624.0

Elevation: 552 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 10333046 CLAYTON, MO

Version Date: 2017

West Map: 10295905 CREVE COEUR, MO

Version Date: 2017

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NNE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property FEMA Source Type

2903850050C FEMA FIRM Flood data

Additional Panels in search area: FEMA Source Type

29189C0184K FEMA FIRM Flood data 29189C0192K FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property Data Coverage

CLAYTON YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

LOCATION GENERAL DIRECTION

MAP ID FROM TP GROUNDWATER FLOW

Not Reported

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION


Era: Paleozoic Category: Stratifed Sequence

System: Pennsylvanian
Series: Missourian Series

Code: PP3 (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 6884535.2s



SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

Saint Louis MO 63132 LAT/LONG: 38.682352 / 90.361761 CLIENT: U.S. Army Corps of Engineers CONTACT: Ben Greeling INQUIRY #: 6884535.2s

DATE: March 04, 2022 11:28 am

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Fishpot

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward

movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 107 inches

Soil Layer Information							
Boundary			Classification		Saturated hydraulic		
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		Ooii itoaoiioii
1	0 inches	46 inches	silt loam	Not reported	Not reported	Max: 4 Min: 1.4	Max: 7.3 Min: 5.6
2	46 inches	59 inches	silt loam	Not reported	Not reported	Max: 4 Min: 1.4	Max: 7.3 Min: 5.6

Soil Map ID: 2

Soil Component Name: Urban land

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward

movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 3

Soil Component Name: Urban land

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward

movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 1.000

Federal FRDS PWS Nearest PWS within 1 mile

State Database 1.000

FEDERAL USGS WELL INFORMATION

LOCATION

MAP ID WELL ID FROM TP

No Wells Found

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID WELL ID FROM TP

No PWS System Found

Note: PWS System location is not always the same as well location.


GEOCHECK[®] - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID WELL ID LOCATION FROM TP

No Wells Found

PHYSICAL SETTING SOURCE MAP - 6884535.2s



SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

Saint Louis MO 63132 LAT/LONG: 38.682352 / 90.361761 CLIENT: U.S. Army Corps of Engineers CONTACT: Ben Greeling

INQUIRY #: 6884535.2s

DATE: March 04, 2022 11:27 am

Copyright © 2022 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: MO Radon

Radon Test Results

Zipcode	Test Date	Result
		
63132	02/19/08	< 0.3
63132	01/10/05	0.9
63132	04/05/06	2.4
63132	04/11/08	8.0
63132	03/05/08	1.3
63132	05/21/07	14.8
63132	06/02/07	????
63132	07/05/05	0.9
63132	07/13/07	10
63132	08/11/08	1.2
63132	08/18/06	????
63132	10/22/04	5.2
63132	12/03/08	2

Federal EPA Radon Zone for ST. LOUIS County: 2

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 63132

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	0.600 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: National Wetland Inventory of Missouri

Source: Department of Natural Resources

Telephone: 573-751-5110

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Missouri Public Drinking Water Wells

Source: Department of Natural Resources

Telephone: 573-526-5448

Missouri Geologic Well Log Database

Source: Department of Natural Resources

Telephone: 573-526-5448

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Source: Department of Natural Resources

Telephone: 573-368-2143

RADON

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration


Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared


in 1975 by the United State Geological Survey


PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION


© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.






















INQUIRY #: 6884535.8

YEAR: 1937



= 500'



Woodson Road Park

1655 Woodson Road Saint Louis, MO 63132

Inquiry Number: 6884535.8

March 04, 2022

The EDR Aerial Photo Decade Package



EDR Aerial Photo Decade Package

03/04/22

Site Name: Client Name:

Woodson Road Park U.S. Army Corps of Engineers

1655 Woodson Road Svc. Base,

Saint Louis, MO 63132 St. Louis, MO 63118 EDR Inquiry # 6884535.8 Contact: Ben Greeling



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	Source
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1996	1"=500'	Acquisition Date: March 27, 1996	USGS/DOQQ
1990	1"=500'	Flight Date: April 08, 1990	USGS
1988	1"=500'	Flight Date: April 07, 1988	NAPP
1980	1"=500'	Flight Date: October 08, 1980	USDA
1974	1"=500'	Flight Date: May 01, 1974	USGS
1971	1"=500'	Flight Date: May 04, 1971	USDA
1968	1"=500'	Flight Date: March 17, 1968	USGS
1965	1"=500'	Flight Date: October 10, 1965	USDA
1958	1"=500'	Flight Date: May 13, 1958	USDA
1953	1"=500'	Flight Date: September 11, 1953	USDA
1941	1"=500'	Flight Date: July 29, 1941	ASCS
1937	1"=500'	Flight Date: August 14, 1937	USDA


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice


This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

















APPENDIX D: HISTORICAL TOPOGRAPHIC MAPS

Woodson Road Park 1655 Woodson Road Saint Louis, MO 63132

Inquiry Number: 6884535.4

March 04, 2022

EDR Historical Topo Map Report

with QuadMatch™



EDR Historical Topo Map Report

03/04/22

Site Name: **Client Name:**

Woodson Road Park U.S. Army Corps of Engineers

1655 Woodson Road Svc. Base,

Saint Louis, MO 63132 St. Louis, MO 63118 EDR Inquiry # 6884535.4 Contact: Ben Greeling



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by U.S. Army Corps of Engineers were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Res	ults:	Coordinates:	Coordinates:		
P.O.#	RDP	Latitude:	38.682352 38° 40' 56" North		
Project:	River Des Peres GRR	Longitude:	-90.361761 -90° 21' 42" West		
-		UTM Zone:	Zone 15 North		
		UTM X Meters:	729485.59		
		UTM Y Meters:	4284831.27		

Elevation: 552.01' above sea level

Maps Provided:

2017 1933 2015 1993 1979 1974 1968 1954 1940, 1941

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2017 Source Sheets



Clayton 2017 7.5-minute, 24000



Creve Coeur 2017 7.5-minute, 24000

2015 Source Sheets



Clayton 2015 7.5-minute, 24000



Creve Coeur 2015 7.5-minute, 24000

1993 Source Sheets



Creve Coeur 1993 7.5-minute, 24000 Aerial Photo Revised 1990



Clayton 1993 7.5-minute, 24000 Aerial Photo Revised 1990

1979 Source Sheets



Clayton 1979 7.5-minute, 24000 Aerial Photo Revised 1979



Creve Coeur 1979 7.5-minute, 24000 Aerial Photo Revised 1974

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1974 Source Sheets



Clayton 1974 7.5-minute, 24000 Aerial Photo Revised 1974



Creve Coeur 1974 7.5-minute, 24000 Aerial Photo Revised 1974

1968 Source Sheets



Clayton 1968 7.5-minute, 24000 Aerial Photo Revised 1968



Creve Coeur 1968 7.5-minute, 24000 Aerial Photo Revised 1968

1954 Source Sheets



Creve Coeur 1954 7.5-minute, 24000 Aerial Photo Revised 1952



Clayton 1954 7.5-minute, 24000 Aerial Photo Revised 1952

1940, 1941 Source Sheets



Creve Coeur 1940 7.5-minute, 24000



Clayton 1941 7.5-minute, 24000

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1933 Source Sheets





Clayton 1933 7.5-minute, 24000



Creve Coeur 1933 7.5-minute, 24000







SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road


Saint Louis, MO 63132

U.S. Army Corps of Engineers CLIENT:






Historical Topo Map



0 Miles

This report includes information from the following map sheet(s).



TP, Clayton, 2015, 7.5-minute W, Creve Coeur, 2015, 7.5-minute

SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

0.5

0.25


Saint Louis, MO 63132

CLIENT: U.S. Army Corps of Engineers




1





This report includes information from the following map sheet(s).



TP, Clayton, 1993, 7.5-minute W, Creve Coeur, 1993, 7.5-minute

SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

0.5

0.25


0 Miles

1655 Woodson Road Saint Louis, MO 63132


CLIENT: U.S. Army Corps of Engineers







This report includes information from the following map sheet(s).



TP, Clayton, 1979, 7.5-minute W, Creve Coeur, 1979, 7.5-minute SITE NAME: Woodson Road Park

0.5

0.25

0 Miles


ADDRESS: 1655 Woodson Road Saint Louis, MO 63132

CLIENT: U.S. Army Corps of Engineers

1.5


page 9





0 Miles

This report includes information from the following map sheet(s).



TP, Clayton, 1974, 7.5-minute W, Creve Coeur, 1974, 7.5-minute

SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

0.5


0.25

Saint Louis, MO 63132


CLIENT: U.S. Army Corps of Engineers







This report includes information from the following map sheet(s).



TP, Clayton, 1968, 7.5-minute W, Creve Coeur, 1968, 7.5-minute

SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

0.5

0.25


0 Miles

Saint Louis, MO 63132

CLIENT: U.S. Army Corps of Engineers








0 Miles

0.25

This report includes information from the following map sheet(s).




TP, Clayton, 1954, 7.5-minute W, Creve Coeur, 1954, 7.5-minute SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

0.5


Saint Louis, MO 63132

CLIENT: U.S. Army Corps of Engineers





This report includes information from the following map sheet(s).



TP, Clayton, 1941, 7.5-minute W, Creve Coeur, 1940, 7.5-minute

SITE NAME: Woodson Road Park ADDRESS: 1655 Woodson Road

0.5

0.25

0 Miles

Saint Louis, MO 63132

CLIENT: U.S. Army Corps of Engineers






0 Miles

0.25

This report includes information from the following map sheet(s).



TP, Clayton, 1933, 7.5-minute W, Creve Coeur, 1933, 7.5-minute


SITE NAME: Woodson Road Park 1655 Woodson Road ADDRESS:

0.5

Saint Louis, MO 63132

U.S. Army Corps of Engineers CLIENT:





Woodson Road Park

1655 Woodson Road Saint Louis, MO 63132

Inquiry Number: 6884535.5

March 07, 2022

The EDR-City Directory Abstract



TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.

Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1930 through 2017. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

As ummary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Brad street. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	Text Abstract	Source Image
2017	Cole Information Services	-	Χ	X	-
2014	Cole Information Services	-	Χ	X	-
2009	Cole Information Services	-	Χ	X	-
	Cole Information Services	X	Χ	X	-
2006	Haines Company, Inc.	-	Χ	X	X
2004	Cole Information Services	-	Χ	X	-
2001	HAINES & COMPANY INC.	-	Χ	X	X
	HAINES & COMPANY INC.	X	Χ	X	X
1999	Cole Information Services	-	Χ	X	-
	Cole Information Services	Χ	Χ	Χ	-

EXECUTIVE SUMMARY

<u>Year</u>	Source	<u>TP</u>	<u>Adjoining</u>	Text Abstract	Source Image
1994	Cole Information Services	-	Χ	X	-
	Cole Information Services	X	Χ	X	-
1992	Southwestern Bell	-	Χ	X	-
	Southwestern Bell Telephone Co.	-	Χ	X	-
1986	Southwestern Bell Telephone	-	Χ	X	-
	Southwestern Bell Telephone Co.	-	Χ	X	-
1980	R. L. Polk & Co.	-	-	-	-
1979	R. L. Polk & Co.	-	Χ	X	-
	R. L. Polk & Co.	X	Χ	X	-
1975	R.L.Polk Co.	-	-	-	-
1973	R. L. Polk & Co.	-	Χ	X	-
	R. L. Polk & Co.	X	Χ	X	-
1970	R. L. Polk & Co.	-	-	-	-
1965	R.L.Polk Co.	-	-	-	-
1961	R. L. Polk & Co.	-	Χ	X	-
1960	R. L. Polk & Co.	-	-	-	-
1958	R. L. Polk & Co.	-	Χ	X	-
	R. L. Polk & Co.	Χ	Χ	X	-
1955	R. L. Polk & Co.	-	-	-	-
1953	Southwestern Bell Telephone Co.	-	Χ	X	-
	Southwestern Bell Telephone Co.	X	Χ	X	-
1949	R. L. Polk & Co.	-	-	-	-
1948	POLK-GOULD DIRECTORY CO.	-	-	-	-
1944	POLK-GOULD DIRECTORY CO.	-	-	-	-
1939	R. L. Polk & Co.	-	Χ	X	-
1936	R. L. Polk & Co.	-	Χ	X	-
1935	Polk-Gould Directory Co	-	-	-	-
1930	R. L. Polk & Co.	-	-	-	-

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Brad street. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



TARGET PROPERTY INFORMATION

ADDRESS

1655 Woodson Road Saint Louis, MO 63132

FINDINGS DETAIL

Target Property research detail.

WOODSON RD

1655 WOODSON RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2009	UNITED STATES ARMY	Cole Information Services	
2001	AGENCY	HAINES & COMPANY INC.	Image pg. A4
	US ARMY PUBLISHING	HAINES & COMPANY INC.	Image pg. A4
1999	US GOVERNMENT ARMY DEPARTMENT OF	Cole Information Services	
1994	US ARMY PUBLICTN CT	Cole Information Services	
	US GSA FPS GUARD	Cole Information Services	
1979	U S ARMY ADJUTANT GENL PUBL CENTER	R. L. Polk & Co.	
1973	U S ARMY ADJUTANT GENL PUBL CENTER	R. L. Polk & Co.	
1958	ADJUTANT GENERAL PUBLS CENTER	R. L. Polk & Co.	
1953	U S GOVERNMENT OFFICES	Southwestern Bell Telephone Co.	

Page 2

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

LIBERTY

9402 LIBERTY

<u>Year</u> <u>Uses</u> <u>Source</u>

1986 OLIVER R Southwestern Bell Telephone

9416 LIBERTY

<u>Year</u> <u>Uses</u> <u>Source</u>

1986 KOZEK BBII NMcknight Rd Southwestern Bell Telephone

KOZB Robt Southwestern Bell Telephone

LIBERTY AN 63132

9418 LIBERTY AN 63132

<u>Year</u> <u>Uses</u> <u>Source</u>

1992 KRUESSEL Wm G Southwestern Bell

KRUESSEL Wm G Southwestern Bell Telephone Co.

LIBERTY AV 63132

9406 LIBERTY AV 63132

<u>Year</u> <u>Uses</u> <u>Source</u>

1992 HANNEKEN Ronald Southwestern Bell Telephone Co.

HANNEKEN Ronald Southwestern Bell

9412 LIBERTY AV 63132

<u>Year</u> <u>Uses</u> <u>Source</u>

1992 MEEKS Stanford Southwestern Bell Telephone Co.

MEEKS Stanford Southwestern Bell

9413 LIBERTY AV 63132

<u>Year</u> <u>Uses</u> <u>Source</u>

1992 STEPHENS Craig Southwestern Bell

STEPHENS Craig Southwestern Bell Telephone Co.

9417 LIBERTY AV 63132

<u>Year</u> <u>Uses</u> <u>Source</u>

1992 OLIVER Ralph EJr Southwestern Bell Telephone Co.

OLIVER Ralph EJr Southwestern Bell

LIBERTY AVE

9402 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2006	a OLIVER Ralph	Haines Company, Inc.	Image pg. A1
2001	LIVERJulia	HAINES & COMPANY INC.	Image pg. A5
1979	OLIVER RALPH	R. L. Polk & Co.	
1973	OLIVER RALPH	R. L. Polk & Co.	
	OLIVER RALPH JR LANDSCAPING	R. L. Polk & Co.	
1958	OLIVER RALPH	R. L. Polk & Co.	

9406 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	BLUE LIBERTY	Cole Information Services	
2014	BLUE LIBERTY	Cole Information Services	
2009	SCOTT STEPHENSON	Cole Information Services	
2006	a DIXONJo	Haines Company, Inc.	Image pg. A1
2004	LARRY TINKER	Cole Information Services	
2001	TINKERTe Iry	HAINES & COMPANY INC.	Image pg. A5
1999	TERRY TINKER	Cole Information Services	
1994	ROSE, JASON	Cole Information Services	
1979	VACANT	R. L. Polk & Co.	
1973	GAINES JOHN W	R. L. Polk & Co.	
1958	WISE JAS C	R. L. Polk & Co.	

9407 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	Source	
2006	RALPH JONES	Haines Company, Inc.	Image pg. A1
	CONTRACTORS	Haines Company, Inc.	Image pg. A1
2004	MISSOURI CULVERT & PIPE	Cole Information Services	
2001	JONESRALPH CONTRS	HAINES & COMPANY INC.	Image pg. A5

<u>Year</u>	<u>Uses</u>	Source	
2001	MOCULVERTPIPECO	HAINES & COMPANY INC.	Image pg. A5
1999	JONES RALPH CONTRACTORS INCORPORATED	Cole Information Services	
1994	RALPH JONES CONTRACTORS	Cole Information Services	
	TOTAL HOME IMPROVEMENTS	Cole Information Services	
1986	Jones Ralph Contractors Inc	Southwestern Bell Telephone Co.	
	Missouri Culvert Pipe Co	Southwestern Bell Telephone Co.	
	Water Tight Roofing Co Inc	Southwestern Bell Telephone Co.	
1979	JONES RALPH CONCRETE CONTRACTING CO	R. L. Polk & Co.	
	MISSOURI CULVER PIPE PIPES	R. L. Polk & Co.	
	REAR JONES RALPH CONCRETE CONTR	R. L. Polk & Co.	
1973	WELLS H	R. L. Polk & Co.	
	REAR JONES RALPH CONCRETE CONTRACTOR INC	R. L. Polk & Co.	
1961	WILLIAMS JAMES E A H	R. L. Polk & Co.	
1958	CAMPBELL SCHAFFNER C JR	R. L. Polk & Co.	

9408 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	Source	
2017	RANDY WILDER	Cole Information Services	
2014	KIMBERLY PARKER	Cole Information Services	
2009	JOAN BROWN	Cole Information Services	
2006	o BROWN Jas E	Haines Company, Inc.	Image pg. A1
2004	JOAN BROWN	Cole Information Services	
2001	GATESWallace	HAINES & COMPANY INC.	Image pg. A5
1979	FORTNER DANNY L	R. L. Polk & Co.	
1973	FORTNER DANNY L	R. L. Polk & Co.	
1958	KELLE EMMA L MRS	R. L. Polk & Co.	

9409 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1979	MC KINLEY DENNIS M	R. L. Polk & Co.
1973	NO RETURN	R. L. Polk & Co.
1961	MARTIN JOHN G A H	R. L. Polk & Co.

<u>Year</u>	<u>Uses</u>	Source	
1958	HUTCHISON GRETCHEN	R. L. Polk & Co.	
9410 LIBE	RTY AVE		
<u>Year</u>	<u>Uses</u>	Source	
2014	DONNIE YOUNG	Cole Information Services	
2009	CARMALITTA KAHN	Cole Information Services	
2006	No Current Listing	Haines Company, Inc.	Image pg. A1
2004	EDWARD HEWITT	Cole Information Services	
2001	RICHARDMark	HAINES & COMPANY INC.	Image pg. A5
1999	MARK RICHARD	Cole Information Services	
1979	BRIDGES JAMES S	R. L. Polk & Co.	
1973	BRIDGES JAMES S	R. L. Polk & Co.	
1961	BRIDGES JAS S A H	R. L. Polk & Co.	
1958	WOMACK KATHRYN	R. L. Polk & Co.	
9411 LIBE	RTY AVE		
<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2006	BROWN Mark	Haines Company, Inc.	Image pg. A1
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	DINATALE Kevin L	HAINES & COMPANY INC.	Image pg. A5
	BROWNMark i	HAINES & COMPANY INC.	Image pg. A5
1999	KEVIN DINATALE	Cole Information Services	
1979	BALLMAN MARGT	R. L. Polk & Co.	
1973	COCHRAN MERLE L	R. L. Polk & Co.	
1961	COCHRAN MERLE L A H	R. L. Polk & Co.	
1958	COCHRAN MERLE L	R. L. Polk & Co.	
9412 LIBE	RTY AVE		
<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	EVYLENE SESSION	Cole Information Services	
2014	EVYLENE SESSION	Cole Information Services	
2009	MICHAEL BRAND	Cole Information Services	
2006	AMBROSE Angelina	Haines Company, Inc.	Image pg. A1
	e FREY Lorraine	Haines Company, Inc.	Image pg. A1

<u>Year</u>	<u>Uses</u>	Source	
2004	DENNIS SHELL	Cole Information Services	
2001	FREYLorralne	HAINES & COMPANY INC.	Image pg. A5
	DINATALE Kevin L	HAINES & COMPANY INC.	Image pg. A6
	SHELLArlela	HAINES & COMPANY INC.	Image pg. A6
1992	JACKSON Laron	Southwestern Bell Telephone Co.	
	JACKSON Laron	Southwestern Bell	
1986	EASTJ	Southwestern Bell Telephone	
	KOLLEY D M	Southwestern Bell Telephone	
1979	PEAERSIN SUSAN	R. L. Polk & Co.	
1973	NO RETURN	R. L. Polk & Co.	
1961	A CHRISTENSEN WM H A H	R. L. Polk & Co.	
	SCHAFLEZEL LOULA MRS	R. L. Polk & Co.	
1958	SCHAFLEZEL JACOB W	R. L. Polk & Co.	

9413 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	Source	
2014	OCCUPANT UNKNOWN	Cole Information Services	
2009	TIFFANY CLEGG	Cole Information Services	
2006	GUERRERO	Haines Company, Inc.	Image pg. A1
	Francsca	Haines Company, Inc.	Image pg. A1
	o BROWNMark	Haines Company, Inc.	Image pg. A1
2001	BROWNMark	HAINES & COMPANY INC.	Image pg. A6
1999	TRACY CORNELIUS	Cole Information Services	
1986	TAYLOR Muriel	Southwestern Bell Telephone	
1979	SKAGGS KENNETH S	R. L. Polk & Co.	

9414 LIBERTY AVE

NO RETURN

GUYES LEE V A H

HYDE ARTH S

1973

1961

1958

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	RALPH KINDELL	Cole Information Services
2014	RALPH KINDELL	Cole Information Services
2009	DANNY DAVIS	Cole Information Services

6884535-5 Page 7

R. L. Polk & Co.

R. L. Polk & Co.

R. L. Polk & Co.

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2006	DAVIS David	Haines Company, Inc.	Image pg. A1
2004	DAVID DAVIS	Cole Information Services	
2001	DAVISDavid	HAINES & COMPANY INC.	Image pg. A6
1979	LOVETT DON	R. L. Polk & Co.	
1973	RICE RONALD L	R. L. Polk & Co.	
1961	RIRC RONALD L A H	R. L. Polk & Co.	
1958	RICE RONALD L	R. L. Polk & Co.	

9415 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2014	OCCUPANT UNKNOWN	Cole Information Services	
2009	ASIA BROOKS	Cole Information Services	
2006	e BROWN Tony	Haines Company, Inc.	gepg.A1
2004	TONY BROWN	Cole Information Services	
2001	BROWNSharon D	HAINES & COMPANY INC. Ima	gepg.A6
1999	TONY BROWN	Cole Information Services	
1994	BROWN, TONY C	Cole Information Services	
1979	MARTIN BARBARA	R. L. Polk & Co.	
1973	MARTIN BARBARA	R. L. Polk & Co.	
1961	HUNTOON SAM A H	R. L. Polk & Co.	
1958	HUNTOON SAML O	R. L. Polk & Co.	

9416 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2009	TIM BRADDUM	Cole Information Services	
2006	BRADDUM Jerry	Haines Company, Inc.	Image pg. A1
	TAYLOR Genda	Haines Company, Inc.	Image pg. A1
2004	DAN MOXLEY	Cole Information Services	
2001	TAYLORGlenda	HAINES & COMPANY INC.	Image pg. A6
1999	TIM BRADDUM	Cole Information Services	
1979	KOZBIL ROBT R	R. L. Polk & Co.	
	SHEPARD LARRY	R. L. Polk & Co.	
1973	KOZBIL ROBT R	R. L. Polk & Co.	
1958	BROCKMEYER JOS T	R. L. Polk & Co.	

9417 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	K CARPENTER	Cole Information Services	
2014	K CARPENTER	Cole Information Services	
2009	OCCUPANT UNKNOWN	Cole Information Services	
2006	OLIVER Ralph	Haines Company, Inc.	Image pg. A1
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	OLIVERRalph EJr	HAINES & COMPANY INC.	Image pg. A6
	WILSONJulia	HAINES & COMPANY INC.	Image pg. A6
1999	RALPH OLIVER	Cole Information Services	
1994	OLIVER, RALPH E JR	Cole Information Services	
1986	OLIVER Ralph E Jr	Southwestern Bell Telephone	
1979	OLIVER RALPH E JR	R. L. Polk & Co.	
1973	OLIVER RALPH JR	R. L. Polk & Co.	
1961	OLIVER RALPH JR A H	R. L. Polk & Co.	
1958	OLIVER RALPH JR	R. L. Polk & Co.	

9418 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2006	PONDROM Ronald	Haines Company, Inc.	Image pg. A1
2001	SPONDROM Ronald	HAINES & COMPANY INC.	Image pg. A6
1994	KRUESSEL, WILLIAM G	Cole Information Services	
1986	KRUESSEL Wm G	Southwestern Bell Telephone	
1979	KRUESSEL WM G	R. L. Polk & Co.	
1973	KRUESSEL WM G	R. L. Polk & Co.	
1961	KRUESSEL WM G	R. L. Polk & Co.	
1958	KRUESSEL WM G	R. L. Polk & Co.	

9419 LIBERTY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DARRELL HINDMAN	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1979	PENNO EDNA	R. L. Polk & Co.
1973	KING LAWRENCE W	R. L. Polk & Co.
1961	KING LAWRENCE W G 0 A H	R. L. Polk & Co.

<u>Year</u> <u>Uses</u> <u>Source</u>

1958 KING LAWRENCE W R. L. Polk & Co.

9407A LIBERTY AVE

<u>Year</u> <u>Uses</u> <u>Source</u>

1979 WELLS DON G
 1973 VENICE LEE
 R. L. Polk & Co.
 R. L. Polk & Co.

LIBERTY DR

9410 LIBERTY DR

<u>Year</u> <u>Uses</u> <u>Source</u>

1986 BRIDGES Jas S Southwestern Bell Telephone

LIBERTY ST

9402 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 OLIVER R Southwestern Bell Telephone Co.

9406 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 WISE JAS Southwestern Bell Telephone Co.

9407 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 CAMPBELL S C JR Southwestern Bell Telephone Co.

CAMPBELL CARL III Southwestern Bell Telephone Co.

9408 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 KELLE FRED C Southwestern Bell Telephone Co.

9410 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 GUILL J A Southwestern Bell Telephone Co.

9411 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 COCHRAN MERIE L Southwestern Bell Telephone Co.

9412 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 SCHAFLEZEL J W Southwestern Bell Telephone Co.

9413 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 FAULKENBERRY OTIS Southwestern Bell Telephone Co.

9414 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 HOHMAN HENRY V Southwestern Bell Telephone Co.

9415 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 FASSEL GERALD A Southwestern Bell Telephone Co.

9416 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 BROCKMEY ER JOS T Southwestern Bell Telephone Co.

LAYTON WANDA Southwestern Bell Telephone Co.

9417 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 OLIVER RALPH JR Southwestern Bell Telephone Co.

REAMER BERNADETTE Southwestern Bell Telephone Co.

9419 LIBERTY ST

<u>Year</u> <u>Uses</u> <u>Source</u>

1953 CURTIS CHAS C Southwestern Bell Telephone Co.

TRENTON

9405 TRENTON

<u>Year</u> <u>Uses</u> <u>Source</u>

1936 SANTONGE JOS D R. L. Polk & Co.

9411 TRENTON

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1939	SAHOLL CHAS E	R. L. Polk & Co.
1936	SCHOOL CHAS E	R. L. Polk & Co.

9417 TRENTON

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1936	KNIGHT RAY	R. L. Polk & Co.
	BROCKMAN CHAS E	R. L. Polk & Co.

9419 TRENTON

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1939	TIETZ CHAS E	R. L. Polk & Co.

TRENTON AVE

9404 TRENTON AVE

<u>Year</u>	<u>Uses</u>	Source	
2017	NATHAN BARRON	Cole Information Services	
2014	OCCUPANT UNKNOWN	Cole Information Services	
2006	No Current Listing	Haines Company, Inc.	Image pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	SMITHJimmy D	HAINES & COMPANY INC.	Image pg. A7
1999	JIMMY SMITH	Cole Information Services	
1992	GAGHYAN John	Southwestern Bell Telephone Co.	
	GAGHYAN John	Southwestern Bell	
1986	GAGHYAN John	Southwestern Bell Telephone	
1979	GAGHYAN JOHN	R. L. Polk & Co.	
1973	GAGHYAN JOHN	R. L. Polk & Co.	
1961	GAGHYAN JOHN A H	R. L. Polk & Co.	
1958	GAGHYAN JOHN	R. L. Polk & Co.	
1953	GAGHYAN JOHN	Southwestern Bell Telephone Co.	

9405 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	LINDSAY MURPHY	Cole Information Services

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2014	JOHN FRANKLIN	Cole Information Services	
2009	OCCUPANT UNKNOWN	Cole Information Services	
2006	a MURPHY Ramona	Haines Company, Inc.	Image pg. A2
	JONES Jason	Haines Company, Inc.	Image pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	MURPHY Ramona	HAINES & COMPANY INC.	Image pg. A7
	MURPHY Mona	HAINES & COMPANY INC.	Image pg. A7
1999	RAMONA MURPHY	Cole Information Services	
1994	MURPHY, RAMONA	Cole Information Services	
1992	MURPHY Guy L	Southwestern Bell Telephone Co.	
	MURPHY Guy L	Southwestern Bell	
1986	MEINTZ Steven W	Southwestern Bell Telephone	
1979	MEINTZ STEVE W	R. L. Polk & Co.	
1973	MEINTZ EDW A	R. L. Polk & Co.	
1961	MEMTZ EDW A H	R. L. Polk & Co.	
1958	MEINTZ EDW	R. L. Polk & Co.	
1953	RYAN LUTHER	Southwestern Bell Telephone Co.	

9406 TRENTON AVE

<u>Year</u>	<u>Uses</u>	Source	
2017	ANTHONY SARGENT	Cole Information Services	
2014	TIFFANY ZIMMER	Cole Information Services	
2006	a SELLERS Raymond	Haines Company, Inc.	Image pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	BURNS G	HAINES & COMPANY INC.	Image pg. A7
	SELLERS Raymond	HAINES & COMPANY INC.	Image pg. A7
1999	GERALYN BURNS	Cole Information Services	
1994	SELLERS, RAYMOND L	Cole Information Services	
1992	SELLERS Raymond Jr	Southwestern Bell	
	SELLERS Raymond L	Southwestern Bell	
	SELLERS Raymond Jr	Southwestern Bell Telephone Co.	
	SELLERS Raymond L	Southwestern Bell Telephone Co.	
1986	SELLERS Raymond L	Southwestern Bell Telephone	

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1979	SMITH CELESTA MRS	R. L. Polk & Co.
1973	SMITH GEO O	R. L. Polk & Co.
1961	SMITH GEO A H	R. L. Polk & Co.
1958	SMITH GEO O	R. L. Polk & Co.
1953	SMITH GEO O	Southwestern Bell Telephone Co.

9408 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	CHENING ZHANG	Cole Information Services	
2014	CHENING ZHANG	Cole Information Services	
2009	K TSAI	Cole Information Services	
2006	No Current Listing	Haines Company, Inc.	Image pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	KURTESSHLuls	HAINES & COMPANY INC.	Image pg. A7
1999	OCCUPANT UNKNOWN	Cole Information Services	
1994	ROMERO, ALFREDO	Cole Information Services	
1979	OTT FRANCIS	R. L. Polk & Co.	
1973	HUFF RALPH	R. L. Polk & Co.	
1961	STUMM GEO J A H	R. L. Polk & Co.	
1958	STUMM GEO J	R. L. Polk & Co.	

9411 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2009	OCCUPANT UNKNOWN	Cole Information Services	
2006	MEYER Terry	Haines Company, Inc.	Image pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	STILLMANStew art	HAINES & COMPANY INC.	Image pg. A7
	MEVERTerry	HAINES & COMPANY INC.	Image pg. A7
1999	TERRY MEYER	Cole Information Services	
1994	MEYER, TERRY	Cole Information Services	
1992	MEYER Terry	Southwestern Bell	
	MEYER Terry	Southwestern Bell Telephone Co.	
1979	MEY ER TERRY	R. L. Polk & Co.	
1973	GREBER KENNETH E	R. L. Polk & Co.	

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1961	KRAH ROBT H A H	R. L. Polk & Co.
1958	KRAH ROBT H	R. L. Polk & Co.
1953	KRAH ROBT H	Southwestern Bell Telephone Co.

9412 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	JENNIFER DENMARK	Cole Information Services	
2014	JENNIFER DIGAR	Cole Information Services	
2009	LARRY ZEPEDA	Cole Information Services	
2006	a BEQUETTEJon	Haines Company, Inc.	mage pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	ALEXANDERAdrian G	HAINES & COMPANY INC.	mage pg. A7
1994	ALEXANDER, ADRIAN G	Cole Information Services	
1992	ALEXANDER Adrian Geo	Southwestern Bell	
	ALEXANDER Adrian Geo	Southwestern Bell Telephone Co.	
1986	ALEXANDER Adrian Geo	Southwestern Bell Telephone	
1979	ALEXANDER ADRIAN G	R. L. Polk & Co.	
1973	ALEXANDER ADRIAN G	R. L. Polk & Co.	
1961	ALEXANDER ADRIAN G A H	R. L. Polk & Co.	
1958	ALEXANDER ADRIAN G	R. L. Polk & Co.	

9414 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	VADIM ZHUKOV	Cole Information Services	
2014	VADIM ZHUKOV	Cole Information Services	
2009	VADIM ZHUKOV	Cole Information Services	
2006	a ZHUKOVVadilm	Haines Company, Inc.	Image pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
1979	GOOD JOHN I	R. L. Polk & Co.	
1973	GOOD JOHN I	R. L. Polk & Co.	
1961	GOOD JOHN I A H	R. L. Polk & Co.	
1958	GOOD JOHN I	R. L. Polk & Co.	
1953	GOOD JOHN I	Southwestern Bell Telephone Co.	

9415 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2006	BESANCENEZ	Haines Company, Inc.	Image pg. A2
	Lawrence	Haines Company, Inc.	Image pg. A2
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	BESANCENEZL	HAINES & COMPANY INC.	Image pg. A7
1994	BESANCENEZ, L R	Cole Information Services	
1992	BESANCENEZ Law rence R	Southwestern Bell Telephone Co.	
	BESANCENEZ Law rence R	Southwestern Bell	
1986	BERZLAPA I Law rence R	Southwestern Bell Telephone	
1979	BESANCENEZ LAWRENCE R	R. L. Polk & Co.	
1973	BESANCENEZ LAWRENCE R	R. L. Polk & Co.	
1961	BESANCENEZ LAWRENCE R A H	R. L. Polk & Co.	
1958	BESANCENEZ LAWRENCE R	R. L. Polk & Co.	
1953	BESANCENEZ LAWRENCE R	Southwestern Bell Telephone Co.	

9416 TRENTON AVE

<u>Year</u>	<u>Uses</u>	Source	
2006	BESANCENEZ	Haines Company, Inc.	Image pg. A2
	Lawrence	Haines Company, Inc.	Image pg. A2
2004	L BESANCENEZ	Cole Information Services	
2001	BESANCENEZLM	HAINES & COMPANY INC.	Image pg. A7
1999	L BESANCENEZ	Cole Information Services	
1994	BESANCENEZ, L M	Cole Information Services	
1992	BESANCENEZ LM	Southwestern Bell	
	BESANCENEZ LM	Southwestern Bell Telephone Co.	
1986	BERZLAPA I LM	Southwestern Bell Telephone	
1979	VACANT	R. L. Polk & Co.	
1961	VACANT	R. L. Polk & Co.	
1958	VACANT	R. L. Polk & Co.	

9417 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2017	DAVID CARRION	Cole Information Services
2014	DAVID CARRION	Cole Information Services

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2009	DAVID CARRION	Cole Information Services	
2006	CARRION David	Haines Company, Inc.	Image pg. A2
2004	DAVID CARRION	Cole Information Services	
2001	CARRION David	HAINES & COMPANY INC.	Image pg. A7
1999	BRANDY MONTGOMERY	Cole Information Services	
1994	HARRISON, TERRI	Cole Information Services	
1992	LAVELY Stephen & Mona	Southwestern Bell	
	LAVELY Stephen & Mona	Southwestern Bell Telephone Co.	
	COS SeeCust Guide Pgs	Southwestern Bell	
	LAVELY T L Hogan Rd Pacific Mo 63069	Southwestern Bell	
1979	MORROW ELSIE MRS	R. L. Polk & Co.	
1973	MORROW ELSIE MRS	R. L. Polk & Co.	
1961	MORROW ELSIE A H	R. L. Polk & Co.	
1958	MORROW GEO W	R. L. Polk & Co.	
1953	MORROW GEO W	Southwestern Bell Telephone Co.	

9418 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2001	PRATTDorothy	HAINES & COMPANY INC.	Image pg. A7
	PRATTLeland	HAINES & COMPANY INC.	Image pg. A7
1979	VACANT	R. L. Polk & Co.	
1973	VACANT	R. L. Polk & Co.	
1961	BROWN LEROY A H	R. L. Polk & Co.	
1958	BROWN LEROY	R. L. Polk & Co.	
1953	BROWN LEROY	Southwestern Bell Telephone Co.	

9419 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2014	RHONDA PRATT	Cole Information Services	
2009	LYNN PRATT	Cole Information Services	
2006	a PRATTLeland	Haines Company, Inc.	Image pg. A2
2004	LELAND PRATT	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	
1994	PRATT, LYNN R	Cole Information Services	

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1992	PRATT Lynn Ray	Southwestern Bell
	PRATT Lynn Ray	Southwestern Bell Telephone Co.
1986	WAIT David W	Southwestern Bell Telephone
1979	BROWN JOHN L	R. L. Polk & Co.
1973	VACANT	R. L. Polk & Co.
1961	KIPP RUDOLPH JR A H	R. L. Polk & Co.
1958	KIPP RUDOLPH JR	R. L. Polk & Co.
1953	KIPP RUDOLPH JR	Southwestern Bell Telephone Co.

9422 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2001	NO RETURN	HAINES & COMPANY INC.	Image pg. A7
1994	DOUGLASS TOOL CO	Cole Information Services	
1986	MEYER Terry	Southwestern Bell Telephone	
	Douglass Tool Co	Southwestern Bell Telephone Co.	
1979	HEIDBREDER CO SCREW MACH PROD	R. L. Polk & Co.	
1973	GENERAL PNEUMATIC PRODUCTS INC TOOLS	R. L. Polk & Co.	
1953	MARFLOW TOOL DIV	Southwestern Bell Telephone Co.	
	BROWN TOOL MFG CO	Southwestern Bell Telephone Co.	

9420-22 TRENTON AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1961	BROWN TOOL MFG CO A H	R. L. Polk & Co.
	SOLAR V CO TOOL MFG A HA	R. L. Polk & Co.
1958	BROWN TOOL MFG CO	R. L. Polk & Co.

WATSON RD

1700 WATSON RD

<u>Ye</u>	<u>ar</u>	<u>Uses</u>	<u>Source</u>
199	92	DICKINSON Elw ood JJr	Southwestern Bell
		DICKINSON Elw ood JJr	Southwestern Bell Telephone Co.

1712 WATSON RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1992 KEARLEY Vaughan Southwestern Bell Telephone Co.

KEARLEY Vaughan Southwestern Bell

1714 WATSON RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1992 STREICHER Donald L Southwestern Bell

STREICHER Donald L Southwestern Bell Telephone Co.

WOODEON RD

1739 WOODEON RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1986 Schwalms Auto Electric Southwestern Bell Telephone Co.

WOODSON RD

1635 WOODSON RD

YearUsesSource1979PORTER OIL CO STGER. L. Polk & Co.

1973 PORTER OIL CO STGE R. L. Polk & Co.

1637 WOODSON RD

<u>Year</u> <u>Uses</u> <u>Source</u>

1979 WOODSON RD PARK R. L. Polk & Co.

1650 WOODSON RD

YearUsesSource20010 XXXHAINES & COMPANY INC.Image pg. A4

1986 Elw ood Lumber Co Southwestern Bell Telephone Co.

Woodson Supply Co lbr Southwestern Bell Telephone Co.

1979 ELWOOD LUMBER CO INC R. L. Polk & Co.

1973 ELWOOD LUMBER CO INC R. L. Polk & Co.

1961 BLWOOD (LIR CO STGE R. L. Polk & Co.
 1958 GENERAL FUELS R. L. Polk & Co.

1953 GENERAL FUELS Southwestern Bell Telephone Co.

YearUsesSource1953HEMMERSMEIER HENRYSouthwestern Bell Telephone Co.

1670 WOODSON RD

<u>Year</u> <u>Uses</u> <u>Source</u>

2001 NO RETURN HAINES & COMPANY INC. Image pg. A4

1691 WOODSON RD

<u>Year</u> <u>Uses</u> **Source** 2017 EXPRESS AUTO SERVICE & TIRE Cole Information Services Cole Information Services **EXPRESS** Cole Information Services CALVERTS EXPRESS AUTO SERVICE & TIR CALVARTS EXPRESS Cole Information Services Cole Information Services CALVARTS EXPRESS EXPRESS AUTO BARKS & TIRE Cole Information Services CALVERTS EXPRESS AUTO BARVICA & Cole Information Services PRE Cole Information Services CALVERTS EXPRESS 2014 Cole Information Services EXPRESS AUTO SERVICE & TIRE Cole Information Services CALVERTS EXPRESS AUTO SERVICE & TIR Cole Information Services CALVERTS EXPRESS 2006 Haines Company, Inc. Image pg. A3 MIDLANDAUTO& 2001 MIDLANDAUTO&TIRE HAINES & COMPANY INC. Image pg. A4 Cole Information Services 1994 WOODSON AUTO CTR Cole Information Services **AUTO DOCTOR** 1986 Southwestern Bell Telephone Co. Sparks Tune Up 1979 R. L. Polk & Co. BEYER S STANDARD SERV STA GAS STA 1973 WILLIAM S STANDARD SERVICE STATION R. L. Polk & Co. 1961 R. L. Polk & Co. VIRGIL S STALENRD STA GAS STA A H R. L. Polk & Co. 1958 BAHR BROS TRACK SIDE SERVICE STA GAS STA 1953 Southwestern Bell Telephone Co. BAHR BROS TRACK SIDE SERV STA

1695 WOODSON RD

YearUsesSource1961CORDLA VIRGIL A IHAR. L. Polk & Co.

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1958	MCCUAN RANDALL H	R. L. Polk & Co.
	BAHR WM F	R. L. Polk & Co.

1733 WOODSON RD

<u>Year</u>	<u>Uses</u>		<u>Source</u>
1961	THOMAS JAS	АН	R. L. Polk & Co.

1735 WOODSON RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2004	OCCUPANT UNKNOWN	Cole Information Services	
2001	Th OMASJamoa	HAINES & COMPANY INC.	Image pg. A4
	TOMSAUTOBODY	HAINES & COMPANY INC.	Image pg. A4
1994	TOMS AUTO BODY	Cole Information Services	
1986	Toms Auto Body	Southwestern Bell Telephone Co.	
1979	THOMAS JAMES R	R. L. Polk & Co.	
1973	THOMAS JAMES R	R. L. Polk & Co.	
1958	VACANT	R. L. Polk & Co.	
1953	SCHWALM WILLIAM H	Southwestern Bell Telephone Co.	

1737 WOODSON RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1958	VACANT	R. L. Polk & Co.

1739 WOODSON RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	D & S MA CHINE SHOP LLC	Cole Information Services	
2014	D & S MA CHINE SHOP LLC	Cole Information Services	
2009	DNS MACHINE SHOP	Cole Information Services	
2006	DONS MACHINE	Haines Company, Inc.	Image pg. A3
	Sh OP	Haines Company, Inc.	Image pg. A3
2004	DONS MACHINE SHOP	Cole Information Services	
2001	DONSMA CHINESHOP	HAINES & COMPANY INC.	Image pg. A4
	BARSTOWDon	HAINES & COMPANY INC.	Image pg. A4
1986	Schwalms Welding & Fabricating	Southwestern Bell Telephone Co.	

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1979	SCHWALMAUTO ELECTRIC REBLD ALTERNATORS & STARTERS	R. L. Polk & Co.
	SCHWALM WELDING & FABRICATING AUTO REPR	R. L. Polk & Co.
1973	SCHWALM GENERATOR & STARTER SERVICE AUTO REPR	R. L. Polk & Co.
1958	SCHWALM GENERATOR & STARTER SERV	R. L. Polk & Co.
1953	SCHWALMS GENERATOR & STARTER SERV	Southwestern Bell Telephone Co.
	SCHWALM MILDRED MRS	Southwestern Bell Telephone Co.

1753 WOODSON RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2017	CHURCHS CHICKEN	Cole Information Services	
2014	CHURCHS CHICKEN	Cole Information Services	
2009	CHURCHS CHICKEN	Cole Information Services	
	ISLAM RUNO	Cole Information Services	
	AFC ENTERPRISES INC	Cole Information Services	
2006	CHICKEN	Haines Company, Inc.	Image pg. A3
	CHURCHSFFRIED	Haines Company, Inc.	Image pg. A3
2001	CHURCNS FRIED CHKN	HAINES & COMPANY INC.	Image pg. A4
1994	CHURCHS FRIED CHICKEN	Cole Information Services	
1979	CHURCH S FRIED CHICKEN CO RESTR	R. L. Polk & Co.	
1973	SUNSET SANDWICH SHOP RESTR	R. L. Polk & Co.	
1961	SUNSET SANDWICH SHOP C I	R. L. Polk & Co.	
1958	SUNSET SANDWICH SHOP	R. L. Polk & Co.	
1953	JIM S SANDWICH SHOP	Southwestern Bell Telephone Co.	

1757 WOODSON RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2004	SMUGGLERS INN	Cole Information Services
1999	SMUGGLERS INN	Cole Information Services
1994	SMUGGLERS INN	Cole Information Services
1979	BO-MAR LOUNGE TAVERN	R. L. Polk & Co.
1973	EXECUTIVE LOUNGE	R. L. Polk & Co.

6884535-5 Page 22

1759 WOODSON RD

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2009	ROYAL CLEANERS	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	SPEEDEE CLEANERS	Cole Information Services
1994	ETHEL CLEANERS	Cole Information Services
1979	ONE HOUR MARTINIZING	R. L. Polk & Co.
1973	ONE HOUR MARTINIZING	R. L. Polk & Co.

6884535-5 Page 23

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
1635 WOODSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1637 WOODSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1650 WOODSON RD	2017, 2014, 2009, 2006, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1670 WOODSON RD	2017, 2014, 2009, 2006, 2004, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1691 WOODSON RD	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1691 WOODSON RD	2009, 2006, 2004, 2001, 1999, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1695 WOODSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1700 WATSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1712 WATSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1714 WATSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1733 WOODSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1735 WOODSON RD	2017, 2014, 2009, 2006, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1961, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1735 WOODSON RD	2017, 2014, 2009, 2006, 2001, 1999, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1737 WOODSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1739 WOODEON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1739 WOODSON RD	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1961, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930

Address Researched	Address Not Identified in Research Source
1739 WOODSON RD	2006, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1753 WOODSON RD	2006, 2004, 2001, 1999, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1753 WOODSON RD	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1757 WOODSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1757 WOODSON RD	2017, 2014, 2009, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1759 WOODSON RD	2017, 2014, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
1759 WOODSON RD	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9402 LIBERTY	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9402 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9402 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9404 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9404 TRENTON AVE	2009, 2006, 2001, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9405 TRENTON	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1935, 1930
9405 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9405 TRENTON AVE	2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1944, 1944, 1939, 1936, 1935, 1930
9406 LIBERTY AV 63132	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9406 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9406 LIBERTY AVE	2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1944, 1939, 1936, 1935, 1930
9406 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9406 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9406 TRENTON AVE	2009, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930

Address Researched	Address Not Identified in Research Source
9407 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9407 LIBERTY AVE	2017, 2014, 2009, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9407 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9407A LIBERTY AVE	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9408 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9408 LIBERTY AVE	2006, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9408 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9408 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9408 TRENTON AVE	2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9409 LIBERTY AVE	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9410 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9410 LIBERTY AVE	2017, 2006, 2001, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9410 LIBERTY DR	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9410 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9411 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9411 LIBERTY AVE	2017, 2014, 2009, 2006, 2001, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9411 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9411 TRENTON	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1935, 1930
9411 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9411 TRENTON AVE	2017, 2014, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930

Address Researched	Address Not Identified in Research Source
9412 LIBERTY AV 63132	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9412 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9412 LIBERTY AVE	2006, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9412 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9412 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9412 TRENTON AVE	2006, 2001, 1999, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9413 LIBERTY AV 63132	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9413 LIBERTY AVE	2017, 2006, 2004, 2001, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9413 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9413 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9414 LIBERTY AVE	2006, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9414 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1944, 1934, 1934, 1935, 1930
9414 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9414 TRENTON AVE	2017, 2014, 2009, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9414 TRENTON AVE	2006, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9415 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9415 LIBERTY AVE	2017, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9415 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9415 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9415 TRENTON AVE	2017, 2014, 2009, 2006, 2001, 1999, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930

Address Researched	Address Not Identified in Research Source
9416 LIBERTY	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9416 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9416 LIBERTY AVE	2017, 2014, 2006, 2001, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9416 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9416 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1980, 1975, 1973, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9416 TRENTON AVE	2017, 2014, 2009, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9417 LIBERTY AV 63132	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9417 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9417 LIBERTY AVE	2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1944, 1944, 1939, 1936, 1935, 1930
9417 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9417 TRENTON	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1935, 1930
9417 TRENTON AVE	2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9417 TRENTON AVE	2017, 2014, 2009, 2004, 1999, 1994, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9418 LIBERTY AN 63132	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9418 LIBERTY AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9418 LIBERTY AVE	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9418 TRENTON AVE	2017, 2014, 2009, 2006, 2004, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9419 LIBERTY AVE	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1975, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9419 LIBERTY AVE	2014, 2009, 2006, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9419 LIBERTY ST	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930

Address Researched	Address Not Identified in Research Source
9419 TRENTON	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1936, 1935, 1930
9419 TRENTON AVE	2017, 2014, 2009, 2004, 2001, 1999, 1994, 1980, 1975, 1970, 1965, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9419 TRENTON AVE	2017, 2006, 2001, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9420-22 TRENTON AVE	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1994, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1960, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9422 TRENTON AVE	2017, 2014, 2009, 2006, 2004, 1999, 1994, 1992, 1980, 1975, 1970, 1965, 1961, 1960, 1958, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930
9422 TRENTON AVE	2017, 2014, 2009, 2006, 2004, 2001, 1999, 1992, 1986, 1980, 1979, 1975, 1973, 1970, 1965, 1961, 1960, 1958, 1955, 1953, 1949, 1948, 1944, 1939, 1936, 1935, 1930

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE


The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

Address Not Identified in Research Source

1655 Woodson Road

2017, 2014, 2006, 2004, 1992, 1986, 1980, 1975, 1970, 1965, 1961, 1960, 1955, 1949, 1948, 1944, 1939, 1936, 1935, 1930



<u>Adjoining</u>

<u>Source</u>
Haines Company, Inc.

LIBERTY AVE 2006

TP Adjoining

<u>Source</u>

Haines Company, Inc.

TRENTON AVE 2006

ST LOUIS NORTH THE HAINES (519 TRENTON AVE
RACH COCK 136 SMINISS WELL HOUSE 136 WELL H	## PRICE DO NOT 19

<u>Adjoining</u>

<u>TP</u>

<u>Source</u>

Haines Company, Inc.

WOODSON RD 2006

i8 Oodson Rd	ST LOUIS NORTH	THE HAINES	DIRECTORY	2006		
4193 *HOWARD'S CAR 314-427-5070 WASHADETAIL SHOP	★GOVERNMENT EMPL 314-426-3800 ASN	2303 *ALL BREED 314-427-4470 GROOMING 2305 • GUILLORY C 314-423-7273	2554 * PIAZZA'S 314-427-2277 	3309 XXXX 00 +6 3310 ◆ADERS Charles 00 +6 EVERETT C 314-428-4679 0	LUCIOUS \$ 314-385-2166 3 SHERRILL Geraldine 314-389-4668 3	
X GUTHRIE AVE	* NATL OLD LINE LIFE 314-426-3600	1 2307 ARENS Sarah L 314-890-9069 + b	2556 * PIAZZA'S PAWN 314-423-6050 BROKERS 2580 * CHINA FUN BUFFET 314-427-3650 2	EVERETT C 314-428-4679 0 3314 XXXX 00 3317 *H & H AUTO BODY 314-429-4762	★ 3 BUS 25 RES 4 NEW	
4300 \$7 ELEVEN 254.427 5446	*TRANSAM LIFE PFL 314-426-3600 X BROWN RD	NAES Kyle	X MIDLAND BLVD	3317 *H & H AU TO BODY 314-429-4762 3319 *BERT'S AUTO SERV 314-428-7254 0	WOODSTOCK AVE 63136 JENNINGS	•
THE STHLND	1901 *HON'S WOK 314-426-7936 0	2311 ALLEN Wilma 314-427~1980 9 • PLENDER Martha 00 8 2313 • WILLIAMS B 314-427-6918 2	X MILTON AVE	MSNRY CO INC OFC 3326 *MATT JOHNSON'S 314-428-3500 0		
*RELIANCE 314-428-4284 4 ELECTRIC CO 4349 *EPILEPSY 514-423-5850 3 FOUNDATION CONFRENCE	1901 ★HON'S WOK 314-426-7936 0 1902 ★MENEKE DSCNT 314-423-9848 MFFLR 1916 ★PIRTEK OVERLAND 314-423-4800 3	2815 a SCHAAI Mary 00 7	X E MILTON AVE	3319 *BERT'S AUTO SERV 314-422-7284 0 3325 *PEEBLES MRVN 314-422-7176 MSNRY CO INC OFC 326 *MATI JOHNSON'S 314-428-3500 0 PREMIC AUTOMIT 3329 JACOBS Gwendolyn 314-428-7338 4	WEALTH CODE 7	
4349 *EPILEPSY 314-423-5850 3 FOUNDATION CONFRENCE	1919 *WOOFIE'S HOT 314-426-6291 DOGS 1920 *SHELTON 314-423-9199 INDUSTRIAL PATTERN INC	2319 *FIRST CHOICE 314-733-0500 3	2600 HAFFER Douglass 314-733-0160 4 HUGHES Edward 314-733-1639 +6	X SAINT CHARLES ROCK 3501 *BROCKMANN TV 314-428-1608 4	4849 - 4881 ST. LOUIS CITY	
X STANSBERRY AVE	INDUSTRIAL PATTERN INC		★NIDWOOD HOTEL 314,429, 0521 3	#BROCKMANN V 314-429-1806 4 #CURB IT & 314-429-3343 +6 LANDSCAPING COMPANY	ST. LOUIS CITY SCHOOLS	
4400 *DISCOUNT SMOKE 314-447-0279 3 SHOP	1933 ★US BANDS 314-429-3439 0 ORCHESTRA SUPPLIES INC 1939 ★AL'S P X LIQUOR 314-429-0009 STORE	HORNBECK Scarlet 314-423-1052 2	2606 * ZELAYA 314-426-5800 0 INVESTMENT SERVICES LLC * ZOLAYA 314-426-5800 4 INVESTMENTS OCC. * TORRINA DEPT. 144-423-2320	#DISCOUNT RENT A 314-423-3444 +6	X SALOMA AVE	
* DISCOUNT SMOKE 314-447-0282 3 SHOP 4405 * WOODSON SERVICE 314-427-4788	1939 ★AL'S P X LIQUOR 314-429-0009 STORE	H SHELTON Bruce 314-427-7011 0 2325 • VICTORIAN Lenore 00 3 2327 • GIORDANO Gene 00 8	# 20147A 314-426-3600 4 INVESTMENTS 2616 * ARCHWAY PEST 314-423-3220 CONTRL	CAR ★GARAGE DOOR 314-428-9777 +6 WHOLESELLERS 3507 ★DOLLY MADISON 314-429-6171 CAKE	4849 • NASH Evelvn 00 7	
4411 *COLUMBIA 314-429-5500 COLLEGE ST LOUIS CMPS 4412 *YESTERDAY'S 314-423-5677	*P-X MINE & SPIRITS 314-429-0009 1 WEST	2329 • GRANETO Joseph OD +6	CONTRL *ARCHWAY 314-423-3220	3507 ★DOLLY MADISON 314-429-6171 CAKE	4857 • HENDERSON OO 7	
	X ROMAINE AVE	2330 FINGERS Fred 314-423-2576 +6 — JAVAUX Robert OO 3 2331 • HENRY Richard OO 3	*ARCHWAY 314-423-3220 TERMITE&PST 2618 *INTECH COLLISION 314-426-1600 REPAIR	X SHIRLEY GARDENS DR	4860 • CLAYBON Shannon 314-385-7006 9 4861 • HOLLIDAY Patricia OO +6 4864 • MERSHON Leonard OO 8	
4420 * SALON DEBONAIR 314-427-7449 2 4422 * SUPER SHOTZ 314-427-1234 +6 4424 * HALL BILLY W INS 314-428-4255 8 4430 * AMER SERVICES 314-733-1776 3	1943 *BEAUTYSTHE ART 314-428-5232 HRANL GLLRY 1945 *SMITH & 314-426-0056 7 ASSOCIATES LAW OFFICES	2332 *MARY'S SEWING & 314-426-1900 3	2621 *QUIKTRIP STORE 314-426-1811	3510 ★MARVIN 314-493-6430 2	4865 • ROBINSON Elcise 314-383-8386 8 4868 • BERNARD Belle OO 3	
4430 *AMER SERVICES 314-733-1776 3 STL 4433 *CHAMPACK SALES 314-423-3553	OFFICES 1947 **BENGONI'S 314-429-4553 8 RESTAURANT	2334 • OGLESBY David 00 7 2335 • HOGAN Timothy F 314-429-7450 1	2622 ★KORMAN JOE TAX 314-429-6006 SERV 2625 ★LOYL ORD MOOSE 314-427-9721	3510 *MARVIN 314-493-6430 2 ELEMENTARY SCHOOL *RITEMOUR SC 314-493-6430 0 ELEMENTARY MARVIN 244-493-6430 2	4869 ● HARDRICT E 314-382-9923 YOUNG Lee Fifs 314-389-6214	
*EPSTEIN W NACO 314-429-0673 INC *HOTEL EMPLYS& 314-890-0250 1 REST EMPLYS LCL	RESTAURANT X RIDGE AVE	2337 • WELLS L 314-428-0516 1 2339 • PARENTI Salvo 00 3	2626 *COLONIAL CARPET 314-426-5959 3 2636 *TOP TREE SERVICE 314-427-8699	MARVIN ELEMENTARY MARVIN *SC RITENOUR 314-493-6430 2 MARVIN	4873 ● HILL Chas W 314-385-1048 4876 ● TURNER J 314-381-2870	
*HOTEL EMPLYS& 314-890-0250 1 REST EMPLYS LCL	2001 *COMPLETE 314-426-2818	2345 • PERKINS J 314-429-7369 2 • PERKINS P 314-429-7369 2 2349 * DOBBS TIRESAUTO 314-427-6400	2638 *L&K AUTO 314-427-5299 2 SERVICES	3515 • BALLARU Raiph OU 8	4877 • POTTS Joyce OO 3 TATE Julian 314-382-6747 +6 4881 • GRAYSON Anita OO 0	
*PANAL PINA WORLD 314-890-8282 9 TRANSPORT INC *UNITE HERE LOCAL 314-890-0250 1	2001 *COMPLETE 314-426-2818 TRANSMISSIONS AUTO RPR *COMPLETE 314-426-1871 TRANSMISSIONS AUTO RPR AUTO RPR	CENTERS *GOODYEAR TIRE 314-427-5400 SERVICE	X ARGYLE AVE	PAK Chung 314-890-8628 +6 X NORTH AVE	X LILLIAN AVE	7
14 4434 ★ ERIO'S PIZZA & 314-423-1555 RESTAURANT	TRANSMISSION& AUTO RPR 2002 ★BILL YOUNT SIGNS& 314-423-2933	X PALMER AVE	X ARLINE AVE 2700 ★HEMAN & 314-423-8132	3600 ★MOBILE MECHANIC 314-426-9060	★ 0 BUS 15 RES 2 NEW	
RESTAURANT 4438 *GALLO JIRO NO 2 314-426-5475 4 *TAQUERIA LOS 314-890-8668 +6 TARASCOS	2002 *BILL YOUNT SIGNS& 314-423-2933 ADVERTISING 2020 *WING HING 314-428-4828 3 TRADING CORP	X LACKLAND RD	ASSOCIATES PUMPS	★U HAUL CO ST JOHN 314-426- 6880 4 3602 ★MIDWST 314-890- 0169 4	WOODSTOCK RD	1
*TAQUERIA LOS 314-890-8668 + 6 TARASCOS 4452 *BILLIARD DOCTOR 314-426-6888 9	TRADING CORP Y MIDIAM AVE	2400 *TIRE BROKERS INC 314-423-3876 2407 *JACK IN THE BOX 314-426-0684 DRVE THRU	X DELPHINE AVE 2701 *SCHUETTE CABINET 314-423-3686 +6	3602 MIDWST 314-890-0169 4 PETROLEUM COMPANY 3606 ★CHAPMAN 314-427-3100 4 PROPERTIES	63135 FERGUSON	
4454 *AIRPORT BILLIARDS 314-428-2200 7	2021 *CHIROPRACTIC 314-428-6270 3	2415 WITTLE ASSOCIATES 314-426-9333 U	7704 XXXX 00	PROPERTIES *KEYWEST REALTY 314-427-5200 4	WEALTH CODE 4.3	
4455 *CATHOLIC HEART 314-427-2500 2 ASSOCIATION 2	*CHU SHAN SHOU DR 314-428-6270 3	INC OVERLAND 2420 **RITENOUR SC ADM 314-493-6010 0	2706 ★ENDERS DESIGN 314-427-5005 4 AND MFG CO ROBERTS Gall 314-423-5910 1	PROPERTIES *KEYWEST REALTY 314-427-5200 4 3616 *MUELLER ANIMAL 314-427-4550 HOSP 3624 *WYOODSON LOANS 314-429-6001 2	25 - 7555 FEDGUSON	
X ST WILLIAMS CT 4477 *ADVANCED 314-426-9887 1	2049 *KUSOL AUTO 314-426-6456	★RITENOUR SC 314-493-6082 U	2707 COLSON Chas Jr 314-423-8070 3	JEWELRY 314-429-4001 2	FERGUSON FERGUSON-FLORISSNT SC DST	
TECHNOLOGIES	AUTO AUTO	*RITENOUR SC 314-493-6080 0 COMMUNITY SERV	2708 A • GENO Ray 314-428-3561 • GENO Waunela 314-428-6973	X LEENORA AVE	7711 - 7748 NORMANDY	
*NAACP REGION 1V 314-428-9900 4 OFFICE *SCHENKERS 314-427-6900 3 INTERNATL FRWRDR INC	X ECHO LN 2101 *TONIE'S BEAUTIQUE 314-423-1377 2	X MARLOWE AVE	2709 *COMNTY ACTION AG 314-863-0015 3	X BOBB AVE 3770 • AHMED Toni 314-426-7359 4 3772 CHOWDHURY F 314-428-7929 4	FERGUSON-FLORISSNT SC DST	
INTERNATIL FRWRDR INC	2103 ★V L NAIL SALON 314-423-4223 7	2425 * CUE & CUSHION 314-427-9267 2428 * ALBERT RENEE MD 314-427-2424 * BASSMAN DONALD 314-427-2424 R MD	2710 • GRIFFITH Monte 314-429-4262 3 2712 • KRAUSS Russell CO 8 2714 • CROWFI William 314-423-9991	3772 CHOWDHURY F 314-428-7929 4 X KATHLYN DR	NORMANDY AREA	*
#CRS PRINTING & 314-427-2576 4	2105 *WOODSON 314-426-5756 CLEANERS 314-426-5756 X THEODOSIA AVE		2812 *ARCHAEOLOGICAL 314-426-2577 RESEARCH CENTER	★ 201 BUS 142 RES 37 NEW	X S FLORISSANT RD	V 6
★LIONS EYE TISSUE 314-428-4373 2	X KALEN DR	★BHATTACHARYA 314-427-2424 SARWATH MD ★DENES BELA S MD 314-427-2424	2814 LONG E A 314-428-4708 2815 *DISCOUNT TIRES 314-428-7079 2840 *EL ZOCALO 314-733-0735 3	WOODSON RD 63132	25 • MCCASLAND Timothy OO 0 95 • WATERS Maria OO 3	
★ MIDWST 314-426-9120 2	2128 *JUDY'S FIRESIDE 314-429-0555	★EGGEBRECHT 314-427-2424 RUSSELL E MD ★GALE ARTHUR H MD 314-427-2424	2840 *EL ZOCALO 314-733-0735 3 *HERNANDEZ 314-428-4668 1	SAINT LOUIS	X HALEY AVE	
SANDWICHES&	2132 *ATTITUDZ DESIGN 314-429-1009 1	★ GALE ARTHUR H MD 314-427-2424 ★ GOLDSTEIN 314-427-2424 BENJAMIN MD	2901 **ELZUALO 314-428-4688 1 *HERNANDEZ 314-428-4688 1 VICTOR 2900 **ERTIFIED PRFMNC 314-423-1663 4 E ATO RPR INC **MAZEY REPAIR AND 314-426-4181 7 LUBE	WEALTH CODE 4	X WILLMANN CT	
**************************************		★GORAN DAVID A O 314-427-2424	*MAZEY REPAIR AND 314-426-4181 7 LUBE	1442 - 1452 EVEN	101 • PAINE Cedric 00 8 107 • OWENS Frederick 00 3 111 • ALLWARD Dennis 00 0	
★MCKEE REALTY CO 314-428-2416 9	COMPANY 2138 *A 1 AUTOMATION 314-426-5191 0	★GORAN OVERLAND 314-427-2424 OFFICE ★JICK DAVID E 314-427-2424 OVERLAND O MD	2905 * KARS AUTO REPAIR 314-428-7451 2 FOREIGNADMSTC 2906 COPELAND C 314-426-6746	UNIVERSITY CITY UNIVERSITY CITY SCHL DIST	112 ● GROH C 00 8	i i
X AERO SPACE DR 4500 *CUSTOM EXPRESS 314-427-2741 3 4505 *HOLIDAY INN 314-427-4700	*BARKLAGE 314-427-9696 3 BUILDING SERVICES	*JICK DAVID E 314-427-2424 OVERLAND O MD	● HENRY Clefus 00 2 SCHWAR7 Linds 314428-1763 + 6		X WYLIN CT 114 • WILLIAMS A 314-524-1677 2 116 • SNYDER C C 314-521-9621 3	17 17 17
4505 *HOLIDAY INN 314-427-4700 4510 *ALLSTATES WORLD 314-429-7555 0	*EAGLE SECURITY 314-427-3926 7 *MOTHER NATURES 314-733-1704 4 SECRET GARDEN 2142 *FOLY CLEAN LAUNDRY 314-428-5885	★KARSH ROBT S MD 314-427-2424 ★KATSANTONIS 314-427-2424 GEORGE P MD	2908 • FINKLEIN R 314-428-1478	I X VARNEYAVE I	116 • SNYDER C C 314-521-9621 3 117 DONDLE Andrea 314-522-8601 3 • JARVIS Andrea OO 3	17
4510 *ALLSTATES WORLD 314-429-7555 0 CARGO 4514 *SCARBROUGH INTL 314-429-7900	2142 *POLY CLEAN 314-428-5885 LAUNDRY	★KIEFFER PETER S 314-427-2424	2912 XXXX OO 00 2914 • SERRA Nicola OO 8 2928 • BIONDO Giuseppina 314-426-3349	1435 ★WIESE PLNG & 314-997-4444 2 ENGR INC ADMIN ★WIESE PLNG & 314-997-3000 2 ENGR INC RNTL	120 ◆ MOSBY Byron 314-524- 2722 1	17 12: 12:
4518 *CARDNL 314-890-2088 3 ENVIRONMENTAL 4526 *LINION TRANSPORT 314-429-0421 0	GROCERY & LIQUOR	*KRANER GREGORY 314-427-2424 S DDS *LANDER ROBERT 314-427-2424 7 MD	X TUDOR AVE	1442 • ROBERTS John 314-432-3932 1445 • WIESE PLNG & 314-997-4210 1 ENGR INC ADMIN	121 • TOCCOJÓN 00 3 X BLANTON PL	
*UTI UNITED STATES 314-429-0421 2	X COTE BRILLIANTE AVE 2155 * PREMIUMS PLUS 314-428-4452	*LIU SOPHIE I DPM 314-427-2424 0	3000 XXXX OO 3004 SMITH Gary 314-427-1871 3 3006 ● RANDOLPH Yvonne 314-427-0189 8	ENGR INC ADMIN ★WIESE PLNG & 314-997-1000 1 ENGR INC PARTS	7440 XXXX CO 7446 • MORTON Geneva 314-522-1525 0	121 122
4545 *DAYS INN AT THE 314-423-6770 AIRPORT	INC ★STL MEN'S GROUP 314-428-3331 0 AGAINST CANCER	★ MEDICINE SHOPPE 314-427-1818 1	3006 ● RANDOLPH Yvonne 314-427-0189 8 3007 ★ NICK & ELENA'S 314-427-6566	MIESE PLNG & 314-997-4000 1 ENGR INC SERV	7448 XXXX 000 X PAYNE AVE	125
4545 *DAYS INN AT THE 314-423-6770 AIRPORT 4550 *A1 314-428-2324 9 WATERPROOFING	X FLORA AVE	*MIMLITZ ME MD 314-427-2424 8 OVERLAND OFFICE *MIMLITZ MICHAEL E 314-427-2424 8	3007 *NICK & ELENA'S 314-427-8586 PIZZERIA 3008 GAROFALO Joe 314-427-4580 9 *OVERLORD 314-423-5644	1446 • GATLIN Jester OO +6 1452 • SHREWSBURY OO 7 Connie	7451 • MARTEN F 314-521-3702 7	125 125 126
WATERPROOFING *MAGNUM PIERING 314-428-2324 OF ST LOUIS *MAGNUM PIERING 314-428-4183	2200 VIEFHAUS Walter OO 7 2201 APARTMENTS	MU 	MILITARY COLLECTARIES	V IZEMBLAND DI	7452 HANDLEY V M 314-521-5009 1 • MACK Handley CO 3 7459 • COOK Sharon OO 9	125 125 125
*MAGNUM PIERING 314-426-4183 OF ST LOUIS *MID AMER PIERING 314-428-2324 2 4576 *MOTEL 6 314-427-1313	BONNER Princess 314-429-1713 4 JORDAN Nathan S 314-427-4604 4	* MTERS IVAN MD 314-427-2424 *OVERLAND MED 314-427-2424 CENTER *SAMET JOHN MD 314-427-2424 0	3009 *QUICK SHOP 314-427-6909 +6 MARKET 3010 WASONOVITZ P 314-890-9705 3	★ 5 BUS 3 RES 1 NEW	X DUPREE AVE	125
4576 ★MOTEL 6 314-427-1313 X NATURAL BRIDGE RD	LEWIS Phyllis 314-890-2169 4 LOWERY Janet 314-427-2509 +6	*SAMEI JUHN MD 314-227-2424 U *SPENCE THOMAS H 314-427-2424	3012 • COOL Michael OO 3 JOHNSON Paula 314-395-3518 +6	WOODSON TERRACE	7512 • KIELY Tom 00 0 7515 • SLAYTON Staneco 00 3	125 125 125
★ 61 BUS 8 RES 4 NEW	PEASEL Marcia 314-427-4642 +6 B PHILLIPS Kevin 314-427-8730 2	★WHALEN THOMAS 314-427-2424 9 MD	3016 *LUXURY AUTO 314-426-5570 MERSCH Michael 314-426-1298	INDUSTRIA CT 63134 BERKELEY	THOMAS Beatrice 314-522-3363 0 7516 • CASIMERE Catherine 314-522-3578 7 7526 • BARNARD John C 314-521-0368	, ,
WOODSON RD 63114	ROGERS Kevin 314-429-1916 +6 2201	*YUNKER JOHN A 314-427-2424 PSYCHOLGIST *YUSMAN BARRY J 314-427-2424	MONROE Cecil 314-429-4609 +6 X BRISTOL AVE		7526 • BARNARD JOIN C 314-521-1368 7537 • JENKINS Roy 314-524-4317 7 7555 • LITSEY Redell OO 7	★ 0
OVERLAND	2204 ADKINS Alison 314-428-1041 3 • VIEFHAUS Katherine OO 3	DDS *ZEFFREN B F MD 314-427-2424 *ZEFFREN J LESTER 314-427-2424	3100 APARTMENTS	X ST WILLIAMS CT NO# *POLICE DEPTS 314-427-5858 9	X EMERALD AVE	. w
WEALTH CODE 5	2206 XXXX OO 2207 XXXX OO		BASTIEN Dave 314-428-3370 2 BRODRIBB Dave 314-427-8926 9 BROWN M 314-733-1592 9	NO # ★ POLICE DEPTS 314-427-5858 9 ★ 1 BUS 0 RES 0 NEW	7564 ★SHORT CUTS 314-521-5386 +6 BARBER SHOP	S/
2200 - 2908	ZZ38 DRESTE Nicole 314-429-4448 3 • FRISFLI A Frank OO 8	2429 *TORTAS INC 314-427-2808 +6 2432 *SUFFER SERVICES 314-427-3035 0	BURNETT Michael 314-427-8952 4 HALL M 314-427-3801 7	WOODSON TERRACE	X BEHLE AVE	
OVERLAND RITENOUR SCHOOL DISTRICT	2210	INC ■ ZUROSKY Slanky Sr 314-423-9833 2435 ★ HACIENDA MXCN 314-426-4569 REST 2436 ★ SUTTER PLUMBING 314-427-0020 CO			X BERMUDA DR 7700 APARTMENTS	
2910 - 3310 BRECKENRIDGE HILLS	2214 ROEDEL Julie 314-733-0854 4 2216 ASI INGER James DO 1	2436 *SUTTER PLUMBING 314-427-0020	3100 3101 **BRIGHTER DAY 314-423-9670 8 CHRISTIAN MNSTRY 3107 **T JS ALI BY INN 314-427-5477	BERKELEY	3 ATKINS David 314-521-1299 2	
RITENOUR SCHOOL DISTRICT 3515 - 3515 ODD		X EVERMAN AVE	DEDAID STATES AND STATES SAME /		B ATKINS Jason 314-524-3918 2 CHIKOMBE C 314-521-4851 4 JONES Keshia 314-521-3857 +6	
ST. JOHN RITENOUR SCHOOL DISTRICT	2219 BROCK Ola 314-425-8903 +6 I CARTER Paulette 314-428-8364 +6	2504 *BAUMANN COLONIL 314-427-2345 CHPL 2505 *O K NOVELTY CO 314-423-6483	3109 *COUNTRYSD GLASS 314-427-5508 7 *K&K HEATING & 314-426-7735 1	*BESTWAY AIR 314-428-2700 EXPRESS 9350 *YOUNG ELECTRIC 314-429-0700	JONES Kesnia 314-521-3857 +6 PHILLIPS Dawanda 314-522-9799 +6 WABBU Nicholaus 314-521-8018 3	
3770 - 3770 EVEN WOODSON TERRACE	L PAYNE A 314-427-8178 RODRIGUEZ Robert 314-423-1414 4		COOLING 3113 • SMITH H 314-427-8340 2	★ 3 BUS 0 RES 0 NEW	K WESTON Maria 314-521-3278 +6	280 280
RITENOUR SCHOOL DISTRICT	LUDWIG Ronnie 314-428-7838 4	2509 *SZELAG ART 314-427-3006 8 RESTORATION 2511 *METRO MED EOP & 314-429-4040 9 SPL CO MN OFC	3114 • DARST Albert Rev 314-428-4480 3120 * R & E ASPHALT 314-428-3083 0 SERVICE INC	WOODSTEAD CT 63121 SAINT LOUIS	7701 DENT Donald 314-524-0724 +6 7702 APARTMENTS	280: 280: 281:
X KEMPLAND PL	2221 E CHAU Ha 314-429-2445 A LOPEZ Criselda 314-427-5923 2	* METRO MED EQP & 314-429-5600 9	3128 CARROLL Dennis 314-429-6825 *DON'S BODY SHOP 314-429-2094		H DICKERSON C 314-521-8920 DIXON Heather 314-521-7424 3	
1507 ★RELAY INC 314-569-1977 1	MITCHELL Terry 314-890-8267 +6	★POP DESIGN & 314-733-1032 +6 GRAPHICS LLC	X BRECKENRIDGE RD	WEALTH CODE 7	HARRIS L 314-524-9081 4 HINTON Ruth 314-524-6146 +6	2816 2816
1525 *CRAFTSMEN 314983-9915 3 INDUSTRIES INC X PENNELL DR	2223 ● ODA Flossie OO 0 2224 ● CARRIGAN Harry OO 8	2514 *HOLLAND MARTIN 314-427-6532 INS *SHELTER INS 314-427-6532	X E BRECKENRIDGE RD	X FOREST HILL DR	JOHNSON Tiffany 314-522-6281 +6 7702 APARTMENTS	2819 2822
1575 *STL CAR MUSEUM & 314-993-1330 +6	MILLER Robert 314-423-2511 7 2225 a NEARY Lawrence 314-427-6560 7	AGENT HOLLAND	3205 ★SONDAD 314-423-2030 TUCKPOINTING 314-427-7978	7217 *DENOMY VICKIE 314-381-5015 2 JOHNSON A 314-389-5303 3 *NORWOOD CT APTS 314-381-9555		2825
1600 *BUDGETTRUCK 314-567-4923 4	2226 • OXENFELD Logan 314-428-2646 1 2232 KILMAN Mikel 314-429-1937 +6	2515 *UNICUT HAIR 314-423-3744 +6	3209 **JURRY'S AUTO 314-427-7978 RADIATOR SERVICE 3211 **SASHITTE 314-428-8570 PRODUCTS	★NORWOOD REDFLD 314-381-9555	HARDIN Nancy 314-522-6505 +6 B HULL Douglas 314-521-7909	2826 2830
*LIPTON REALTY INC 314-872-1600 8 *RYDER TRUCK 314-567-4923 1 RENTALBLEASING	● MOHAN Dennis OO 9 2233 ● GALLOWAY Jason OO 8 2234 ● COLEMAN Debora 314-423-3711 2	SALON 2516 *LOCALITE SHOPPER 314-427-3983 2517 *COYUCAS JEWELRY 314-428-2500 3 2519 *COLUMBIA 314-426-7181 7	3213 *JERRY'S AUTO 314-423-5111 BODY		PARKER A 314-524-7858 0 G PARKER D 314-522-6571 0 SMITH Barry 314-521-7011	2831
1601 * MIENERS FAMILY LP 314-995-9999 4	2236 • ATCHISON Vernon OO 8 PORTER Daniel 314-428-0641 3	2519 ★COLUMBIA 314-426-7181 7 MAINTENANCE CO 2520 ★OVERLAND HDWR 314-427-1404 CO	3213 *JERRY'S AUTO 314-423-5111 BODY 3216 *STUART LAWN & 314-423-4727 +6 LAND CO 314-423-4727 +6	ROBERTS Ezell 314-383-4703 +6 7235 APARTMENTS	7704	j ★ 1
1620 *LIONMARK 314-991-2180 CONSTRUCTION \$ 214-991-4549 3 CONSTRUCTION \$	2239 • PETERSON Carl OO 8	2521 *GONZALEZ CAR 314-429-7980 +6	3219 * PRECISION 314-423-7929 1 PROTOTYPING MFG 3220 * SUZZETTA'S HAIR 314-426-4247 +6 CARE SALON	1 ANDERSON Michael 314-389-6788 4 5 BELL H 314-385-7292	7715IONES Firmer 314-521-0522	W(
CONSTRUCTION S 1691 *MIDLAND AUTO& 314-428-6711 TIRE	X WABADAY AVE	2524 *BETTY'S BEAUTY 314-427-2444 0		KEYS Antonio 314-382-0911 1	7716 • KERN Gary W 314-521-5376 7717 MULLINS Shemette 314-524-1572 +6 • THORNTON Mary OO 3	1
X TRENTON AVE	2241 PETERSON Carl OO 8	ELLIOTT DL 314-429-5963 4 2526 * ROBINSON E& 314-423-0495 7 ASSOCIATES INC	*SCIMART 314-427-0007 1 3223 *SEVENTH DAY 314-429-0216 2 ADVNTST CTRL CMTY	TOLBERT Kisha 314-382-9976 2 WILLIAMS Q 314-383-4103 4	X QUIET LAKE CT	1
1739 *DON'S MACHINE 314-428-2134 7	2242 XXXX 00 2244 • FANGER Edith 00 2 PRICE LD 314-427-0740 9	2526 * ROBINSON E4 314-423-0495 7 ASSOCIATES INC CONNECTION *LORD & LADY HOUSERS 314-427-3100 7 CHORD & LADY HOUSERS 314-733-0414 4	CHTY *STL ADVENTIST 314-429-0216 2	7235	LAYNE Wendell M 314-521-4176 8 7722 XXXX 00	1
X LIBERTY AVE 1753 * CHURCH'S FRIED 314-429-6353 CHICKEN	2246 FANGER E 314-429-2471 3 2248 CARTER India 314-427-6004 4	*LORD & LADY 314-733-0414 4 HOUSERS 314-423-0077 +6	*STI. ADVENTIST 314-429-0216 2 CMNTY SERV 3224 BARROW Elsine 314-429-1544 4 A • STEPHAN Frank J 314-428-2191 0	HIGGINS S 314-383-1490 1 THOMAS Linda 314-389-1710 4 YOUNG Sherry L 314-382-3061 3	7730 • BRADLEY Sherice 314-522-3869 3	1
*CHURCHS FRIED 314-429-0963	*ROSS Rose DO 8 X TRESCOTT AVE	2533 *OVERLAND 314-423-3874	A • STEPHAN Frank J 314-428-2191 U 3228 **RITTER'S BOBCAT 314-427-7646 3 SEVRICE	X NORSTEAD WALK	7740 • ERICKSON David 314-524-0618 1 7743 HOPKINS Wanda D 314-521-3396e 9	11450 11451 11454
1757 *SMUGGLERS INN 314-426-4262 1759 *ROYAL CLEANERS 314-423-2449 0	2250 ROSS John H 314-428-9870 2252 AUGUSTINE Stacey 314-428-8494 3	OPTICAL INC 2536 ★SEAL JON 314-429-3565 0 INSURANCE	X LATROBE AVE	7279 APARTMENTS EVANS Michael 314-382-5285 +6	MAY Don 314-521-4862# 3 • MONACHELLA Jasper OO 7	
X PAGE AVE	PHUNG Vincent OO 3 Z254 XXXX OO	X TENNYSON AVE	3302 *MIDWST ARCHERY 314-429-7055 2 OUTFITTERS 2304 *AMEDICAS MIDWST 314-428-8820 3	5 HAMPTONS 314-383-3615 +6	7744 COOK Lynn O 314-521-1739 COOK Lynn O 314-524-0479 • JAMIESON Florence OO 1	11459 11462 11469
1800 *PEARLE VISION 314-428-3939 CNTR	2256 • KRAMER Geralyn 00 7 2258 XXXX 00	2538 *MADD THE 314-426-1595 +6 GATEWAY CHAPTER 2539 *DINER GEORGE 314-428-1143	3304 * AMERICAS MIDWST 314-428-0820 3 TXDRMY & TNNNG 3306 • BLACKARD Russell 00 8	6 MURRAY Barbara 314-382-9177 8	7747 • MONACHELLA Jasper 314-522- 3448 7748 • WHITE David OO 7	4
X MINERVA AVE 1814 * BELOTE'S JIM ABC 314-428-7500 AUTO ETC DIV	2250 • CARLILE Jeffrey 00 0 HAYWOOD S A 314-426-2713	2540 * HAIR RIZ CENTRAL 314-733-1546 +6	X BADGER AVE	7279	7752 COLEMAN Allen 314-522-9289 4 7754 KING Mayle 314-524-9836 +6	X ★ 0 :
AUTO ETC DIV 1843 *EQUITY FINANCIAL 314-428-3600 PLANNING CORP	2262 XXXX OO 2301 *PLAZA FLOOR CO 314-428-9660 7	2543 *JUST BILL'S PLACE 314-427-2999 2	3308 ◆ MAPLES Denn's W Sr 314-429-4726 8 ★ X TERMINATES 314-426-3000 3 PEST CONTROL	BUSH Tiffeny 314-383-5545 4 WILBERT E 314-385-3541 3	7756 DORSEY Crystal 314-521-3093 +6 EZELL Mary 314-521-3916	7 0 1
r Entering CORP		2551 *EAGLE GYMS 314-423-2525 1	PEST CONTROL	7291 1RVIN Nelver 314-385-8774	7758 o FISHER Shaunte 314-524-1951 0	1
		⊕=DO N				18

<u>Source</u>

HAINES & COMPANY INC.

WOODSON RD 2001

OODRUFF AV		ST LOUIS N	THE HAI	NES (*)	s s) I	DIRECT	ORY	2000
ODRUFFAV	83133 CONT	WOODSON RD 63132	. WOODSON RD	63114 CONT	.WOODS	ON RD	63114 CONT.	WOODSON RD 83114 CONT. WOODSON RD 83114 CONT
314 • YOUNG Alex C 314-	726-0094 726-3108 7	ST LOUIS	2012 * STOPP HERBERT DECORATOR	314-428-5250		WHITMORE William HENRY Richard	00 8 00 +0	2524 *BETTY'S BEAUTY 314-427-2444 +0 3001 *GREENS JIM SALOON 314-428-1961 SALON *JIM GREENS SALOON 314-428-1961
316 CALDWELL Sylvester 314-	725-3244		2020 * WING HING TRADING • WONG Tung	314-428-4838 5 00 8	2332	●MAPLES W * X TERMINATES PEST	314-429-4726 7 314-426-3000 9	MEYER Tamara 314-427-6979 9 ●SERRA Nicolo CO 8 2526 ★ROBINSON 314-423-0495 7 3004 BLANKENSHIP Ursula 314-423-7359 9
317 XXXX 00 318 ALLENRW 314-	·721-4940 +0	WEALTH CODE 5.0	2021 • CHU Jen	00 7	2334	CONTROL OGLESBY David	00 7	E&ASSOCIATES INC ■ROSEN Kenneth 00 8 2527 ★CHOCOLATE 314-427-3100 7 3005 XXXX 00
PRAMSEY Arnell CO 320 PHILL Jerry CO		1435 - 1455 UNIVERSITY CITY	* SAN DONG CHINESE RESTAURANT		2335 2336	HOGAN Emily LAMBERG M	00 7 00 8	CONNECTION 3006 ◆RANDOLPH Yvonne 314-427-0189 8 ◆ROSS James OO 9 3007 ★ NICK&ELENAS PIZZRIA 314-427-6586
	-863-7652	UNIVERSITY CITY SCHL DIST	2040 ◆BERRY Themetia 2049 ★ KUSOL AUTO REPAIR	OO 8 314-426-6456 4	2337	BARNES Timothy G	314-426-5489 B OO B	2530 *BEVERLY ANN SHOP 314-427-5125 3008 GAROFALO Joe 314-427-4680 9 2531 *DENTSBIER Russell OO 8 *OVERLORD MILITARY 314-423-6644
323 XXXX 00		X VARNEY AV	★ OVERLAND TIRE&AUT ● ROBINSON Robert	O 314-426-4700 4 OO 8	2338	HAWKINS David A XXXX	314-428-2459 +0 00	2532 ●HARTMANN Ronald OO 8 COLLECTABLES 2533 ★ OVERLAND OPTICAL 314-423-3874 ●RETTER William OO 8
326 •BREWER Walter OO 328 •MOORE Joe OO	7	1435 * GSI INC 314-567-5732 8 * TOMCO INC 314-567-4520	2050 XXXX	00	2339 2345	GRIFFIN Daniel DICKSON Ronald	00 7 00 7	X TENNYSON AV 3009 * BRECKENRDG GRILL 314-880-0104 &
330 PDALE Wonder OO 331 PWHITTINGTON Mary OO		*TOMCO INC 314-432-3008 +0 1442 •ROBERTS John 314-432-3932	X ECHO LN X THEODOS	SIA AV	2347	● FRECHMAN Ads	00 7 314-427-6400	*SEAL JON INSURANCE 314-429-3555 +0 3010 XXXX 00
332 BOOSE Vesther OO		1445 * WIESE PLGAENG 314-997-4210	2101 * BESSIE'S BEAUTIQUE SALON	314-423-1377 8	2349	CENTERS	314-427-6400	2538 * HEART TO REART 314-429-2800 +0 3016 * AMAZING LIMOUSINES 314-426-4799 +0
DAVIS Mamita 314	-721-2153 7	ADMIN ★ WIESE PLGŊ 314-997-1000	● KIM Dong 2103 ★ V L NAIL SALON	00 8 314-423-4223 7		SERVICE	014 421 0400	RIVOLO PHENRY Cietus 00 8
336 THOMPSON Jocelyn OO		PARTS *WIESE PLGŊ SERV 314-997-4000	2105 * WOODSON CLEANERS	314-426-5756 4	2363	PALMER A	314-426-1917	2540 * HELEN'S FLOWERS 314-423-2636 +0 * LUXURY LIMOUSINE 314-427-5335
337	-727-2637 9	1446 •WEST Tracey 314-983-9167 +0 X KEMPLAND PL	X KALEN DF 2122 * BANK AM-BANKING	1 314-284-1000 +0	X 2400	LACKLANI MCWILLIAMS James	ORD 8	2542 * HOMEX INC 314-423-5960 1 2642 - WILD HODGE CALLODIN 214-423-1864 9 THOMAS Troy 314-425-5961 +0
139 • LANE Theima OO 341 • DAVIS Bobbie 314	-727-8851 8	1452	CENTERS 2128 *JUDYS FIRESIDE LNG		2400	* TIRE BROKERS INC	314-423-3876 314-427-4663	THE 3091 * BRIGHTER DAY 314423-3228 +0 2544 • SIMPSONThomas OO +0 CHRISTIAN BOOK ST
344 ROBINSON Geraldean OO	9		●RUEIN William 2132 ★ LABOR FINDERS	00 8 314-423-5300 9	2408	XXXX *JACK IN BOX REST	00 314-426-0684	2545 •PIAZZA Michael OO 7 •PARGO Henry 00 +0 2546 XXXX OO X BRISTOL AV
345 XXXX OO 346 •THOMAS Leon OO	7	ZIP CODE 63114	2134 *LOVER'S EXPRESS 2136 *HOWARD BAY	314-428-7747 5 314-429-3313	2407	PEFFERMANN Leona XXXX	00 8	2547 XXXX OO 3100 APARTMENTS 2548 BECKEMEYER Jack 314-426-1177 8 BROORIBB Dave 314-427-8926 9
347 BURKS Laura CO FERGUSON Tommie 314	-721-2993 ⁷	OVERLAND	COMPANY 2138 * A-1 AUTOMATION	314-426-5191 +0	2410	XXXX	00	2549 XXXX OO *BUDGET 314-423-7558 9 2550 *BROCKMANN 314-428-1608 SEWER&DRAIN
349	+0 -862-0115	WEALTH CODE 4.7	* BEEPER STORE THE * CENTRL MONITORING	314-426-8890 +0 314-427-4546 9	2412 2415	*TITLE ASSOCIATES INC	00 314-426-9333 +0	TV&APPLNC DENWIDDIE Lula 314-427-7646 +0 SIMPSON Thos 314-741-0851 +0 EBERENZ Robert 314-427-4990 +0
353 ●RICHTERMW 314-	-727-4569	1504 - 1616 EVEN	SERVICE * EAGLE SECURITY	314-427-3926 7	2417 2419	XXXX	00	SIMPSONThos R 314-426-1560 +0 ENDRESS Karl 314-426-9001 8 2551 **BERRYS CREATIONS 314-427-2729 1 HALL M 314-427-3801 7
* 0 BUS 33 RES	3 NEW	OVERLAND UNIVERSITY CITY SCHL DIST	* R&T COMMUNICATION * RENOVATION PLUS		2420	ADMINISTRATIVE CT	314-493-6010 +0	2553 XXXX OO JOHNSON Philip D 314-427-1578 +0 2554 • CASTELLIB OO +0 RODEHAVER L 314-890-8352 +0
OODSAGE DR 63	033	1507 - 1601 OOD 1620 - 2908	2140 XXXX 2142 *POLY CLEAN LAUNDR	00		* RITENOUR SC ADULT BASIC ED/GED		* PIAZZAS JEWELERS 314-427-2277
ORISSANT		OVERLAND RITENOUR SCHOOL DISTRICT	2146 *EAGLE GYMS	314-423-2525 4		COMMUNITY ED	314-493-6082 +0	BROKER 3101 ★ BRIGHTER DAY 314-423-9670 8
WEALTH CODE 6.0	İ	2910 - 3329 BRECKENRIDGE HILLS	AV			* RITENOUR SC COMMUNITY SERVICES	314-493-6080 +0	X MILTON AV 3103 *PLAYERS PUB THE 314-127-5974
2450 - 2690		RITENOUR SCHOOL DISTRICT 3507 - 3624	2155 *AL PRICE COFFEE SV *PREMIUMS PLUS INC	314-428-8000 314-428-4452 8		* RITENOUR SC PARENTS AS TEACHER	314-493-6240 +0	X MIDLAND BLVD 3105 XXXX 00 3106 LEHMAN Clerence V 314-423-3427
UNINCORPORATED AREA FERGUSON-FLORISSNTSC D	net	ST JOHN RITENOUR SCHOOL DISTRICT	* PRICE AL CO * STL MEN'S GROUP	314-428-8000 314-428-3331 +0		*SC RITENOUR DIST ADMIN CENTER	314-426-7144 +0	ROBINSON Johnny H 314-426-4442 +0 *T JS ALI BY INN 314-427-5477
remouson-flumissnTSC E	JU1	3770 - 3770 WOODSON TERRACE	AGAINST CANCER 2160 * DIRECT SEGURITY INC				314-426-9598 +0	SMITH Lindon 314-428-8090 +0 *PARKER'S AUTO 314-423-5202 7
	-921-3029 2	RITENOUR SCHOOL DISTRICT	X FLORA AV	/	Χ	MARLOW	E AV	2601 XXXX OO REPAIR 2503 XXXX OO 3109 *COUNTRYSD GLASS 314-127-5508 7
ISO ●MILLER Edw J 314- I7O ●WINGERTER B 314-	-831-5302 -831-5297 9	1504 ●HALENKAMP George OO 9	2200 MCDONALD William •VIEFHAUS Walter	314-429-4475 +0 00 7			314-427-9267 OO 7	2604 • ZELAYA Jawler OO +0 3113 • SMITH Harold OO 7 2606 • ZELOYO INVESTMENT 314-428-5800 +0 3114 • DARST Albert Rev 314-428-4480
•WINGERTER R 314	-831-5297 9 -839-0420	1507 XXXX OO 1525 + WODDSON ROAD LLC 314-432-2320 9	2201 APARTMENTS FIRLE Densen	314-423-5337 +0	2428	* ALBERT RENEE MD * BASSMAN DONALD R	314-427-2424 314-427-2424	SERVICES LLC 3115 ● GABRIEL Mike 00 8 2606A COOKE Terry R 314-426-2883 7 ★MIKES AUTO REPAIR 314-429-7783
85 CHEATHAM Darryl 314	-831-7611 8	1572 MIDKIFF J M 573-437-6965 9 1575 *CAR MUSEUM 314-993-1330 7	KEEVEN David C LUCAS Sharon	00 +0 314-427-2865 +0		MD ★BHATTACHARYA	314-427-2424 +0	2607 XXXX OO 3120 ★ EBERENZ BUILDING 314-428-3088 +6 2608 GRIMES G Robert 314-423-1061 THE
90 •WALKER Randolph OO 500 BARNETTJS 314	-837-9876 +0	*STL CAR 314-993-1330 6	ROBERTSON D L SANDERS Marty	314-427-6902 6 314-426-3886 +0		ARJUN MD	314-427-2424 5	2611 XXXX OO
	-837-9878 +0 -838-6876	1592 DINTELMAN Janet 573-437-6508 9	L WHITE W D WILSON Angela	314-423-9419 +0 314-428-1604 +0			314-427-2424 5 314-427-2424	* JAS SAWATOOL SERV 314-423-1559 4 INC 3126 * CARROLL Dennis 00 +0
BARNETT Richard A 314	-837-8290 -838-8889	DINTELMAN Mike 573-437-6508 9 1600 * LIPTON REALTY INC 314-872-1600 8	2201 2202 GROSS Dorothy	314-427-6863 9		RUSSELL E MD * GALE ARTHUR H MD		2615 XXXX 00 3128 CARROLL Dennis 314-429-8825
510 CARMICHAEL David L 314	-831-4451	*LIPTON REALTY INC 314-872-1700 8 1501 *WOODSON PROD CO 314-997-4300	2204 PHINRICHS Eugene SCHERRETZ James	00 8 314-428-7877 9		*GOLDSTEIN BENJAMIN	314-427-2424	CONTRL X BRECKENRIDGE RD
520 FRUENDT Allen 314 525 MOON William OO	-831-9423 9 7	INC 1603 XXXX DO	2206 HAKE Dawn	314-426-6476 3		*GORAN DAVID A MD	314-427-2424	TERMITEAPST 3204
530 •TEGELER Steven 314 5400 •CONNORS Glennon J 314	-921-3991 5 -839-2254	1610 XXXX CO 1616 + STL CO HWY FLEET 314-997-7655 6	2208 FRISELLA Frank THORNE Beverly	00 8 314-429-2464 8		* HARTMAN RICHARD A MD		●KOUDIJS Robertus OO 8 ★SONDAD 314-423-2030
545 ● ROWE Arthur L 314	-838-7922	MANAGEMENT 1620 * GOMES EDW C SR 314-991-2180	2210 FISHER C A 2212 • ROHN Dayld G	314-428-2724 6 314-429-2394			314-427-2424 5 314-427-2424	2621 + QUIKTRIP STORE 630 314-426-1811 2 3209 + JERRYS AUTO 314-427-7978
	-839-1059 2 -839-4378	*LIONMARK INC 314-991-2180 *MO PETROLEUM PROD 314-991-2180	2214 HICKS Amy 2216 • ASLINGER James G	314-426-4560 7 314-428-2175 6		*KATSANTONIS GEORGE P MD	314-427-2424 5	SERV • MCNERNEY Jerry 00 8
580 • KENNARD Elcardio OQ 585 • ROBINSON Michael 314	-831-0834 9	*PACE CONSTRUCTION 314-524-7223 3	2218 POLING Kim 2219 • GEIB Kenneth	314-890-2420 9 OO 8		* KIEFFER PETER S MD * KRANER GREGORY S	314-427-2424 5 314-427-2424	2625 *LOYL ORD MOOSE 1948 314-427-9721 3213 *JERRYS AUTO BODY 314-423-5111
570 •JENKINS Grag 314	-837-7252 -837-0692 9	1640	2219G LOPEZ Criselda 2219L PAYNE A	314-427-5923 9 314-427-8178		DDS * LANDER ROBERT MD	314-427-2424 7	2830 XXXX OO 3215 •JAMES Charles 00 8
580 • BAKER Lois 314	-921-9802 8	1655 *US ARMY PUBLISHING 314-263-7305 AGENCY	2220 • ASLINGER James COPELAND G	00 8 314-429-7782 +0		* LJU SOPHIE I DPM * MIMLITZ MICHAEL E MI	314-427-2424 +0 314-427-2424 8	2632 XXXX OO 3216 •MARTAK George OO 8 2636 *BEST TREE SERVICE 314-429-1810 3220 XXXX OO
	-921-9802 8 -837-7453 4	1670 XXXX OO 1891 *MIDLAND AUTO&TIRE 314-428-6711 5	2221 APARTMENTS CARTER Herman	314-423-9137 +0		*OVERLAND MED CENTER	314-427-2424	*LARRY'S CUSTOM 314-426-1340 8 3221 JAMES Charles 314-426-3808 +0 19401 9750 314-427-1929 2
590 PTAYLOR Larry OO 500 PLINTZENICH Mark 314	-839-0783 7	X TRENTON AV	CHAU Ha	314-429-2445 1 314-423-4596 6		* OVERLAND MEDICAL CENTER PHAR	314-427-1818 7	POTEET Kenneth OO +0
 LINTZENICH Ricki 314- 	-839-0783 7 -838-6707	1735 THOMAS James OO 9 *TOMS AUTO BODY 314-427-5018	LIENG Sol Ky WALKER J	314-427-7417 8 314-429-3988		* SAMET JOHN MD * SPENCE THOMAS H MC	314-427-2424 +0	2638 *J&G SERVICES 314-428-0123 +0 ADVNTST CENTRAL #BOTTEST Kannelly CO 8 *STL ADVENTIST 314-429-0216 6
310 ●OWEN Albert CJr 314-	-837-2971	1739	2221	00 40		* WASSERMAN FRANK	314-427-2424	X ARGYLE AV COMMUNITY SERV 3224 STEPHAN Frank J 314-428-2191 +0
	-921-8009 7 -838-1298 7	X LIBERTY AV 1753 * CHURCHS FRIED CHKN 314-429-6353	2223 ODA Flossie 2224 CARRIGAN Harry	00 8		*WHALEN THOMAS MD *WOLF MITCHEL L MD	314-427-2424 9	X ARLINE AV 3228 *FOTO AD INC 314-427-5144 X DELPHINE AV STECK Sue 314-427-4072 +6
	-921-5756 4 -839-3262	1757 •NOROIAN Jerry OO 8 *SMUGGLERS INN 314-426-4262	MILLER Robert 2225 NEARY Lawrence	314-423-2511 7 314-427-6560 7		*YUNKER JOHN	314-427-2424	2700 *AMER COIN METR 314-427-5676 2 X BRECKENRIDGE RD
30 ◆JONES R M 314-	-972-7941 +0	1759 *ROYAL CLEANERS 314-423-2449 +0	2226 XXXX 2229 •NOLL-John	00 9		* YUSMAN BARRY J DDS *ZEFFREN BARRY F MO	314-427-2424	CORP E GEORGE Rhonda 314-428-1162 +0 3302 **TOMS ARCHERY SHOP 314-429-7655
40 GILL Michael CO		X PAGE AV 1800 •BALDRIDGE Kenneth 00 8	2231 XXXX 2232 • MQHAN Dennis	00 00 9	2429	* ZEFFREN J LESTER MD * HACIENDA	314-427-2424 314-429-1659	*HEMAN&ASSOCIATES 314-423-9132 3303 •MCCARTHY Clement OO 8 *JAYWASH CO 314-429-9194 2 3304 *GRAN PA SPECIALTY 314-427-0011 7
	-837-7755 -839-1373	* PEARLE VISION CNTR 314-428-3939 1801 XXXX OO	2238 •MATTINGLY Elmer R 2234 XXXX	314-428-8572 OO		FOODS&TORTILLA FACTRY		RENNER Rocky 314-427-5558 +0 CO • STROUP Roy OO 8 0000 LUCCING Completing 254-400-25000 100
	972-1612 8	1810 *CORRY'S 314-426-6400 9 •WASIELEWSKI Zenon OO 8	2235 PETERSON Carl 2236 ATCHISON Vernon	00 B	2432	●RODRIGUEZ Belty ★SUTTER SERVICES INC	OO 8 314-427-3035 +0	2701 * SCHUETTE CABINET 314-423-3686 3306 * BLACKARD Russell 00 8 * SCHUETTE John 00 7 3307 * MCCASTHY Clarged 00 8
75 •BIARKIS Joan E 314-	921-4032 7	1814 *BELOTE'S JIM ABC 314-428-7500 AUTO ETC DIV	2238 KELLER Melissa 2239 • PETERSON Carl	314-426-5236 B	2435	ZUROSKY Stanley Sr HACIENDA	314-423-9833 6 314-426-5469 +0	2702 XXXX
SCHILLINGER Robert OO		X MINERVA AV	2240 • PFEIFFER Iris	00 8		ENTERPRISES * HACIENDA MXCN REST	314-426-4569	2706 *ENDERS DESIGN AND 314-427-5005 +0 3310 EVERETTIC 314-428-4681 +0 MFG CO S14-428-4672 +0
85 VANTINE Bruce L 314-	838-2618 6 837-4519 9	1843	X WABADA	00 8	2436	*RODRIGUEZ Betty *SUTTER PLUMBING CO	00 8	HOPPER Kenneth 314-428-8654 8 • MAPLES Dennis 00 +6
Rebecca		PLANNING CORP * GOVERNMENT EMPL 314-426-3600	2242 XXXX 2244 PATTERSON Floyd	00 00 8	2438	ZUROSKY Stanley XXXX	00 8	O'Brien John 314-426-0724 9 3313 XXXX 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
X BRADWELL C		ASN * NATL OLD LINE INS 314-426-3600	PRICE L.D 2246 JONES Helen C	314-427-0740 9 314-423-5878 5	X	EVERMAN	I AV	2708 •GENO Ray 314-428-3561 4 3315 *DECADES OF TOYYS 314-427-8693 6
OODSHIRE LN 63		*PFL LIFE INS CO 314-426-3600 2 X BROWN RD	2248 PROSS Rose 2249 PETERSON Carl	00 8 00 8	2504	* BAUMANN COLONL CHPL	314-427-2345	2710
EVE COEUR	1 441	1901 *HON'S WOK 314-426-7936 +0	2250 ROSS John H 2251 * OVERLAND	314-428-9870 314-429-2850		* CAPSTICK TODD M FUNRL DIR	314-427-2345 6	2714 • CRCWELL Bette 314-423-9991 3325 * PEEBLES MARVIN 314-423-7175 6
LTL OOLOIT	*	1902 *MEINEKE DSCNT 314-423-9848	CONTRACTING 2252 •BAILEY Jessie	00 8		* DENNEY STEPHEN L * JENSEN DONALD L	314-427-2345 5 314-427-2345	OROWELLWilliam 314-423-9991 MASONRY CO INC 2725 OROTH Edward CO 8 3326 ODONELSON Carl CO 8
WEALTH CODE 9.0		SANDERS William OO 8	2254 DICKMAN Melissa 2256 DROWNS John	314-428-8852 7 314-427-0988 8		FUNERAL DIR +JENSEN GALE	314-427-2345	2803 •ROTH Edward CO 8 *** JOHNSON'S MATT 314-428-3500 +0 2806 •ROTH Edward CO 8 PREFRANC AUTOMYV
901 - 918 CREVE COEUR		1906 XXXX OO 1910 *VICKERS AVANTI 314-429-3007	DROWNS Kathy •KRAMER Geralyn	314-427-0988 B		FUNERAL DIR *WILSON MITCHELL A		2809 •GOLD Wilsom OO 8 *MATT JOHNSON'S 314426-3500 +0 2810 •GILLIAM James OO 8 PRFRMNC AUTOM'TV
CREVE COEUR PARKWAY SCHOOL DISTRICT	т	PETROLEUMINC 1916 + CARQUEST AUTO 314-423-3433 5	2258 XXXX 2280 •CARLILE Jeffrey	00 +0	2505	*WILSON MITCHELL A FUNERAL DIR *O K NOVELTY CO INC		*TAMMYS COIFFURES 314-427-9704 2 3327 XXXX 00
		PARTS * OVERLAND AUTO 314-423-3433 5	HAYWOOD S A	314-426-2713 3 00		 PEARLSTONE Mark 	00 7	2812 *ARCHAEOLOGICAL 314-428-2577 6 3329 *HENSLEY Jean OO 8 RESEARCH CENTER *JAH POODLE SALON 314-427-0576
X OLIVE BLVD	+0	X ROMAINE AV	X TRESCOT	TAV	2509	FINKELSTEIN Leslie * SZELAG ART	OO 8 314-427-3006 8	●WHYTE Angela CO +0 X LATROBE AV
02 BLANCHARD Rebecca 314-	-569-1026 +0	1919 * WOOFIES HOTDOGS 314-426-5291 1920 • SHELTON Forest OO 9	2301 *LARKIN Robert *PLAZA FLOOR CO INC		2509E	HESTORATION * CRAIG PAUL A ATTY	314-423-9097	2815 *DISCOUNTTIRES 314-428-7079 3 X BADGER AV •ROBNAK-Jerry 00 8 X SAINT CHARLS RCK
SMITH Sally 314-	-567-6940 -991-9612 +0	*SHELTON IND PATTERN 314-423-6365 2	2303	00 8 314-427-4470	B B	* CRAIGALABOE PC * LABOE RONALD F	314-423-9097 314-423-9097 3	2840 •ZOELLNERWeldon OO B
04 HEMPSTEAD Gerard 00 PFORTMILLER Gary 314-	997-6010 9	1924 XXXX OO +0 1933	GRMNG 2305 • GUILLORY C	314-423-7273	2510	ATTY XXXX	00	2900 *MAZEY REPAIR AND 314-426-4181 7 Y SHIRLEY GARDENS
05 ADEWUNMI Joseph OO	+0	SUPPLIES INC	2307	314-429-5532 +0 00 7	2511	* METRO MEDICAL EQUIPMENTASUPPLY	314-429-4040 9	SHAHRIARY Azam QO 8 DR
07 ●LUEKER Carl 314-	993-8560 3 872-8185	1939 *P X WINE&SPIRITS 314-429-0009 6 1943 *BEAUTY&THE ART 314-428-5232 6	2311 ALLEN Wilma • PLENDER Martha	314-427-1980 9 00 8		* METRO MEDICAL EQUIPMENT&SUPPLY	314-429-5600 9	2905 * JACKS AUTO BODY 314-423-3345 3507 * DOLLY MADISON CAKE 314-429-6171 RPR 3510 * RITENOUR SC 314-493-6430 +6
08 ●BARON Gene 314-i	872-8965 692-8001 +0	HAIR&NAIL GLLRY •CAPLAN Lester OO 8	2313 • WILLIAMS Betty	314-426-1562 9	2514	* HOLLAND MARTIN INS	nn 8	●MILLER KI/IX OO +0 ELEMENTARY MARVIN 2906C FISCHER C 314-426-6746 ★SC MARVIN 314-493-6430 +6
10 GETZ Gilbert 314-	432-8620 991-3868 3	1947 *BENGONI'S 314-429-4553 8	2315 • SCHAAL Mary 2317 XXXX	00 7	AP4-	* SHELTER INS AGENT	314-427-6532	2906
12 SCHMID Connie 314-	432-4096	RESTAURANT X RIDGE AV	2318 XXXX 2319 • BUESCHER Daniel	00 00 +0	2515	* CASSY&CO HAIR&NAH SALON	00 -	2908 ●FINKLEIN R 314-428-1478 3580 ★ST JOHNS 314-426-9820 2910 ●SERRA Nicola OO 8 BANKATRUST CO
	432-4096 692-7298 8	1998 XXXX 00	2323 APARTMENTS ABERNATHY Trina	314-423-2475 +0	2516	MILLER Robert LOCALITE SHOPPER	00 8 314-427-3993	2912 FARR SO 314-427-0218 3 X NORTH AV
WALKER Mary OO	+0 567-4738 5	X MIRIAM AV 2001 *COMPLETE TRISMN 314-426-2818 4	GILMORE C L I MINARDI D	314-890-0084 +0 314-429-6779 9	2517	* ORANGE COMPUTERS * RAYS LUGGAGE	314-429-7400 7 314-426-2404	2924 + GROOM ALL PET 314-429-2921 5 3602 XXXX 00
15 ●MAGRUDER Donald 00	7	ATO 2002 *BILL YOUNT 314-423-2933	SHELTON Bruce WILLIAMS Curlis	314-427-7011 +0 314-426-6553 +0	2519	REPAIR * COLUMBIA	314-426-7181 7	GRMNG 3806 ●BARNETT Or/life CO 8 ● SERRA NICK OO 8 ★ RAINBOW WORLD 314-428-2811 4
7 • WAYMIRE Vern 314-9	432-6929 989-9302 +0	SIGNS&ADVERTISING *LETTERMAN 314-423-5043 5	2323 • REILLY Richard	00 9	2520	MAINTENANCE CO * OVERLAND HOWR CO	314-427-1404	2928 BIONDO Giuseppina 314-426-3349 4 CHILD CARE CNTR 2929 SERRA Nicola OO 8 3616 ** MUELLER ANIMAL 314-427-4550
	993-8787 +0 993-8787 +0	EXPRESSIGNS&GRAP-	2327 • GIORDANO Gene 2329 • ROBINSON Michael	00 8 00 +0	2521 2522	* ALCHEMIST SHOP XXXX	314-423-2711 6 00	*THE PITSTOP 314-427-6100 +0 HOSP *MUELLER DAN W DVM 314-427-4550
	9 NEW	2011 •WELCH Flossie OO +0	2330 PORTWOOD Diane	314-428-1358 +0		* COMICS CARDS&MORI		3000 MITCHELL Cynthia 314-427-0846 9 3624 CRAWFORD Tim 00 +0

LIBERTY AVE 2001

EXINGTON AV	ST LOUIS N	THE HAINES (CR.	DIRECTORY	2000	
XINGTONAV 83107 CONT.	LEXINGTON AV 63115 CONT	LEXINGTON AV 63115 CONT	LEXINGTON AV 69115 CONT	LEXINGTON AV 83121 CONT	. LEXINGTON PK 83031 C
●HAROLD Tiffarry 00 +0 3946 ●LEWIS Glona 314-535-3817	4209	4559 • THOMAS Melvin OO 8 4560 • CORRADI Bruno OO 8	5162	6980 • ELZIE Brenda 314-381-1735 1 JOHNSON Antoine T 314-381-4258 6984 DAVIS Tonya 314-389-5156 +0	680 • SPARKS Oscar E 314-839-3(29 685 • WEBER L 314-839-5296
3947 BRADFORD Maurice 314-652-7445 9 •WYATT Keith: OO 9	4212	GREEN Emma 314-383-0327 2 4561 •BELL A OO 7	BAPT CH 5165 •REID Angela OO 9	6990 • EVANS Dorothy 314-381-5058	690 OHICKS Mary 00 695 OHENRICHSEN David 00
3949 •MCDUFFIE Clairell OO 7 WEBB Clairell 314-652-0127	4218 BAGSBY Vencie	4562 HILL Cynthia 314-385-1853 3 • SHINAULT Midred OO 8	5202	7000 FOSTER Jas T 314-385-8412 • WILLIAMS E V 314-385-8238	X MORNINGSIDE DF
3950	4219 •FRISON Stan 314-531-6597 4222 •SMITH W 314-534-4326 +0	4601 •WILLIS Keith OO 7 4602 •YOUNG Elizabeth OO 7	5205 CURRYW 314-389-9731 5 •WARE Elnor Jean 314-389-4096 2	7001 •SMITH Vincent OO 7 7005 •EDWARDS EM 314-382-1104 1	705 * LEE MARK 314-830-1349 CONSTRUCTION
3953A HARPER Clyde	4223 SIMMONS E 314-531-6581 4224 • COOK Roselta OO 7	4605 •SIMON Herbert OO 9 4606 •LOVINGS Gary L 314-383-8556 8	5206	7006 •SMITH Pearlean OO 8 7008 •JAMES Essee 314-382-9515	●REINSMITH Gary 00 710 ●BUGGS Latorwa 314-972-4677
3954A EVANS Rebecca 314-535-8282 5 3957	TOWNSEND Eletha 314-534-8954 9 4224A WILLIAMS Donnell 314-533-7455 9	4607 • ADAMS Archie OO 7 4608 • FLEMING Raymond 314-381-1749	5212 VICKERS A M 314-389-3775 1 •WILLIAMS Louise OO 7	7009	715 PLACK Paula 314-921-0960 PLACK Robert 314-921-0960
SIDNEY Ester 314-533-3213 +0 3958 ALLEN Michelle 314-531-7934 4	4225 •ELDER Betty OO +0 PENDLETON H 314-535-5381 +0	4609 •MITCHELL Audrey OO 8 4610 •GANNAWAY Willens OO 8	5215 •JACKSON Wallace E 314-385-6875 5216 BELL Laurel 314-383-4040 7	PITTS Deborah 314-389-0353 7011 •JONES Daryle 314-382-0329	720
ROSS Marvn 314-531-0274 +0 • VARNER Edna OO 8	422BA •STEELE Chas 314-652-3399 4227 JENKINS Paul 314-535-4961 +0	4611 • JOHNSON Lilie 314-381-5990 4615 • HUTCHINSON Bernta 314-382-4328	●GRANBERRY G OO 7 5217 ●CUMMINGS Marcell 314-389-3183	7012 GREEN H 314-385-6279 4 •TORBERT L M 314-385-4373 7	740 •RIDER Olivia CO 745 •SITZES Ralph W 314-831-2383
3960 HARPER Kenneth 314-535-1762 8 3960A TORAN Crystal 314-652-9321 9	4228 • JONES Ethward OO 8 4229 • FERGUSON Lee 314-531-4924 7	4616 •BALLA 314-381-4471 4617 •TROUPE Rosalind OO 7	5218 •WHITMAN S.L. 314-383-2591 5220 •WILSON Albert Mrs 314-382-2412	7013 •DAVIS Clara OO 7 7014 •NICHOLSON Mattie OO +0	750 • AUBUCHON B L 314-830-3113 755 • MCENNIS J 314-839-4340
3961 ANDERSON John A 314-534-1177 7 3961A • WILSON Pauline 314-531-1918	4230 EDWARD John 314-533-4522 8 EDWARD John 314-534-3518 +0	4640 ●FRAZIER Bettye OO 7 4671 XXXX OO	5221 •CALLICOTT Daisy OO 7 5224 •JONES Jimmy D 314-389-1490 9	7015 • PENDLETON Henry 314-389-3693 +0 7017 • ROBINSON Evelyn 314-381-6787	760 • MCGUIRE J 314-839-6032 770 • FRINTZ Donald CO
3963A PHINES James L 314-533-4785 3964A PORTER Janet 314-535-8137 2	•WESTFIELD Horace OO 7 4233 •JOHNSON Ulyssess 314-533-0937 8	4700 • PEDPLES Helen OO 7 4704 • BUGGS Mary OO 7	5225	7018 • ACKLIN Chester OO 8 7019 AGUSTA Robert 314-381-3037 6	SPAIN Paul Vernon 314-972-0758 775
3966 •EWING Sammle 314-531-2275 8 3967 •GARDNER Shella OO 8	SMITH Yvonne 314-531-3048 +0 • TELPHYSMITHD OO 9	4706	5228 XXXX OO 5230 ◆GALDWELL Shirley OO 7	●DUNCAN William OO 7 7022 ●HARRIS Henry OO 7	780 • FRINTZ Donaki G 314-838-6244 790 • LARKIN Wm P 314-837-1823
X WARNE AV 4003 *JONES Clifford 314-533-7608	4234 JOHNSON Maxine 314-531-4288 7 •LOMAX Rosalind OO 7	PATTON T 314-381-4130 7 4714 JOHNSON Lilke 314-381-6443 +0	GLARK Alberta 314-383-1219 9 5231 •BURKE Julia OO 9	7023 •REYNOLDS Alma 314-381-8268 7026 •MOSES Augustus OO 7	815
4004 •CARRAWELL Yvelle 314-652-7451 7 4005 •HINES James Lewis 314-531-2596	4237 • HASSON Kimberly 314-652-1122 9 4238 • MCGEE Berbara OO 7	WASHINGTON Emma OO 8 4716 HOLLOWAY Obadish OO 8	ROBINSON Julius 314-383-4288 5232 •RICHARDSON Stanford 314-385-5726	7082	835 BOTKIN Gilbert 314-838-4765 •KRAMER Thomas 00
4008 •BELTON Queniela OO +0 4009 •SELLS Regnald 314-535-7790	4239 • WESTERCOK Savannah 314-652-1207 • WESTERCOK Salana 314-652-1207	YOUNG Van Buren 314-389-5291 4717	5233 *DOOLEY Charle OO 7 LEVY Sam 314-389-7268	7089 • BENSON Flora OD 7 7090 • MCGIRT Dorothy 314-383-6290	840
4010 •TOBLER Jamair OO +0 4011 GALLOWAY Otts 314-652-9412 6	 WESTBROOK Waller J 314-652-1207 4241 BAGBY Horace 314-631-9633 	4721 ANTHONY Melba 314-383-5774 +0 • ANTHONY R E 314-383-1186	●HARRIS Lorin 314-381-3463 2	7091 •RILES Sandra OD 8 7092 •MATTHEWS Cition OO 9	860 • GROSVENOR Carl 00 875 • BECKER Frank K 314-831-4173
4011A • MORROW Dons 314-289-9333 A • MORROW Nelson 314-289-9333	LENNOX Swarzel 314-535-3748 4242 • CURTIS James 314-535-0080	4722 •VINSON Ann OO 8 4724 •BRINKLEY B OO +0	5237	7093	880 •HENRION Kann 314-838-9136 X GRANTS PKY
4012 • GORDON Arthur OO 7	4243 • DIXON Slewart OO 7 4244 FRANKLIN Mary L 314-534-7987 ±0	WILLIAMS Earnice 314-385-7206 5 4725 •HERRON Arthur 314-383-1297 8	5241 •MOSBY A 314-382-7823 6 5242 •JOHNSON Florice 314-382-5975	NOLEN Midred 314-383-4023 +0 7096 •SAMUEL James OO +0	930 CRAWFORD Steven OO
4015 •SCOTT Bonnie OO 7 4016 •SCRUGGS Odessa OO +0 4017 •FINNIE James OO 7	GREEN Gregory 314-534-6522 +0 • WRIGHT Gwendolyn OO +0	●HERRON George 314-383-1297 8 4726 ●BUSH Nathaniel OO +0	5243 •ROGERS Caroll OO 7 5246 •EDWARDS Vivian OO 7	7097 •HYKES Gene 314-383-7903 X LINCOLN AV	935 PREIS Joan 00 940 PLANDIS Milton 314-831-720 945 NEELY Robi L 314-838-959
ROPER Tevn M 314-652-2150 +0 4018 •GORDON John W 314-652-1343 8	4245 • OWENS Nelson 314-652-9065 4246 • MORROW Louis 314-371-0358	4728 •HELMS Sherry OO 7 4729 •JACKSON Rosetta 314-381-6008 7	5247 •WALTON Gwendolyn OO 7 5254 XXXX OO	7098 BURKS Jeffrey 314-389-4118 1 7099 BHOWARD Luke Vincent 314-382-4470 3	950 •KINCAID Jas D 314-838-883 985 •GEORGES Corring OO
• GORDON Willie L 314-371-2719 4021 • CRAWFORD Bobbse 314-652-0226	MORROW Verniece 314-371-0358 4247 JOHNSON Olis	4732 •WATLINGTON N OO 8 4733 •BUCHANAN Lydia 314-261-2257	* 12 BUS 480 RES 82 NEW	7100 •BURNS Cranda OO +0 WILLIAMS Lottle 314-383-6786	X SOUTH PARK LN
4022 • JONES Maurice 314-652-7448	4250 • MOORE Doris OO 7 STEVENSON Andrew J 314-535-8553	4734 • SMITH Elmer OO 7 4737 • THOMAS James 314-381-9408 3	LEXINGTON AV 63121	7101 XXXX OO 7104 •LEWIS Shelby 314-381-3090	* 1 BUS 45 RES 6 NEW
MCFADDEN Larry OO +0	Mrs 4251 BROWN Jermaine 314-533-4275 +0	●THOMAS Phisford 314-383-5942 9 ●THOMAS Robert 314-389-0691 7	NORMANDY	7105 BOOKER Wille OO +0 BYRTH V 314-383-1474 +0	LIANA 63074 ST ANN
4025 SIMPSON Jas D 314-531-1984 4026 HARDGE Heather J 314-534-0070 +0 HARDGE J M 314-531-5586 3	 PIPPEN Luía OO 8 4252 BONDS Cassandra 314-534-6507 9 	4738 ●ELLIOTT George OO 7 4741 ●SIMMONS Richard A 314-382-3599	WEALTH CODE 3.5	7106 •HUGHES Carol OO 7 7108 •HUGHES Clevester OO 7	WEALTH CODE 60
SIMS Herman	●RAWLS Lee 00 8 4253 ●HILL Lacy 00 7	SIMMONS Salie 314-382-3599 4757 FOSTER Robin 314-385-4917 +0	6102 - 6246	7109 •BRENSON Chas 314-389-6187 7110 XXXX OO	11200 - 11288
4028	4254 • WEATHERSPOOND OO 7 4255 • WESTBROOK Walter OO 7	●MERIWEATHER Frank OO 9 4761 ●BEARD A 314-382-2228 9	PINE LAWN NORMANDY SCHOOL DISTRICT	7111	ST ANN PATTONVILLE SCHOOL DIST
4031 CURTIS Wilson 314-652-7381 +0	4257 EDWARDS E 314-531-1051 • RAWLS Lee Versia 314-533-4384	4765 • CASSEN Geo 314-381-1560 4769 • STEADMAN Mabel 314-383-6684	6900 - 6901 VELDA VILLAGE HILLS	7114 •STRINGER Wilei OO 7 7115 •HAMMONDS Rosalvn OO 7	E OFF CYPRESS RD
4032 SANFORD Levi OO 8	4260 ◆SMITH McAlister OO 8 4262 ◆BLACKBURN Annie OO 7	4773	NORMANDY SCHOOL DISTRICT 6903 - 7119	7119 •DUFFY Exenia OO 7 7125 SLEET Charles 314-382-7497 +0	
4033 BROWNLEE Juan 314-533-5826 8 4035 •EDDINGS Clarence OO 7 4036 •BROWN Jewell OO 7	4265 • WASHINGTON M B 314-652-9258 X CLARENCE AV	4809 •SMITH George 314-385-9199 4811 •BELL Jas A Rev 314-385-2672	VELDA CITY NORMANDY SCHOOL DISTRICT	7127 XXXX OO 7129 SCOTT Keith 314-385-6802 9	11200 •KIRCHNER James 00 11202 LONG \$ 314-423-6167
4037 EDDINGS Clarence 314-535-5615 4039 •NORFLEET Angela OO +0	4301 GRAHAM Mandie 314-531-6669 4301A UNDERWOOD Marian 314-531-7546 1	4815 •MILLER Robert OO 8 4823 •BARNES Ira C 314-382-0774 3	PINE LAWN AREA	7131 STRINGER Lynn 314-385-5637 9 7135 XXXX OO	11204 •KIRCHNER James 00 PIETZMAN Diana 314-428-6701
4040A •BISHOP Josephine Emory 314-652-7113 +0 4041 NORFLEETAL 314-533-6796 +0	4303 PATTERSON Claudia 314-534-8288 +0 4314	4827 ●MILLER Robert OO 8 4835 ●BROWN Clavon D 314-382-4498	LUCAS RD TO KIENLEN	7137 BOWDEN Melvin J 314-385-1583 8 7139 ADAMS B 314-382-7280 +0	11206 MCCASLIN Joseph 314-427-0627 11208 JOYCE Steven 314-428-6363
4042 • MORANFIELD James OO +0	4317 •HILL Annies OO 8 JOHNSON Danyelle 314-534-3642 7	4841 • JONES Sharon 314-381-8036 5 4843 JONES Sharon A 314-385-7266 +0	6102 • JOHNSON Calvin OO 8	7141 JACKSON April 314-383-6593 9 7145 BELL Edith 314-389-0349 +0	• REYES Antonio 00 11210 GONZALES L 314-428-6181
X CLAY AV	4320 XXXX OO 4322 • ALLEN Robt 314-535-2498	4857 •WATKINS Howard A 314-389-3128 4861 •GRAY Ranhael S 314-389-2532	6104 CASEY Terry OO 8	7147 BEAN Audra 314-381-0817 +0	GONZALES V 314-428-6181 11212 • TYSDAL Michael 00
ZIP CODE 63115	4324 KING K V 314-533-9924 5 MCCOY Henry 314-535-2649 8	4875 BEARD Adrienne 314-383-0889 9 BEARD Alexander 314-385-0698 9	6108 • JOHNSON Calvin OO 8	7151 HUDSON Nathaniel 314-381-9862 +0 7155 XXXX OO 7157 XXXX OO	ZERBAN Vince 314-893-2396 11216 • KIRCHNER James 00
ST LOUIS	4332A JONES Dorothy J 314-652-2929 +0 4332 • SINKFIELD George OO 8	X EUCLID AV N	X DARDANELLA AV	* 0 BUS 132 RES 21 NEW	11218 XXXX 00 11220 GARCES Jamie 314-429-7997
WEALTH CODE 07	4334 GLOVER Wilton 314-531-3447 LEWIS WIlliam 314-533-0960 3	4901 •FARMER Jas W 314-385-0506 4905 •MITCHELL Laura 314-261-4280	X KIENLEN AV	LEXINGTON AV W 63115	RANEY Edwin 00 11222 HAGOSS Leoul 314-429-4215
WEALIN GODE 07	4335 * BEREN CHURCH 7TH 314-533-3827 +0 DAY CHILD CRE	4909 ●CHERRY David OO +0 4911 ●WRIGHT Nona 314-389-7980	6210 HUGHESS 314-385-1610 +0 •RYAN Timothy OO 8	ST LOUIS	11224 EMRICK Matthew 314-427-6645 •KIRCHNER James CO
4101 •ROBINSON Frank 314-535-5377 8 4107 XXXX 00	4339 • WHITE Curtis L 314-534-6114 9 4342 COOK O C 314-533-2143	X YORK CT 4917 •SISSON Ernest Jr 314-261-0082	6211 BOBINSON Joellen OO 8	WEALTH CODE 0.0	11226 XXXX 00 11228 ASHABAUGHL B 314-426-671
4110 • JONES Donnie 314-652-7843 +0 4112 XXXX OO	NEWBY William 314-533-3544 4406 XXXX	4919 •KELLER Cyrus OO 8 4923 •LANE Jewel L 314-383-0812	X CRESCENT AV 6212 •THOMAS Mary 00 7	4103 - 4242	BEHLMANN Herbert CO 11230 XXXX CO
4114 XXXX 00 4116 •WHARTON Latice 314-531-4585 8	4442 PEARL Black 314-383-4870 +0 4444 DLAMINI Moria 314-383-7962 +0	4925 ●BROWN Wanakee 314-383-6157 +0 4927 ●ARMSTEAD John 3D 314-383-5337 7	6213 •MCCLAIN Johnle OO 8 6214 •MANNING Patricia 314-381-8244	ST. LOUIS CITY ST. LOUIS CITY SCHOOLS	11232 ESCHBACH Becky 314-428-7694 • • ZYKAN Stephen 00
4117 JACKSON William 314-535-9788 WHITE Leroy E 314-652-9117 5	4447 XXXX 00 4448 •COLYER Marie 00 8	4929 • REED Paul OO 7 4931 • WALKER Julia 314-382-8185	•MANNING Patricia 314-381-7789 8 6215 •HAZLETT Earlene OO +0 6218 •PAYNE Henry 314-383-2224	01123012 0111 0211	11234 XXXX 00 11236 REED B L 314-426-5307
4120 • JONES James 00 8 MIMS Barbara 314-535-9212 +0	4450 XXXX 00 4462 XXXX 00	●WALKER Samuel 314-382-8185 4933 ●BUTLER Robert OO +0	6219 FRANKLIN Patricia 314-389-7202 7	4103 •LUSS Archie OO 7 4105 •RUSSELL Lucille OO 7	SPIER Dennis
4121 •STEWART Frank 00 7 4125 LEWIS Mary 314-534-5184	4453 JOHNSON Denise 314-382-5723 +0 • KING John OO 8	4935 • REED Bonnie OO +0 4937 • ROWE James OO 7	6220 VAUGHN Chas 314-389-9187	4107	11240 •WESTCOTT Gary CO 11242 XXXX CO
● POWELL Joseph 00 7 4127 ● BANKS Vanessa 00 7	4456 XXXX 00 4457 ◆EBEGBODI Lany 00 8	4941 • HAYES John OO 7 4943 • HARRISON Hazel 314-385-2219	6224 CONEAL Margaret 314-383-3837	4114 • ATKINS H 314-535-6435 4115 • DUCKWORTH E OO 8	11244 SHELTON Clarence A 3D 314-427-1266 •TRAUGHBER Terence CO
4129 XXXX 00 4130 +SC SCHOOL 314-652-0730 +0	4460 ●BALLARD Darrell OO 8 4461 ●BOND Shirley OO 7	HARRISON Robt 314-385-2219 X AUBERT AV	●KEMP Charles OO 7 6231 ●OSBORNE Gall OO 8	4117	11246 REEVES Dionna 314-429-7824 -
PARTNERSHIP + STL SC EARLY 314-533-7735 9	4463 •TUCKER Christine 00 7 4467 •GUSS Jimmle 314-381-6217 3	4959 ●TRIGGS Louis CO 7	X ARDEN PL 6232 •SANDERS Stanley 00 7	4120 • GRAY Hattie OO 7 4122 • BROWN Marlene OO +0	11250 WHITE Larry 3/4-427-6878 - 11252 BURNS Scott 3/4-429-5/83 -
CHILDHOOD EDUC +STL SC PARENTS AS 314-533-7735 9	4468 • EVANS Grace OO 8 MILLER Loyce 314-389-0686 +0	BLVD N	6234 • ANDERSON M J 314-381-2009 6236 • GREEN Henry OO 8	TAYLOR Edith 314-531-0525 4125 • RAMSEY Cornell OO 7	JAMES Daniel 00 11254 JAMES Dan 314-427-7399
TEACHERS + STL SC READG TO 314-652-8312 6	4469 • CHAPMAN Dolores OO 8 4470A HALL B 314-385-0051 +0	5020 ★STL SC FOOD SERVS 314-381-4155 5030 XXXX OO	6238 •LUCKETT Shirley OO 8 6240 •WATSON Samonia OO +0	4128	11256 DOWDALL Dennis J 314-890-8131 -
ACHIEVE PROGRM *STL SC ROLE MODELS 314-652-6818 2	4472 XXXX 00 4473 •HOOD Tommie 314-385-6619	5100 •YOUNG Melvin OO 7 5104 •SCRUGGS Jerryl OO 8	6244 PORTER Robert OO 8 6246 JACKSON David OO 8	4128	11258 XXXX 00 11260 •COSTELLO Frank 00
*STL SC VOLUNTEER 314-652-0734 9 SERVICES	4474 •LEED 314-389-1190 +0 4475 •PEOPLES Lester OO 7	WILSON Willie 314-389-7267 +0 5106 ●GRANBERRY G OO B	6248 JACKSON David 314-395-0678 JACKSON David 314-395-4256	4132 XXXX OO 4133 •QUARLES Aaron OO 8	11262 BELL Spencer 314-428-8555 11264 BOLLMAN PL 314-428-0459
+STL SC-SCHOOL 314-652-0730 +0 PARTNERSHIP	4502 XXXX 00 4514 •WYATT Alvin D 314-381-1590	HICKS Catherine 314-389-6640 8 5112 •TANDY Margie CO 7	JACKSON Dee Dee 314-385-0678 JACKSON Mary 314-385-4256	4200 XXXX OO 4204 •TAYLOR Geraldine 314-534-6803	COSTELLO Frank 00
4131 • LEDBETTER Leon 00 7 PETTY Charsa 314-534-6005 +0	4517	5113 •GARDNER James OO 8 5115 XXXX OO	X MYRON AV	4205 •SMITH Eddle OO 8 4208 •BUTLER Christopher OO 8	11268 XXXX 00 11272 •KIRCHNER James 00
4133	4518 •WATSON Charles OO +0 4519 RODGERS 314-382-9757 9	5116 •KING Theresa OO 7 5119 STARKS V 314-383-7902 8	X MAYWOOD AV	4212	11274 DENNIS Shamus R 314426-7578 1 11276 • DUNHAM Charles 00
4137 •SM/TH Colin 00 8 4139 •BDOSE Vesther 00 8	SOWELL Mattie	WILLIAMS Lucretta CO 8 5120	ZIP CODE 63121	CHURCH 4221 SAUNDERS Lillian OO 7	11278 GANDAHO Enc R 314-426-2249 11280 •TIERINON Charles OO
*JOHNSON CARE 314-535-3540 +0	PAYNE Richard 314-385-3906 +0 THAMES Barbara 314-382-5086 9	5122A •BRADLEY Wilbert 314-382-7622 5123 •BARNES Versine OO 8	NORMANDY	4223	11284 •PINI Thomas CO 11286 XXXX OO
4144 • ARNOLD Lawrence 314-534-8045 4146 • ARNOLD Berbera OO 8 4147 • SWAIN Otls 314-531-7294	4523	FULSOM S A 314-383-8807 2 JENKINS Rebecca 314-261-1433	WEALTH CODE 3.5	4225 •SMITH Stephanie OO 8 4227 •SMITH L 314-534-8128	11298
●TURNER Pearlie 00 7 4148 ●MELVIN Wendell 00 7	MARTIN Renee 314-382-5138 ±0 4526 BARNUM Keith 314-381-3194 9	JONES B 314-382-3425 8 5126 •STAINBACK Cory OO 9		4230	X CYPRESS TOWN C
SINGLETON Minnie 314-652-8674 6 SINGLETON Minnie 314-652-1504 8	PENNY Irene 314-382-2693 6 • TEETERS Clarence OO 8	5127 PARKER Jerry OO 8 5130A EWING Stella 314-389-5571	6900	4232 •YATES Sybel OO +0 4238 •STEELE Charles OO +0	
4149 •LOESEL Frederick OO 8 4152 XXXX OO	4527 •SHELTON Aniasa OO +0 ZIMMERMAN R 314-383-7688 +0	5130 •LEE Douglas OO 7 QAURTER Wade 314-381-9470 +0		4239 •WINGS Gregory OO 8 4240 •BROWN Electra 314-531-2852	LIBERTY AV 63132 ST LOUIS
4153 ENGLISH Patricia 314-534-1803 9 •WILHITE Alphonso OO 8	4529 •GILLESPIE Marion S 314-381-0023 4530 •ROBINSON Mildred J 314-381-9430	5131	6906 •BLAIR Norma OO 7 6907 •ANDERSON James 314-382-5722 6	4241 •MAYBERRY Melvin OO +0 4242 •BRIDGFORTH G OO 8	
4154 EUBANKS ira 314-533-8705 +0 • ROSS Earl OO 7	4530A, •ROBINSON Mildred J 314-381-0610 6 4532 •JAMES Henry OO 7	51328 •MILLER Annie 314-389-3891 5135 •WALLACE A B 314-385-3395	8908	KING Arthur 314-535-3698 * 1 BUS 37 RES 7 NEW	WEALTH CODE 4.6
4155 CRYMES Eugene 314-652-8910 +0 4156 • LIGGINS Rutha M 314-535-9039	4533 MORTON Maurice 314-385-9029 8 MORTON Pamela 314-385-9029 8	5135A •WALLACE Hershell 314-382-6097 3 5136 •WILLIAMS Darlene 314-385-8893 7	6910 •DENNIS Sonya OO 7 MORRIS Terron J 314-389-4501 6	LEXINGTON PK 63031	9402 - 10440 OVERLAND
4158 ONUKOGU Ray OO 7 WARD Yvonne 314-652-7137 8	MORTON Pamela 314-389-4851 +0 TODD Juanita 00 8	5139 •LOVE M 314-381-4649 5140 GILBERT Estella 314-383-1929	8911 HAMILTON Lawrence 314-389-8806 • JONES Eddie OO 7	FLORISSANT	RITENOUR SCHOOL DISTRICT 10515 - 10539
X HARRIS AV	4534 •KERNS Gladys OO 7 4535 •PIRTLE Jessie Jas 314-383-6473	5140A GREEN irma Jean 314-381-0268 5140 •TURNER Alexander 314-383-1929	6915 • PHILLIPS Betrie 314-389-4336 6916 • HAYMON BIIIV 314-383-4193 2		UNINCORPORATED AREA RITENOUR SCHOOL DISTRICT
4163 • DOTSON Lawrence 00 9 4165 • DOTSON Lawrence 00 7	PIRTLE Maureen 314-381-5118 +0 4538 GRAVES Gerald 314-389-5722 +0	5141 •MARION Matthew OO 7 STEVENS M L 314-382-0877 +0	6917 ●WILHITE Myrna OO 7 6918 ●THORNTON Mitchell OO 7	WEALTH CODE 8 0	10603 - 10647 UNINCORPORATED AREA
X LAMBDIN AV 4200 •CAIN Asrel 314-533-3574	JOHNSON Walter OO 8 WHITESIDE Rosalin 314-385-2989 7	5144 • MOORE W B 314-383-7847 +0 5145 • CHERRY William OO 7	6919 FINNEY Linda 314-389-5877 +0 •KING David OO 7	625 - 985 FLORISSANT	PATTONVILLE SCHOOL DIST
CAIN Dorothy 314-533-3574 HAYDEN Leroy OO 8	4539 •SMITH Wm Ed 314-382-8385 4540 ALLEN Gwenda 314-389-5356 +0	514SA SMITH Kimberly D 314-389-8958 9 5146 •WILSON Willie OO 7	6920	HAZELWOOD SCHOOL DISTRICT	OVERLAND CITY AREA
TAYLOR Ruth 314-534-1494 9 4202 MIMS Jo Ann 314-534-0929 +0	DOVE N 314-381-5210 9 4545 •DAVIS A M 314-385-9679	5149 BELTON Ethlyn 314-389-5415 +0 GREEN Y 314-382-9543 +0	6922 MERRIWEATHER Rosie 314-381-6276 3	NW OFF PATTERSON RD	WOODSON RD TO PRICE RD
	4547	HUGHES Charles OO 8 S150 WILSON Lyda V 314-261-8623	6924 JONES Lola 314-535-1867 +0 • JONES Lola 314-389-1939 1	X 6TH LN	1 LINGE UD
4203	●GOOCH Desiree 314-261-4402 4550 ●MCCLENDONJ 00 8	5153 TROTTER John 314-385-2610 +0 •TROTTER Shelly 314-389-4039 S		625 BASS P E Mrs 314-837-7152 • LUCAS Michael OO +0	9402 OLIVERJulia 00 9406 TINKER Torry 314-423-7590
4204	4550A JONES Evelyn 314-261-5495	5154 • GREENLEE John E 314-385-6987	6928 CARTER Anthony OO +0 6929 BRACY Juanta OO 8	645 OHOLLIS Robi E 314-838-1072 +0	
4205 •COOK Rosetta 00 7 WILLIAMS Yolanda 314-531-4471 5	A MILLER J M 314-251-5495 4551	 TAYLOR Jerry 314-381-6150 	6931 SUMMERVILLE Donnye 314-389-3258	650 • DARNELL R M 314-921-7102 7 655 • PERCELL Jake OO 7 STRATMAN Clarence W 314-838-3677	9408 •GATES Wallace 00
4206	4553 •KINCAID Inez OO 8 4554 •HARRIS Felicia OO 7 4555 •CLARK Bennie OO +0	PEYTON E O 314-382-5396 +0	Mae	660 ●WHITE M A 314-837-7160	9410 •RICHARD Mark OU 9411 •BROWN Mark OO DINATALE Kevin L 314-899-859
TAGGART Mary 314-652-4269 4208	4555 •CLARK Bennie OO +0 4557 •BOBO David OO 9	5161 FOSTER H 314-385-4501 +0 ●WHITLEY Waverly OO E	SUMMERVILLE Honnye 314-389-3258 6935 •LITTLEJOHN Dorothy OO 7	665 •FOSHE J M 314-839-2510 675 •HEMPFLING M B 314-838-7748	9412 •FREY Lorraine 00

LIBERTY AVE 2001

	ST LOUIS N		· / ***********************************		2000	LIGHT WOOD DIT
LIBERTYAV 63132 CONT.	1	LIBERTY GRONS DR 63031 CONT	S (B)	63031 CONT	LIFFORD CT 63136	LIGHTHOUSE WAY DR 63141 CONT .
SHELL Arieta 314-890-8243 +0 9413	D KING K 314-429-7762 6 7 7532 • ABRAMS Randolph OO 8	BAUMGARDNER Richard 314-839-8848 5 X GARDEN VILLAGE		-838-5638 6	JENNINGS	12450 THE COVE WESTGATE ECKERT Tom 314-205-2423 +0 H GALON Amos 314-453-9205 5
9414	7 7533 •BLAIR Kalhleen OO 7 4 7536 •RIPPETOE Karen OO 7 7 7539 •LOTT Mary OO 7	DR ★ 0 BUS 47 RES 12 NEW	706 • CRAYTON Angela. 314-6 708 • HERRING Keith OD 710 • STIEFERMAN Donna OD		WEALTH CODE 4.0	H GALON Amos 314-455-9205 5 GRIFIN John 314-434-3893 9 HANSEN Michael 314-205-2477 +0
9417 OLIVER Ralph E Jr 314-423-0673 • WILSON Julia OO +0	WHITE Mia 314-426-6070 6 7540 •HOERCHLER Lawrence OO 8	LIBERTY LNDG CT (95)	712 •BRENTL 3144	I-921-4977 9 I-830-1638 +0	9600 - 9615 UNINCORPORATED AREA	MCINTYRE Beverly 314-205-9093 9 MEYER J D 314-439-9083 +0
9418 PONDROM Ronald CO 8 X PRICE RD	8 7545 ●LABARBERA M V 314-427-3873 7546 ●MCGOVERN John J 314-427-4354	63033 FLORISSANT	718 OHAYMON Norma GO		RIVERVIEW GARDENS SC DIST	MOHNALKAR Sandeep 314-439-0530 +0 C SAENGSAMRAN Sanit 314-439-0572 +0
X FAIRVIEW AV 10405 * D P CUSTOM 314-428-3221	7547	WEALTH CODE 7 0	ROGERS Michelle OO		MOLINE ACRES AREA	A STEEBY Tim 314-579-0275 8 12450
INTERIORS 10417 * FOOD SERV MNG LTD 314-423-5100 3 • HAFFNER Joel CO +0	± 0 BUS 68 RES 10 NEW	2702 - 2876 UNINCORPORATED AREA	9BORTHICK Geneva 314-1 726 •JACKSON Kevin OO	-838-0039 7	9800 •SKYES WIII• 00 +0 X LONGFORD DR	12501 THE COVE WESTGATE DELVECCHIO Dixie 314-205-1382 +0
*REFRESHMENT 314-423-5100 SYSTEMS	LIBERTY DR 63031	HAZELWOOD SCHOOL DISTRICT	728 SONTAG Robt 314-9 730 SAINTLOUIS B OO	-921-0211 3 +0	9801	DUGGAN Tim 314-469-7894 7 DUGGAN Tim 314-469-6371 7 DUGGAN Tim 314-469-8039 7
10420 * B K PLUMBING INC 314-426-1015 5 10421 * PELLIGREEN Leo OO 5 VIII JAPREA LIESUS 314-426-3213 ++	FLORISSANT	2702	734 •BARKSDALE Janel OO		9807 •ZIEGER Norvel CO 7 9810 •HINTON Ernestine 314-869-6790 9814 •MOORE Austin 314-867-4099	DUGGAN Tim 314-469-8039 7 DUGGAN Tim 314-514-1905 7 DUGGAN Tim 314-514-9656 7
VILLARREAL Jesus 314-426-3213 +0 10423 ** ALCOHOL EDCTN CLNC 314-427-0408 3 ** INTRST COURT 314-427-0408	WEALTH CODE 8.0	2706 ●JOHNSON Michael OO 7 2707 ●DENNIS Sabrena OO 7	736 •TAYLOR Robert OO 738 •KELLY Brenda OO 740 •EVERTON James OO	7	9815 •RATCHFORD Willie OO 9 * 0 BUS 7 RES 2 NEW	DUGGAN Tim 314-576-5773 8 L MORGAN J 314-542-4076 +0
SERVICE ★ LIBERTY CIP 314-205-1767	2210 - 2375 7 FLORISSANT HAZELWOOD SCHOOL DISTRICT	2710 •GLASBY Debra 314-741-3352 6 2711 •GRAHAM Ernest OO 7 2714 •MOBLEY Waldo OO 7	742	I-830-2636 +0 I-830-4562 9	LIGHTHOUSE DR 63034	12501
*S A T O PINTERSTATE 314-427-6441 & COURT SRV •WOOD Herman OO 8	SW OFF	2715 • DENINIS Roxie 314-741-4235 7 2719 • PERKINS Cassendra 314-741-0839 6	748 ●LOVELL Paul E Jr 314-6	I-972-9144 8 I-831-8379 8 I-838-9805 +0	FLORISSANT	DUGGANTim 314-576-0825 8 F FALLICK R 314-469-1904 7
10424 HAUGEN Brian 314-428-8935 9 10425 • DORRAH Walter R 314-428-9856	CENTRAL PKWY	2723 • CLAIR Anthony OO 7 2727 • WILLIAMS Robert OO 8 2731 • MILLER Avis 314-741-4804 9	750 ANDERSON Backy 314-9	I-838-9805 +0 I-831-6842 B I-831-6842 B	WEALTH CODE 9.0	F FALLICK Saxon S 314-469-1904 7 KIMURA Ken 314-434-9773 9 LAGO Glauco 314-205-9649 +0
10429 SOROKINE Edward OO +0 10430 *VFW #5211 314-427-4790 +0 10440 *GOWAN PRINTING 314-429-4848 8	[2215 ●BUJEWSKICR 314-921-8717	MILLER Norman 314-741-4804 9 2735 •TILLMON Robbin 314-355-6489 7	ANDERSON John 314-1 751 • DREW Charlotte OO	-921-4805 +0 +0	4173 - 4198 UNINCORPORATED AREA	G MAHONEY J Jeffrey 314-26-2617 7 MCINTYFIE Beverly 314-439-5680 9
GOWEN Dennis 00 +0		•TILLMON Robbin 314-355-7343 9 2738 •SCOTT Robert OO 9 WILLIAMS Rosetta 314-741-6747 9	752	-837-2201 4	HAZELWOOD SCHOOL DISTRICT	WILLIAMS N M 314-439-5428 +0
10515 * GOLDMAN 314-428-3000 ASSOCIATES	2250 •HOFFMAN Max OO +0 2255 •HOUSE Bruce 314-972-9015 8	2739 •LEWIS Lucy OO 7 2743 •MOSS B A 314-355-5877 6	755 • GRAY Greta OO 756 • ALTMEYER Madonna OO	+0	4173 •PITT ML 314-355-7960 7 4177 •YOUNGBLOOD C OO 8	12509 THE COVE WESTGATE DUGGAN Tim 314-275-8527 7 DUGGAN Tim 314-514-0564 7
GGLDMAN Dorothy OO GOLDMAN 314-428-3000 PROMOTIONS	3 2270 •KAHLEToni 314-972-0171 7 2275 •PONINSKI Carl L 314-837-7033	2746 •STCLAIR Robert OO 7 2747 •ALLEN Chanti OO 7 2800 •THOMPSON Efteria OO 7	757 MCDONALD Minnie OO		4190	DUGGAN Tim 314-514-1925 7 HAMPTON Brenda 314-489-2709 +0
10528 XXXX OO 10536 •LORENZ Paul OO 8	2290 •MORANTM 314-830-9380 +0 2295 •MUELLER Michael 314-830-0334 9 •MUELLER Peggyann 314-830-0334 9	2800 •THOMPSON Eineria OO 7 2804 •HARRIS Pamela OO 8 2805 •HARRELLE 314-653-6646 8	759 CURLESS Samuel CO NORLAND D 314-1 800 MCINTYRE Robert OO	-831-0419 9	MORELAND Jack E Jr 314-355-5886 MATZ John 314-653-0055	IVERS Ryan 314-439-8078 +0 F KLEG S 314-434-8983 9
*LORENZ&ASSOCIATES 314-423-3338 *SHINGLE RFNG CORP 314-423-3338 10539 *ARCHWAY LIFT 314-426-4821	X JACKSON LN 2310 •BRKLJACH Michael 314-831-2274 9	2808 •JACKSON C J 314-355-9944 6 •JACKSON J 314-741-9120 8	801 *LENNON Terry 314-i 802 *JANVRIN Curils OO	1-830-2860 4	4198 ●WALSH Timothy OO 7 ★ 0 BUS 8 RES 0 NEW	NEGLEY Ronald 314-514-7915 +0 PERRY C 314-579-9353 +0 POLLARD Frank 314-205-2070 9
TRUCKS BUETTNER JOHN G 314-426-4800	2315 • CAPLES Michael OD 7 2330 • STAGE Michael S 314-921-6157	2812 •WILLIAMS Noris 314-741-3440 7 2813 •JONES Lejuanna OO 7 2816 •THOMAS Rosland OO +0	803 •HENNESSEY Diane OO 804 •GREEN Rhonda OO	+0	LIGHTHOUSE WAY DR	12509
★ CUSHMAN MOTORS 314-426-4800 ★ SHIPPING UTILITIES 314-426-4800	2335 • DIEHL Alfred E 314-831-2964 2350 ARNS Dean 314-921-7209 1 • WILLIAMS Terri OO +0	2817	808 •WANNERLynn OO 808 •FRAZIER Julia OO WOEBEKING M 314-1	+0 +0 +831-5228 3	(91) 63141 CREVE COEUR	DUGGAN Tim 314-453-9758 +0 HAMPTON Brenda 314-453-9405 9 HAMPTON Brenda 314-434-7486 +0
10616	2355 NORAH Rodney A 314-972-7599 +0 2370 WATKINS Carl 314-837-8921 5	2824 •MCKINNEY Charles OO 7 2829 •WEST J 314-741-6404 6 2832 •BLAKELY Earl Kevin 314-365-7873 9	809 • LUU Jeff 314-1 810 BARLOW David 314-1	I-837-5121 +0 I-838-5051 4	WEALTH CODE 9.0	HOFFMAN S R 314-514-9020 8 JARBOE D 314-434-4452 9
10617 XXXX CO 10619 *MARCO BUSINESS 314-426-1192 S	2375 JORGENSEN Marc 314-830-1446 4 • RABINES Jose OO +0	 BLAKELY Gerrita R 314-355-7673 9 2836 BUSH Keena L 314-438-0940 +0 	JOSHU Fred OO 812 MCGUIRE Kenneth 314-i	-838-7705 4	12400 *COVE WESTGATE THE 314-878-3000 1 THOMAS Larry 314-514-7923 9	JONES Dennis 314-578-0544 +0 MEALY Lerry 314-439-5426 +0 ROTH Stefan 314-434-9722 9
SYSTEMS 10621 XXXX OO 10623 ** A B M CORPORATION 314-426-3408 S	X CENTRAL PKY * 0 BUS 22 RES 5 NEW	2840 •STREETER Weldon OO 8 2844 •BRADY Edgar OO 7 2845 •BUTLER Jane OO 7		7 I-839-8454 8 I-838-4937 8	12406 THE COVE WESTGATE DUGGAN Tim 314-205-8173 8	WUST Sepp 314-576-0563 +0
10627 * COLBY THIELMEIER 314-427-0221 10629 * LADUE LANDSCAPE 314-427-3746 1	LIBERTY GRDNS CT (94)	JENNINGS Albert 3D 314-741-5099 9 JENNINGS Markeith 314-438-9151 +0	819 RASCH Dorothy M 314-1 • WOODS Karla OO	1-831-6066 3 +0	DUGGAN Tim 314-542-3685 8 DUGGAN Tim 314-453-0467 8	12525 THE COVE WESTGATE BYWATER Kathleen O 314-434-8380 9
INC 10630 * C WHITAKER MARBLE 314-423-0900 * WHITAKER MARBLE CO 314-423-0900	63031 FLORISSANT	2848 PAYNE Diane OO 7 2849 PERKINS Yvonne OO 7 2853 MILLER Karen OO 7	822 • WILLIAMS Dennis D 314-	I-839-5795 3 I-831-6558 3 I-838-8335 3	HAMPTON Brenda 314-576-7421 +0 O'Dell Deirdre Leyne 314-514-7940 9 12406	DUGGAN Tim 314-434-8163 7 DUGGAN Tim 314-205-9814 8 DUGGAN Tim 314-205-8497 8
19631 * AFFORDABLE BUILT 314-426-9804 +0		2856 •GRIGSBY Daryl OO 7 2857 •GILL Toni 314-355-6941 5	●BRENDELJohn 314-1 826 ●APELDennis 314-1	-830-3714 4	BAILEY Christina 314-576-6555 9	DUGGAN Tim 314-576-4737 9 DUGGAN Tim 314-514-0810 9
10633 XXXX OO 10635 XXXX OO 10641 ** MASTERS EQUIPMENT 314-428-1500	1100 - 1123 UNINCORPORATED AREA HAZELWOOD SCHOOL DISTRICT	2860 ●WHITTAKER Allison 314-355-2790 6 2861 ●ANDERSON Merline OO 7	830 • JACKSON William 314-	I-830-2964 3 I-831-8305 3	BROWN Chet 314:275:2136 +0 BROWN Patrida 314:275:2136 +0 D DUNN T L 314:469:6944 +0	J PLYMELL T 314-434-7355 3 PUTRA Sidhusta. 314-878-0994 9 D SHOCKLEY Mark W 314-878-4125 3
10645 * AVERILL HTG&AIR CND 314-427-3825 3 * AVERILL HTG&AIR CND 314-429-4328 4		2884	ABNEY Shannon 314-1	I-921-0143 5 I-921-0143 5 I-921-8506 +0	FERNANDEZQUESADA 314-205-0227 8 Katita G FIELDS S D 314-439-5686 9	12525
10647 * RISE&SHINE HOME 314-645-5626 +0 DAIRY SERVICE * 32 BUS 33 RES 10 NEW	1100 • RIEHM Kimberly OO 8 1103 • SMITH Chris 314-830-2907 4 • SMITH Jamie 314-830-2907 4	2869 •TRICE Johnnie OO 7 2870 BOST L 314-355-7793 8	833 •NISCHBACH Tracy OO		G FIELDS S D 314-439-5686 9 FITZER Patricia 314-275-8975 3 HAMPTON Brenda 314-205-8428 8	DUGGAN Tim 314-205-2544 8 DUGGAN Tim 314-542-6182 8 HAMMERMANN Albert 314-439-5421 +0
* 02 000 00 NEO 10 NEW	1104 • ALLEN Elizabeth 314-830-1665 5 1107 • VARADY Todd OD 7	2871 BROOKS Anthony 314-355-7750 7 BROOKS Kimberlyn 314-355-7750 7 2872 • MERRIWEATHER Jos A 314-741-4304 5	HORN Michael CO B35 JOHNSON Psul CO	7	HAMPTON Brenda 314-469-5371 9 HAMPTON Brenda 314-439-5878 +0	HAMMERMANN Albert 314-439-5421 +0 HAMPTON Brenda 314-434-4532 +0 HESSELBACH K 314-576-5685 +0
LIBERTY AV 63130 UNIVERSITY CTY	1108 •LOWERY Rannae OO 7 1111 •CARRELL J 314-830-4559 8 1112 •GATHRIGHT L 314-837-4959 5	2873	836 HEUER James William 314-1 837 •HEAD R D 314-1 838 •AMBROW Gilbert OO	1-838-0731 5 1-837-8403 3	JOHNSON S Curils 314-205-9063 7 12410	B KLIPPEL Allen P MD 314-205-2125 +0 VANDERMATEN Larry 314-514-7922 9
·	1115 • WHITE Darren 314-921-2039 +0 • WHITE Kris 314-921-2039 +0	X LIBERTY LANDING DR	838R BRAY John W 314-9 839 *LEE R 314-9	1-921-6298 8 1-921-7667 3	K DANIELS Deldre 314-576-1921 9 DUGGAN Tim 314-489-4972 7	WADDINGTON Sarah 314-514-9090 +0 12529
WEALTH CODE 4.0 7354 - 7551	1116 •WILLIAMS Dianna OO +0 1120 •MOOREI 314-838-5433 5 1123 •NIETHAMMER R 314-830-3669 5	* 0 BUS 58 RES 3 NEW	840	7	DUGGAN Tim 314-514-8685 8 DUGGAN Tim 314-514-8517 8 DUGGAN Tim 314-453-0539 8	BATRA Meenakshi 314-514-0963 +0 COLEMAN Martin 314-205-2472 +0
UNIVERSITY CITY UNIVERSITY CITY SCHL DIST	X LIBERTY GARDENS	LIBERTY LNDG DR (95) 63033 FLORISSANT	843 HELD Dolores 314-1	1-830-3071 9 1-839-5833 3	POPE CJ 314-878-4294 8	DUGGAN Tim 314-514-0813 8 FRITTS Donald R 314-205-2484 +0 HAMPTON Branda 314-434-5991 +0
X PAGE AV	DR * 0 BUS 13 RES 3 NEW	WEALTH CODE 7.0		1-838-8662 8	12418 THE COVE WESTGATE ALDOSARI Sased 314-469-9808 +0 ALSHAHRANI Derham 314-514-9013 +0	F JOHNSON Andrea 314-434-3896 9 SEYMOUR Gail 314-439-9124 +0
7354 •BURBRIDGE Oliver OO 7 7363 •WHITLOCK Frankle OO 8	LIBERTY GRDNS DR (94)	11201 - 11293	852 AUBUCHON Brian OO 853 BILLUPS Maurice OO 854 BREWER Douglas 3144		CHENE Keith 314-439-5427 +0 DUGGAN Tim 314-576-4651 8	12533
7367 ●BRADFORD Chas S 314-721-4298 ●BRADFORD Susle 314-721-4298 7371 ●BRADFORD Chris OO 8	63031 FLORISSANT	UNINCORPORATED AREA HAZELWOOD SCHOOL DISTRICT	●BREWER Teresa 314-1 856 ●HAMMACK Gene 314-1	1-830-0207 1-921-0252 4	KING Robert N 314-514-0840 +0 MCINTYRE Beverly 314-489-7982 9 SMITH Paige 314-434-8924 +0	ALHARTHY Mazin 314-514-0504 +0
7372 • JACKSON Andrew M 314-727-2091 7373 • FRANKLIN V 314-721-6940 +C	WEALTH CODE 8.0 2801 - 2872	11201 •LEWIS Steven OO 7	858 CARTER Danny 314-	I-921-0992 9 I-839-8486 7 I-921-0825 8	12418	L DAUGHERTY Pamela 314-542-6110 7 B ILLE Todd R 314-439-0683 +0
FRANKLIN V 314-863-3449 +C 7375	UNINCORPORATED AREA HAZELWOOD SCHOOL DISTRICT	11205	●HAMILTON James OO		G BALL Dana 314-579-9135 4 DAGOSTINIO AHIIlo 314-205-0049 +0 DAGOSTINO AHIIlo 314-439-5422 9	SACHS Andreas 314-275-7194 +0 12537
7378 ●ENZENAUER Anne OO 9 7379 ●SUGGETT Allan OO 7	2601 •VOLKMANN Lorianne OO 8	11220 BEARD Michelle 314-438-9426 +0 • BELK Tina OO 9 11221 • TURNER Melva OO 7	MATHIS Philanders OO 862 MCGHEE D T 314-1	+0 1-830-2518 6	MCINTYRE Beverly 314-439-9913 +0 F RASMUSSEN Eric Dr 314-439-9190 +0	DUGGAN Tim 314-205-2894 8 DUGGAN Tim 314-469-1868 8
7380 BRADYWT 314-721-0742 +C	WOOLEVER Brian 314-972-8759 +0 2602 ●FEE Nalalie OO 8	11225		1-830-3200 9	ROARK Melhew 314-439-5420 +0 12422	DUGGAN Tim 314-514-1896 8 DUGGAN Tim 314-878-4452 9 DUGGAN Tim 314-576-3802 +0
7382 • CHAVIN Laura OO 8 WASHINGTON W B 314-863-1684 9	2805 •MCHOY Beth OU 9 2808 •SUTHERLIN Gladys 314-830-2747 6	• SINGLETARY Desere 314-741-7352 6 11233 • GREEN Kelli 314-38-9149 +0 11237 • MILLER M.L. 314-741-7347 6	865 •HOERNER Jeff OO 866 •LONG Tyrone OO	7 7	L BROWN Rick E 314-434-9750 9 L CONNELY Bill 314-878-7229 +0	HAMPTON Brenda 314-439-0837 +0 HOMMA Yutaka 314-434-9341 9
7383 ANDERSON Annette 314-725-3011 2 • NELSON Steve OO 8 7385 • NOLDEN Helen OO 7	2609 •GARINEAU John 314-837-8071 5 2610 •KARWOSKI Marilyn OO +0	11241 CASEY B 314-741-7198 +0 • DOWNS Christopher OO 7			KAZUHIKO Saeki 314-469-9843 +0 MORRIS Richard 314-439-9123 +0	MCINTYRE Beverty 314-576-7923 +0 J WERDER Mark 314-439-0943 +0 12541
7387 •BUCKLEY Delois 314-728-6581 X HANLEY RD N	2614	11245 •VALENTINE Emia OO 7 11248 •YOUNG Richard OO 7 11249 •SMITH Daval 314-355-5037 5	SCHNEIDER Dave 314-1 871 •STEWART Jonathen 314-1	1-839-2609 7 1-837-1283 +0	MORRIS Vickl 314-439-9123 +0 A WALK John L 314-579-9228 6	12545 THE COVE WESTGATE L BUTLER Linda 314-579-9991 +0
7400 •FOSTER Beverly OO 7401 •JORDAN Raymond OO 9	2518 •NIXON Yvanne OO 7 2619 •JOHNSON Daris OO 7	SMITH Odle 314-355-5037 5 11252 NYAMAPFENE Edson 314-741-2888 5	873 •RICKS Jamie 314-	1-839-4358 3 1-838-7841 1-838-7841	12430 DUGGAN Tim 314-576-4784 8 DUGGAN Tim 314-514-1161 8	E HANNIBAL Louis 314-878-1876 +0 C HAUSER Kris 314-469-6947 9 MCINTY PE Reverty 314-576-6564 +0
7402 ●WEIS William OO 8 7405 ●HANKINS George OO 8 7409 ●RAUCH Eugene N 314-423-4367	2822 ONEILL Stephen 314-839-5571 5 ONEILL Terri 314-839-5571 5 PROGERS John OO +0	11253 • DULIN Marve OO 7 11256 • WHITFIELD R 314-741-5104 5 11257 • KYLES Robin OO 7	874 •KEMMERYNila OO		12430L LAIPPLE Brad 314-514-9439 +0 12430G PODLESNY Tom 314-434-2470 5	J QUISENBERRYL M 314-878-7645 +0 RAMSEY Atephania 314-514-9328 +0
7410 WEISSBII 314-428-4931 7414 •SMORDDIN Calla 314-428-2111 7	2623 •STEWART Evon 314-831-8951 5 •STEWART Fred 314-831-8951 5	11250 •SMITH Latonya 314-741-3087 9 11261 •STINSON Janet 314-355-3438 7	Rhonda •HOLLINGSWORTH Tony 314-	1-831-9003 3	K ALBERTS Edward Dr 314-514-7905 9 DUGGAN Tim 314-514-7903 +0	12545
● SMORODIN Ted 314-428-2111 7 7417 ● COBBINS Giles OO +0 7418 ● SARBER David S 314-428-0209	2626 BAKER M 314-837-0963 9 BAKER T 314-837-0963 9	11264 •MEDLEY Moses OO 7 11265 •WILSON A 314-653-0511 6	876 •UHAS Carelyn OO 877 •RUTLIN Vanessa OO 878 •GARAGNANI David 314-		FREELAIN Onlitear 314-434-5717 9 HAMPTON Brends 314-205-1076 ±0	ALLRED Allen D 314-514-7425 +0 DUGGAN Tim 314-878-2038 7 DUGGAN Tim 314-514-9083 8
SMORODIN S E 314-428-0209 7421 ●EASON Joseph OO 8	2627	11269 JOHNSON Gary 314-741-5831 9 •STAFFORD Carolyn OO 7	* 0 BUS 116 RES	26 NEW	J HERD Evelyn 314-579-6042 +0 J HERD James R 314-579-6042 +0 MCINTYRE Beverly 314-275-9925 +0	DUGGAN Tim 314-514-7851 +0 LEE Jin 314-205-2078 7
7425 •DANIELS Dorothy OO 8 7429 XXXX OO 7434 •MILLS Stephen OO 8	2634 •MOSSINGHOFF B OO 7 2635 •MILLER Carol OO +0	11272 • LUCAS Virgil 00 9 11273 • MILLER Diane 00 7	LIBOURNE CT 6314 CREVE COEUR	11	PATTON O 314-434-9753 9 F SWETNAM Ladonna 314-514-8573 +0	MCINTYRE Beverly 314-579-0921 +0 MORGAN John R 314-439-5830 +0 G ORCHARD Jay R 314-205-2418 +0
ROBINSON Jackie 314-890-8526 +0 7438 • MUELLER Irens OO 7		11277 • WILSON Florence OO 9 11281 • KENNEDY Donna OO 7 11285 • FEEMSTER Sandra 314-853-0575 7			12434	YANAMALA Giridhara 314-469-6611 9 YANAMALA Giridhara 314-469-6645 9
7439 •MOORE Geraldine OO 7 7441 •BERRY Lora OO 7 EASONT 314-426-7992 +0	2639 CRYTS Robert OO +0 2643 ROSS Frank OO +0	11289 • DEESE W 314-741-9965 9 11293 • JONES Carrie OO 7	WEALTH CODE 9.0 13000 - 13020		COOK Anne 314-514-0745 +0 COSSEY Jacquie 314-576-3837 +0	12549 THE COVE WESTGATE
7442 •NADLERS 314-427-1420 7445 •MOORE Daryl 00 7	2646	X LIBERTY LANDING CT	CREVE COEUR PARKWAY SCHOOL DISTRICT	т	COSSEY Rick 314-576-3837 +0 DUGGAN Tim 314-469-9087 8 DUGGAN Tim 314-579-9806 9	DUGGANTIM 314-576-2985 7 DUGGANTIM 314-878-4517 8
7448 •PARMLEY Harry 314-427-8533 7449 •STEWART Darnella 00 7 X MIDLAND BLVD	BYRD Perry 314-830-0875 5 2650 GIBBS Marianne OO 7	* 0 BUS 36 RES 4 NEW	SW OFF FERNVIEW DR		HAMPTON Brenda 314-275-8124 +0 J MOSER Robert 314-514-7692 +0	DUGGANTim 314-576-7472 +0 F LEVONJ 314-434-5521 +0
X LAMB AV	X LIBERTY GARDENS	LIBERTY VLG DR (93) 63031 FLORISSANT	X FERNVIEW D	OR	12446 THE COVE WESTGATE BURKE Jannifer 314-514-7936 9	MCINTYRE Beverly 314-439-9976 +0 12553
7501 • WILSON Eddie L 314-426-7859 6 7506 • SORENSEN Susan OO 7	CT 2654 • PICKENS Lamon 314-830-4249 5	WEALTH CODE 8.0		4-576-1576	CARLSON Andrew 314-469-2053 +0 DUGGAN Tim 314-205-0218 7	LIGHTWOOD DR 63042
7507 • TOMPKINS Latoya 314-428-8059 +0 7510 • SIMMS Charles 314-427-1215	9 2655 •GATEWOOD Damion OO +0 TROUPE Doniele Nicole 314-921-9184 9 2659 •JONES Gwendolyn 314-830-3610 +0	700 - 878 UNINCORPORATED AREA	DR	4-878-6563	DUGGAN Tim 314-275-7984 9 FUJII Kenichi 314-514-0474 8 HAMPTON Brenda 314-579-9367 8	HAZELWOOD
7515 • HAGAN David 314-427-2486 2 7517 XXXX OO	2 2863 •ASHBY inez OO 7 2866 •ROSS Verna 314-838-4940 8	HAZELWOOD SCHOOL DISTRICT	13009 •BENEDICK Allen CO 13015 •MARTELLI Frank 314-	7 4-514-7661 +0	HAMPTON Brenda 314-878-2748 9 HAMPTON Brenda 314-439-5127 +0	
7522 • TOMPKINS Reashell 00 +0 7525 • HOERCHLER Lawrence 314-423-3618 7529 • PUTT ER Joseph 00 7	9 2677 •BROWN Marla 314-831-0479 9 2671 •HABIAN Michelle 314-830-2645 •HABIAN Tim 314-830-2645	700 • CRUMBLE Temara E 314-837-7817 3 702 • GLASS Ernest OO 8	13016 • PEARL Sleven 314-	4-514-7661 +0 4-514-8133 9 4-434-2818	HAMPTON Brenda 314-469-8632 +0 ROSE Timothy L 314-439-5644 +0 SERGHI Daniel 314-576-8817 +0	801 - 6721 HAZELWOOD
7531 KING G 314-429-7762 6	5 2672 •BAUMGARDNER Joy 314-839-8848 5	MENNER Gail 314-838-6233 3	★ 0 BUS 7 RES	2 NEW	12446	HAZELWOOD SCHOOL DISTRICT
COPYRIGHT HAI	NES & CO., INC. INFORMATION ON THIS PAGE MAY	NOT BE RETFUNDRED, ENTERED INTO A COMPL	JIER ON PROTOCOMED, IN ANY MAN	NIVER WHATSC	ACYCHEKOEF I AG AUTHUNIZED IN WHITING BY	remitted to Ody INO.

	ST LOUIS N	THE HAINES (CR.	DIRECTORY	2000	TRIESTE DI
TREETOP VIEW CT 63141 CREVE COEUR	TREFORE AV 63134 CONT WOODSON TER AREA	.TREMONT DR 63033 CONT 3700 •COURTER Ray D 314-837-2722	. TRENTON AV 63132 CONT ● KROMBACH Peter OO 9 10734 ★ BOODY FINE ARTS INC 314-423-2255 6	TRENTON AV 83130 CONT 7713	TRESCOTT AV 83114 CON • KANE Kandy OO 9814 • HOUSE Alicia 314-427-6824
WEALTH-CODE 9.0	AMEA 9442 PIACENTINI Brenda 314-429-7071 6	X SURREY DR 3705 •MILLER John A 314-837-5472 * 2 BUS 48 RES 9 NEW	10746 *FLORSNT VLY 314-428-2222 1 WORKSHP 10750 *SERVICING ONLINE 314-890-9099 +0	7715 •WEST Percy OO 7 7719 •HOPSONJ 314-725-8590	X LACKLAND RD
13302 - 13321 TOWN AND COUNTRY	PIACENTINI Joseph 314-429-7071 6 •YATES Branda OO +0	TRENT DR 63124	SYSTEMS 10752 *ALL STAR STANFORD 314-890-0088 +0	X 78TH X ANNANDALE DR 7801 •STILL Freda 00 8	TRESTON AV 63114
PARKWAY SCHOOL DISTRICT	9443	ST LOUIS	PRODUCTIONS *STANFORD 314-890-0088 +0 PRODUCTIONS L C	7803 *DAVIS Walter OO 8 WILLIAMS Eddie 314-726-1572 1 7805 *BURKEMPER Jim 314-727-8535	ST LOUIS
13302	9447 XXXX OO 9450	WEALTH CODE 9 0	10754 XXXX OO 10756 *COMMERCL COFFEE 314-428-4433 5 *MO COFFEE SERVICE 314-427-0077 5	7807 •TILLMAN N.T 314-725-9709 7808 •JACKSON Vernon OO 7 7809 •SMITH Mikired 314-727-7811	WEALTH CODE 5 0 2816 - 2732
13308 • JUDD Kathy 314-576-5410 +0 • JUDD Ken 314-576-5410 +0 13309 • KLAPP Gregory G 314-878-7520	9454	LADUE LADUE SCHOOL DISTRICT	10758 * O S I LLC 314-423-6842 9 10760 * CRAZY 314-423-8842 9 BOWLS&WRAPS	7811	UNINCORPORATED AREA PATTONVILLE SCHOOL DIST
KLAPP Gregory G Child 314-878-7874 7 13314 • GALVIN G Patrick 314-878-8508 7 13315 • BEUERLEIN John 314-434-7125	9459 MALLONEE D 314-427-4277 +0 MALLONEE S 314-427-4277 +0	LADUÉ AREA	10762 XXXX OO 10765 * BD BIOSCIENCES 314-423-0300 +0 * BECTON DICKSON 314-423-0300	7815 PEGUES Darlynn 314-863-5415 5 PEGUES Kimberly 314-863-2121 +0 PEGUES Steven 314-863-2121 +0	2608 XXXX OO 2616 •COX Reymond 314-428-3516
BEUERLEIN S M 314-434-0429 3 STANDARD 314-469-9057 BOWMAN Frank A 314-469-1368	9467	X OLD WARSON RD	ACCUE-GLASS 10770 XXXX OO 10772 *METROCLEAN CO INC 314-428-2500 8	7816 •JONES N 314-727-7565 7819 •LAND Josephine OO 8 7820 •SCALES Anita OO 7	2620 • WHITMORE Frank OO 2628 • WHITMORE Frank OO 2632 • KOHENSKEY John 314-428-1492
13321 • WIELANSKY Craig OO 7 * 0 BUS 12 RES 2 NEW	X BEAUTY LN 9501 •SANDERS Mabel CO 8 9506 •BOWMAN Veronica CO 7	15 XXXX OO 17 FARMER Jim 314-989-9793 +0 21 •FIALA James OO 7		7823 •GOLDBERG Samuel OO 7 7824 •JONES Veniesa OO 7 7827 •CARTER Glona OO 7	2638 •AVERY Tommy OO 2650 •KELSEY D 314-428-6964 • •KELSEY D 314-428-5425 •
TREEYARD LN 63138	9510	22	CRE 10778 * ROBINSON G R SEED 314-423-1880 6	7828 •JACKSON Dan 314-726-3250 9 7831 •HEAD Mary OO 7 7834 •ESSEN John C 314-863-9189	X VANCLEVE AV 2730 •BALKENBUSH Adnan F 314-426-4849
ST LOUIS	9518 •NOLES Paul B 314-423-1184 5 9522 •TIESLER Duane OO +0	33 POMMER Robert W 314-997-2182 3 37 FRANKE Christin M 314-993-8985 FRANKE Courtney M 314-993-8985	COMPANY 10780 * ALADDIN CHEM DRY 314-423-2800 4 * CHEM DRY ALADDIN 314-423-2800 4	7835	2731
WEALTH CODE 7.0 12612 - 12682	9523 •METTES Deanna 314-426-6186 4 9526 BRIGHT Angelique 314-427-8635 +0 •GRIFFIN Brian CO 8	MCNEILL Cynthra J 314-993-8984 MCNEILL Watace 314-993-8984 KALSBEEK Paul CO 7	10782 * JIM BISHOP CO INC 314-427-3584 * 44 BUS 28 RES 11 NEW	7843 •DENNIS Gibert 00 7 X ERITH AV	* 1 BUS 11 RES 4 NEW
UNINCORPORATED AREA HAZELWOOD SCHOOL DISTRICT	9527	49	TRENTON AV 63130 UNIVERSITY CTY	7847 HOWELL Brian OO 9 MCKITTRICK Jerry 314-863-1985 9 MCKITTRICK Sondra 314-863-1985 9	TRIBUTARY DR 63043 MARYLAND HTS
12612 •MOPKINS Samuel OO 7 12623 •CHRONIS Van G 314-653-1088	9534 •MASTERS Vivian M 314-427-5619 7 9535 •EARLY M 314-428-3191 1 9538 •ELLO Siave OO 8	53		7850 PECK Freda 314-725-9048 PECK James 314-725-9048 •STILL Freda OO 8	WEALTH CODE 8 0
12624 JOPLIN J 314-355-5825 +0 •KENDRICK Daniel 00 8	9539	61 •MCCURDY Stanley OO 8 63 •HART Marcia OO 8 76 •RITCHIE Jas R 314-994-0380	7300 - 7899	7851 •NANTON Desmond 314-725-8429 9 •NANTON Tarriera 314-725-8429 9 7854 •DAVIS Irene CO 8	12351 APARTMENTS F BAILEY Matthew 314-469-0479
12631	TREMBLEWOOD DR	77	UNIVERSITY CITY SCHL DIST	7855 CUNNINGHAM Gerald CO 7 7858 HAYES Margaret 314-725-4607	J BARTHEL Paul 314-205-9838 + JOSEPH A 314-514-0722
●HARPER Robt 314-741-6042 12646 ●PARKER Eugene 314-741-3660 12653 ●LOCHMOELLER Ed 314-741-4598	63033 FLORISSANT	99 *TILLER CNSLTNG GRP 314-587-7480 4 •TILLER Margaret W 314-432-1302 4	X QUENDO AV	7859 •STEWART J R 314-721-4941 7882 •JOHNSON Walter CO 7 7883 •CLEMONS Roosevelt 314-725-9969	NOURSE H A 314-514-7921 + A RAGHU Bangalore A 314-469-6897 + G SCHULTE Alan 314-542-9388 +
12654	WEALTH CODE 8.0 12575 - 12897	* 18US 24 RES 3 NEW	7301 •TRUMAN G L 314-725-9091 7306 •HUGHES Dani W Rev 314-883-5395 7307 •JDHNSON Andrew OO 7	7886 •GARFIELD F 314-863-3481 7870 •HEIN Cecite 314-726-3113 7874 •BOOTH Jos 314-882-4365	G SCHULTE Jennifer 314-542-9388 : 12351
HILL George Jr 314-438-1547 +0 12662	UNINCORPORATED AREA HAZELWOOD SCHOOL DISTRICT	TRENTON AV 63132 ST LOUIS	7312 •WILKERSON B L Rev 314-727-6166 •WILKERSON B L Rev 314-727-6170	7875 • JONES Robert 314-863-1062 7878 • COLLINS S L 314-727-5499 7879 • PFEIFER A V 314-883-6724	BERGER Eric 314-453-4949 EZHEVSKY Sergel 314-576-0907 B JOSEPH Mark 314-576-6737
12670	12575 •HUBBARD Jerry OO 9 MCROBERTS Gena 314-741-0470 8	WEALTH CODE 3.1	7315 •ALLEN Homer L 314-862-1511 2 7316 •YOUNG Marceline OO 7 7320 •DAVNER Linda OO 7	7882 TURNER J 314-725-0288 9 •WALKER Carls 00 +0 7883 •HAWTHORNE James 00 8	F MULLINS Patrick C 314-275-8618 PEMBERTON Amber 314-514-9756 SANTOS Lucinda M 314-514-6755
12675	12585 •MISTER William CO +0 12592 •WILLIAMSL 314-653-1896 7	9404 - 10440 OVERLAND RITENOUR SCHOOL DISTRICT	7323 •GLADNEY Henry OO 7 7327 •HARRIS Mehrn 314-721-1786 7328 •SMITH James OO 7	MONTES-Sanders 314-862-9515 9 Cynthia	SAUR Jacueline 314-579-1916 • WARD Lynsie M 314-514-7811 •
12676	12595 •ROBINSON John H 314-741-6041 X LAKE PADDOCK DR 12607 •TUBBS Leevard 314-653-0573 7	10601 - 10609 UNINCORPORATED AREA	7331	7897 •HÁNDY Vivian OO 7 7891 •JONES William OO 9 SMITH Rashaan C 314-727-5924 +0	12355
12682	12616 •LOVE Peler OO 7 12617 •MORRIS Walter C 314-355-4301 12626 •MOORE John 314-653-1705	RITENOUR SCHOOL DISTRICT 10610 - 10770 UNINCORPORATED AREA	7339 •SIMON Marion OO 7 7340 •KALMES Sam 314-727-1470	7895 •GILKEY Mary OO 7 X MILAN AV	BUDO Gladine 314-514-8277 E HERNANDEZ B 314-576-7173 C HOPPE Dennis 314-878-5849
★ 0 BUS 24 RES 2 NEW	12627 •SIMS Van E 314-741-7672 12636 •TAYLOR Bonnell OO 7	PATTONVILLE SCHOOL DIST OVERLAND AREA	7346 •MCNAUGHTON Harvey 00 8 7347 •TYSON Lee 00 7 X MOORE PL	X 79TH 7899 •WILLIAMS Emerall 314-726-1053 * 0 BUS 152 RES 20 NEW	KRISHNATHEERAM 314-453-9424 Sameer LARSON Robert H 314-878-1851
FREFORE AV 63134 BERKELEY	12637 •GRECO James 314-653-2720 9 12646 •SCHAEFER Jarvis OO 7 12647 •WASHINGTON P 314-741-8707 +0	9494 • SMITH Jimmy D 314-423-7279 6	7350 • CROCKER William OO 8 7353 • LITTLE Smithey 314-725-1927 2 7354 • LANGENBERG Mary OO 8	TRESCOTT AV 63114	MCFARLAND Todd 314-434-3461 SCHUNK Jeff 314-576-5191
WEALTH CODE 4.2	12856 •GIPSON Anthony OO 7 12857 MADISON Michael 314-355-7515 •SIMPSON Vandaris OO 7	9405 • MURPHY Mona 314-426-4214 8 • MURPHY Ramona 314-427-6976 9406 BURNS G 314-423-8594 6	PICKERING Annie J 314-721-3591 7357 •NUNALY Elizabeth OO 9	OVERLAND	SURIPEDDI Venkat 314-878-0820
8910 - 9131 BERKELEY	12666 •THOMAS Harold OO 7 12667 •KING Manda OO 7 12676 •BARANOVIC Donald OO 7	SELLERS Raymond OO 7 9408 KURTESSHI iiis 314-426-3701 +0	7358 •GILENN G 314-882-1249 7360 XXXX OO	WEALTH CODE 4.5 9405 - 9814	12388 APARTMENTS D BERGMANN E 314-489-5953 B BROOKS C 314-439-0657
FERGUSON-FLORISSNT'SC DST	12677	STILLMAN Slewart 314-428-5110 +0 9412 •ALEXANDER Adrian G 314-428-7581	7361	OVERLAND RITENOUR SCHOOL DISTRICT	CHECKA Shankar 314-878-1442 G DILL George Jr 314-453-0656 C GCYAL Manish 314-439-9180
8910	12696	9415 • BESANCENEZ L. OO 8 9416 • BESANCENEZ L M 314-427-3886 9417 • CARRION David OO 9	7373 •GUNN Gena OO +0 7377 •PRATER J 314-863-6780 6 7381 •SHULTZ Robert OO 7	X WOODSON RD	GRACE Ggary 314-514-7357 HILLEN Thomas 314-453-9392 NFI SON Charletock 314-434-5791
● MIX Michael OD +0 8914 ● HUDSON Tonya OD 7	SOFTBALL ASSN	9419	7385 • MAND William OO +0 7389 • UNDERWOOD Michael OO 7 7393 • MCPHERSON Emestine 314-726-5125	9405 COSTELLO Francis J 314-428-3225 5 •NOLTING Norman CO 8 9407 XXXX CO	SEEGER Tom 314-439-0657 SHAW J Winfield 314-878-3448 SHAW R 314-978-3448
8915 •GUBICYA William 314-429-0965 9 8918 •TURNER Andy 314-428-3609 6 8919 •BRAUN Vernon F 314-428-7432	TREMONT DR 63033	X PRICE RD X FAIRVIEW AV	7403 • RAY K P 314-728-6849 6 7407 • GALARNYK C OO +0	9411 •TROST Sean CO +0 X GAEBLER AV	1 STANHOPE G W 314-469-3506
8923 •SMITH Charles OO 7 8925 •KUNIN Keith OO 7 8926 •GEHNER Chas F 314-428-3486	FLORISSANT	ZIP CODE 63132	PECTOL Patrick A 314-721-1473 6 7410 • INUKAI Joe OO 9 7411 • WILLIAMS Jonathan 314-721-7093 6	9415 LAROSE Dawn 314-427-8773 7	BONHAM S E 314-275-8459 BRODBECK Marc 314-434-7145
8927 • MCCAFFERTY Mary 00 8 8928 • BUTLER Patricia 314-429-4375 9	WEALTH CODE 9.0 1450 - 3705	ST LOUIS	X MIDLAND BLVD 7414 • RAMIREZ Carlos 314-721-8304 7 7417 • SHADE Frank 314-725-8999	●HESS Lilian CO 8 9425 ●ILSEMAN Gary CO 7 9426 ●SAUNDERS C E 314-427-4160 7	GALANG J 314-434-2237 A KIM Soon 314-514-0979 J LABBEZ Melanie 314-542-2182
8930	FLORISSANT FERGUSON-FLORISSNT SC DST	WEALTH CODE 3 1	7421 • NEWMAN Affred OO +0 7430 • FIGUEROA Fernando OO 8	9427 •MASCHMANN LW 314-429-2795 9429 *MEEHAN APPRAISAL 314-426-5258 7 COMPANY INC	RAMAMCORTHY S 314-205-1383 RODRIOUEZ Angel L 314-514-9842 -
9001 •KAERCHER Circly 314-429-1904 7 9004 •COOPER Donald OO 7 9005 •WAGNER Many OO 9	1450	10401 * BENRUSS PAINTING CO 314-427-0770 • COLBY Russell OO 8	WOOD Lea M 314-725-8075 +0 7434 • MOORE Lilie 314-882-3381 9 7435 • BARRETT S M 314-727-3269 1	MEEHAN Joseph 314-429-5211 1 9430 FREISE Robert H 314-429-2171 +0	12393 APARTMENTS J BYRD Jenniler 314-205-8182 J BYRD Nathan 314-205-8182
9008 •HERKENHOFF Doris 314-423-6566 8 9009 •KNEIP Stanley 314-427-3353 +0 9010 •MORGAN Linda 314-429-5107 4	1455 •HAYNES Walter P 314-890-2422 4 1460 TRIPLETT Theo 314-837-1569 +0 TRIPLETT Theo 314-972-7420 +0	10403 * POOL TRON INC 314-428-1971 3 • SANSONE Gary OO 8 10407 XXXX OO	7438 • MARGHERIO Michael C 314-721-8052 7441 • ABRAMS Sherwin OO +0 FULLER R M 314-727-7114 4	X BURNS AV 9508 •YOUNG K 314-428-1053 9 9509 •SMITH Sundra OO 9	E HAMMINGA Lee 314-434-5902 B LAKE Alice 314-439-9950
 MORGAN Thomas 314-429-7118 6 MORGAN Thomas Sr 314-429-5107 4 	1475 • STEVENS Leroy 314-839-4359 1480 • SHREVES Robert OO +0 1495 • SCOTT B A 314-838-7149 6	10411 *MASTERCRAFTTOOL 314-429-3333 CO 10415 *COLUMBINE PRINTING 314-423-2580 8	7445 DUKE T J 314-863-7319 • HILL Jeannette OO 7 7446 • GILLOOLY M 314-721-3978 2	9510 COLLYOTT Ermin 314-423-1374 • SPENCE Ronald OO +0 9511 • DUNKER Regina D 314-428-5919	H LEAHY Patrick J 314-434-7021 A SURUURAJ Sasi 314-576-1774 · I WALD Henry 314-434-1087
9013 •RAGAN John 314-427-0289 9014 •WHITMAN Terry OO 7 9017 •BUSCH Oebra OO 8	1520 • JOHNSON Francis R 314-838-6685 1525 • KELLY Eric OO 9 1540 • FLESHER John 314-921-1464	COMPANY *PATTERSON&ASSOCIA-314-423-4997 7	7449 •MCMILLIAN Ida 314-725-0738 X LAMB AV	9512	12393
9020 •LICKLIDER M L 314-423-3012 2 9021 BROWN Dan 314-427-4775 BROWN Libby 314-427-4775	1545 ◆SMITH Ronald CO 7 1560 ◆BRANCH James CO +0	TES INC 10420	7500 • ZAREMBKA Arlene OO 7 7501 MOSBY Afonso 314-725-9630 +0 7504 • BIBBS Annelce 314-863-2949	9514	TRIESTE DR 63146 ST LOUIS
•WOODS Harold 00 7 9024 •HELKER Frank M 314-427-2278 9025 •EVANOWSKI Patrick 00 8	1565 •KUNY Raymond J 314-838-5492 2 1580 •BECKER Jeff 314-972-0041 7 X HAMBLETONIAN DR	10423 * CERESIA TOOL&MOLD 314-426-0177 10430 * PAN GLO 314-426-3830 10440 * LHB INDUSTRIES 314-423-7955 +0	7505 • GUBERMAN Marwn OO 7 7509 • THOMASSON Judith OO 9 7510 • FLEMING Charlene 314-727-1334 +0	X WENGLER AV 9525 CARLTON Mary 314-423-2219 +0	WEALTH CODE 9 0
9028	3510 • ZVIRGZDINS Geo 314-837-4995 3520 * SCHNEIDER JOHN D 314-921-0222 ATTY	*LIGHTHOUSE FR BLIND 314-423-4333 X ASHBY RD 10601 *WHOLESALE PLBG 314-429-6010	7514 •LOVE Patil OO 7 7515 •JONES Homer 314-725-9023 7518 •RIEGER Paul J Jr 314-727-5866 5	● FREEMAN Thomas OO +0 9526 ● JONES David OO 7 9527 XXXX OO	1105 - 1112 11226 - 11330
9033	SCHNEIDER John Sen 314-837-2515 2 S535 RITTER Geo 314-838-4377	SPLY 10602 * P P G INDUSTRIES 314-429-6400	7522 • RIUSSELL Jan H 314-726-2864 +0 7523 • DAWSON Richard B 314-727-3128 7526 • HOLLAND Robert OO 8	9528 BRAZER James 314-428-5022 +0 • GATES Wallace OO 8 9529 • MYERS R S 314-890-2386 6	UNINCORPORATED AREA PARKWAY SCHOOL DISTRICT
9037 DONEGAN Ruth 314-428-6167 +0 • POPE Alfred OO 9 9100 DEIMEKE Leon 314-423-8199 5	3540 •MEYER David 314-838-5037 3550 •SITTER Ralph H 314-921-5413 3555 •TEBEAU Donna 314-838-4172 7	10609 XXXX OO 10610 *ENVIRO CHEM 314-426-3422 9 SYSTEMS LAB	7529 •SMALL Leo 314-721-1268 1 7590 STEPHENSON F 314-863-6253 2	9530 UNDERWOOD Jason 314-423-8241 +0 •YOUNG Jerald OO +0	1118 - 11225 UNINCORPORATED AREA PATTONVILLE SCHOOL DIST
DISSER Novata	TEBEAU James R 314-838-4172 7 TEBEAU M 314-837-5078 8 MACKE Joyce A 314-921-7739 7	10616 * LIGHTHOUSE FOR THE 314-427-2469 +0 BLIND 10617 JOHNSON Michael A 314-429-1961 +0	7533 •KELLEHER Michael C 314-862-3349 +0 7534 HAMPTON K 314-725-4267 9 HAMPTON Kim 314-725-6165 8	9531	1105 LUCK Mrs William J 314-567-4066
9114	●MACKE Linus J 314-921-7739 7 3585 ●ADEYEMO Tunde 314-921-0305 9 3570 ●BAILEY Deanna 314-839-4826 5	10825 * H&A PLUMBING CO 314-426-7150 8 10837 XXXX OO 10877 XXXX OO	• STAHNKE Jeffrey OO 7 7537 • DIXON Joann OO 7 7541 • MCQUEEN G J 314-727-5278	9613 •GARLICH Wm 314-423-7608 9616 •YOUNG Jerry N 314-429-2601 9625 •KARAM Roger 314-426-5095 3	STRUGATSKY A OO 1106
9118 • DUNCAN Keith 314-890-8470 +0 9119 • MILLER Jeremy 314-429-3195 9 9122 • KLEIN K E 314-426-9679 +0	 BAILEY Earl 314-839-4826 5 3575 PHOLLAND Charles 314-830-1677 +0 	10678 * ALL TYPE 314-427-0634 9 VACUUM&JANITORIAL	7542 •LANE Daniel 314-721-7611 7545 •BERGER Steve 314-721-3648 8 7546 •GREGORY Herman OO 7	9710 •HAWKINS J 314-423-8968 7 •HAWKINS James A 314-429-3989	1112 • KRUG Jerry 314-432-8252 1118 • MCCANN Denis C 314-567-0560 1122 • HARBERS J A 314-872-8710
9123 •WILLIS Lisa OO 9 9126 •BASTA Jas E 314-423-7941 9127 •STRUTTMANN Jerome F 314-428-0388	ROTH Cynihia A 314-830-2308 +0 3580 •HAWS Robi 314-838-9916 3 3590 BROWNSBERGER T 314-921-1894 4	X WARSON RD N 10700 *BONHOMME 314-429-5655	7547 • RIGGINS J OO +0 7549 • YANG Hon Lun 314-882-2316 +0 7550 JOHNSON Alpha 314-721-7007 4	X DAWES PL X HUNTINGTON AV 9740 •MCKOWN Margaret 00 7	1126 •MOSIER Donald L 314-432-4189 11201 •PRATER John 314-991-1932 •PRATER Paula 314-991-1932
9128	●TURNER James CO 7 3595 ★NON SLIP FLOORS INC 314-921-9999 9 ●WORKMAN Randel CO 9	ASSOCIATES * MEGLIO INVSTMT CO 314-429-5855 10702 * UNIQUE CRAFTERS CO 314-427-5310 3	JOHNSON Carol 314-863-0604 +0 • RAYNOR Joyce OO 8	9741 POWERS Dave 314-426-5159 5 POWERS Robert E 314-429-3488	11204 OWENS Gary OO *Y DESIGNS 314-432-1081
NEVIN Janet 314-427-0073 8 ◆ STEEN Karen 00 9 ★ 0 BUS 56 RES 10 NEW	3600 •GLENZY Barbara OO +0 3620 •MCVEY Hugh E 314-837-8002 3625 •BONINE ES 314-831-0665	*WALTERS W K CO 314-427-5310 4 16706 ★ REED HANNEBAUM 314-890-0995 8	X HARRISON AV 7841 XXXX 00 X AND SOUTH RD N	9742	11214 •SLADE Terry 314-997-0621 11219 LASKY Perry 314-432-4783
REFORE AV 63134	3630	ENGINEERING SVS 10710 XXXX OO 10712 *KALBUNEH INC 314-427-7191 4	7700 • CADE L OO 7 7701 • WILSON Robert OO 8	9754 •BAERIMAN Michael 314-428-6791 +0 •BAERIMAN Sherry 314-428-6791 +0 9756 •BARRETT Robert 314-423-2599 6	11220 • ROSENBERG Bernard 314-569-0867 11225 • TYBERENDT Ricky CO 11226 • KATZ Eugene 314-432-6572
BERKELEY	3655 •KEEGANJ 314-838-2350 •KEEGANM 314-838-2350 3680 •RICHARDSON Carl H 314-837-3660 7	10714 * LEGENDS 314-428-8388 +0 PHOTOGRAPHY 10726 * COPIES 314-427-3785 7	7703 •TUCKER Irving OO 8 7704 •MCNEAL Asia 314-863-0037 8 7705 •MAYES Johnnie OO 7	9780 •WESTENHAVER Hazel 00 7 X WISMER AV	11232
WEALTH CODE 4.2 8442 - 9539	3665 •MITCHELLAlien OO +0 3670 •HOWARD B 314-921-5773 3675 •BELL Beverly OO 9	DESIGNS&MORE **COPIES 314-429-6177 7 DESIGNS&MORE	7707 • BOWNSEYMOURJ O 314-725-2042 7708 • KING Arethia 314-727-3790 8 7709 • MOSELY E R 314-725-1129	9806 •RAYLee OO 9 9808 •DAVIDSON Hugh OO 7 9810 •RUTLEDGE Ken 314-423-5027 9	X MOMARTE LN X BARDOT LN 11300 •RYBAK Gregory 314-991-8429
9442 - 9539 WOODSON TERRACE	3690 •EISENBATH Joseph OO +0	10727 *EPOXY-STONE 314-426-2311 +0	7711 •HARVEY Jas W 314-725-1129	X SIMS AV	11301 HOLLAND Donald 314-432-8623



Woodson Road Park 1655 Woodson Road Saint Louis, MO 63132

Inquiry Number: 6884535.3

March 07, 2022

Certified Sanborn® Map Report



Certified Sanborn® Map Report

03/07/22

Site Name: Client Name:

Woodson Road Park U.S. Army Corps of Engineers

1655 Woodson Road Svc. Base,

Saint Louis, MO 63132 St. Louis, MO 63118 EDR Inquiry # 6884535.3 Contact: Ben Greeling



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by U.S. Army Corps of Engineers were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 24C3-40B2-B1A3

PO# RDP

Project River Des Peres GRR

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 24C3-40B2-B1A3

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

✓ Library of Congress

University Publications of America

EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

U.S. Army Corps of Engineers (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



DEPARTMENT OF THE ARMY CORPS OF ENGINEERSB-ST. LOUIS DISTRICT 1222 SPRUCE STREET ST. LOUIS, MISSOURI 63103-2833

April 4, 2022

Subject: River Des Peres, University City General Reevaluation Report (GRR) a Flood Risk Management (FRM) Study, St. Louis County, MO – Detention Basin 4 Clean Water Act Section 404 Permit Requirements

Ms. Janet Buchanan Plan Formulation U.S. Army Corps of Engineers – St. Louis District Regional Planning & Environment Division, North

Dear Ms. Buchanan:

Our office has reviewed the Draft University City Branch, River Des Peres, Missouri General Reevaluation Report (GRR) with Integrated Environmental Assessment (EA) dated July 26, 2021 and specifically the 10% design for Detention Basin 4 submitted to our office on March 30, 2022. The work proposed at Detention Basin 4 includes the removal of the existing Woodson Road Park walking trails and pavilions for the construction of an off-stream detention basin with inlet and outlet structures along the upper reach of River Des Peres to manage stormwater flooding in the watershed. The inlet and outlet structures could potentially require discharges of dredged or fill materials below the Ordinary High Water Mark of the River Des Peres. The project is located at 38.682064°, -90.362889°, in Section 4, Township 45 North, Range 6 East, within the City of Overland, St. Louis County, Missouri. The River Des Peres is a primary tributary to the navigable Mississippi River.

The proposed activities at Detention Basin 4 would likely be authorized under Section 404 of the Clean Water Act by an existing Department of the Army nationwide permit for *Stormwater Management*, as described in the January 13, 2021 and December 27, 2021 Federal Register(s), Reissuance and Modification of Nationwide Permits; Notice (86 FR 2862), Appendix A (B)(43). The Missouri Department of Natural Resources Water Protection Program (MDNR/WPP) has conditionally issued general Section 401 Water Quality Certification for this nationwide permit, subject to special conditions. Enclosed is a copy of the nationwide permit and conditions and management practices which would apply to the proposed activity. Once additional information is available on the construction specifics, please submit the information along with documentation of completed Section 106 coordination and Endangered Species Act consultation.

If you have any questions, please contact Samantha Hollenberg at Samantha.l.hollenberg@usace.army.mil or (314) 331-8186.

Sincerely,

Jaynie G. Doerr Missouri Section Regulatory Branch

Enclosures

Copy Furnished: (electronically)
Mr. Robert Gramke, U.S. Army Corps of Engineers – Regulatory Branch Chief

Mr. Matthew Jones, U.S. Army Corps of Engineers – Project Management

Mr. Evan Hill, U.S. Army Corps of Engineers – Environmental Compliance Section



DEPARTMENT OF THE ARMY U.S. ARMY CORPS OF ENGINEERS, ST. LOUIS DISTRICT 1222 SPRUCE STREET ST. LOUIS, MISSOURI 63103

March 16, 2022

Curation and Archives Analysis Branch Engineering and Construction Division

Subject: Refinement of the Plan for the River des Peres, University City, General Reevaluation Report, a Flood Risk Management Study, St. Louis County, MO

Name Tribe Street Street 2 City, State Zip

Dear (Name):

The U.S. Army Corps of Engineers (USACE), St. Louis District (the District) is contacting your tribe to continue consultation under Section 106 of the National Historic Perservatio Act of 1966, as amended, for the flood risk management solution of River des Peres in University City, St. Louis County, Missouri (Figure 1). Your tribe was initially contacted on June 15, 2021 to discuss six alternatives for a General Reevaluation Report (study) that was initiated to reduce economic damages from flooding of the River des Peres. The study falls under the USACE Flood Risk Management program.


The District has selected a preferred alternative, referred to as the National Economic Development (NED) Plan. This flood risk management alternative consists of the placement of an approximately 8-acre detention basin at Woodson Road Park and an adjacent parcel owned by the General Services Administration in the City of Overland (Figure 2). The NED Plan will reasonably maximize net benefits while remaining consistent with the Federal objective of protecting the environment.

Historic aerial photographs (dating from 1937 to present) and Natural Resources Conservation Service (NRCS) soil descriptions indicate that the proposed detention basin has been previously disturbed by the construction and grading of the existing park. In order to confirm the disturbed context of the project area, District archaeologist conducted a series of auger tests throughout the park on March 4, 2022 (Figure 3). The auger tests confirmed that the park matched the disturbed Fishpot soil series identified by the NRCS. Based upon this information, it is the District's current opinion that the NED Plan will have no effect on historic properties.


If your tribe has any questions, comments, or areas of concern, please contact me at (314) 331-8855 or contact Meredith Hawkins Trautt (Tribal Liaison) at (314) 925-5031 or email Meredith.M.Trautt@usace.army.mil.

Sincerely,


Jennifer L. Riordan Chief, Curation and Archives Analysis Branch



USGS 7.5' Topographic Quadrangle Map: River Des Peres Flood Risk Management Study NED Plan



Project Map: River Des Peres Flood Risk Management Study NED Plan





DEPARTMENT OF THE ARMY

U.S. ARMY CORPS OF ENGINEERS, ST. LOUIS DISTRICT 1222 SPRUCE STREET ST. LOUIS, MISSOURI 63103

8 March 2022

Curation and Archives Analysis Branch Engineering and Construction Division

Amy Rubingh
Office of Historic Preservation
Missouri Department of Natural Resources
P.O. Box 176
Jefferson City, Missouri 65102

Re: SHPO Number: 076-SL-21, Refinement of the Plan for the River Des Peres, University City, General Reevaluation Report, Saint Louis Country Missouri

Dear Ms. Rubingh:

We are contacting you to continue consultation regarding the River Des Peres-University City, General Reevaluation Report, Saint Louis County, Missouri. The U.S. Army Corps of Engineers (USACE) Saint Louis District has selected a preferred alternative for the. This alternative is referred to as the National Economic Development (NED) Plan. It is the flood risk management alternative that reasonably maximizes net benefits while remaining consistent with the Federal objective of protecting the environment. Our NED Plan consists of the placement of an approximately 8-acre detention basin at Woodson Road Park and an adjacent parcel owned by the General Services Administration (GSA) in the City of Overland.

Historic aerial photographs (dating from 1937 to present) and NRCS soil descriptions indicate that the location of the proposed detention basin at Woodson Road Park in Overland, Missouri has been previously disturbed by the construction and grading of the existing park. In order to confirm the disturbed context of the project area, the Saint Louis District archaeologist, on March 4 2022, conducted a series of auger tests throughout the park, to verify the presence of the disturbed Fishpot series soils. All auger tests confirmed disturbed soils that matched the Fishpot soil descriptions. Based upon the fact that the proposed project area is located on a confirmed recent anthropogenic landform, USACE has determined that refined NED Plan will have no effect on historic properties.

If you have any questions regarding this matter, please contact Ms. Lara Anderson directly at (314) 331-8779, or e-mail Lara.anderson@usace.army.mil.

Sincerely,

FOR

Jennifer L. Riordan Chief, Curation and Archives Analysis Branch

Attachments




STATE HISTORIC PRESERVA		SHPO USE ONLY				
P.O. BOX 176, JEFFERSON CI		REVIEWER				
(573) 751-7858		DATE	SHPO LOG #			
SECTION 106 SURVEY	MEMO		Sin Clock			
1) SHPO PROJECT # SHPO Number: 076-SL-21		ACCEPTED	REJECTED			
LOCATION INFORMATION & SURVEY CO	NDITIONS					
2) COUNTY(S)	ADITIONO					
Saint Louis						
3) U.S.G.S QUADRANGLE NAME(S) Clayton, MO	4) PROJECT TYPE/TITLE Woodson Park Survey fo	for River Des Peres-University City (GRR)				
5) FUNDING/PERMITTING FEDERAL AGENCY(S) USACE Saint Louis District	,					
6) SECTION 32	7) TOWNSHIP	8) RANGE				
9) U.T.M. OR LAT/LONG COORDINATES FOR GENERAL PROJE		6E				
38.68220, -90.36215						
10) PROJECT DESCRIPTION			-			
Confirmation of disturbed soils at Woods	son Road Dog Park 1655 W	oodson Road, Overland M	O			
magaraphy Filled and graded urban landform of hum	nan-transported materials or	n a floodplain				
12) SOILS	Tall transported materials of	Ta nodapian				
87% Fishpot-Urban land -Freeburg comp	olex, 13% Urban Land					
13) DRAINAGE River Des Peres						
14) LAND USE/GROUND COVER (INCLUDING % VISIBILITY)			v			
Urban dog park grass and concrete <20 Is) SURVEY LIMITATIONS	% visibility; parking lot .65 a	cres concrete 0% visibility				
Concrete paths and parking lot, undergro	ound utilities, restricted pote	ential superfund site 3.5 ac	cre			
HISTORICAL BACKGROUND INFORMATIO						
6) SHPO - CULTURAL RESOURCE INVENTORY	17) ARCHAEOLOGICAL SURVEY OF MI	1 <u></u>	S DATABASE			
		V				
19) HISTORIC PLATS/ATLASES/SOURCES REFERENCED Saint Louis County GIS Services Historic	Aerials 1937-2018					
20) PREVIOUSLY REPORTED ARCHAEOLOGICAL SITES WITHIN	N ONE-MILE RADIUS SEARCH AREA		+			
23SL1078	MICE BARBUR OFFICE (DE					
21) PREVIOUS CULTURAL RESOURCE SURVEYS WITHIN ONE- SL454, SL464, SL971, SL379, SL686, SI						
2) OTHER REGIONAL SOURCES UTILIZED	-		•			
2011 Federal Lands to Parks Program S	tewardship Report					
3) OWNER(S) OF SURVEYED PROPERTY City of Overland						
4) INVESTIGATION TECHNIQUES						
Auger test spaced out throughout park to	confirm presence of the dis	sturbed Fishpot deposits of	i			
	- IV	I -	EXPENDED			
numan transported materials (see attach	, , , , , , , , , , , , , , , , , , , ,	2	PERSON HOURS			
6) ARCHAEOLOGICAL/ARCHITECTURAL PROPERTIES LOCATI NONE	ED					
7) CULTURAL MATERIALS AND/OR FEATURES IDENTIFIED						
modern glass, gravel, and asbestos (ider	ntifed but not collected)					
		,				
		20) ADTI	IFACTS/RECORDS CURATED AT			
		n/a				
9) COLLECTION TECHNIQUES	***************************************	- <u> </u>				

30) ESTIMATE OF AREA SURVEYED (ACRES)
4.8 acres (.65 acres parking lot, 3.5 acres GSA owned superfund site, no right-of-entry)
MO 780-1718 (07-21) (OVER)


RESULTS OF INVESTIGATION AND RECOMMENDATIONS (NOTE: "HISTORIC PROPERTIES"	" REFERS TO PROPERTIES LISTED OR ELIGIBLE FOR LISTING	IN THE NATIONAL REGISTER):
☑a) No historic properties located		
D) No historic properties adversely affected		
C) Historic properties adversely affected		
d) Properties located that may be eligible for the National Registe	r; further testing is recommended	
p ₂₎ Comments: The entire park has been previously disturbed	by filling transhing and grading. Apriol I	
and 1997 show extensive changes to the area	by Illing, trenching, and grading. Actial including changes to River Des Peres ch	mages between 1937 cannel (Attached)
Auger test confirmed soil disturbance	moduling changes to raver best cres on	alliei (Allaciieu).
CULTURAL RESOURCE MANAGEMENT CONTRACTOR INFORM	VATION	
32) ARCHAEOLOGICAL CONSULTANT	ATION	
USACE St. Louis District		
33) ADDRESS/PHONE/EMAIL		
1222 Spruce Street, St. Louis MO 63103/ 314-331-8779/ lara	.anderson@usace.army.mil	
34) SURVEYOR(S)		35) SURVEY DATE(S)
Lara Anderson and Matt Terry		3/4/2022
36) REPORT COMPILED BY Lara Anderson, Archaeologist		37) DATE 3/7/20
38) SUBMITTED BY (SIGNATURE AND TITLE)		3/1/20
ANDERSON.LARA.S.1230357788 Digitally signed by ANDERSON LARAS.1230357788 Date: 2022.01.88 122948 4650		
39) ATTACHMENT CHECK LIST: (REQUIRED)		
✓ 1) Relevant Portion of USGS 7.5' Topographic Quadrangle Map	o(s) Showing Project Location and Any Recor	rded Sites
_ ✓ 2) Project Map(s) Depicting Survey Limits and, when applicable		
3) Site Form(s): One Copy of Each Form		
✓ 4) All Relevant Project Correspondence		
5) Additional Information Sheets as Necessary		
40) MAILING ADDRESS OF OWNER/AGENT/AGENCY TO WHOM SHPO COMMENTS SHOULD BE	SENT	
-US Army Corps of Engineers, St. Louis District CEMVS-EC-Z -1222 Spruce Street		
St. Louis, Missouri 63103-2833		
41) CONTACT PERSON NAME	42) CONTACT PERSON PHONE NUMBER & EMAIL	
Lara Anderson	(314) 331-8779	
REVIEWER COMMENTS		


MO 780-1718 (07-21)

Project Map: River Des Peres Flood Risk Management Study NED Plan




USGS 7.5' Topographic Quadrangle Map: River Des Peres Flood Risk Management Study NED Plan





1937 St. Louis County Aerial



Map Provided by the St. Louis County GIS Service Center. Copyright 2017, St. Louis County All rights reserved.

0

0.01

0.04

0.09 km

0.03

St Louis County GIS Service Center

Proposed Detention Basin Project Area

1955 St. Louis County Aerial




3/8/2022, 1:18:17 PM

Proposed Detention Basin Project Area

1:1,200 0 0.01 0.03 0.06 r 0 0.02 0.04 0.09 km

1981 St. Louis County Aerial




3/8/2022, 1:19:27 PM

Proposed Detention Basin Project Area

0 0.01 0.03 0.06 mi 0 0.02 0.04 0.09 km

St Louis County GIS Service Center

1997 Saint Louis County Aerial




3/8/2022, 1:16:41 PM

Proposed Detention Basin Project Area

St Louis County GIS Service Center 0.02 0.01 0.04 1:1,200 0.03 0.09 km

0.06 mi





Map Unit Legend

Map Unit Symbol	. Map Unit Name	Acres in AOI	Percent of AOI
68001	Fishpot-Urban land-Freeburg complex, 0 to 2 percent slopes, frequently flooded	7.5	87.6%
99023	Urban land, upland, 0 to 5 percent slopes	1.1	12.4%
Totals for Area of Interest		8.5	100.0%

Auger Test Descriptions

Auger Test	Depth	Color	Descriptions	
1	0 – 17 cm	10 YR 3/2	Very mottled, with oxidized spots, friable	
	17 – 50 cm	10 YR 5/4	7	
	50 – 60 cm	7.5 YR 5/4]	
2	0 – 20 cm	10 YR 4/2	friable	
	20 – 50 cm	10 YR 5/4		
3	0 – 30 cm 10 YR 4/3		Gravel fill though out	
	30 – 33 cm	10 YR 4/2	Ţ	
4	0 – 16 cm	10 YR 3/2	Road Gravel through out	
5	0 – 33 cm	10 YR 3/2	Modern trash (glass, asbestos, plastic)	
6	0 – 20 cm	10 YR 5/2	Light grayish mottled (brick fragment)	
	20 – 28 cm	10 YR 4/4	Orangish with white flecks friable	
7	0 – 25 cm	10 YR 3/2	Road Gravel throughout	
	25 – 30 cm	10 YR 4/4	friable silty clay	
8	0 – 10 cm	10 YR 4/2	Mottled throughout with reddish brown and gray	
	10 – 50 cm	10 YR 4/3		



Auger Test 1



Auger Test 2



Auger Test 3



Auger Test 4



Auger Test 5



Auger Test 6



Auger Test 7



Woodson Road Dog Park looking North East

Woodson Park Survey for River Des Peres - University City (GRR) Photographs




Woodson Road Dog Park playground (South East Corner)



Woodson Road Dog Park looking East



Woodson Road Dog Park looking West



Woodson Road Dog Park drainage ditch